

## Identity-and-Access-Management-Designer Dumps

### Salesforce Certified Identity and Access Management Designer (SP19)

<https://www.certleader.com/Identity-and-Access-Management-Designer-dumps.html>



**NEW QUESTION 1**

A farming enterprise offers smart farming technology to its farmer customers, which includes a variety of sensors for livestock tracking, pest monitoring, climate monitoring etc. They plan to store all the data in Salesforce. They would also like to ensure timely maintenance of the installed sensors. They have engaged a Salesforce Architect to propose an appropriate way to generate sensor information in Salesforce.

Which OAuth flow should the architect recommend?

- A. OAuth 2.0 Asset Token Flow
- B. OAuth 2.0 Device Authentication Flow
- C. OAuth 2.0 JWT Bearer Token Flow
- D. OAuth 2.0 SAML Bearer Assertion Flow

**Answer:** A

**NEW QUESTION 2**

Universal Containers (UC) is both a Salesforce and Google Apps customer. The UC IT team would like to manage the users for both systems in a single place to reduce administrative burden. Which two optimal ways can the IT team provision users and allow Single Sign-on between Salesforce and Google Apps? Choose 2 answers

- A. Build a custom app running on Heroku as the Identity Provider that can sync user information between Salesforce and Google Apps.
- B. Use a third-party product as the Identity Provider for both Salesforce and Google Apps and manage the provisioning from there.
- C. Use Identity Connect as the Identity Provider for both Salesforce and Google Apps and manage the provisioning from there.
- D. Use Salesforce as the Identity Provider and Google Apps as a Service Provider and configure User Provisioning for Connected Apps.

**Answer:** BD

**NEW QUESTION 3**

Universal Containers (UC) uses Salesforce to allow customers to keep track of the order status. The customers can log in to Salesforce using external authentication providers, such as Facebook and Google. UC is also leveraging the App Launcher to let customers access an on-platform application for generating shipping labels. The label generator application uses OAuth to provide users access. What license type should an Architect recommend for the customers?

- A. Customer Community license
- B. Identity license
- C. Customer Community Plus license
- D. External Identity license

**Answer:** B

**NEW QUESTION 4**

Universal Containers (UC) has a desktop application to collect leads for marketing campaigns. UC wants to extend this application to integrate with Salesforce to create leads. Integration between the desktop application and Salesforce should be seamless. What Authorization flow should the Architect recommend?

- A. JWT Bearer Token Flow
- B. Web Server Authentication Flow
- C. User Agent Flow
- D. Username and Password Flow

**Answer:** C

**NEW QUESTION 5**

Northern Trail Outfitters (NTO) is planning to roll out a partner portal for its distributors using Experience Cloud. NTO would like to use an external identity provider (IdP) and for partners to register for access to the portal. Each partner should be allowed to register only once to avoid duplicate accounts with Salesforce. What should a identity architect recommend to create partners?

- A. On successful creation of Partners using Self Registration page in Experience Cloud, create identity in Ping.
- B. Create a custom page in Experience Cloud to self register partner with Experience Cloud and Ping identity store.
- C. Create a custom web page in the Portal and create users in the IdP and Experience Cloud using published APIs.
- D. Allow partners to register through the IdP and create partner users in Salesforce through an API.

**Answer:** B

**NEW QUESTION 6**

Universal Containers (UC) wants its users to access Salesforce and other SSO-enabled applications from a custom web page that UC manages. UC wants its users to use the same set of credentials to access each of the applications. What SAML SSO flow should an Architect recommend for UC?

- A. SP-Initiated with Deep Linking
- B. SP-Initiated
- C. IdP-Initiated
- D. User-Agent

**Answer:** C

**NEW QUESTION 7**

A technology enterprise is planning to implement single sign-on login for users. When users log in to the Salesforce User object custom field, data should be populated for new and existing users.

Which two steps should an identity architect recommend? Choose 2 answers

- A. Implement Auth.SamlJitHandler Interface.
- B. Create and update methods.
- C. Implement RegistrationHandler Interface.
- D. Implement SessionManagement Class.

**Answer:** AB

#### NEW QUESTION 8

Universal Containers (UC) rolling out a new Customer Identity and Access Management Solution will be built on top of their existing Salesforce instance. Several service providers have been setup and integrated with Salesforce using OpenID Connect to allow for a seamless single sign-on experience. UC has a requirement to limit user access to only a subset of service providers per customer type. Which two steps should be done on the platform to satisfy the requirement? Choose 2 answers

- A. Manage which connected apps a user has access to by assigning authentication providers to the users profile.
- B. Assign the connected app to the customer community, and enable the users profile in the Community settings.
- C. Use Profiles and Permission Sets to assign user access to Admin Pre-Approved Connected Apps.
- D. Set each of the Connected App access settings to Admin Pre-Approved.

**Answer:** CD

#### NEW QUESTION 9

Universal Containers wants to implement SAML SSO for their internal Salesforce users using a third-party IdP. After some evaluation, UC decides not to set up My Domain for their Salesforce org. How does that decision impact their SSO implementation?

- A. SP-initiated SSO will not work.
- B. Neither SP- nor IdP-initiated SSO will work.
- C. Either SP- or IdP-initiated SSO will work.
- D. IdP-initiated SSO will not work.

**Answer:** B

#### NEW QUESTION 10

An Identity and Access Management (IAM) Architect is recommending Identity Connect to integrate Microsoft Active Directory (AD) with Salesforce for user provisioning, deprovisioning and single sign-on (SSO). Which feature of Identity Connect is applicable for this scenario?

- A. When Identity Connect is in place, if a user is deprovisioned in an on-premise AD, the user's Salesforce session is revoked immediately.
- B. If the number of provisioned users exceeds Salesforce licence allowances, identity Connect will start disabling the existing Salesforce users in First-in, First-out (FIFO) fashion.
- C. Identity Connect can be deployed as a managed package on Salesforce org, leveraging High Availability of Salesforce Platform out-of-the-box.
- D. When configured, Identity Connect acts as an identity provider to both Active Directory and Salesforce, thus providing SSO as a default feature.

**Answer:** A

#### NEW QUESTION 10

An architect needs to advise the team that manages the identity provider how to differentiate Salesforce from other service providers. What SAML SSO setting in Salesforce provides this capability?

- A. Entity ID
- B. Issuer
- C. Identity provider login URL
- D. SAML identity location

**Answer:** A

#### NEW QUESTION 14

Universal Containers (UC) would like to enable self-registration for their Salesforce partner community users. UC wants to capture some custom data elements from the partner user, and based on these data elements, wants to assign the appropriate profile and account values. Which two actions should the architect recommend to UC? Choose 2 answers

- A. Modify the community self-reg controller to assign the profile and account.
- B. Modify the self-registration trigger to assign profile and account.
- C. Configure registration for communities to use a custom Visualforce page.
- D. Configure registration for communities to use a custom Apex controller.

**Answer:** AC

#### NEW QUESTION 17

Containers (UC) has implemented SAML-based single Sign-on for their Salesforce application and is planning to provide access to Salesforce on mobile devices using the Salesforce1 mobile app. UC wants to ensure that Single Sign-on is used for accessing the Salesforce1 mobile App. Which two recommendations should the Architect make? Choose 2 Answers

- A. Configure the Embedded Web Browser to use My Domain URL.
- B. Configure the Salesforce1 App to use the MY Domain URL.
- C. Use the existing SAML-SSO flow along with User Agent Flow.
- D. Use the existing SAML SSO flow along with Web Server Flow.

**Answer:** BC

**NEW QUESTION 18**

A global company's Salesforce Identity Architect is reviewing its Salesforce production org login history and is seeing some intermittent Security Assertion Markup Language (SAML SSO) 'Replay Detected and Assertion Invalid' login errors.

Which two issues would cause these errors? Choose 2 answers

- A. The subject element is missing from the assertion sent to salesforce.
- B. The certificate loaded into SSO configuration does not match the certificate used by the IdP.
- C. The current time setting of the company's identity provider (IdP) and Salesforce platform is out of sync by more than eight minutes.
- D. The assertion sent to Salesforce contains an assertion ID previously used.

**Answer:** AD

**NEW QUESTION 20**

Which two things should be done to ensure end users can only use single sign-on (SSO) to login in to Salesforce?

Choose 2 answers

- A. Enable My Domain and select "Prevent login from <https://login.salesforce.com>".
- B. Request Salesforce Support to enable delegated authentication.
- C. Once SSO is enabled, users are only able to login using Salesforce credentials.
- D. Assign user "is Single Sign-on Enabled" permission via profile or permission set.

**Answer:** AD

**NEW QUESTION 21**

Universal Containers (UC) is building a mobile application that will make calls to the Salesforce REST API. Additionally UC would like to provide the optimal experience for its mobile users. Which two OAuth scopes should UC configure in the connected App? Choose 2 answers

- A. Refresh token
- B. API
- C. full
- D. Web

**Answer:** AB

**NEW QUESTION 26**

Universal Containers (UC) is building a custom Innovation platform on their Salesforce instance. The Innovation platform will be written completely in Apex and Visualforce and will use custom objects to store the Data. UC would like all users to be able to access the system without having to log in with Salesforce credentials. UC will utilize a third-party IdP using SAML SSO. What is the optimal Salesforce licence type for all of the UC employees?

- A. Identity Licence.
- B. Salesforce Licence.
- C. External Identity Licence.
- D. Salesforce Platform Licence.

**Answer:** D

**NEW QUESTION 28**

An Identity and Access Management (IAM) architect is tasked with unifying multiple B2C Commerce sites and an Experience Cloud community with a single identity. The solution needs to support more than 1,000 logins per minute.

What should the IAM do to fulfill this requirement?

- A. Configure both the community and the commerce sites as OAuth2 RPs (relying party) with an external identity provider.
- B. Configure community as a Security Assertion Markup Language (SAML) identity provider and enable Just-in-Time Provisioning to B2C Commerce.
- C. Create a default account for capturing all ecommerce contacts registered on the community because personAccount is not supported for this case.
- D. Confirm performance considerations with Salesforce Customer Support due to high peaks.

**Answer:** D

**NEW QUESTION 29**

Universal Containers (UC) has implemented SAML-based Single Sign-On to provide seamless access to its Salesforce Orgs, financial system, and CPQ system. Below is the SSO implementation landscape.

What role combination is represented by the systems in this scenario?

- A. Financial System and CPQ System are the only Service Providers.
- B. Salesforce Org1 and Salesforce Org2 are the only Service Providers.
- C. Salesforce Org1 and Salesforce Org2 are acting as Identity Providers.
- D. Salesforce Org1 and PingFederate are acting as Identity Providers.

**Answer:** D

**NEW QUESTION 33**

Which two are valid choices for digital certificates when setting up two-way SSL between Salesforce and an external system. Choose 2 answers

- A. Use a trusted CA-signed certificate for salesforce and a trusted CA-signed cert for the external system
- B. Use a trusted CA-signed certificate for salesforce and a self-signed cert for the external system
- C. Use a self-signed certificate for salesforce and a self-signed cert for the external system
- D. Use a self-signed certificate for salesforce and a trusted CA-signed cert for the external system

**Answer:** CD

#### NEW QUESTION 35

A global fitness equipment manufacturer uses Salesforce to manage its sales cycle. The manufacturer has a custom order fulfillment app that needs to request order data from Salesforce. The order fulfillment app needs to integrate with the Salesforce API using OAuth 2.0 protocol. What should an identity architect use to fulfill this requirement?

- A. Canvas App Integration
- B. OAuth Tokens
- C. Authentication Providers
- D. Connected App and OAuth scopes

**Answer:** D

#### NEW QUESTION 39

Universal Containers is using OpenID Connect to enable a connection from their new mobile app to its production Salesforce org. What should be done to enable the retrieval of the access token status for the OpenID Connect connection?

- A. Query using OpenID Connect discovery endpoint.
- B. A Leverage OpenID Connect Token Introspection.
- C. Create a custom OAuth scope.
- D. Enable cross-origin resource sharing (CORS) for the /services/oauth2/token endpoint.

**Answer:** B

#### NEW QUESTION 41

In a typical SSL setup involving a trusted party and trusting party, what consideration should an Architect take into account when using digital certificates?

- A. Use of self-signed certificate leads to lower maintenance for trusted party because multiple self-signed certs need to be maintained.
- B. Use of self-signed certificate leads to higher maintenance for trusted party because they have to act as the trusted CA
- C. Use of self-signed certificate leads to lower maintenance for trusting party because there is no trusted CA cert to maintain.
- D. Use of self-signed certificate leads to higher maintenance for trusting party because the cert needs to be added to their truststore.

**Answer:** C

#### NEW QUESTION 44

A group of users try to access one of universal containers connected apps and receive the following error message : "Failed : Not approved for access". what is most likely to cause of the issue?

- A. The use of high assurance sections are required for the connected App.
- B. The users do not have the correct permission set assigned to them.
- C. The connected App setting "All users may self-authorize" is enabled.
- D. The salesforce administrators gave revoked the Oauth authorization.

**Answer:** B

#### NEW QUESTION 46

Universal containers(UC) has a customer Community that uses Facebook for authentication. UC would like to ensure that changes in the Facebook profile are reflected on the appropriate customer Community user. How can this requirement be met?

- A. Use the updateUser() method on the registration handler class.
- B. Use SAML just-in-time provisioning between Facebook and Salesforce
- C. Use information in the signed request that is received from Facebook.
- D. Develop a schedule job that calls out to Facebook on a nightly basis.

**Answer:** A

#### NEW QUESTION 47

Which two security risks can be mitigated by enabling Two-Factor Authentication (2FA) in Salesforce? Choose 2 answers

- A. Users leaving laptops unattended and not logging out of Salesforce.
- B. Users accessing Salesforce from a public Wi-Fi access point.
- C. Users choosing passwords that are the same as their Facebook password.
- D. Users creating simple-to-guess password reset questions.

**Answer:** BC

#### NEW QUESTION 50

Which three types of attacks would a 2-Factor Authentication solution help garden against?



- A. Key logging attacks
- B. Network perimeter attacks
- C. Phishing attacks
- D. Dictionary attacks
- E. Man-in-the-middle attacks

**Answer:** ABD

#### NEW QUESTION 53

Universal containers (UC) has an e-commerce website while customers can buy products, make payments, and manage their accounts. UC decides to build a customer Community on Salesforce and wants to allow the customers to access the community for their accounts without logging in again. UC decides to implement ansP-Initiated SSO using a SAML-BASED complaint IDP. In this scenario where salesforce is the service provider, which two activities must be performed in salesforce to make sp-Initiated SSO work? Choose 2 answers

- A. Configure SAML SSO settings.
- B. Configure Delegated Authentication
- C. Create a connected App
- D. Set up my domain

**Answer:** AD

#### NEW QUESTION 57

Which two capabilities does My Domain enable in the context of a SAML SSO configuration? Choose 2 answers

- A. App Launcher
- B. Resource deep linking
- C. SSO from Salesforce Mobile App
- D. Login Forensics

**Answer:** BC

#### NEW QUESTION 60

What item should an Architect consider when designing a Delegated Authentication implementation?

- A. The Web service should be secured with TLS using Salesforce trusted certificates.
- B. The Web service should be able to accept one to four input method parameters.
- C. The web service should use the Salesforce Federation ID to identify the user.
- D. The Web service should implement a custom password decryption method.

**Answer:** A

#### NEW QUESTION 63

Universal containers (UC) is setting up their customer Community self-registration process. They are uncomfortable with the idea of assigning new users to a default account record. What will happen when customers self-register in the community?

- A. The self-registration process will produce an error to the user.
- B. The self-registration page will ask user to select an account.
- C. The self-registration process will create a person Account record.
- D. The self-registration page will create a new account record.

**Answer:** A

#### NEW QUESTION 67

Under which scenario Web Server flow will be used?

- A. Used for web applications when server-side code needs to interact with APIS.
- B. Used for server-side components when page needs to be rendered.
- C. Used for mobile applications and testing legacy Integrations.
- D. Used for verifying Access protected resources.

**Answer:** A

#### NEW QUESTION 71

Universal Containers (UC) wants to implement SAML SSO for their internal of Salesforce users using a third-party IdP. After some evaluation, UC decides NOT to 65« set up My Domain for their Salesforce org. How does that decision impact their SSO implementation?

- A. IdP-initiated SSO will NOT work.
- B. Neither SP- nor IdP-initiated SSO will work.
- C. Either SP- or IdP-initiated SSO will work.
- D. SP-initiated SSO will NOT work

**Answer:** B

#### NEW QUESTION 72

Universal Containers (UC) has built a custom token-based Two-factor authentication (2FA) system for their existing on-premise applications. They are now

implementing Salesforce and would like to enable a Two-factor login process for it, as well. What is the recommended solution as Architect should consider?

- A. Use the custom 2FA system for on-premise applications and native 2FA for Salesforce.
- B. Replace the custom 2FA system with an AppExchange App that supports on premise application and salesforce.
- C. Use Custom Login Flows to connect to the existing custom 2FA system for use in Salesforce.
- D. Replace the custom 2FA system with Salesforce 2FA for on-premise applications and Salesforce.

**Answer:** D

#### NEW QUESTION 74

In an SP-Initiated SAML SSO setup where the user tries to access a resource on the Service Provider, What HTTP param should be used when submitting a SAML Request to the Idp to ensure the user is returned to the intended resource after authentication?

- A. RedirectURL
- B. RelayState
- C. DisplayState
- D. StartURL

**Answer:** B

#### NEW QUESTION 79

Universal Containers (UC) has implemented SSO according to the diagram below. uses SAML while Salesforce Org 1 uses OAuth 2.0. Users usually start their day by first attempting to log into Salesforce Org 2 and then later in the day, they will log into either the Financial System or CPQ system depending upon their job position. Which two systems are acting as Identity Providers?

- A. Financial System
- B. Pingfederate
- C. Salesforce Org 2
- D. Salesforce Org 1

**Answer:** BD

#### NEW QUESTION 82

Northern Trail Outfitters (NTO) leverages Microsoft Active Directory (AD) for management of employee usernames, passwords, permissions, and asset access. NTO also owns a third-party single sign-on (SSO) solution. The third-party party SSO solution is used for all corporate applications, including Salesforce. NTO has asked an architect to explore Salesforce Identity Connect for automatic provisioning and deprovisioning of users in Salesforce. What role does identity Connect play in the outlined requirements?

- A. Service Provider
- B. Single Sign-On
- C. Identity Provider
- D. User Management

**Answer:** D

#### NEW QUESTION 87

Universal Containers wants to allow its customers to log in to its Experience Cloud via a third party authentication provider that supports only the OAuth protocol. What should an identity architect do to fulfill this requirement?

- A. Contact Salesforce Support and enable delegate single sign-on.
- B. Create a custom external authentication provider.
- C. Use certificate-based authentication.
- D. Configure OpenID Connect authentication provider.

**Answer:** B

#### NEW QUESTION 90

An identity architect has been asked to recommend a solution that allows administrators to configure personalized alert messages to users before they land on the Experience Cloud site (formerly known as Community) homepage. What is recommended to fulfill this requirement with the least amount of customization?

- A. Customize the registration handler Apex class to create a routing logic navigating to different home pages based on the user profile.
- B. Use Login Flows to add a screen that shows personalized alerts.
- C. Build a Lightning web Component (LWC) for a homepage that shows custom alerts.
- D. Create custom metadata that stores user alerts and use a LWC to display alerts.

**Answer:** B

#### NEW QUESTION 92

Universal containers (UC) would like to enable SAML-BASED SSO for a salesforce partner community. UC has an existing ldap identity store and a third-party portal. They would like to use the existing portal as the primary site these users access, but also want to allow seamless access to the partner community. What SSO flow should an architect recommend?

- A. User-Agent
- B. IDP-initiated
- C. Sp-Initiated

D. Web server

**Answer:** B

#### NEW QUESTION 97

Universal Containers is considering using Delegated Authentication as the sole means of Authenticating of Salesforce users. A Salesforce Architect has been brought in to assist with the implementation. What two risks Should the Architect point out? Choose 2 answers

- A. Delegated Authentication is enabled or disabled for the entire Salesforce org.
- B. UC will be required to develop and support a custom SOAP web service.
- C. Salesforce users will be locked out of Salesforce if the web service goes down.
- D. The web service must reside on a public cloud service, such as Heroku.

**Answer:** BC

#### NEW QUESTION 100

Which two roles of the systems are involved in an environment where salesforce users are enabled to access Google Apps from within salesforce through App launcher and connected App set up? Choose 2 answers

- A. Google is the identity provider
- B. Salesforce is the identity provider
- C. Google is the service provider
- D. Salesforce is the service provider

**Answer:** D

#### NEW QUESTION 101

A large consumer company is planning to create a community and will require login through the customers social identity. The following requirements must be met:

- \* 1. The customer should be able to login with any of their social identities, however salesforce should only have one user per customer.
- \* 2. Once the customer has been identified with a social identity, they should not be required to authorize Salesforce.
- \* 3. The customers personal details from the social sign on need to be captured when the customer logs into Salesforce using their social Identity.
- \* 3. If the customer modifies their personal details in the social site, the changes should be updated in Salesforce.

Which two options allow the Identity Architect to fulfill the requirements? Choose 2 answers

- A. Use Login Flows to call an authentication registration handler to provision the user before logging the user into the community.
- B. Use authentication providers for social sign-on and use the custom registration handler to insert or update personal details.
- C. Redirect the user to a custom page that allows the user to select an existing social identity for login.
- D. Use the custom registration handler to link social identities to Salesforce identities.

**Answer:** BD

#### NEW QUESTION 102

Universal Containers (UC) has a Customer Community that uses Facebook for of authentication. UC would like to ensure that changes in the Facebook profile are reflected on the appropriate Customer Community user. How can this requirement be met?

- A. Use SAML Just-In-Time Provisioning between Facebook and Salesforce.
- B. Use information in the Signed Request that is received from Facebook.
- C. Develop a scheduled job that calls out to Facebook on a nightly basis.
- D. Use the updateUser() method on the Registration Handler class.

**Answer:** D

#### NEW QUESTION 105

Northern Trail Outfitters (NTO) is setting up Salesforce to authenticate users with an external identity provider. The NTO Salesforce Administrator is having trouble getting things setup.

What should an identity architect use to show which part of the login assertion is fading?

- A. SAML Metadata file importer
- B. Identity Provider Metadata download
- C. Connected App Manager
- D. Security Assertion Markup Language Validator

**Answer:** D

#### NEW QUESTION 109

Universal Containers (UC) is building an integration between Salesforce and a legacy web applications using the canvas framework. The security for UC has determined that a signed request from Salesforce is not an adequate authentication solution for the Third-Party app. Which two options should the Architect consider for authenticating the third-party app using the canvas framework? Choose 2 Answers

- A. Utilize the SAML Single Sign-on flow to allow the third-party to authenticate itself against UC's IdP.
- B. Utilize Authorization Providers to allow the third-party application to authenticate itself against Salesforce as the Idp.
- C. Utilize Canvas OAuth flow to allow the third-party application to authenticate itself against Salesforce as the Idp.
- D. Create a registration handler Apex class to allow the third-party application to authenticate itself against Salesforce as the Idp.

**Answer:** AC



**NEW QUESTION 112**

Universal containers (UC) has implemented SAML SSO to enable seamless access across multiple applications. UC has regional salesforce orgs and wants it's users to be able to access them from their main Salesforce org seamless. Which action should an architect recommend?

- A. Configure the main salesforce org as an Authentication provider.
- B. Configure the main salesforce org as the Identity provider.
- C. Configure the regional salesforce orgs as Identity Providers.
- D. Configure the main Salesforce org as a service provider.

**Answer: B**

**NEW QUESTION 113**

Refer to the exhibit.

Outfitters (NTO) is using Experience Cloud as an Identity for its application on Heroku. The application on Heroku should be able to handle two brands, Northern Trail Shoes and Northern Trail Shirts.

A user should select either of the two brands in Heroku before logging into the community. The app then performs Authorization using OAuth2.0 with the Salesforce Experience Cloud site.

NTO wants to make sure it renders login page images dynamically based on the user's brand preference selected in Heroku before Authorization. what should an identity architect do to fulfill the above requirements?

- A. For each brand create different communities and redirect users to the appropriate community using a custom Login controller written in Apex.
- B. Create multiple login screens using Experience Builder and use Login Flows at runtime to route to different login screens.
- C. Authorize third-party service by sending authorization requests to the community-url/services/oauth2/authorize/cookie\_value.
- D. Authorize third-party service by sending authorization requests to thecommunity-url/services/oauth2/authonze/expid\_value.

**Answer: D**

**NEW QUESTION 115**

Containers (UC) uses an internal system for recruiting and would like to have the candidates' info available in the Salesforce automatically when they are selected. UC decides to use OAuth to connect to Salesforce from the recruiting system and would like to do the authentication using digital certificates. Which two OAuth flows should be considered to meet the requirement? Choose 2 answers

- A. JWT Bearer Token flow
- B. Refresh Token flow
- C. SAML Bearer Assertion flow
- D. Web Service flow

**Answer: AC**

**NEW QUESTION 117**

The security team at Universal containers(UC) has identified exporting reports as a high-risk action and would like to require users to be logged into salesforce with their active directory (AD) credentials when doing so. For all other uses of Salesforce, Users should be allowed to use AD credentials or salesforce credentials. What solution should be recommended to prevent exporting reports except when logged in using AD credentials while maintaining the ability to view reports when logged in with salesforce credentials?

- A. Use SAML Federated Authentication and Custom SAML jit provisioning to dynamically add or remove a permission set that grants the Export Reports permission.
- B. Use SAML Federated Authentication, treat SAML sessions as high assurance, and raise the session level required for exporting reports.
- C. Use SAML Federated Authentication and block access to reports when accesses through a standard assurance session.
- D. Use SAML Federated Authentication with a login flow to dynamically add or remove a permission set that grants the export reports permission.

**Answer:** C

#### NEW QUESTION 118

Containers (UC) has decided to implement a federated single Sign-on solution using a third-party Idp. In reviewing the third-party products, they would like to ensure the product supports the automated provisioning and deprovisioning of users. What are the underlining mechanisms that the UC Architect must ensure are part of the product?

- A. SOAP API for provisioning; Just-in-Time (JIT) for Deprovisioning.
- B. Just-In-time (JIT) for Provisioning; SOAP API for Deprovisioning.
- C. Provisioning API for both Provisioning and Deprovisioning.
- D. Just-in-Time (JIT) for both Provisioning and Deprovisioning.

**Answer:** D

#### NEW QUESTION 123

Universal Containers (UC) has implemented a multi-org architecture in their company. Many users have licences across multiple orgs, and they are complaining about remembering which org and credentials are tied to which business process. Which two recommendations should the Architect make to address the Complaints? Choose 2 answers

- A. Activate My Domain to Brand each org to the specific business use case.
- B. Implement SP-Initiated Single Sign-on flows to allow deep linking.
- C. Implement IdP-Initiated Single Sign-on flows to allow deep linking.
- D. Implement Delegated Authentication from each org to the LDAP provider.

**Answer:** AB

#### NEW QUESTION 128

Universal Containers (UC) has an e-commerce website where customers can buy products, make payments and manage their accounts. UC decides to build a Customer Community on Salesforce and wants to allow the customers to access the community from their accounts without logging in again. UC decides to implement an SP-initiated SSO using a SAML-compliant Idp. In this scenario where Salesforce is the Service Provider, which two activities must be performed in Salesforce to make SP-initiated SSO work? Choose 2 answers

- A. Configure SAML SSO settings.
- B. Create a Connected App.
- C. Configure Delegated Authentication.
- D. Set up My Domain.

**Answer:** AD

#### NEW QUESTION 130

Universal containers (UC) uses an internal company portal for their employees to collaborate. UC decides to use salesforce ideas and provide the ability for employees to post ideas from the company portal. They use SAML-BASED SSO to get into the company portal and would like to leverage it to access salesforce. Most of the users don't exist in salesforce and they would like the user records created in salesforce communities the first time they try to access salesforce. What recommendation should an architect make to meet this requirement?

- A. Use on-the-fly provisioning
- B. Use just-in-time provisioning
- C. Use salesforce APIs to create users on the fly
- D. Use Identity connect to sync users

**Answer:** B

#### NEW QUESTION 132

Universal Containers is creating a mobile application that will be secured by Salesforce Identity using the OAuth 2.0 user-agent flow (this flow uses the OAuth 2.0 implicit grant type).

Which three OAuth concepts apply to this flow? Choose 3 answers

- A. Client ID
- B. Refresh Token
- C. Authorization Code
- D. Verification Code
- E. Scopes

**Answer:** ABE

#### NEW QUESTION 135

Universal containers(UC) has implemented SAML-BASED single Sign-on for their salesforce application and is planning to provide access to salesforce on mobile devices using the salesforce1 mobile app. UC wants to ensure that single Sign-on is used for accessing the salesforce1 mobile app. Which two recommendations should the architect make? Choose 2 answers

- A. Use the existing SAML SSO flow along with user agent flow.

- B. Configure the embedded Web browser to use my domain URL.
- C. Use the existing SAML SSO flow along with Web server flow
- D. Configure the salesforce1 app to use the my domain URL

**Answer:** AD

#### NEW QUESTION 139

Universal Containers is budding a web application that will connect with the Salesforce API using JWT OAuth Flow. Which two settings need to be configured in the connect app to support this requirement? Choose 2 answers

- A. The Use Digital Signature option in the connected app.
- B. The "web" OAuth scope in the connected app,
- C. The "api" OAuth scope in the connected app.
- D. The "edair\_api" OAuth scope m the connected app.

**Answer:** AC

#### NEW QUESTION 141

Universal containers(UC) wants to integrate a third-party reward calculation system with salesforce to calculate rewards. Rewards will be calculated on a schedule basis and update back into salesforce. The integration between Salesforce and the reward calculation system needs to be secure. Which are the recommended best practices for using Oauth flows in this scenario? Choose 2 answers

- A. Oauth refresh token flow
- B. Oauth SAML bearer assertion flow
- C. Oauthjwt bearer token flow
- D. Oauth Username-password flow

**Answer:** BC

#### NEW QUESTION 145

Which three different attributes can be used to identify the user in a SAML 65> assertion when Salesforce is acting as a Service Provider? Choose 3 answers

- A. Federation ID
- B. Salesforce User ID
- C. User Full Name
- D. User Email Address
- E. Salesforce Username

**Answer:** ACD

#### NEW QUESTION 148

Universal containers (UC) has a mobile application that calls the salesforce REST API. In order to prevent users from having to enter their credentials everytime they use the app, UC has enabled the use of refresh Tokens as part of the salesforce connected App and updated their mobile app to take advantage of the refresh token. Even after enabling the refresh token, Users are still complaining that they have to enter their credentials once a day. What is the most likely cause of the issue?

- A. The Oauth authorizations are being revoked by a nightly batch job.
- B. The refresh token expiration policy is set incorrectly in salesforce
- C. The app is requesting too many access Tokens in a 24-hour period
- D. The users forget to check the box to remember their credentials.

**Answer:** B

#### NEW QUESTION 152

Universal Containers (UC) uses Salesforce as a CRM and identity provider (IdP) for their Sales Team to seamlessly login to intemaJ portals. The IT team at UC is now evaluating Salesforce to act as an IdP for its remaining employees. Which Salesforce license is required to fulfill this requirement?

- A. External Identity
- B. Identity Verification
- C. Identity Connect
- D. Identity Only

**Answer:** D

#### NEW QUESTION 156

Northern Trail Outfitters (NTO) has a number of employees who do NOT need access Salesforce objects. Trie employees should sign in to a custom Benefits web app using their Salesforce credentials. Which license should the identity architect recommend to fulfill this requirement?

- A. Identity Only License
- B. External Identity License
- C. Identity Verification Credits Add-on License
- D. Identity Connect License

**Answer:** A

**NEW QUESTION 160**

Universal Containers (UC) uses Salesforce for its customer service agents. UC has a proprietary system for order tracking which supports Security Assertion Markup Language (SAML) based single sign-on. The VP of customer service wants to ensure only active Salesforce users should be able to access the order tracking system which is only visible within Salesforce.

What should be done to fulfill the requirement? Choose 2 answers

- A. Setup Salesforce as an identity provider (IdP) for order Tracking.
- B. Set up the Corporate Identity store as an identity provider (IdP) for Order Tracking.
- C. Customize Order Tracking to initiate a REST call to validate users in Salesforce after login.
- D. Setup Order Tracking as a Canvas app in Salesforce to POST IdP initiated SAML assertion.

**Answer:** AB

**NEW QUESTION 162**

Universal Containers (UC) has implemented SAML-based SSO solution for use with their multi-org Salesforce implementation, utilizing one of the the orgs as the Identity Provider. One user is reporting that they can log in to the Identity Provider org but get a generic SAML error message when accessing the other orgs.

Which two considerations should the architect review to troubleshoot the issue? Choose 2 answers

- A. The Federation ID must be a valid Salesforce Username
- B. The Federation ID must is case sensitive
- C. The Federation ID must be in the form of an email address.
- D. The Federation ID must be populated on the user record.

**Answer:** BD

**NEW QUESTION 166**

Universal Containers (UC) wants to use Salesforce for sales orders and a legacy of system for order fulfillment. The legacy system must update the status of orders in 65\* Salesforce in real time as they are fulfilled. UC decides to use OAuth for connecting the legacy system to Salesforce. What OAuth flow should be considered that doesn't require storing credentials, client secret or refresh tokens?

- A. Web Server flow
- B. JWT Bearer Token flow
- C. Username-Password flow
- D. User Agent flow

**Answer:** B

**NEW QUESTION 168**

Universal Containers (UC) currently uses Salesforce Sales Cloud and an external billing application. Both Salesforce and the billing application are accessed several times a day to manage customers. UC would like to configure single sign-on and leverage Salesforce as the identity provider. Additionally, UC would like the billing application to be accessible from Salesforce. A redirect is acceptable.

Which two Salesforce tools should an identity architect recommend to satisfy the requirements? Choose 2 answers

- A. salesforce Canvas
- B. Identity Connect
- C. Connected Apps
- D. App Launcher

**Answer:** AD

**NEW QUESTION 169**

Uwversal Containers (UC) is building a custom employee hut) application on Amazon Web Services (AWS) and would like to store their users' credentials there. Users will also need access to Salesforce for internal operations. UC has tasked an identity architect with evaluating Afferent solutions for authentication and authorization between AWS and Salesforce.

How should an identity architect configure AWS to authenticate and authorize Salesforce users?

- A. Configure the custom employee app as a connected app.
- B. Configure AWS as an OpenID Connect Provider.
- C. Create a custom external authentication provider.
- D. Develop a custom Auth server in AWS.

**Answer:** B

**NEW QUESTION 173**

Universal containers (UC) has implemented ansp-Initiated SAML flow between an external IDP and salesforce. A user at UC is attempting to login to salesforce1 for the first time and is being prompted for salesforce credentials instead of being shown the IDP login page. What is the likely cause of the issue?

- A. The "Redirect to Identity Provider" option has been selected in the my domain configuration.
- B. The user has not configured the salesforce1 mobile app to use my domain for login
- C. The "Redirect to identity provider" option has not been selected the SAML configuration.
- D. The user has not been granted the "Enable single Sign-on" permission

**Answer:** B

**NEW QUESTION 178**

Universal containers (UC) wants to implement a partner community. As part of their implementation, UC would like to modify both the Forgot password and change password experience with custom branding for their partner community users. Which 2 actions should an architect recommend to UC? Choose 2 answers

- A. Build a community builder page for the change password experience and Custom Visualforce page for the Forgot password experience.
- B. Build a custom visualforce page for both the change password and Forgot password experiences.
- C. Build a custom visualforce page for the change password experience and a community builder page for the Forgot password experience.
- D. Build a community builder page for both the change password and Forgot password experiences.

**Answer:** BC

#### NEW QUESTION 182

Universal Containers (UC) wants to build a mobile application that will be making calls to the Salesforce REST API. UC's Salesforce implementation relies heavily on custom objects and custom Apex code. UC does not want its users to have to enter credentials every time they use the app. Which two scope values should an Architect recommend to UC? Choose 2 answers.

- A. Custom\_permissions
- B. Api
- C. Refresh\_token
- D. Full

**Answer:** BC

#### NEW QUESTION 187

A web service is developed that allows secure access to customer order status on the Salesforce Platform. The service connects to Salesforce through a connected app with the web server flow. The following are the required actions for the authorization flow:

- \* 1. User Authenticates and Authorizes Access
- \* 2. Request an Access Token
- \* 3. Salesforce Grants an Access Token
- \* 4. Request an Authorization Code
- \* 5. Salesforce Grants Authorization Code

What is the correct sequence for the authorization flow?

- A. 1, 4, 5, 2, 3
- B. 4, 1, 5, 2, 3
- C. 2, 1, 3, 4, 5
- D. 4,5,2, 3, 1

**Answer:** D

#### NEW QUESTION 192

Which two considerations should be made when implementing Delegated Authentication? Choose 2 answers

- A. The authentication web service can include custom attributes.
- B. It can be used to authenticate API clients and mobile apps.
- C. It requires trusted IP ranges at the User Profile level.
- D. Salesforce servers receive but do not validate a user's credentials.
- E. Just-in-time Provisioning can be configured for new users.

**Answer:** BE

#### NEW QUESTION 196

Universal Containers (UC) is looking to build a Canvas app and wants to use the corresponding Connected App to control where the app is visible. Which two options are correct in regards to where the app can be made visible under the Connected App setting for the Canvas app? Choose 2 answers

- A. As part of the body of a Salesforce Knowledge article.
- B. In the mobile navigation menu on Salesforce for Android.
- C. The sidebar of a Salesforce Console as a console component.
- D. Included in the Call Control Tool that's part of Open CTI.

**Answer:** AC

#### NEW QUESTION 201

Which three are capabilities of SAML-based Federated authentication? Choose 3 answers

- A. Trust relationships between Identity Provider and Service Provider are required.
- B. SAML tokens can be in XML or JSON format and can be used interchangeably.
- C. Web applications with no passwords are more secure and stronger against attacks.
- D. Access tokens are used to access resources on the server once the user is authenticated.
- E. Centralized federation provides single point of access, control and auditing.

**Answer:** ADE

#### NEW QUESTION 205

Universal Containers (UC) has a Customer Community that uses Facebook for Authentication. UC would like to ensure that Changes in the Facebook profile are reflected on the appropriate Customer Community user: How can this requirement be met?

- A. Use the updateUser method on the registration Handler Class.
- B. Develop a scheduled job that calls out to Facebook on a nightly basis.
- C. Use information in the signed Request that is received from facebook.
- D. Use SAML Just-In-Time Provisioning between Facebook and Salesforce.



**Answer:** A

**NEW QUESTION 207**

Northern Trail Outfitters would like to automatically create new employee users in Salesforce with an appropriate profile that maps to its Active Directory Department.

How should an identity architect implement this requirement?

- A. Use the createUser method in the Just-in-Time (JIT) provisioning registration handler to assign the appropriate profile.
- B. Use the updateUser method in the Just-in-Time (JIT) provisioning registration handler to assign the appropriate profile.
- C. Use a login flow to collect Security Assertion Markup Language attributes and assign the appropriate profile during Just-In-Time (JIT) provisioning.
- D. Make a callout during the login flow to query department from Active Directory to assign the appropriate profile.

**Answer:** B

**NEW QUESTION 212**

A client is planning to rollout multi-factor authentication (MFA) to its internal employees and wants to understand which authentication and verification methods meet the Salesforce criteria for secure authentication.

Which three functions meet the Salesforce criteria for secure mfa? Choose 3 answers

- A. username and password + SMS passcode
- B. Username and password + security key
- C. Third-party single sign-on with Mobile Authenticator app
- D. Certificate-based Authentication
- E. Lightning Login

**Answer:** BCE

**NEW QUESTION 215**

customer service representatives at Universal Containers (UC) are complaining that whenever they click on links to case records and are asked to login with SAML SSO, they are being redirected to the Salesforce home tab and not the specific case record. What item should an architect advise the identity team at UC to investigate first?

- A. My domain is configured and active within Salesforce.
- B. The Salesforce SSO settings are using http post
- C. The identity provider is correctly preserving the Relay state
- D. The users have the correct Federation ID within Salesforce.

**Answer:** C

**NEW QUESTION 220**

Universal Containers (UC) has implemented a multi-org strategy and would like to centralize the management of their Salesforce user profiles. What should the architect recommend to allow Salesforce profiles to be managed from a central system of record?

- A. Implement JIT provisioning on the SAML IDP that will pass the profile ID in each assertion.
- B. Create an Apex scheduled job in one org that will synchronize the other orgs' profile.
- C. Implement Delegated Authentication that will update the user profiles as necessary.
- D. Implement an OAuth2 flow to pass the profile credentials between systems.

**Answer:** A

**NEW QUESTION 222**

Universal Containers (UC) has five Salesforce orgs (UC1, UC2, UC3, UC4, UC5). Of every user that is in UC2, UC3, UC4, and UC5 is also in UC1, however not all users have access to every org. Universal Containers would like to simplify the authentication process such that all Salesforce users need to remember one set of credentials. UC would like to achieve this with the least impact to cost and maintenance. What approach should an Architect recommend to UC?

- A. Purchase a third-party Identity Provider for all five Salesforce orgs to use and set up JIT user provisioning on all other orgs.
- B. Purchase a third-party Identity Provider for all five Salesforce orgs to use, but don't set up JIT user provisioning for other orgs.
- C. Configure UC1 as the Identity Provider to the other four Salesforce orgs and set up JIT user provisioning on all other orgs.
- D. Configure UC1 as the Identity Provider to the other four Salesforce orgs, but don't set up JIT user provisioning for other orgs.

**Answer:** B

**NEW QUESTION 227**

Universal Containers (UC) uses Global Shipping (GS) as one of their shipping vendors. Regional leads of GS need access to UC's Salesforce instance for reporting damage of goods using Cases. The regional leads also need access to dashboards to keep track of regional shipping KPIs. UC internally uses a third-party cloud analytics tool for capacity planning and UC decided to provide access to this tool to a subset of GS employees. In addition to regional leads, the GS capacity planning team would benefit from access to this tool. To access the analytics tool, UC IT has set up Salesforce as the Identity provider for Internal users and would like to follow the same approach for the GS users as well. What are the most appropriate license types for GS Regional Leads and the GS Capacity Planners? Choose 2 Answers

- A. Customer Community Plus license for GS Regional Leads and External Identity for GS Capacity Planners.
- B. Customer Community Plus license for GS Regional Leads and Customer Community license for GS Capacity Planners.
- C. Identity License for GS Regional Leads and External Identity license for GS Capacity Planners.
- D. Customer Community license for GS Regional Leads and Identity license for GS Capacity Planners.

**Answer:** BD

**NEW QUESTION 231**

A group of users try to access one of Universal Containers' Connected Apps and receive the following error message: " Failed: Not approved for access." What is the most likely cause of this issue?

- A. The Connected App settings "All users may self-authorize" is enabled.
- B. The Salesforce Administrators have revoked the OAuth authorization.
- C. The Users do not have the correct permission set assigned to them.
- D. The User of High Assurance sessions are required for the Connected App.

**Answer:** C

**NEW QUESTION 233**

Universal Containers (UC) would like to enable self-registration for their Salesforce Partner Community Users. UC wants to capture some custom data elements from the partner user, and based on these data elements, wants to assign the appropriate Profile and Account values. Which two actions should the Architect recommend to UC1 Choose 2 answers

- A. Configure Registration for Communities to use a custom Visualforce Page.
- B. Modify the SelfRegistration trigger to assign Profile and Account.
- C. Modify the CommunitiesSelfRegController to assign the Profile and Account.
- D. Configure Registration for Communities to use a custom Apex Controller.

**Answer:** AC

**NEW QUESTION 236**

A company's external application is protected by Salesforce through OAuth. The identity architect for the project needs to limit the level of access to the data of the protected resource in a flexible way. What should be done to improve security?

- A. Select "Admin approved users are pre-authorized" and assign specific profiles.
- B. Create custom scopes and assign to the connected app.
- C. Define a permission set that grants access to the app and assign to authorized users.
- D. Leverage external objects and data classification policies.

**Answer:** B

**NEW QUESTION 237**

Universal Containers (UC) is looking to purchase a third-party application as an Identity Provider. UC is looking to develop a business case for the purchase in general and has enlisted an Architect for advice. Which two capabilities of an Identity Provider should the Architect detail to help strengthen the business case? Choose 2 answers

- A. The Identity Provider can authenticate multiple applications.
- B. The Identity Provider can authenticate multiple social media accounts.
- C. The Identity provider can store credentials for multiple applications.
- D. The Identity Provider can centralize enterprise password policy.

**Answer:** AD

**NEW QUESTION 242**

A company with 15,000 employees is using Salesforce and would like to take the necessary steps to highlight or curb fraudulent activity. Which tool should be used to track login data, such as the average number of logins, who logged in more than the average number of times and who logged in during non-business hours?

- A. Login Forensics
- B. Login Report
- C. Login Inspector
- D. Login History

**Answer:** A

**NEW QUESTION 244**

.....

## Thank You for Trying Our Product

\* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

\* One year free update

You can enjoy free update one year. 24x7 online support.

\* Trusted by Millions

We currently serve more than 30,000,000 customers.

\* Shop Securely

All transactions are protected by VeriSign!

**100% Pass Your Identity-and-Access-Management-Designer Exam with Our Prep Materials Via below:**

<https://www.certleader.com/Identity-and-Access-Management-Designer-dumps.html>