

Exam Questions HPE2-T37

Using HPE OneView

<https://www.2passeasy.com/dumps/HPE2-T37/>



NEW QUESTION 1

You Just downloaded a logical enclosure support dump, but you cannot extract files from the downloaded support dump. What is a likely cause of the issue?

- A. The support dump for Logical Enclosure can be analyzed only using special tool.
- B. The support dump is encrypted and cannot be unpacked
- C. The support dump does not have a valid HPE OneView certificate
- D. The backup user role must be used to extract the support dump

Answer: A

NEW QUESTION 2

You want to update the firmware for only two HPE Synergy Virtual Connect SE 32Gb FC Modules of a large environment. From which level must this procedure be initiated?

- A. Logical Enclosure
- B. Logical Interconnect Group
- C. Logical Interconnect
- D. Server Profile

Answer: A

NEW QUESTION 3

Which statement about HPE OneView Global Dashboard is true?







- A. It is an application that can be installed on Windows or Linux system that will provide automated discovery of HPE OneView instances
- B. It is a plugin to HPE Oneview that will allow integration of HPE oneView with VMware management and monitoring components
- C. It is a virtual appliance that can aggregate health and inventory information from multiple HPE OneView appliances or HPE Composers
- D. It is a plugin to vCenter Server that will allow management of the components added to HPE Oneview from vCenter server interface

Answer: C

NEW QUESTION 4

Refer to the exhibit.

Connections

ID	Name	Network	Port	Boot	
1	e1	Eth-1 Untagged	Mezzanine 3:1-a	Not bootable	 
	Type	Ethernet			
	MAC address	94:40:C9:6C:24:24 (p)			
	Requested virtual functions	None			
	Requested bandwidth	2.5 Gb/s			
	Link Aggregation group	None			
2	f1	FC-A Fabric Attach	Mezzanine 3:1-b	Not bootable	 
	Type	Fibre Channel			
	WWPN	20:00:94:40:c9:6c:24:26 (p)			
	WWNN	10:00:94:40:c9:6c:24:26 (p)			
	MAC address	94:40:C9:6C:24:26 (p)			
	Requested bandwidth	2.5 Gb/s			
3	f2	FC-B Fabric Attach	Mezzanine 3:2-b	Not bootable	 
	Type	Fibre Channel			
	WWPN	20:00:94:40:c9:6c:24:27 (p)			
	WWNN	10:00:94:40:c9:6c:24:27 (p)			
	MAC address	94:40:C9:6C:24:27 (p)			
	Requested bandwidth	2.5 Gb/s			

Add connection

Which statement about server connections is true?

- A. LACP on downlinks is configured for Ethernet connection
- B. All connections within the server profile are using physical IDs
- C. Ethernet connection is configured to boot from PXE
- D. Storage array is connected directly to an HPE Synergy frame

Answer: C

NEW QUESTION 5

You are creating a Logical Interconnect Group for a three-frame HPE Synergy solution with HPE Virtual Connect SE100Gb F32 Modules for Synergy. In which scenario should you set redundancy for master modules to be highly available?

- A. When storm control or loop protection will be enabled for Virtual Connect modules
- B. When each of the frames has two Virtual Connect modules installed

- C. When each Virtual Connect module is installed in different frame
- D. When each Virtual Connect module is installed in different fabric

Answer: A

NEW QUESTION 6


Your customer wants to use HPE OneView for VMware vCenter Server to simplify management of their VMware cluster running on HPE Synergy. The customer is concerned with the cost of additional licenses.
 How will you explain licensing rules for this product?

- A. As long as the customer has HPE OneView Global Dashboard deployed, HPE OneView for VMware vCenter Server does not require any additional licenses.
- B. One HPE OneView for VMware vCenter Server license is required per HPE Synergy frame if more than 10 Compute Modules are installed in the frame.
- C. If the number of the HPE Synergy Compute Modules installed in HPE Synergy frame is less than 10, no license is required to use HPE OneView for VMware vCenter Server.
- D. As long as the server is managed using HPE OneView
- E. the customer can use HPE OneView for VMware vCenter Server without additional licenses.

Answer: B

NEW QUESTION 7

Click the option that must be configured for an HPE OneView when an HPE storage system is connected directly to an HPE Synergy frame.



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Fabric Type

NEW QUESTION 8

You originally configured boot mode for HPE ProLiant Gen10 server to 'Legacy BIOS' in an HPE OneView server profile and deployed an operating system. A few weeks later, you change the boot mode to the 'UEFI optimized' to leverage some features provided by this mode.
 What must you do next?

- A. reset an il_0 management processor to activate the new boot mode for the server
- B. reinstall an operating system, as UEFI is using different drive format than Legacy BIOS
- C. reset BIOS settings to the defaults so UEFI settings can be applied
- D. reset BIOS settings to the defaults through the server profile after changing the boot mode

Answer: A

NEW QUESTION 9

Which statement about a Logical Enclosure for HPE BladeSystem is true?

- A. A logical enclosure can have between 1 to 5 HPE BladeSystem c7000 enclosures.
- B. A logical enclosure must be created only for monitored HPE BladeSystem C7000 enclosures.
- C. A logical enclosure is created automatically, and it is always based on a single enclosure.
- D. A logical enclosure can contain a mix of HPE BladeSystem c7000 and C3000 enclosures.

Answer: C

NEW QUESTION 10

What is a network set?

- A. It is a collection of all internal networks defined for a specific type of traffic like vSAN or vMotion.
- B. It is a collection of untagged Ethernet networks that form a named group to simplify server profile creation.
- C. It is a collection of tagged Ethernet networks that form a named group to simplify server profile creation.
- D. It is a collection of all networks configured within HPE OneView regardless of network type.

Answer: C

NEW QUESTION 10

Within HPE OneView you can configure SNMPv1 read community string. What is the purpose of this feature?

- A. This is an SNMP community string that will be used when traps are forwarded to a WBEM Provider
- B. This is an SNMP community string that will be used when traps are forwarded to other SNMP applications
- C. This is an SNMP community string that will be used to receive a trap's SNMP Agent
- D. This is an SNMP community string that will be used to receive traps from HPE Onboard Administrators

Answer: C

NEW QUESTION 13


What is the best practice when deploying an HPE OneView appliance?

- A. Enable VMware Fault Tolerance if the appliance is deployed to a VMware hypervisor.
- B. deploy the appliance in a hypervisor cluster that is not managed by OneView.
- C. Use thin-provisioning for the HPE OneView appliance to save storage capacity.
- D. Deploy two HPE OneView appliances and configure them in HA mode.

Answer: B

NEW QUESTION 17

Refer to the exhibit.



Name	Storage System	State
SSD_r6	h4151	Managed
SSD_r6	h4152	Managed

SSD_r6 General

General

State: Managed

Drive type: SSD

RAID: RAID6

Storage system: h4151

Storage domain: none

Used by: no volumes, no volume templates

Capacity

Total: 15288.00 GiB

Allocated: 0 GiB

Allocated to volumes: 0 GiB

Allocated to snapshots: 0 GiB

Subscribed: 0 GiB

Which statement about the storage pools shown is true?

- A. Volumes created on the first storage pool cannot use data reduction technologies
- B. Both storage pools are in a managed state and can be used for volume provisioning
- C. HPE OneView can be used to configure volume replication between these pools
- D. Both storage pools have a license applied that enables management of these pools

Answer: A

NEW QUESTION 22

Which connection type can be defined within a server profile for an MPE ProLiant DL server?

- A. iSCSI
- B. RoCE
- C. FC
- D. Ethernet

Answer: C

NEW QUESTION 24

Your customer plans to monitor HPE ProLiant DL systems and HPE BladeSystem using HPE OneView Which license is required to accomplish this task?

- A. HPE One View Global Dashboard license
- B. HPE OneView Advanced license
- C. HPE composer 2 license
- D. HPE OneView standard license

Answer: D

NEW QUESTION 26

Your customer is considering HPE Synergy as a hardware platform for visualization workload. The customer environment is wry dynamic, and they often have to modify hypervisor networking.

Which resource provided by HPE should you discuss with this customer?

- A. HPE OneView Global Dashboard allows server profile replication and change management.
- B. PowerShell Library for HPE OneView allows scripted environment modification.
- C. HPE OneView for VMware vCenter Server will enable host profile functionality and simplify changes.
- D. HPE Image Streamer provides templates which can be updated to map the hypervisor requirements

Answer: C

NEW QUESTION 27

Your customer built a sever profile for HPE Synergy Gen 10 server and configured boot mode to Legacy BIOS. Which feature Is not available for this Compute Module?

- A. BIOS management
- B. Workload profile
- C. Boot from SAN
- D. Secure boot

Answer: C

NEW QUESTION 31

Which HPE components can be managed using HPE Composer? (select two.)

- A. HPE Superdome Flex 280
- B. HPE Synergy Virtual Connect SE 32Gb FC Module
- C. HPE Synergy 480 Compute Modules
- D. HPE B-series SN6600B Fibre Channel Switch
- E. HPE MSA 2062 Storage Array

Answer: BD

NEW QUESTION 33

You have created volumes using array management tools and imported the volumes to HPE OneView. Which statement about these volumes is true?

- A. Imported volumes are treated as private volumes and can be only used as boot volumes
- B. Volumes imported to HPE OneView is managed just like a volume created using HPE OneView
- C. Volumes imported to HPE OneView cannot be removed using the HPE OneView interface
- D. A snapshot for imported volumes can be created only by using array management tools

Answer: A

NEW QUESTION 38

What step must be taken to add an HPE SuperDome Flex to an existing OneView environment

- A. A Rack Management Controller must be added to HPE OneView.
- B. HPE Superdome Flex can be added to HPE OneView after at least one nPAR is created.
- C. Each HPE Superdome Flex chassis must be added Individually using BMC IP.
- D. HPE Superdome Flex complex can be added by adding base chassis of this complex.

Answer: A

NEW QUESTION 43

Which statement about an HPE OneView server profile is true?

- A. A server profile can be created only for HPE BladeSystem, HPE Synergy, and HPE Superdome Flex servers.
- B. A server profile created for a specific server hardware type cannot be moved to a server with a different server hardware type.
- C. A server profile can be used to configure a local storage controller, but cannot be used to configure SAN-based storage.
- D. A server profile can be used to update firmware and drivers when the operating system on the server is up and running.

Answer: B

NEW QUESTION 48

Which statement about the presented storage pools is true?

OneView

Search

Storage Pools 11

Name	Storage System	State
Cluster-1	Cluster-1	Managed
Cluster-2	Cluster-2	Managed
cpg-growth-limit-1TiB	ThreePAR-1	Managed
CPG-SSD	ThreePAR-1	Managed
CPG-SSD-AO	ThreePAR-1	Managed
CPG_FC-AO	ThreePAR-1	Managed
default	Nimble-HasCacheCapacityAllFlash	Discovered
default	Nimble-HasCacheCapacityAllFlash	Managed
FST_CPG1	ThreePAR-1	Managed
FST_CPG2	ThreePAR-1	Managed

Cluster-1

General

General

State

Managed

Storage system

Cluster-1

Used by

no volumes

no volume templates

Capacity

Allocated

0 GiB

GiB

20480 GiB

- A. Storage pools in discovered state can be removed from HPE OneView.
 B. HPE OneView can be used to configure replication only between managed storage pools
 C. All storage pools from the system named ThreePAR-1 can be used for volume provisioning
 D. All storage pools in managed state have a valid HPE OneView license applied

Answer: C

NEW QUESTION 51

For each feature, indicate whether it is available with both hpe oneview Standard and hpe oneview Advanced licenses, or only with an hpe oneview Advanced license.

Answer Area

	License	Feature
both Standard and Advanced		Firmware management
only Advanced		Remote Support
		Reporting
		Smart Search, Activity View, Dashboard

- A. Mastered
 B. Not Mastered

Answer: A

Explanation:

Graphical user interface, application Description automatically generated

NEW QUESTION 53

Your customer has an environment with five HPE Synergy Composers and 15 HPE OneView appliances managing servers that run VMware. The customer is having a hard time managing their servers.

What can the customer do to simplify management of this complex environment?

- A. deploy HPE OneView for VMware vCenter Server
 B. deploy HPE OneView Global Dashboard
 C. use an Ansible playbook
 D. integrate all HPE OneView appliances and HPE Composers with Active Directory

Answer: A

NEW QUESTION 58

Your customer wants to optimize GenIO servers for a virtualization workload by configuring all of them with a specific workload profile in the BIOS. All of the servers are managed using HPE OneView.

How can this task be completed?

- A. Set a specific workload profile within Logical Interconnect Group and update all servers.
 B. Set a specific workload profile for all managed servers as an HPE OneView global setting.
 C. Set a specific workload profile within server profile template and update all profiles.

D. Set a specific workload profile using IL0 interface for each individual server.

Answer: C

NEW QUESTION 61

.....

THANKS FOR TRYING THE DEMO OF OUR PRODUCT

Visit Our Site to Purchase the Full Set of Actual HPE2-T37 Exam Questions With Answers.

We Also Provide Practice Exam Software That Simulates Real Exam Environment And Has Many Self-Assessment Features. Order the HPE2-T37 Product From:

<https://www.2passeasy.com/dumps/HPE2-T37/>

Money Back Guarantee

HPE2-T37 Practice Exam Features:

- * HPE2-T37 Questions and Answers Updated Frequently
- * HPE2-T37 Practice Questions Verified by Expert Senior Certified Staff
- * HPE2-T37 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * HPE2-T37 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year