

Cisco

Exam Questions 300-730

Implementing Secure Solutions with Virtual Private Networks (SVPN)



NEW QUESTION 1

DRAG DROP

Drag and drop the correct commands from the right onto the blanks within the code on the left to implement a design that allow for dynamic spoke-to-spoke communication. Not all comments are used.

Select and Place:

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Reference: https://www.cisco.com/c/en/us/td/docs/ios-xml/ios/sec_conn_dmvpn/configuration/xr-16/sec-conn-dmvpn-xr-16-book/sec-conn-dmvpn-summaps.html

NEW QUESTION 2

Refer to the exhibit.

The DMVPN tunnel is dropping randomly and no tunnel protection is configured. Which spoke configuration mitigates tunnel drops?

A.

D.

Answer: D

NEW QUESTION 3

On a FlexVPN hub-and-spoke topology where spoke-to-spoke tunnels are not allowed, which command is needed for the hub to be able to terminate FlexVPN tunnels?

- A. interface virtual-access
- B. ip nhrp redirect
- C. interface tunnel
- D. interface virtual-template

Answer: D

NEW QUESTION 4

Which statement about GETVPN is true?

- A. The configuration that defines which traffic to encrypt originates from the key server.
- B. TEK rekeys can be load-balanced between two key servers operating in COOP.
- C. The pseudotime that is used for replay checking is synchronized via NTP.
- D. Group members must acknowledge all KEK and TEK rekeys, regardless of configuration.

Answer: A

NEW QUESTION 5

Which two parameters help to map a VPN session to a tunnel group without using the tunnel-group list? (Choose two.)

- A. group-alias
- B. certificate map
- C. optimal gateway selection
- D. group-url
- E. AnyConnect client version

Answer: BD

NEW QUESTION 6

Which command identifies a Cisco AnyConnect profile that was uploaded to the flash of an IOS router?

- A. svc import profile SSL_profile flash:simos-profile.xml
- B. anyconnect profile SSL_profile flash:simos-profile.xml
- C. crypto vpn anyconnect profile SSL_profile flash:simos-profile.xml
- D. webvpn import profile SSL_profile flash:simos-profile.xml

Answer: C

Explanation:

Reference: <https://www.cisco.com/c/en/us/support/docs/security/anyconnect-secure-mobility-client/200533-AnyConnect-Configure-Basic-SSLVPN-for-I.html>

NEW QUESTION 7

Refer to the exhibit.

Which value must be configured in the User Group field when the Cisco AnyConnect Profile is created to connect to an ASA headend with IPsec as the primary protocol?

- A. address-pool
- B. group-alias
- C. group-policy
- D. tunnel-group

Answer: D

Explanation:

Reference: https://www.cisco.com/c/en/us/td/docs/security/vpn_client/anyconnect/anyconnect41/administration/guide/b_AnyConnect_Administrator_Guide_4-1/configure-vpn.html

NEW QUESTION 8

Under which section must a bookmark or URL list be configured on a Cisco ASA to be available for clientless SSLVPN users?

- A. tunnel-group (general-attributes)
- B. tunnel-group (webvpn-attributes)
- C. webvpn (group-policy)
- D. webvpn (global configuration)

Answer: D

NEW QUESTION 9

Which two statements about the Cisco ASA Clientless SSL VPN solution are true? (Choose two.)

- A. When a client connects to the Cisco ASA WebVPN portal and tries to access HTTP resources through the URL bar, the client uses the local DNS to perform FQDN resolution.
- B. The `rewriter enable` command under the global `webvpn` configuration enables the rewriter functionality because that feature is disabled by default.
- C. A Cisco ASA can simultaneously allow Clientless SSL VPN sessions and AnyConnect client sessions.
- D. When a client connects to the Cisco ASA WebVPN portal and tries to access HTTP resources through the URL bar, the ASA uses its configured DNS servers to perform FQDN resolution.
- E. Clientless SSLVPN provides Layer 3 connectivity into the secured network.

Answer: CD

NEW QUESTION 10

Which feature allows the ASA to handle nonstandard applications and web resources so that they display correctly over a clientless SSL VPN connection?

- A. single sign-on
- B. Smart Tunnel
- C. WebType ACL
- D. plug-ins

Answer: B

Explanation:

Reference: https://www.cisco.com/c/en/us/td/docs/security/asa/asa90/configuration/guide/asa_90_cli_config/vpn_clientless_ssl.html#29951

NEW QUESTION 10

Which requirement is needed to use local authentication for Cisco AnyConnect Secure Mobility Clients that connect to a FlexVPN server?

- A. use of certificates instead of username and password
- B. EAP-AnyConnect
- C. EAP query-identity
- D. AnyConnect profile

Answer: D

Explanation:

Reference: <https://www.cisco.com/c/en/us/support/docs/security/flexvpn/200555-FlexVPN-AnyConnect-IKEv2-Remote-Access.html>

NEW QUESTION 14

Which IKE identity does an IOS/IOS-XE headend expect to receive if an IPsec Cisco AnyConnect client uses default settings?

- A. `*$SecureMobilityClient$*`
- B. `*$AnyConnectClient$*`
- C. `*$RemoteAccessVpnClient$*`
- D. `*$DfltIkeIdentityS*`

Answer: B

Explanation:

Reference: <https://www.cisco.com/c/en/us/support/docs/security/flexvpn/200555-FlexVPN-AnyConnect-IKEv2-Remote-Access.html>

NEW QUESTION 18

Refer to the exhibit.

Which VPN technology is allowed for users connecting to the Employee tunnel group?

- A. SSL AnyConnect
- B. IKEv2 AnyConnect
- C. crypto map
- D. clientless

Answer: B

NEW QUESTION 23

Refer to the exhibit.

An engineer is troubleshooting a new GRE over IPsec tunnel. The tunnel is established but the engineer cannot ping from spoke 1 to spoke 2. Which type of traffic is being blocked?

- A. ESP packets from spoke2 to spoke1
- B. ISAKMP packets from spoke2 to spoke1
- C. ESP packets from spoke1 to spoke2
- D. ISAKMP packets from spoke1 to spoke2

Answer: A

NEW QUESTION 26

Which command is used to troubleshoot an IPv6 FlexVPN spoke-to-hub connectivity failure?

- A. show crypto ikev2 sa
- B. show crypto isakmp sa
- C. show crypto gkm
- D. show crypto identity

Answer: A

Explanation:

Reference: <https://www.cisco.com/c/en/us/support/docs/security/flexvpn/116413-configure-flexvpn-00.pdf>

NEW QUESTION 28

In a FlexVPN deployment, the spokes successfully connect to the hub, but spoke-to-spoke tunnels do not form. Which troubleshooting step solves the issue?

- A. Verify the spoke configuration to check if the NHRP redirect is enabled.
- B. Verify that the spoke receives redirect messages and sends resolution requests.
- C. Verify the hub configuration to check if the NHRP shortcut is enabled.
- D. Verify that the tunnel interface is contained within a VRF.

Answer: B

Explanation:

Reference: https://www.cisco.com/c/en/us/td/docs/ios-xml/ios/sec_conn_dmvpn/configuration/15-mt/sec-conn-dmvpn-15-mt-book/sec-conn-dmvpn-summaps.pdf

NEW QUESTION 33

An engineer is troubleshooting a new DMVPN setup on a Cisco IOS router. After the show crypto isakmp sa command is issued, a response is returned of "MM_NO_STATE." Why does this failure occur?

- A. The ISAKMP policy priority values are invalid.
- B. ESP traffic is being dropped.
- C. The Phase 1 policy does not match on both devices.
- D. Tunnel protection is not applied to the DMVPN tunnel.

Answer: B

NEW QUESTION 38

Refer to the exhibit.

A site-to-site tunnel between two sites is not coming up. Based on the debugs, what is the cause of this issue?

- A. An authentication failure occurs on the remote peer.
- B. A certificate fragmentation issue occurs between both sides.
- C. UDP 4500 traffic from the peer does not reach the router.
- D. An authentication failure occurs on the router.

Answer: C

NEW QUESTION 42

Refer to the exhibit.

Which type of mismatch is causing the problem with the IPsec VPN tunnel?

- A. crypto access list
- B. Phase 1 policy
- C. transform set
- D. preshared key

Answer: D

Explanation:

Reference: <https://www.cisco.com/c/en/us/support/docs/security-vpn/ipsec-negotiation-ike-protocols/5409-ipsec-debug-00.html#ike>

NEW QUESTION 44

Refer to the exhibit.

An SSL client is connecting to an ASA headend. The session fails with the message "Connection attempt has timed out. Please verify Internet connectivity." Based on how the packet is processed, which phase is causing the failure?

- A. phase 9: rpf-check
- B. phase 5: NAT
- C. phase 4: ACCESS-LIST
- D. phase 3: UN-NAT

Answer: D

NEW QUESTION 48

Which redundancy protocol must be implemented for IPsec stateless failover to work?

- A. SSO
- B. GLBP
- C. HSRP
- D. VRRP

Answer: C

Explanation:

Reference: <https://www.cisco.com/c/en/us/support/docs/security-vpn/ipsec-negotiation-ike-protocols/17826-ipsec-feat.html>

NEW QUESTION 53

Which technology works with IPsec stateful failover?

- A. GLBR
- B. HSRP
- C. GRE
- D. VRRP

Answer: B

Explanation:

Reference: https://www.cisco.com/c/en/us/td/docs/ios/12_2/12_2y/12_2yx11/feature/guide/ft_vpnha.html#wp1122512

NEW QUESTION 54

Which two commands help determine why the NHRP registration process is not being completed even after the IPsec tunnel is up? (Choose two.)

- A. show crypto isakmp sa
- B. show ip traffic
- C. show crypto ipsec sa
- D. show ip nhrp traffic
- E. show dmvpn detail

Answer: AD

NEW QUESTION 58

Which VPN does VPN load balancing on the ASA support?

- A. VTI
- B. IPsec site-to-site tunnels
- C. L2TP over IPsec
- D. Cisco AnyConnect

Answer: D

NEW QUESTION 59

Which parameter must match on all routers in a DMVPN Phase 3 cloud?

- A. GRE tunnel key
- B. NHRP network ID
- C. tunnel VRF
- D. EIGRP split-horizon setting

Answer: A

NEW QUESTION 63

Which benefit of FlexVPN is a limitation of DMVPN using IKEv1?

- A. GRE encapsulation allows for forwarding of non-IP traffic.
- B. IKE implementation can install routes in routing table.
- C. NHRP authentication provides enhanced security.
- D. Dynamic routing protocols can be configured.

Answer: B

NEW QUESTION 64

What is a requirement for smart tunnels to function properly?

- A. Java or ActiveX must be enabled on the client machine.
- B. Applications must be UDP.
- C. Stateful failover must not be configured.
- D. The user on the client machine must have admin access.

Answer: A

Explanation:

Reference: <https://www.cisco.com/c/en/us/support/docs/security/asa-5500-x-series-next-generation-firewalls/111007-smart-tunnel-asa-00.html>

NEW QUESTION 67

Where is split tunneling defined for IKEv2 remote access clients on a Cisco router?

- A. IKEv2 authorization policy
- B. Group Policy
- C. virtual template
- D. webvpn context

Answer: B

NEW QUESTION 68

Refer to the exhibit.

Cisco AnyConnect must be set up on a router to allow users to access internal servers 192.168.0.10 and 192.168.0.11. All other traffic should go out of the client's local NIC. Which command accomplishes this configuration?

- A. `svc split include 192.168.0.0 255.255.255.0`
- B. `svc split exclude 192.168.0.0 255.255.255.0`
- C. `svc split include acl CCNP`
- D. `svc split exclude acl CCNP`

Answer: C

NEW QUESTION 71

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

300-730 Practice Exam Features:

- * 300-730 Questions and Answers Updated Frequently
- * 300-730 Practice Questions Verified by Expert Senior Certified Staff
- * 300-730 Most Realistic Questions that Guarantee you a Pass on Your First Try
- * 300-730 Practice Test Questions in Multiple Choice Formats and Updates for 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The 300-730 Practice Test Here](#)