



Salesforce

Exam Questions Heroku-Architect

Salesforce Certified Heroku Architect (SU22)

About ExamBible

Your Partner of IT Exam

Found in 1998

ExamBible is a company specialized on providing high quality IT exam practice study materials, especially Cisco CCNA, CCDA, CCNP, CCIE, Checkpoint CCSE, CompTIA A+, Network+ certification practice exams and so on. We guarantee that the candidates will not only pass any IT exam at the first attempt but also get profound understanding about the certificates they have got. There are so many alike companies in this industry, however, ExamBible has its unique advantages that other companies could not achieve.

Our Advances

* 99.9% Uptime

All examinations will be up to date.

* 24/7 Quality Support

We will provide service round the clock.

* 100% Pass Rate

Our guarantee that you will pass the exam.

* Unique Gurantee

If you do not pass the exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

NEW QUESTION 1

A client's Heroku web application displays data that is fetched from a back-end file storage system. The client now wants this data to be viewable, but not editable, from their Salesforce org.

Which recommendation should an Architect make in this scenario?

- A. Replicate the files to tables in a Heroku Postgres database, and use Heroku Connect to synchronize the tables to the Salesforce org.
- B. Store all file URLs in a Heroku Postgres table, and use Heroku Connect to synchronize the table to the Salesforce org.
- C. Replicate the files to tables in a Heroku Postgres database, and use Heroku External Objects to expose the tables to the Salesforce org.
- D. Replicate the files to the application's local filesystem, and use worker dynos to periodically sync them to the Salesforce org.

Answer: A

NEW QUESTION 2

Universal Containers would like to engage contractors and customers directly in their Field Service solution. Which three options will provide read, write, and edit access to Work Order objects? (Choose three.)

- A. Partner Community license
- B. Chatter File Connect
- C. Customer Community license
- D. Chatter Customer Group
- E. Customer Community Plus license

Answer: ACD

NEW QUESTION 3

Which three resources can be found in the Heroku Elements Marketplace? (Choose three.)

- A. Heroku Buttons
- B. Buildpacks
- C. Heroku Stacks
- D. Docker image files
- E. Add-ons

Answer: ABE

NEW QUESTION 4

Universal Containers wants to give Field Technicians the ability to create follow-up appointments if they are unable to complete a Work Order due to missing inventory

What should a Consultant implement to meet this requirement?

- A. Implement a Macro to generate Service Appointments on the existing Work Order
- B. Implement a Quick Action to create a new Work Order Line item on the existing Work Order
- C. Implement a Quick Action to create a new Service Appointment on the existing Work Order
- D. Implement a Custom Button to Create a Service Appointment on the existing Work Order

Answer: C

NEW QUESTION 5

Which Heroku features should an Architect recommend to create a secure connection between Heroku and Microsoft Azure?

- A. Heroku Private Spaces and Private Space VPN Connections, using Azure's built-in VPN endpoint.
- B. Heroku Private Spaces and Private Space VPN Connections, using a compatible VPN endpoint on Azure
- C. Heroku Shield Private Spaces and Internal Routing, using Azure's built-in VPN endpoint
- D. Heroku Private Spaces and Private Space Peering, using Azure's VPC Peering.

Answer: B

Explanation:

<https://devcenter.heroku.com/articles/using-sso-services-with-heroku#end-user-account-creation-and-removal>

NEW QUESTION 6

A client has a Heroku Postgres database add-on attached to a production application. The client now wants to access the database from another application that they use to perform administrative tasks. What should an Architect recommend in this scenario?

- A. Copy the database's connection URL and add it to the administrative application as a config var.
- B. Attach the database to an application that acts as a database proxy
- C. Create a fork of the database and attach it to the administrative application.
- D. Attach the same Heroku Postgres add-on to the administrative application

Answer: D

Explanation:

<https://devcenter.heroku.com/articles/using-sso-services-with-heroku#prerequisites-for-sso-with-tieroku>

NEW QUESTION 7

A Field Technician from UniversalContainers arrived onsite for an appointment, and unfortunately the customer was not present UC wants to ensure they can track these customer no-show events for future process improvement

What process should a Consultant recommend to handle this situation?

- A. Set the existing Service Appointment status to Complete; Create a new Work Order and Service Appointment for the follow-up trip.
- B. Set the existing Service Appointment status to Cannot Complete; Create a new Work Order Line Item for the follow-up trip
- C. Set the existing Service Appointment status to Cannot Complete; Create a new Service Appointment against the same Work Order for the follow-up trip.
- D. Set the existing Service Appointment status to In Progress; Create a new Work Order and Service Appointment for the follow-up trip.

Answer: C

NEW QUESTION 8

Which 2 architectures are enabled by using a single Private Space and the Internal Routing feature?

- A. A microservices architecture that also uses DNS ServiceDiscovery to facilitate communication
- B. Multiple public-facing web apps with different sets of trusted inbound IP ranges
- C. A single public-facing web app that performs network-isolated communication with multiple non-public-facing web apps.
- D. Network-isolated communication between applications in the Private Space and applications in the Common Runtime

Answer: AC

Explanation:

- <https://devcenter.heroku.com/articles/event-driven-microservices-with-apache-kafka>

NEW QUESTION 9

What are the three access levels a user can have in a Heroku Organization account?

- A. Jed
- B. Padawan, and Co-pilot
- C. Owner, Author and Viewer
- D. Admin
- E. Programmer, and Operator
- F. Admin, Member, and Viewer

Answer: D

NEW QUESTION 10

Heroku Connect is an add-on that syncs Force, com data into:

- A. Someone else's isolated network environment
- B. A Heroku Postgres database
- C. A secondary Salesforce instance
- D. Only one dyno in your app's dyno formation

Answer: B

NEW QUESTION 10

Universal Containers (UC) is using Field Service and has customer meetings at UC's offices. When booking meetings, they would like them to begin on the hour every hour, between 9am-5pm.

How can this be achieved?

- A. Use Customer Operating Hours.
- B. Use Territory-specific Operating Hours.
- C. Use Multiple Operating Hours with Slots for each hour
- D. Use Exact Appointments on the Work Types.

Answer: D

NEW QUESTION 11

A client has an existing Heroku Connect integration. They would like to extend the integration to add Attachments (which are related binary files) from a mapped Salesforce object. What advice should an Architect provide?

- A. A file storage system needs to be added to the Heroku Connect mapping to sync binary files.
- B. Heroku Connect does not support binary files: therefore migration must be done using another method
- C. A column of type Binary String must be added manually to the Heroku Postgres table and amend Attachments before binary transfer can be enabled.
- D. An additional object mapping must be added for the Attachments table in Heroku Connect.

Answer: B

Explanation:

<https://devcenter.heroku.com/articles/using-sso-services-with-heroku#prerequisites-for-sso-with-heroku>

NEW QUESTION 12

Which two features of the Heroku platform require Private Spaces? Choose 2 answers.

- A. Automated Certificate Management
- B. Apache Kafka on Heroku
- C. Internal Routing
- D. Trusted IP ranges

Answer: BD

Explanation:

<https://devcenter.heroku.com/articles/private-spaces#trusted-ip-ranges>

NEW QUESTION 17

A client wants to use Heroku to build a data bridge between Salesforce and Google Cloud Platform (GCP). Which combination of Heroku features should an Architect recommend to secure the connection between Heroku and GCP?

- A. Heroku Shield Private Spaces and Heroku Shield Connect
- B. Heroku Private Spaces and Private Space VPN Connections
- C. Heroku Private Spaces and Private Space Peering
- D. Heroku Shield Private Spaces and Internal Routing

Answer: A

NEW QUESTION 19

Universal Containers is looking to implement Entitlement Management to meet the following requirements:

- 1) Any employee from the customer account is eligible for support.
 - 2) Specific purchased products are eligible for support
- What Objects should be set up for Entitlement Management?

- A. Contacts and Service Contracts
- B. Accounts and Service Contracts
- C. Contacts and Assets
- D. Accounts and Assets

Answer: D

NEW QUESTION 23

A client wants to perform complex processing on large data sets in Salesforce. The data is confidential, but it does not have advanced compliance requirements. What Heroku Enterprise features should an Architect recommend in this scenario?

- A. Shield Private Spaces and Heroku External Objects
- B. Private Spaces and Heroku Connect
- C. Private Spaces and Heroku External Objects
- D. Shield Private Spaces and Heroku Shield Connect

Answer: D

Explanation:

- <https://devcenter.heroku.com/articles/heroku-postgresql#data-residency>

NEW QUESTION 28

Universal Containers wants to ensure that Service Appointments are only assigned to Active Resources. What configuration should a Consultant recommend for the Scheduling Policy?

- A. Preferred Resources
- B. Match Fields
- C. Required Resources
- D. Match Boolean

Answer: D

NEW QUESTION 29

Which two Heroku features require Heroku Enterprise Teams? (Choose two.)

- A. Fire-grained app access controls
- B. Single Sign-on
- C. Paid add-on plans
- D. Heroku Pipelines

Answer: AD

NEW QUESTION 33

According to the Twelve-Factor methodology, which best practice helps minimize the gap between development and production?

- A. Using the same backing services in all of an application's environments.
- B. Configuring application logging to write stdout.
- C. Executing long-running tasks as background processes.
- D. Writing processes that are fast to start up and gracefully shut down

Answer: A

Explanation:

- <https://devcenter.heroku.com/articles/internal-routing>

NEW QUESTION 34

What does a follower of Heroku Postgres leader database provide?

- A. A static snapshot of the leader
- B. A in-memory snapshot of the leader.
- C. A read-only replica of the leader.
- D. A writable replica of the leader.

Answer: C

Explanation:

-<https://devcenter.heroku.com/articles/heroku-connect-database-tables#encrypted-strings>

NEW QUESTION 37

A hospital wants to build a mobile app that allows patients to check the status of submitted insurance claims, which the hospital stores in Salesforce Health Cloud. The app's back end will run on Heroku.

Which two measures should an Architect recommend to help ensure that the app is compliant with HIPAA? (Choose two.)

- A. Use Heroku Shield Connect to sync claim data from Salesforce to a Heroku Postgres database.
- B. Use only Heroku Shield Postgres databases to store claim data outside of Salesforce Health Cloud.
- C. Ensure that the back-end application's code encrypts all claim data before writing it to a Heroku Postgres database.
- D. Ensure that the mobile app can only run when on the hospital's intranet, which is connected to the back end's Shield Private Space via VPN.

Answer: AC

NEW QUESTION 39

Which Heroku feature allows you to deploy a real app complete with code, config, and add-ons already configured?

- A. Heroku Getting Started guides
- B. Heroku Deployment wizard
- C. git push heroku master
- D. Heroku Buttons

Answer: D

NEW QUESTION 43

In the hierarchy of cloud services, PaaS generally provides more out of the box than:

- A. Software as a service (SaaS)
- B. Infrastructure as a service (IaaS) and on-premises Infrastructure
- C. Salesforce Marketing Cloud
- D. Visualforce pages

Answer: B

NEW QUESTION 45

An existing app is experiencing performance degradation because of multiple executions of multiple, expensive SQL read queries. This SQL code cannot be optimized any further and the frequency of the execution of the queries cannot be reduced. Which two options should an Architect recommend in this scenario?

- A. Hardcode the results of the query into app logic
- B. Add a read-only Heroku Postgres follower
- C. Create a database caching layer
- D. Restart the Heroku Postgres server to reclaim cache

Answer: BC

Explanation:

<https://devcenter.heroku.com/articles/using-sso-services-with-heroku#end-user-account-creation-and-removal>

NEW QUESTION 49

Which of the following is a good use case for the Heroku Platform?

- A. Proof-of-concept or lab approaches
- B. Empowering mobile apps with an API service
- C. Data manipulation
- D. Customer engagement applications
- E. All of these

Answer: D

NEW QUESTION 54

A client currently runs a Ruby script in a one-off dyno each time they deploy their Go application to Heroku. The development team wants the script to be executed before the application is deployed because it performs necessary database migrations. Which approach should an Architect recommend?

- A. Modify the Go buildpack to install Ruby, and run the script from the `_profile`
- B. Convert the Ruby release script to Go and execute it on application startup
- C. Use both Go and Ruby language buildpacks, and run the Ruby script with release phase
- D. Define different process types for the Ruby script and the Go application in the app's Profile.

Answer: C

Explanation:

- There are many scenarios in which a single buildpack is not sufficient when building an application. This includes cases when you need to: Run a buildpack for each language your app uses For example, run a JavaScript buildpack for assets and a Ruby buildpack for your application Run a daemon process such as pgbouncer with your application. Pull in system dependencies with apt. You can check the following for more information: <https://devcenter.heroku.com/articles/using-multiple-buildpacks-for-an-app>

NEW QUESTION 58

Which is an effect of "locking" an application that belongs to a Heroku Enterprise Team?

- A. New members of the Enterprise Team are granted no automatic permissions for the application.
- B. The application cannot be deployed until it is unlocked.
- C. Members of the Enterprise Team who are not administrators have their permissions for the application revoked.
- D. Members of the Enterprise Team cannot be granted new permissions for the application until it's unlocked.

Answer: A

NEW QUESTION 60

What set of configurations make up Scheduling Policies and let companies adhere to their business constraints and preferences?

- A. Service Levels and Work Rules
- B. Service Objectives and Work Rules
- C. Service Contracts and Service Levels
- D. Service Objectives and Work Types

Answer: B

NEW QUESTION 65

An app uses a queue of worker dynos to perform complex image processing, but the worker dynos are occasionally running out of memory when performing the processing. All of their dynos are currently standard-1x dynos.

What should an Architect recommend in this scenario?

- A. Add additional worker dynos.
- B. Break up the image processing across multiple dynos.
- C. Move the app to a Private Space.
- D. Change the type of dynos to standard-2x.

Answer: D

NEW QUESTION 68

Which Heroku runtimes provide keystroke logging?

- A. The Common Runtime, Private Spaces, and Shield Private Spaces
- B. Private Spaces and Shield Private Spaces
- C. Shield Private Spaces only
- D. Keystroke logging is not available on Heroku

Answer: B

NEW QUESTION 72

Upon arrival for a Service Appointment, the Field Service Technician reports that a team of people is required to resolve the issue. How can the Dispatcher ensure that the required staff is assigned to the project?

- A. Assign the existing Service Appointment to a Crew.
- B. Assign the existing Work Order to each staff member
- C. Create a new Service Appointment and assign a Crew.
- D. Assign the existing Work Order to a Crew.

Answer: C

NEW QUESTION 76

A company currently uses, and will continue to use, the Mulesoft Anypoint Platform integration throughout their architecture. They want to use Heroku Connect to help them integrate Heroku apps with Salesforce apps. What is a benefit of introducing Heroku Connect in this environment?

- A. Heroku Connect provides Salesforce a bidirectional synchronization between Platform Events on Salesforce and Apache Kafka on Heroku
- B. Heroku Connect provides Mulesoft an endpoint that is easily consumable by a back-end integration tool

- C. Heroku Connect provides Salesforce a declarative bidirectional synchronization with Postgres and data proxy capability via Heroku Connect External Objects.
D. Heroku Connect has a Microsoft connector for access to Heroku Postgres Heroku Redis, and Apache Kafka on Heroku

Answer: C

NEW QUESTION 81

Which two statements describe characteristics of Private Space Logging? (Choose two.)

- A. Log entries are forwarded as HTTPS POST requests.
B. Log entries are collated and forwarded by Heroku's Logplex router.
C. Log entries can be forwarded to up to three logging services.
D. Log entries can be forwarded to only one logging service.

Answer: AC

NEW QUESTION 83

A customer would like to analyze data stored in a single, large, high-traffic Heroku Postgres database using a reporting tool that runs long-running, expensive read queries. What reporting architecture should be recommended?

A client wants to create a Heroku web application that needs to provide a low-latency experience for its users, who are based primarily in Japan. Many common user actions will result in synchronous writes to the application's Heroku Postgres database. The application does not have advanced compliance requirements. Which should an Architect recommend?

- A. Deploy the application to a Shield Private Space in the Tokyo region
B. Deploy the application to the Common Runtime in the Tokyo region
C. Deploy the application to a Private Space in the Tokyo region
D. Deploy the application to the Common Runtime in the U.S region and use a CDN to accelerate content delivery

Answer: C

Explanation:

-<https://devcenter.heroku.com/articles/dataclips>

NEW QUESTION 85

Universal Containers wants to reduce their mean-time-to-service

Which three Field Service process should a Consultant recommend to accomplish this goal? (Choose three)

- A. Knowledge Base
B. Customer Entitlements
C. Adjust Scheduling Policy
D. Dispatching

Answer: ACD

NEW QUESTION 90

Heroku apps that handle callouts from Salesforce can be written in:

- A. All of these
B. Python
C. Node, js / JavaScript
D. Java, Scala
E. Clojure
F. PHP

Answer: A

NEW QUESTION 91

For which two use cases should an Architect recommend using Heroku Redis? (Choose two.)

- A. Providing long-term data warehousing
B. Adding jobs to a queue
C. Providing a data cache layer
D. Querying relational data

Answer: AD

NEW QUESTION 96

A client is building a collection of web apps that will serve short-lived marketing sites during REST. The apps must support HTTPS connections. They also need to scale up and down at unpredictable intervals. The client is not currently a Heroku Enterprise customer. Given the scenario, what should an Architect recommend?

- A. Sign up for Heroku Enterprise and deploy each app to a different Private Space
B. Sign up for Heroku Enterprise without deploying the apps to the same Private Space
C. Sign up for Heroku Enterprise and deploy the apps to the same Private Space
D. Deploy the apps to the Common Runtime

Answer: D

Explanation:

-<https://devcenter.heroku.com/articles/internal-routing>

NEW QUESTION 99

A hospital is planning to rewrite its on-premise patient registration system. Their current system is HIPAA-compliant as well as ISO 27018-compliant. They need to maintain these same certification levels after the rewrite. Their new app also needs to sync PII (personally identifiable information) data with their Salesforce org. What Heroku Enterprise solutions should an Architect propose?

- A. Build the app in a Shield Private Space, with a Shield Heroku Postgres database, and use Apache Kafka on Heroku to stream from the Salesforce org.
- B. Build the app in the Common Runtime, use a Heroku Postgres database, and use Heroku Connect to sync to Salesforce.
- C. Build the app in a Shield Private Space, with a Shield Heroku Postgres database, and use Shield Heroku Connect to sync to Salesforce.
- D. Build the app in a Private Space with a Private Heroku Postgres database, and use Heroku Connect to sync to Salesforce.

Answer: C

NEW QUESTION 103

A client runs an application on a background worker dyno. The application allows its users to request personalized information as a PDF. At peak usage, the app processes millions of requests at once. The resulting number of requests has caused a bottleneck that is impacting its performance. Which two solutions can an Architect recommend to resolve the bottleneck and improve performance? (Choose two.)

- A. Increase the number of workers to consume the job faster.
- B. Move the application to a Private Space.
- C. Add Heroku Redis as a job queue.
- D. Add a CDN add-on from the Elements marketplace.

Answer: AB

NEW QUESTION 107

Dataclips allows a user to choose which datastore to query. Which type of datastore is supported?

- A. Any datastore, provided that you have the connection URL
- B. Heroku Postgres
- C. Heroku Redis
- D. Any datastore connected via Heroku Connect

Answer: B

Explanation:

<https://devcenter.heroku.com/articles/heroku-connect-faq#can-i-use-sharing-rules-to-restrict-record-visibility>

NEW QUESTION 108

Universal Containers provides multiple service types (i.e., Installation, Maintenance, Break/Fix, etc.) Each service requires a variety of skills and certifications in order for a resource to excel. Which two configurations should a Consultant implement to meet this requirement? (Choose two.)

- A. Use Work Types with Required Skills
- B. Assign the appropriate Skills to Resources
- C. Create Multiple Work Orders Line Items per service.
- D. Select the relevant Work Types for each Resource

Answer: AB

NEW QUESTION 109

Which of the following is a Heroku CLI command?

- A. heroku create
- B. heroku new
- C. git push heroku master
- D. git push

Answer: A

NEW QUESTION 112

Universal Containers (UC) has expressed a desire to have encryption-at-rest enabled on their Heroku Postgres databases. Which three tiers would UC need to use to have that feature enabled? (Choose three.)

- A. Private
- B. Standard
- C. Hobby
- D. Shield
- E. Premium

Answer: ABE

NEW QUESTION 117

A client needs to securely connect a Heroku app to a database on their on-premise network. Which two Heroku Enterprise features should an Architect consider?

- A. Private Space Peering
- B. SSLEndpoint
- C. Heroku Private Spaces
- D. Private Space VPN Connections

Answer: CD

Explanation:

-<https://devcenter.heroku.com/articles/heroku-connect-database-tables#encrypted-strings>

NEW QUESTION 122

A platform as a service (PaaS) is:

- A. A monthly bare-metal server rental service
- B. A way to deliver hardware and software tools, such as those needed for application development, to users as a service
- C. A service to help you buy and install your own server hardware
- D. A piece of software in the cloud that you can use just by logging in

Answer: B

NEW QUESTION 125

Universal Containers (UC) wants to allow its developers to only use certain add-ons. UC enables Add-on Controls for Enterprise Teams and adds the add-ons they wish to allow to the list. There is an existing set of add-ons attached to applications, which are NOT on the list. What happens to these add-ons?

- A. They are deleted, and all data is backed up and saved.
- B. They are added to the allowed add-ons list.
- C. They are added to the exception list and not affected.
- D. They are flagged for removal, and the developers are notified.

Answer: D

Explanation:

- <https://devcenter.heroku.com/articles/addon-controls>

NEW QUESTION 129

Universal Containers (UC) has a Heroku Postgres database attached to a Heroku app, which is running in the Common Runtime. What should an Architect recommend UC do to secure their database to only trusted locations?

- A. Move the database and the app into the Private Space.
- B. Add a Trusted IP range to the Heroku Postgres configuration.
- C. Set up a VPN from the trusted locations to the app.
- D. Set up a VPC in a one-off dyno when access to Heroku Postgres is needed.

Answer: B

NEW QUESTION 134

Dispatchers at Universal Containers want to ensure the Resource being assigned to a Work Order has the correct training. What should a Consultant implement to accomplish this requirement?

- A. Set up Skill Requirement
- B. DefineWork Type
- C. Set up Routing Rules
- D. Define Skills, Set up Skill Requirements, and Set up Resource Skills
- E. Set up Service Locations, Set up Location Skill
- F. Define work Types
- G. Define Work Types, Define Work Order Status
- H. Set up Resource Skills

Answer: B

NEW QUESTION 138

Universal Containers collects sensor data from millions of sensors that are located around the World. Now, they want to process this data on Heroku. What are three advantages of using a microservices architecture with Apache Kafka on Heroku in this scenario? Choose 3 answers.

- A. Kafka is highly available and fault-tolerant
- B. Individual services can be scaled easily for high-volume event processing
- C. Consumers and producers can be scaled independently.
- D. Individual services can efficiently communicate with each other using REST APIs.

Answer: ABC

Explanation:

- <https://www.heroku.com/lech-sessions/get-started-with-apache-kafka>

NEW QUESTION 140

Universal Containers wants their Field Technicians to indicate if any of their Service Appointments are at risk of not being completed on time. They would like for this to be achieved on a mobile device using a Quick Action. What should a Consultant recommend to achieve this requirement?

- A. Update the Service Appointment Status field.
- B. Update the Service Appointment Chatter feed.
- C. Reschedule the Service Appointment for later
- D. Update the Service Appointment field "In Jeopardy"

Answer: A

NEW QUESTION 142

A client is building a collection of Heroku applications that will be audited regularly. To comply with the audit, it must be guaranteed that the applications all forward their logs to the same, single destination. Which solution meets this requirement?

- A. Deploy all of the applications to the Common Runtime, and attach the same instance of a logging add-on to all of them.
- B. Deploy all the applications to the same Shield Private Space with Private Space Logging enabled
- C. Deploy all the applications to the Common runtime, and add the same log drain URL to all of them.
- D. Deploy all the applications to the same Private Space with Logplex disabled.

Answer: B

Explanation:

-<https://devcenter.heroku.com/articles/dataclips>

NEW QUESTION 144

A customer's Heroku Redis instance regularly reaches its storage limit. Besides upgrading to a bigger plan, what solution should an Architect recommend for this scenario?

- A. Explore a different key eviction scheme.
- B. Create a fork of the primary Heroku Redis instance.
- C. Migrate the data to a Heroku Postgres database
- D. Failover to ephemeral filesystem for the running dyno

Answer: A

Explanation:

<https://devcenter.heroku.com/articles/using-sso-services-with-heroku#prerequisites-for-sso-with-heroku>

NEW QUESTION 145

Universal Containers wants to help their dispatches determine the length of time a Work Order should last. What should the Consultant implement to help achieve this goal?

- A. Operating Hours for Customer Accounts.
- B. Work Types with an Estimated Duration.
- C. Work Orders with Operating Hours
- D. Work Types with Service Level Agreement.

Answer: B

NEW QUESTION 146

Which 2 users can remove an application from a Heroku Enterprise Team?

- A. An administrator of the Enterprise Team
- B. A user with the "manage" permission for the app
- C. A user with the "deploy" permission for the app
- D. A user with the "operate" permission for the app

Answer: AB

Explanation:

-<https://devcenter.heroku.com/articles/event-driven-microservices-with-apache-kafka>

NEW QUESTION 148

Universal Containers is developing a Salesforce app that invokes a Heroku app's web service, which asynchronously generates customer invoices. The Heroku app is deployed to a Private Space. When an invoice is ready, the Heroku app sends a POST request to the Salesforce REST API. Which two options should an Architect recommend to ensure that neither the Salesforce nor the Heroku app is accessible from the public internet? Choose 2 answers.

- A. Restrict the Private Space's trusted IP range to Salesforce IP addresses
- B. Restrict the Private Space's trusted IP range to Universal Containers' VPN
- C. Restrict the Salesforce connected app's login IP ranges to Universal Containers' VPN
- D. Restrict the Salesforce connected app's login IP ranges to the stable outbound IP addresses of the Private Space

Answer: AD

Explanation:

This is no VPN connection and a trusted IP range is used to limit the trusted outside application's IP address And there is document related to this use case:<https://devcenter.heroku.com/articles/establish-trust-private-space-and-salesforce#salesforce-heroku-apps>

NEW QUESTION 149

Universal Containers would like to provide Field Service Technicians the ability to capture details and customer approval on completed work so that the details can be compiled and sent to the customer electronically
What should a Consultant recommend to meet this requirement?

- A. Create a custom report.
- B. Create a Process Builder to generate a report.
- C. Use the standard Work Order email template.
- D. Use the standard Service Report

Answer: D

NEW QUESTION 152

The primary benefit of a workflow outbound message over an Apex trigger is:

- A. The message supports different authentication mechanisms
- B. The message can deliver the payload only as SOAP
- C. Messages are completely declarative.
- D. The message can handle every database event.

Answer: C

NEW QUESTION 156

Heroku Connect data replication happens:

- A. Near real time for writes to Salesforce
- B. and on a 30-second polling window for writes to Heroku Postgres
- C. Near real time for writes to Salesforce
- D. and either on a polling window or near real time for writes to Heroku Postgres (depending on the user configuration)
- E. Instantly in both directions
- F. Near real time in both directions

Answer: B

NEW QUESTION 160

.....

Relate Links

100% Pass Your Heroku-Architect Exam with Exambible Prep Materials

<https://www.exambible.com/Heroku-Architect-exam/>

Contact us

We are proud of our high-quality customer service, which serves you around the clock 24/7.

Viste - <https://www.exambible.com/>