

202-450 Dumps

LPIC-2 Exam 202 Part 2 of 2 version 4.5

<https://www.certleader.com/202-450-dumps.html>



NEW QUESTION 1

What information can be found in the file specified by the status parameter in an OpenVPN server configuration file? (Choose two.)

- A. Errors and warnings generated by the openvpn daemon
- B. Routing information
- C. Statistical information regarding the currently running openvpn daemon
- D. A list of currently connected clients
- E. A history of all clients who have connected at some point

Answer: BD

NEW QUESTION 2

Which of the statements below are correct regarding the following commands, which are executed on a Linux router? (Choose two.)

```
ip6tables -A FORWARD -s fe80::/64 -j DROP  
  
ip6tables -A FORWARD -d fe80::/64 -j DROP
```

- A. Packets with source or destination addresses from fe80::/64 will never occur in the FORWARD chain
- B. The rules disable packet forwarding because network nodes always use addresses from fe80::/64 to identify routers in their routing tables
- C. ip6tables returns an error for the second command because the affected network is already part of another rule
- D. Both ip6tables commands complete without an error message or warning
- E. The rules suppress any automatic configuration through router advertisements or DHCPv6

Answer: DE

NEW QUESTION 3

Which of the following statements is true regarding the NFSv4 pseudo file system on the NFS server?

- A. It must be called /exports
- B. It usually contains bind mounts of the directory trees to be exported
- C. It must be a dedicated partition on the server
- D. It is defined in the option Nfsv4-Root in /etc/pathmapd.conf
- E. It usually contains symlinks to the directory trees to be exported

Answer: B

NEW QUESTION 4

Which of the following options are valid in /etc/exports? (Choose two.)

- A. rw
- B. ro
- C. rootsquash
- D. norootsquash
- E. uid

Answer: AB

NEW QUESTION 5

What option for BIND is required in the global options to disable recursive queries on the DNS server by default?

- A. allow-recursive-query (none;);
- B. allow-recursive-query off;
- C. recursion { disabled; };
- D. recursion { none; };
- E. recursion no;

Answer: E

NEW QUESTION 6

Which BIND option should be used to limit the IP addresses from which slave name servers may connect?

- A. allow-zone-transfer
- B. allow-transfer
- C. allow-secondary
- D. allow-slaves
- E. allow-queries

Answer: B

NEW QUESTION 7

Which statements about the Alias and Redirect directives in Apache HTTPD's configuration file are true? (Choose two.)

- A. Alias can only reference files under DocumentRoot
- B. Redirect works with regular expressions
- C. Redirect is handled on the client side
- D. Alias is handled on the server side
- E. Alias is not a valid configuration directive

Answer: CD

NEW QUESTION 8

When using mod_authz_core, which of the following strings can be used as an argument to Require in an Apache HTTPD configuration file to specify the authentication provider? (Choose three.)

- A. method
- B. all
- C. regex
- D. header
- E. expr

Answer: ABE

NEW QUESTION 9

Which of the following PAM modules allows the system administrator to use an arbitrary file containing a list of user and group names with restrictions on the system resources available to them?

- A. pam_filter
- B. pam_limits
- C. pam_listfile
- D. pam_unix

Answer: B

NEW QUESTION 10

Which of the following statements in the ISC DHCPD configuration is used to specify whether or not an address pool can be used by nodes which have a corresponding host section in the configuration?

- A. identified-nodes
- B. unconfigured-hosts
- C. missing-peers
- D. unmatched-hwaddr
- E. unknown-clients

Answer: E

NEW QUESTION 10

CORRECT TEXT

What is the path to the global Postfix configuration file? (Specify the full name of the file, including path.)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

/etc/postfix/main.cf

NEW QUESTION 13

When are Sieve filters usually applied to an email?

- A. When the email is delivered to a mailbox
- B. When the email is relayed by an SMTP server
- C. When the email is received by an SMTP smarthost
- D. When the email is sent to the first server by an MUA
- E. When the email is retrieved by an MUA

Answer: A

NEW QUESTION 15

Which of the following authentication mechanisms are supported by Dovecot? (Choose three.)

- A. ldap
- B. digest-md5
- C. cram-md5
- D. plain
- E. krb5

Answer: BCD

NEW QUESTION 20

Which of the following actions synchronizes UNIX passwords with the Samba passwords when the encrypted Samba password is changed using smbpasswd?

- A. There are no actions to accomplish this since is not possible.
- B. Run netvamp regularly, to convert the passwords.
- C. Run winbind –sync, to synchronize the passwords.
- D. Add unix password sync = yes to smb.conf
- E. Add smb unix password = sync to smb.conf

Answer: D

NEW QUESTION 24

In order to join a file server to the Active Directory domain intra.example.com, the following smb.conf has been created:

```
[global]

workgroup = intra.example.com

netbios name = Fileserver

server role = member server

idmap config * : backend = tdb

idmap config * : range = 10000-199999

winbind enum users = yes

winbind enum group = yes
```

The command net ads join raises an error and the server is not joined to the domain. What should be done to successfully join the domain?

- A. Change server role to ad member server to join an Active Directory domain instead of an NT4 domain.
- B. Add realm = intra.example.com to the smb.conf and change workgroup to the domain's netbios workgroup name.
- C. Manually create a machine account in the Active Directory domain and specify the machine account's name with –U when starting net ads join.
- D. Remove the winbind enum users and winbind enum groups since winbind is incompatible with Active Directory domains.
- E. Remove all idmap configuration stanzas since the id mapping is defined globally in an Active Directory domain and cannot be changed on a member server.

Answer: E

NEW QUESTION 26

CORRECT TEXT

In order to export /usr and /bin via NFSv4, /exports was created and contains working bind mounts to /usr and /bin. The following lines are added to /etc/exports on the NFS server:

```
/exports 192.0.1.0/24 (rw, sync, fsid=0, crossmnt, no_subtree_check)

/exports/usr 192.0.2.0/24 (rw, sync, fsid=0, crossmnt, no_subtree_check)

/exports/bin 192.0.2.0/24 (rw, sync, fsid=0, crossmnt, no_subtree_check)
```

After running

mount-tnfsv4 server://mnt

of an NFC-Client, it is observed that /mnt contains the content of the server's /usr directory instead of the content of the NFSv4 foot folder.

Which option in /etc/exports has to be changed or removed in order to make the NFSv4 root folder appear when mounting the highest level of the server? (Specify ONLY the option name without any values or parameters.)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

mount

NEW QUESTION 28

Select the Samba option below that should be used if the main intention is to setup a guest printer service?

- A. security = cups
- B. security = ldap
- C. security = pam
- D. security = share
- E. security = printing

Answer: D

NEW QUESTION 30

Which keyword is used in the Squid configuration to define networks and times used to limit access to the service?

- A. acl
- B. allow
- C. http_allow
- D. permit

Answer: A

NEW QUESTION 34

The following Apache HTTPD configuration has been set up to create a virtual host available at www.example.com and www2.example.com:

```
<VirtualHost *:80>
    ServerName www.example.com
    ServerName www2.example.com
    ServerAdmin webmaster@example.com
    DocumentRoot /var/www/
    <Directory /srv/www/>
        Require all granted
    </Directory>
</VirtualHost>
```

Even though Apache HTTPD correctly processed the configuration file, requests to both names are not handled correctly. What should be changed in order to ensure correct operations?

- A. The configuration must be split into two VirtualHost sections since each virtual host may only have one name.
- B. The port mentioned in opening VirtualHost tag has to be appended to the ServerName declaration's values.
- C. Both virtual host names have to be placed as comma separated values in one ServerName declaration.
- D. Both virtual host names have to be mentioned in the opening VirtualHost tag.
- E. Only one Server name declaration may exist, but additional names can be declared in ServerAlias options.

Answer: C

NEW QUESTION 39

Which of the following are logging directives in Apache HTTPD? (Choose two.)

- A. TransferLog
- B. CustomLog
- C. ErrorLog
- D. ServerLog
- E. VHostLog

Answer: AB

NEW QUESTION 44

Which option within a Nginx server configuration section defines the file system path from which the content of the server is retrieved?

- A. location
- B. htdocs
- C. DocumentRoot
- D. root
- E. base_dir

Answer: D

NEW QUESTION 46

Which of the following information has to be submitted to a certification authority in order to request a web server certificate?

- A. The web server's private key.
- B. The IP address of the web server.
- C. The list of ciphers supported by the web server.
- D. The web server's SSL configuration file.
- E. The certificate signing request

Answer: E

NEW QUESTION 48

To allow X connections to be forwarded from or through an SSH server, what configuration keyword must be set to yes in the sshd configuration file?

- A. AllowForwarding
- B. ForwardingAllow
- C. X11ForwardingAllow
- D. X11Forwarding

Answer: D

NEW QUESTION 50

CORRECT TEXT

What option in the sshd configuration file instructs sshd to permit only specific user names to log in to a system? (Specify ONLY the option name without any values.)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

sshd_config

NEW QUESTION 55

Using its standard configuration, how does fail2ban block offending SSH clients?

- A. By rejecting connections due to its role as a proxy in front of SSHD.
- B. By modifying and adjusting the SSHD configuration.
- C. By creating and maintaining netfilter rules.
- D. By creating null routes that drop any answer packets sent to the client.
- E. By modifying and adjusting the TCP Wrapper configuration for SSH

Answer: B

NEW QUESTION 56

Which command is used to administer IPv6 netfilter rules?

- A. iptables
- B. iptables6
- C. iptables6
- D. ip6tables
- E. ipv6tables

Answer: D

NEW QUESTION 60

Which of these tools provides DNS information in the following format?

```
www.example.com has address 172.25.25.55
www.example.com has address 172.25.25.63
www.example.com has IPv6 address fdb4:8fbc:36e1::101f
```

- A. dig
- B. nslookup
- C. host
- D. named-checkconf
- E. named-checkzone

Answer: B

NEW QUESTION 62

Which of the following DNS record types is used for reverse DNS queries?

- A. CNAME
- B. IN
- C. PTR
- D. REV
- E. RIN

Answer: C

NEW QUESTION 65

Which of these sets of entries does the following command return?

```
ldapsearch -x "(|(cn=marie) (!(telephoneNumber=9*)))"
```

- A. Entries that don't have a cn of marie or don't have a telephoneNumber that begins with 9.
- B. Entries that have a cn of marie or don't have a telephoneNumber beginning with 9.
- C. Entries that have a cn of marie and a telephoneNumber that ending with 9.
- D. Entries that don't have a cn of marie and don't have a telephoneNumber beginning with 9.
- E. Entries that have a cn of marie or have a telephoneNumber beginning with 9.

Answer: C

NEW QUESTION 66

Which of the following is correct about this excerpt from an LDIF file?

```
dn: cn=PrintOperators,ou=Groups,o=IT,DC=mycompany,DC=example,DC=com
```

- A. dn is the domain name.
- B. o is the operator name.
- C. cn is the common name.
- D. dn is the relative distinguished name.
- E. DC is the delegation containe

Answer: D

NEW QUESTION 71

Which of the following statements is INCORRECT regarding the LDIF file format?

- A. It contains a dn line that indicates where the attributes listed in the following lines of the file must be added.
- B. In the file, a blank line separates one entry from another one.
- C. If an attribute contains binary data, some specific configurations must be made for this entry.
- D. The LDIF file accepts any type of file encodin

Answer: D

NEW QUESTION 72

Which of the following lines is valid in a configuration file in /etc/pam.d/?

- A. authrequired pam_unix.sotry_first_pass nullok
- B. authtry_first_pass nullok, require pam_unix.so
- C. authrequired;pam_unix.so(try_first_pass nullok)
- D. authpam_unix.so(required try_first_pass nullok)

Answer: A

NEW QUESTION 75

Select the alternative that shows the correct way to disable a user login for all users except root.

- A. The use of the pam_block module along with the /etc/login configuration file.
- B. The use of the pam_deny module along with the /etc/deny configuration file.
- C. The use of the pam_pwdb module along with the /etc/pwdv.conf configuration file.
- D. The use of the pam_nologin module along with the /etc/nologin configuration fil

Answer: D

NEW QUESTION 78

.....

Thank You for Trying Our Product

* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

* One year free update

You can enjoy free update one year. 24x7 online support.

* Trusted by Millions

We currently serve more than 30,000,000 customers.

* Shop Securely

All transactions are protected by VeriSign!

100% Pass Your 202-450 Exam with Our Prep Materials Via below:

<https://www.certleader.com/202-450-dumps.html>