


# CTFL-Foundation Dumps

## Certified Tester Foundation Level

<https://www.certleader.com/CTFL-Foundation-dumps.html>



**NEW QUESTION 1**

Since the system is in the medical domain and therefore in the safety critical area, testing needs to be rigorous and evidence is required that the system has been adequately tested. Identify THREE measures that would typically be part of the test approach in this domain and which are not always applicable in other domains! 1 credit

- A. High level of documentation
- B. Failure Mode and Effect Analysis (FMEA) sessions
- C. Traceability to requirements
- D. Non-functional testing
- E. Master test planning
- F. Test design techniques
- G. Reviews

**Answer:** ABC

**NEW QUESTION 2**

You have been given responsibility for the non-functional testing of a safety-critical monitoring & diagnostics package in the medical area. Which of the following would you least expect to see addressed in the test plan? 1 credit

- A. Availability
- B. Safety
- C. Portability
- D. Reliability

**Answer:** C

**NEW QUESTION 3**

Consider the typical objectives of testing. Which of the following metrics can be used to measure the effectiveness of the testing process in achieving one of those objectives? 1 credit

- A. Average number of days between defect discovery and resolution
- B. Percentage of requirements covered
- C. Lines of code written per developer per day
- D. Percentage of test effort spent on regression testing

**Answer:** B

**NEW QUESTION 4**

You are about to release a test progress report to a senior manager, who is not a test specialist. Which of the following topics should NOT be included in the test progress report? 1 credit

- A. Product risks which have been mitigated and those which are outstanding.
- B. Recommendations for taking controlling actions
- C. Status compared against the started exit criteria
- D. Detailed overview of the risk-based test approach being used to ensure the exit criteria to be achieved

**Answer:** D

**NEW QUESTION 5**

Which of the following is an example of testing as part of the requirements specification phase? 1 credit

- A. A requirements review meeting
- B. A business analyst eliciting requirements
- C. Performing acceptance tests against requirements
- D. A test report showing requirements coverage

**Answer:** A

**NEW QUESTION 6**

Select THREE issues from the options provided that should at least be raised. 1 credit

- A. Has there been sufficient comparison of tools?
- B. What are the problems we are trying to address?
- C. Do we have a set of tool requirements to validate the tool against?
- D. How will the implementation be organized?
- E. Which project will be selected to perform the tool pilot?
- F. Is customized training available?
- G. How will the change process be managed?

**Answer:** ABC

**NEW QUESTION 7**

Which of the following would be the most significant input to estimating the time to carry out the specified testing tasks? 3 credits

- A. The skills and experience of developers to correct the failures.

- B. The standards used for the requirements specification.
- C. The metrics recorded from testing the capture-replay tool.
- D. The number of testers in the company and their grad

**Answer:** C

#### NEW QUESTION 8

Which of the following would you expect to see in the master test plan? 1 credit

- A. A description of how the test cases are cross-referenced to requirements in the test management tool.
- B. A detailed identification of the resources that will carry out structural testing in the first iteration.
- C. The test approach that will be applied at system integration testing.
- D. A list of the names of the testers who will carry out the performance testing for the final iteratio

**Answer:** C

#### NEW QUESTION 9

Which of the following is least likely to be used as a technique to identify project and product risks? 1 credit

- A. Brainstorming
- B. Inspections
- C. Expert interviews
- D. Independent assessments

**Answer:** B

#### NEW QUESTION 10

Risks should be constantly reviewed. Given the current situation, which one of the following factors is most likely to lead to a revised view of product risk? 3 credits

- A. The concerns over the user interface may lead to changes to the interface which cannot be implemented by development in time for the second test iteration.
- B. The concerns over the user interface raises the likelihood of a risk in that area and increases the amount of test effort needed for the user interface, thereby limiting the test effort available for other parts of the test management tool.
- C. The delivery of the application without the interface changes may upset the user community.
- D. The method used for test estimation is not accurate enough and hence the money spent on testing exceeded its budge

**Answer:** B

#### NEW QUESTION 10

In addition to risk, identify TWO other components of a testing strategy. 1 credit

- A. The entry and exit criteria for each test phase
- B. Test training needs for the project resources
- C. The test design techniques to be used
- D. Test performance indicators
- E. The test schedule

**Answer:** AC

#### NEW QUESTION 15

What would be a test approach regarding the test design techniques to be applied that would fit an item with the highest risk? 2 credits

- A. Component testing; decision testing; System testing; exploratory testing
- B. Component testing; decision testing; System testing; decision table testing
- C. Component testing; statement testing; System testing; equivalence partitioning
- D. Component testing; statement testing; System testing; decision table partitioning

**Answer:** B

#### NEW QUESTION 19

Which of the following is a valid drawback of independent testing? 1 credit

- A. Developer and independent testing will overlap and waste resources.
- B. Developers loose the sense of responsibility and independent testers may become a bottleneck.
- C. Independent testers need extra education and always cost more.
- D. Independent testers will become a bottleneck and introduce problems in incident managemen

**Answer:** B

#### NEW QUESTION 24

Based on the information given in the scenario, identify how the team could be improved most effectively? 2 credits

- A. By providing training in the payroll domain
- B. By providing a workshop on test design techniques
- C. By providing specific training on the systems being tested
- D. By providing training on reviewing requirements

**Answer:** B

**NEW QUESTION 25**

In general which part of the testing activity is most difficult to estimate? 1 credit

- A. Test planning
- B. Test execution
- C. Test management
- D. Test design

**Answer:** B

**NEW QUESTION 26**

Identify THREE items that would be part of the work-breakdown structure showing the key testing activities for the acceptance test project. 2 credits (for 2 out correct 1 credit)

- A. Test planning, test case preparation and test execution for each of the four iterations
- B. Work should be explicitly allocated to test completion, test management, installation and to training on using the system
- C. Activities to deploy the system in the user environment
- D. Regression testing in the second, third and fourth iterations
- E. Development activities for unit and integration testing
- F. Reviews on requirements documentation
- G. Defining test environment requirements for system testing

**Answer:** ABD

**NEW QUESTION 28**

Comparing TMMi and TPI, which is not a valid reason for choosing either TPI or TMMi? 2 credits

- A. If the scope of test performance improvement covers all test levels, TMMi is preferred since TPI focusses mainly on black-box testing.
- B. If the organization is already applying CMMI, TMMi may be preferred since it has the same structure and uses the same terminolog
- C. TMMi addresses management commitment very strongly and is therefore more suitable to support a top-down improvement process.
- D. TPI is much more a bottom-up model that is suitable for addressing test topics for a specific (test) project.
- E. TMMi can only be used with the traditional V model, whereas TPI can be used with all types of software life cycle

**Answer:** D

**NEW QUESTION 29**

Within the projects, a master test plan and phase test plan will be used. Following is a list of characteristics applicable for test plans:

- A. Any deviation from the procedures described in the test strategy document
  - B. The overall estimated costs, timescales and resource requirements
  - C. A detailed schedule of testing activities
  - D. The development deliverables to be tested
  - E. Which test staff members (names) will be involved and when
  - F. Level of requirements coverage achieved
- Which THREE of the above mentioned characteristics relate to the master test plan? 1 credit
- G. a
  - H. b
  - I. c
  - J. d
  - K. e
  - L. f

**Answer:** ABD

**NEW QUESTION 34**

As part of the test strategy, entry and exit criteria will be defined for each test level. Which is NOT a valid reason for using entry and exit criteria? 1 credit

- A. The expectation is that development testing is not adequate.
- B. Exit criteria are used to decide on when to stop testing.
- C. Entry and exit criteria are a principal way for getting adequate resources.
- D. Using entry and exit criteria will prevent software that is not or poorly tested from going to the next test leve

**Answer:** C

**NEW QUESTION 39**

Which of the following product risks would be most effectively addressed just by static testing? 3 credits

- A. In the delivered application, one of the countries, as specified in the requirements, has not been correctly implemented.
- B. The application takes too long to process a request for additional cover.
- C. The test cases do not cover the key requirements.
- D. The successful bidder may not deliver all the required functionality on tim

**Answer:** C

**NEW QUESTION 41**

Why might a RAD approach be a better option for the test manager rather than a sequential development? 2 credits

- A. It will extend the development team's abilities and enhance future delivery capabilities.
- B. It will allow the marketing, clerical and testing staff to validate and verify the early screen prototypes.
- C. Time-box constraints will guarantee code releases are delivered on schedule.
- D. More time can be spent on test execution as less formal documentation is require

**Answer:** B

#### NEW QUESTION 42

Regarding the process described above, what is the most important recommendation you would make using IEEE 1044 as a guide? 2 credits

- A. No priority or severity assigned
- B. Incident numbering is manual rather than automated
- C. No mentioning of reproduceability
- D. No classification on type of incident

**Answer:** A

#### NEW QUESTION 43

Continuing with the Scenario described in the previous question, which of the following topics would you need to address in detail in the master test plan? 3 credits

- A. An approach to regression testing
- B. A list of boundary values for "advance amount"
- C. A description of dependencies between test cases
- D. A logical collection of test cases

**Answer:** A

#### NEW QUESTION 47

Relying only on the information provided in the scenario, select the TWO items and/or features for which sufficient information is available to proceed with test design. 2 credits

- A. All supported credit cards
- B. Language localization
- C. Valid and invalid advances
- D. Usability
- E. Response time

**Answer:** AC

#### NEW QUESTION 48

Security falls under..?

- A. compliance testing
- B. disaster testing
- C. verifying compliance to rules
- D. functional testing
- E. ease of operations

**Answer:** A

#### NEW QUESTION 51

What is the main purpose of use case testing?

- A. To identify defects in process flows related to typical use of the system.
- B. To identify defects in the connections between components.
- C. To identify defects in the system related to extreme scenarios.
- D. To identify defects in the system related to the use of unapproved programming practice

**Answer:** A

#### Explanation:

Answer (B) relates to integration testing; answer (C) could relate to boundary value analysis or performance testing, but use cases exercise typical process flows rather than extreme examples; answer (D) relates to static analysis.

#### NEW QUESTION 54

The cost of fixing a fault:

- A. Is not important
- B. Increases as we move the product towards live use
- C. Decreases as we move the product towards live use
- D. Is more expensive if found in requirements than functional design
- E. Can never be determined

**Answer:** B

**NEW QUESTION 55**

Code Coverage is used as a measure of what?

- A. Defects
- B. Trends analysis
- C. Test Effectiveness
- D. Time Spent Testing

**Answer:** C

**NEW QUESTION 60**

Designing the test environment set-up and identifying any required infrastructure and tools are a part of which phase:

- A. Test Implementation and execution
- B. Test Analysis and Design
- C. Evaluating the Exit Criteria and reporting
- D. Test Closure Activities

**Answer:** B

**NEW QUESTION 65**

Non-functional system testing includes:

- A. Testing to see where the system does not function properly
- B. Testing quality attributes of the system including performance and usability
- C. Testing a system feature using only the software required for that action
- D. Testing a system feature using only the software required for that function
- E. Testing for functions that should not exist

**Answer:** B

**NEW QUESTION 66**

Which of the following is most likely to be a benefit of using static techniques?

- A. Fewer performance defects.
- B. Productivity improvements in the development process.
- C. More efficient regression testing.
- D. Quick return on investment in static analysis tools.

**Answer:** B

**Explanation:**

Although the other options might be seen as benefits they are not amongst the most likely benefits. Option (B) is the benefit that is most likely to be realized.

**NEW QUESTION 71**

Reviewing the test Basis is a part of which phase

- A. Test Analysis and Design
- B. Test Implementation and execution
- C. Test Closure Activities
- D. Evaluating exit criteria and reporting

**Answer:** A

**NEW QUESTION 76**

Which of the following is most likely to cause failure in the implementation of a test tool?

- A. Underestimating the demand for a tool.
- B. The purchase price of the tool.
- C. No agreed requirements for the tool.
- D. The cost of resources to implement and maintain the too

**Answer:** C

**NEW QUESTION 81**

Which is not the testing objective?

- A. Finding defects
- B. Gaining confidence about the level of quality and providing information
- C. Preventing defects.
- D. Debugging defects

**Answer:** D



**NEW QUESTION 86**

What is the concept of introducing a small change to the program and having the effects of that change show up in some test..?

- A. Introducing mutations
- B. Performance testing
- C. A mutation error
- D. Debugging a program

**Answer:** A

**NEW QUESTION 89**

A new system is about to be developed. Which of the following functions has the highest level of risk?

- A. Likelihood of failure = 20%; impact value = £100,000
- B. Likelihood of failure = 10%; impact value = £150,000
- C. Likelihood of failure = 1%; impact value = £500,000
- D. Likelihood of failure = 2%; impact value = £200,000

**Answer:** A

**Explanation:**

In (B) the product of probability × impact has the value £15,000; in (C) the value is £5,000 and in (D) it is £4,000. The value of £20,000 in (A) is therefore the highest.

**NEW QUESTION 91**

Which of the following are examples of iterative development models?

- (i) V-model
- (ii) Rapid Application Development model
- (iii) Waterfall model
- (iv) Agile development model

- A. (i) and (ii)
- B. (ii) and (iii)
- C. (ii) and (iv)
- D. (iii) and (iv)

**Answer:** C

**Explanation:**

The other two models are sequential models.

**NEW QUESTION 94**

Which of the following statements is the MOST valid goal for a test team?

- A. Determine whether enough component testing was executed.
- B. Cause as many failures as possible so that faults can be identified and corrected.
- C. Prove that all faults are identified.
- D. Prove that any remaining faults will not cause any failure

**Answer:** B

**NEW QUESTION 99**

Tests are prioritized so that:

- A. You shorten the time required for testing
- B. You do the best testing in the time available
- C. You do more effective testing
- D. You find more faults

**Answer:** B

**NEW QUESTION 103**

During the software development process, at what point can the test process start?

- A. When the code is complete.
- B. When the design is complete.
- C. When the software requirements have been approved.
- D. When the first code module is ready for unit testing

**Answer:** C

**NEW QUESTION 105**

In the MASPAR case study..?

- A. Security failures were the result of untested parts of code
- B. The development team achieved complete statement and branch coverage but missed a serious bug in the MASPAR operating system

- C. An error in the code was so obscure that you had to test the function with almost every input value to find its two special-case failures
- D. All the above

**Answer:** C

**NEW QUESTION 110**

What if the project isn't big enough to justify extensive testing..?

- A. Use risk based analysis to find out which areas need to be tested
- B. Use automation tool for testing
- C. Both a and b
- D. None of the above

**Answer:** A

**NEW QUESTION 114**

During which test activity could faults be found most cost effectively?

- A. Execution
- B. Design
- C. Planning
- D. Check Exit criteria completion

**Answer:** C

**NEW QUESTION 119**

Which of these are objectives for software testing?

- A. Determine the productivity of programmers
- B. Eliminate the need for future program maintenance
- C. Eliminate every error prior to release
- D. Uncover software errors

**Answer:** D

**NEW QUESTION 124**

Reporting Discrepancies as incidents is a part of which phase:

- A. Test Analysis and Design
- B. Test Implementation and execution
- C. Test Closure Activities
- D. Evaluating exit criteria and reporting

**Answer:** B

**NEW QUESTION 129**

Which statement is most true?

- A. Different testing is needed depending upon the application.
- B. All software is tested in the same way.
- C. A technique that finds defects will always find defects.
- D. A technique that has found no defects is not useful.

**Answer:** A

**Explanation:**

This is a restatement of the testing principle 'Testing is context dependent'

**NEW QUESTION 133**

What if the project isn't big enough to justify extensive testing..?

- A. Use automation tool for testing
- B. Use risk based analysis to find out which areas need to be tested
- C. Both a and b
- D. None of the above

**Answer:** B

**NEW QUESTION 136**

Acceptance test cases are based on what?

- A. Requirements
- B. Design
- C. Code
- D. Decision table



**Answer:** A

**NEW QUESTION 137**

Which of the following is MOST important in the selection of a test approach?

- A. Availability of tools to support the proposed techniques.
- B. The budget allowed for training in proposed techniques.
- C. Available skills and experience in the proposed techniques.
- D. The willingness of the test team to learn new technique

**Answer:** C

**NEW QUESTION 140**

Which of the following could be a disadvantage of independent testing?

- A. Developer and independent testing will overlap and waste resources.
- B. Communication is limited between independent testers and developers.
- C. Independent testers are too slow and delay the project schedule.
- D. Developers can lose a sense of responsibility for quality

**Answer:** D

**NEW QUESTION 141**

Which of the following statements BEST describes one of the seven key principles of software testing?

- A. Automated tests are better than manual tests for avoiding the Exhaustive Testing.
- B. Exhaustive testing is, with sufficient effort and tool support, feasible for all software.
- C. It is normally impossible to test all input / output combinations for a software system.
- D. The purpose of testing is to demonstrate the absence of defect
- E. The purpose of testing is to demonstrate the absence of defects.

**Answer:** C

**NEW QUESTION 146**

Important consequences of the impossibility of complete testing are ..?

- A. We can never be certain that the program is bug free
- B. We have no definite stopping point for testing, which makes it easier for some managers to argue for very little testing
- C. We have no easy answer for what testing tasks should always be required, because every task takes time that could be spent on other high importance tasks
- D. All of the above

**Answer:** D

**NEW QUESTION 150**

Important consequences of the impossibility of complete testing are:

- A. We can never be certain that the program is bug free.
- B. We have no definite stopping point for testing, which makes it easier for some managers to argue for very little testing.
- C. We have no easy answer for what testing tasks should always be required, because every task takes time that could be spent on other high importance tasks.
- D. All of the above

**Answer:** D

**NEW QUESTION 154**

What do you mean by "Having to say NO"..?

- A. No, the problem is not with testers
- B. No, the software is not ready for production
- C. Both a & b
- D. None of the above

**Answer:** B

**NEW QUESTION 157**

How can test execution tools be of most benefit during exploratory testing?

- A. They can record user actions so that defects are easier to recreate.
- B. They can be used to perform the regression aspects of exploratory testing.
- C. They can help to mitigate the risk of low test coverage.
- D. They can use data-driven tests to increase the amount of exploratory testing performed.

**Answer:** A

**Explanation:**

Exploratory testing is used when it is unclear what the system is supposed to do. Therefore test execution tools are of little use because expected results cannot

be predicted.

However, the record feature of a test execution tool can be used to log the actions performed so that defects can be recreated (option (A)) and rectified more easily.

**NEW QUESTION 158**

Fault Masking is:

- A. Error condition hiding another error condition
- B. Creating a test case which does not reveal a fault
- C. Masking a fault by developer
- D. Masking a fault by a tester

**Answer:** A

**NEW QUESTION 162**

Which of the following is NOT part of configuration management..?

- A. Status accounting of configuration items
- B. Auditing conformance to ISO9001
- C. Identification of test versions
- D. Record of changes to documentation over time
- E. Controlled library access

**Answer:** B

**NEW QUESTION 166**

Which one of the following roles is typically used in a review?

- A. Champion.
- B. Author.
- C. Project sponsor.
- D. Custodian.

**Answer:** B

**Explanation:**

The Author is the only role that is typically used in a review.

A Champion might sponsor the review process but is not a defined role within an actual review; a Project Sponsor, if technically competent, might be asked to play a defined role within the review process, but whilst using that role they will not be a Project Sponsor; finally, a Custodian might ensure the results are stored safely but would not be involved in the actual review itself.

**NEW QUESTION 167**

One of the roles in a review is that of moderator, which of the following best describes this role?

- A. Plans the review, runs the review meeting and ensures that follow-up activities are completed.
- B. Allocates time in the plan, decides which reviews will take place and that the benefits are delivered.
- C. Writes the document to be reviewed, agrees that the document can be reviewed, and updates the document with any changes.
- D. Documents all issues raised in the review meeting, records problems and open point

**Answer:** A

**NEW QUESTION 170**

What should be the MAIN objective during development testing?

- A. To cause as many failures as possible so that defects in the software are identified and can be fixed
- B. To confirm that the system works as expected and that requirements have been met
- C. To assess the quality of the software with no intention of fixing defects
- D. To give information to stakeholders of the risk of releasing the system at a given time

**Answer:** A

**NEW QUESTION 175**

What is the purpose of test completion criteria in a test plan:

- A. To know when a specific test has finished its execution
- B. To ensure that the test case specification is complete
- C. To set the criteria used in generating test inputs
- D. To know when test planning is complete
- E. To plan when to stop testing

**Answer:** E

**NEW QUESTION 177**

When is testing complete?

- A. When time and budget are exhausted.
- B. When there is enough information for sponsors to make an informed decision about release.
- C. When there are no remaining high priority defects outstanding.
- D. When every data combination has been exercised successfully.

**Answer:** B

**Explanation:**

Sometimes time/money does signify the end of testing, but it is really complete when everything that was set out in advance has been achieved.

**NEW QUESTION 178**

Which statement correctly describes the public and profession aspects of the code of ethics?

- A. Public: Certified software testers shall act in the best interests of their client and employer (being consistent with the wider public interest). Profession: Certified software testers shall advance the integrity and reputation of their industry consistent with the public interest.
- B. Public: Certified software testers shall advance the integrity and reputation of the profession consistent with the public interest.
- C. Profession: Certified software testers shall consider the wider public interest in their actions.
- D. Public: Certified software testers shall consider the wider public interest in their action.
- E. Profession: Certified software testers shall participate in lifelong learning regarding the practice of their profession and shall promote an ethical approach to the practice of their profession.
- F. Public: Certified software testers shall consider the wider public interest in their action.
- G. Profession: Certified software testers shall advance the integrity and reputation of their industry consistent with the public interest.

**Answer:** D

**Explanation:**

All other answers contain an activity identified as analysis and design that is part of implementation and test execution.

**NEW QUESTION 182**

A bug or defect is:

- A. A mistake made by a person;
- B. A run-time problem experienced by a user;
- C. The result of an error or mistake;
- D. The result of a failure, which may lead to an error?

**Answer:** C

**NEW QUESTION 184**

Which is the best definition of complete testing..?

- A. You have discovered every bug in the program
- B. You have tested every statement, branch, and combination of branches in the program
- C. You have reached the scheduled ship date
- D. You have completed every test in the test plan

**Answer:** C

**NEW QUESTION 187**

Pick the best definition of quality:

- A. Quality is job one
- B. Zero defects
- C. Conformance to requirements
- D. Work as designed

**Answer:** C

**NEW QUESTION 188**

What test roles (or parts in the testing process) is a developer most likely to perform?

- (i) Executing component integration tests.
- (ii) Static analysis.
- (iii) Setting up the test environment.
- (iv) Deciding how much testing should be automated.

- A. (i) and (ii)
- B. (i) and (iv)
- C. (ii) and (iii)
- D. (iii) and (iv)

**Answer:** A

**Explanation:**

(i) Executing component integration tests is usually done by developers. Developers are usually responsible for unit and component integration testing. Independent testing usually follows at system and acceptance test levels.

(ii) Static analysis is usually done by developers because: it requires an understanding of the code and therefore the person doing this needs skills in the programming language; and it can be done as soon as the code is written. Therefore it is quick and effective for the developer to do it. The risk of a lack of test

independence can be mitigated by performing independent system and acceptance testing.

(iii) Setting up the test environment is an activity typically performed by a tester. It may require support from developers and staff from other departments and on some occasions environments could be set up by developers. However, it is a task that could be done by a tester rather than a developer.

(iv) Deciding how much testing should be automated is typically a decision made by the test leader, who will consult other staff in the decision-making process. Developers may be involved and their skills may be required to automate some tests. However, the decision on how much to automate should not be made by developers.

**NEW QUESTION 190**

Which statement below BEST describes non-functional testing?

- A. The process of testing an integrated system to verify that it meets specified requirements.
- B. The process of testing to determine the compliance of a system to coding standards.
- C. Testing without reference to the internal structure of a system.
- D. Testing system attributes, such as usability, reliability or maintainability

**Answer:** A

**NEW QUESTION 192**

Which is not the fundamental test process?

- A. Planning and control
- B. Test closure activities
- C. Analysis and design
- D. None

**Answer:** D

**NEW QUESTION 196**

Which of the following describes structure-based (white-box) test case design techniques?

- A. Test cases are derived systematically from models of the system.
- B. Test cases are derived systematically from the tester's experience.
- C. Test cases are derived systematically from the delivered code.
- D. Test cases are derived from the developers' experience.

**Answer:** C

**Explanation:**

Answer (A) relates to specification-based testing, answer (B) relates to experience-based testing and answer (D) could relate either to debugging or to experience-based techniques.

**NEW QUESTION 198**

Which of the following statements are correct for walkthroughs?

- (i) Often led by the author.
- (ii) Documented and defined results.
- (iii) All participants have defined roles.
- (iv) Used to aid learning.
- (v) Main purpose is to find defects.

- A. (i) and (v) are correct.
- B. (ii) and (iii) are correct.
- C. (i) and (iv) are correct.
- D. (iii) and (iv) are correct

**Answer:** C

**NEW QUESTION 199**

Incidents would not be raised against

- A. Requirements
- B. Documentation
- C. Test cases
- D. Improvements suggested by users

**Answer:** D

**NEW QUESTION 202**

Which of the following types of test tool are most likely to include traceability functions?

- (i) Performance testing tool
- (ii) Requirements management tool
- (iii) Configuration management tool
- (iv) Static analysis tool

- A. (i) and (ii)
- B. (i) and (iv)
- C. (ii) and (iii)
- D. (iii) and (iv)

**Answer:** C

**Explanation:**

Requirements management tools (ii) have traceability because they enable test conditions and subsequently test scripts and defects to be traced back to requirements. Configuration management tools (iii) also need to trace the appropriate version of a test script to the release or version of a system or module. Performance monitoring tools (i) and static analysis tools (iv) are designed for specific objectives. Neither of these tools particularly need traceability functions.

**NEW QUESTION 206**

Which of the following pairs of test tools are likely to be most useful during the test analysis and design stage of the fundamental test process?

- (i) Test execution tool
- (ii) Test data preparation tool
- (iii) Test management tool
- (iv) Requirements management tool

- A. (i) and (ii)
- B. (i) and (iv)
- C. (ii) and (iii)
- D. (iii) and (iv)

**Answer:** D

**NEW QUESTION 207**

Which of the following statements about risks is most accurate?

- A. Project risks rarely affect product risk.
- B. Product risks rarely affect project risk.
- C. A risk-based approach is more likely to be used to mitigate product rather than project risks.
- D. A risk-based approach is more likely to be used to mitigate project rather than product risks.

**Answer:** C

**Explanation:**

In general, project risk and product risk can be hard to differentiate. Anything that impacts on the quality of the delivered system is likely to lead to delays or increased costs as the problem is tackled. Anything causing delays to the project is likely to threaten the delivered system's quality. The risk-based approach is an approach to managing product risk through testing, so it impacts most directly on product risk.

**NEW QUESTION 209**

What is a test condition?

- A. A statement of test objectives and test ideas on how to test.
- B. An item or event that could be verified by one or more test cases.
- C. The process of identifying differences between the actual results and the expected results for a test.
- D. All documents from which the requirements of a component or system can be inferred

**Answer:** B

**NEW QUESTION 211**

Why is independent testing important? [K1]

- A. Because independent testers make fewer assumptions than developers
- B. Because independent testers are isolated from the development team
- C. Because independent testers can verify assumptions made during specification and implementation of the system
- D. Because independent testers have a greater sense of responsibility for quality than developers

**Answer:** C

**NEW QUESTION 215**

Equivalence Partitioning is best defined as:

- A. An analysis technique that divides inputs into groups that are expected to exhibit similar behaviors.
- B. Applying to time-related data classes only.
- C. A form of white-box testing.
- D. A method to reduce test coverage

**Answer:** A

**NEW QUESTION 216**

Which statement correctly describes debugging? [K2]

- A. Testers identify defects, developers locate and correct defects, testers confirm the correction has cleared the original defect
- B. Developers identify defects, testers locate defects, developers correct and confirm the correction has cleared the original defect
- C. Testers identify and locate defects, developers correct defects and confirm the correction has cleared the original defect
- D. Developers identify, locate and correct defects, testers confirm the correction has cleared the original defect

**Answer:** A



**NEW QUESTION 221**

Which of the following are 'Exit Criteria?'

- A. Acceptance criteria, completion criteria, pass/fail criteria.
- B. Coverage of code, schedule, estimates of defect density.
- C. The last executable statement within a component.
- D. Cost overrun

**Answer:** B

**NEW QUESTION 224**

An iPhone application identifies and counts all purchases of a particular product from a shopping website. The application incorrectly counts purchase attempts by including both failed attempts, and also those where the purchase was terminated by the user before completion. Testing has identified that the problem was located in the 'purchase identification' module, where the first stage in the purchasing process was counted, rather than a successful confirmed purchase. Which of the following statements correctly identifies what has happened? [K2]

- A. The application failed because of a defect in the purchase identification module caused by a programmer mistake or an error in the specification.
- B. An error by the programmer led to a mistake in the purchase identification module and this caused a defect in the application
- C. A defect in the purchase identification module caused by a mistake in the module specification led to a defect in the overall application
- D. A bug in the purchase identification module caused a fault in the application

**Answer:** A

**NEW QUESTION 228**

Which of the following statements about software development models is most accurate? [K1]

- A. The 4 stage V model is always the best choice of software development model for any project
- B. The agile development model is usually most appropriate for short projects
- C. The choice of software development model depends on product and project characteristics
- D. The 2 stage V model is the most appropriate development model for simple products

**Answer:** C

**NEW QUESTION 230**

Which statement BEST describes when test planning should be performed? [K1]

- A. Test planning is performed only once, at the beginning of the life cycle, and generates a Master Test Plan
- B. Test planning is performed at the beginning of the life cycle and again at the beginning of test execution
- C. Test planning is performed at the beginning of the life cycle and again at every test level
- D. Test planning is performed continuously in all life cycle processes and activities

**Answer:** D

**NEW QUESTION 234**

Before an invoice can be created, an account is required. Before an account can be set up, an account user is required (in order to set up the account). The software is delivered with a master user only, who can only create other types of users. The following test cases have been written to test the high-level structure of the software

- A. Create an invoice
  - B. Amend an invoice
  - C. Process an invoice (send to customer)
  - D. Delete an invoice
  - E. Create an account
  - F. Create an account user
  - G. Amend an account user
  - H. Delete an account user
  - I. Amend an account
  - J. Delete an account
- Which of the following test procedures would enable all tests to be run? [K3]
- K. f, g, a, c, b, d, e, i, j, h
  - L. e, i, a, c, b, d, f, g, h, j
  - M. e, i, f, g, a, c, b, d, h, j
  - N. f, g, e, i, a, b, c, d, j, h

**Answer:** D

**NEW QUESTION 236**

The four test levels defined for a common V-model testing approach are:

- A. Unit, integration, system and maintenance.
- B. Functional, glass box, incremental and maintenance.
- C. Component, integration, system and acceptance.
- D. Unit, component, functional and alpha/bet

**Answer:** C

**NEW QUESTION 241**

System testing is:



- A. Used to search for defects in software modules that are separately testable.
- B. The responsibility of the users of a system.
- C. Concerned with the behavior of a whole system/product as defined by the scope of a development project.
- D. Triggered by modifications, migration or retirement of the software system

**Answer:** C

#### NEW QUESTION 246

What is decision table testing?

- A. It's a testing design technique based in the internal software structure.
- B. It's a static test design technique.
- C. It's a testing design technique to verify decisions.
- D. It's a testing design technique based in the system requirement

**Answer:** D

#### NEW QUESTION 247

Which of the following characteristics is most likely to promote effective software testing? [K1]

- A. Independence from the production process
- B. A belief that programmers always make mistakes
- C. Knowledge of the number of defects typically found in a program
- D. Confidence that the next stage will find defects missed at this stage

**Answer:** A

#### NEW QUESTION 248

Which of the following test design techniques is classified as a structure-based (white box) technique? [K1]

- A. Exploratory testing
- B. Decision table testing
- C. State transition testing
- D. Statement testing

**Answer:** D

#### NEW QUESTION 253

Which of the following metrics could be used to monitor progress along with test preparation and execution? [K1]

- A. The total number of tests planned
- B. The total number of requirements to be tested
- C. The failure rate in testing already completed
- D. The number of testers used for test execution so far

**Answer:** C

#### NEW QUESTION 255

Which of the following is a valid objective of testing? [K1]

- A. Correcting defects
- B. Locating defects in the code
- C. Preventing defects
- D. Ensuring no defects are present

**Answer:** C

#### NEW QUESTION 257

Which from the following list are typically found to enable the review process to be successful? [K2]

- A. Each review has clear defined objectives
- B. The lower the number of defects, the better the review process
- C. The right people for the review objective are involved
- D. There is an emphasis on learning and process improvement
- E. Management are not involved in the process at all
- F. Checklists should not be used, as these slow down the process
- G. Defects found are welcomed and expressed objectively
- H. a, f and g.
- I. b, c and f.
- J. a, c and d.
- K. d, e and

**Answer:** C

#### NEW QUESTION 260

Component testing may include:

- A. Sociability testing.
- B. User acceptance testing.
- C. Beta testing.
- D. The use of stubs and driver

**Answer:** D

**NEW QUESTION 265**

What can testing demonstrate?

- A. Testing can demonstrate that there are no defects
- B. Testing can demonstrate that there are defects
- C. Testing can demonstrate that the software is correct
- D. Testing can demonstrate that there are no hidden defects in the software

**Answer:** B

**NEW QUESTION 268**

Under which of the following circumstances is maintenance testing required? [K1]

- A. Migration of software onto a new platform
- B. Testing during initial development of a replacement for an existing system
- C. Purchase of a new software tool
- D. Updating of a regression suite

**Answer:** A

**NEW QUESTION 272**

What is the main reason for using a pilot project to introduce a testing tool into an organization? [K1]

- A. To identify the requirements for using a tool
- B. To make a selection between alternative tools
- C. To assess whether the tool will be cost- effective
- D. To ensure the tools fits existing processes without change

**Answer:** C

**NEW QUESTION 276**

How does software testing contribute to the quality of delivered software? [K2]

- A. By detecting and removing all the defects in the delivered code and ensuring that all tests adhere to the quality standards set for the project
- B. By measuring reliability of the software and ensuring that it is always above 99.99%
- C. By identifying root causes of defects from past projects and using the lessons learned to improve processes and thus help to reduce the defect count
- D. By detecting all deviations from coding good practice and ensuring that these are corrected

**Answer:** C

**NEW QUESTION 281**

From the following list, which of the following apply to experience-based techniques? [K2]

- A. Test cases are derived from a model of the problem to be solved or the software
- B. Test cases are derived from the knowledge of the testers
- C. The knowledge of testers, developers and users is used to drive testing
- D. The internal structure of the code is used to derive test cases
- E. a and b.
- F. c and d.
- G. a and d.
- H. b and

**Answer:** D

**NEW QUESTION 282**

What type of test design technique is the most effective in testing screen-dialog flows?

- A. Use case testing
- B. Boundary value testing
- C. Statement testing and coverage
- D. State transition testing

**Answer:** D

**NEW QUESTION 286**

What is the value of static code analysis?

- A. Detection of failures not easily found by other types of testing
- B. Early defect detection
- C. Detection of suspicious operations caused by deviations from regulations
- D. Detect deviations in standards by executing the source code

**Answer:** B

#### NEW QUESTION 289

When an organization considers the use of testing tools, they should:

- A. Use a tool in order to help define a good test process because the tool will force process repeatability and therefore enforce good test process.
- B. Always start by bringing in automated test execution tools as these tools have the greatest return on investment and therefore should be introduced first.
- C. Perform analysis of the test process and then assess whether it can be supported through the introduction of tool support.
- D. Allow the developers to select the testing tools because tools are technical and developers have the appropriate skills to advise on test tool selection and configuration.

**Answer:** C

#### NEW QUESTION 294

Which of the following would be appropriate test objectives for user acceptance testing of the first release of a new software product aimed at a general market and built using Agile methods? [K2]

- A. To identify as many defects as possible
- B. To maximise code coverage
- C. To ensure the product works as expected
- D. To assess the overall quality of the product
- E. To determine the reliability of the product
- F. b and c
- G. a and d
- H. b and e
- I. c and d

**Answer:** D

#### NEW QUESTION 298

Which of the following statements about use-case testing are most accurate? (i)In a use-case diagram an actor represents a type of user. (ii)Use-cases are the most common test basis for unit testing. (iii)A use-case describes interactions between actors. (iv)An actor is always a human user that interacts with the system. (v)Test cases can be based on use-case scenarios. (vi)Use-case testing will often identify gaps not found by testing individual components.

- A. ii, iii, iv, v
- B. i, iii, v, vi
- C. i, ii, iv, v
- D. iii, iv, v, vi

**Answer:** B

#### NEW QUESTION 302

Consider the following pseudo code:

1. Begin
2. Input X, Y
3. If  $X > Y$
4. Print (X, 'is greater than', Y)
5. Else
6. Print (Y, 'is greater than or equal to', X)
7. EndIf
8. End

What is the minimum number of test cases required to guarantee both 100% statement coverage and 100% decision coverage?

- A. Statement coverage = 3, Decision coverage = 3
- B. Statement coverage = 2, Decision coverage = 2
- C. Statement coverage = 1, Decision coverage = 2
- D. Statement coverage = 2, Decision coverage = 1

**Answer:** B

#### NEW QUESTION 305

Typically, exit criteria may consist of:

- A. Defining the amount, level of detail structure, and templates for the test documentation.
- B. Estimates of defect density or reliability measures.
- C. Adequacy of the test approaches taken.
- D. Discussions on disaster recover

**Answer:** B

#### NEW QUESTION 309

A live defect has been found where a code component fails to release memory after it has finished using it.  
Which of the following tools would have been the MOST effective at detecting this defect prior to live implementation?

- A. Dynamic analysis tool
- B. Monitoring tool
- C. Configuration management tool
- D. Coverage measurement tool

**Answer:** A

#### NEW QUESTION 311

A new testing tool has been selected for an organisation and a pilot project has successfully completed. The next step is to deploy the tool within the organization.  
What is a key success factor in tool deployment?

- A. Estimate a cost-benefit ratio based on a firm business case
- B. Determine whether benefits will be achieved at reasonable cost
- C. Provide support for the test team using the tool
- D. Assessment of organisational maturity, strengths and weaknesses

**Answer:** A

#### NEW QUESTION 314

Which of the following is NOT a valid use of decision coverage?

- A. Checking that all decisions have been exercised in a single program
- B. Checking that all decisions have been exercised in a business process
- C. Checking that all calls from one program module to another have been made correctly
- D. Checking that at least 50% of decisions have been exercised by a test case suite

**Answer:** D

#### NEW QUESTION 317

Which of the following would achieve the HIGHEST level of testing independence for a project's test level?

- A. Training developers to design good tests for the test team to execute
- B. Outsourcing test design and execution to a different company
- C. Having the company's independent test team design and execute the tests
- D. Minimising contact between testers and developers during test design to avoid bias

**Answer:** A

#### NEW QUESTION 319

Which of the following options describe the causal chain in the correct sequence?

- A. Error, fault, failure
- B. Fault, bug, mistake
- C. Mistake, failure, fault
- D. Failure, bug, error

**Answer:** A

#### NEW QUESTION 323

You are examining a document which gives the precise steps needed in order to execute a test. What is the correct definition of this document?

- A. Test design specification
- B. Test condition
- C. Test procedure specification
- D. Test case specification

**Answer:** C

#### NEW QUESTION 324

When considering the roles of test leader and tester, which of the following tasks would NOT typically be performed by a tester?

- A. Prepare and acquire the test data
- B. Set up and check the test environment
- C. Write test summary reports
- D. Review tests developed by others

**Answer:** D

#### NEW QUESTION 329

Which of the following would you NOT expect to see on an incident report from test execution?

- A. The version(s) of the software under test

- B. The test execution schedule
- C. Expected results and actual results
- D. Precise steps to reproduce the problem

**Answer:** D

**NEW QUESTION 331**

Which of the following is a Black Box test design technique?

- A. Decision Coverage
- B. Error Guessing
- C. Statement Coverage
- D. Equivalence Partitioning

**Answer:** D

**NEW QUESTION 336**

Which of the following is a white-box test technique?

- A. Decision table testing
- B. Exploratory testing
- C. Statement testing
- D. Error guessing

**Answer:** C

**NEW QUESTION 338**

Which of the following would be a good test technique to use when under severe time pressure?

- A. Exploratory testing
- B. Structure based testing
- C. Specification based testing
- D. Use Case testing

**Answer:** B

**NEW QUESTION 342**

During the development of a software change for a system, the developer makes a mistake in his work, which leads to a fault in the code. Unfortunately the fault is not found by software testing and is released into live.

What is the definite consequence of this mistake?

- A. The system will fail, causing a defect
- B. If the defect is executed, the system may fail
- C. Loss of money, time, or business reputation
- D. Contractual requirements have not been met by testing

**Answer:** B

**NEW QUESTION 345**

.....

## Thank You for Trying Our Product

\* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

\* One year free update

You can enjoy free update one year. 24x7 online support.

\* Trusted by Millions

We currently serve more than 30,000,000 customers.

\* Shop Securely

All transactions are protected by VeriSign!

**100% Pass Your CTFL-Foundation Exam with Our Prep Materials Via below:**

<https://www.certleader.com/CTFL-Foundation-dumps.html>