

MuleSoft

Exam Questions MCD-Level-1

MuleSoft Certified Developer - Level 1 (Mule 4)



NEW QUESTION 1

The new RAML spec has been published to Anypoint Exchange with client credentials. What is the next step to gain access to the API?

- A. Email the owners of the API.
- B. Create a new client application.
- C. No additional steps needed.
- D. Request access to the API in Anypoint Exchange.

Answer: D

NEW QUESTION 2

How to import Core (dw::Core) module into your DataWeave scripts?

- A. import dw::core
- B. Not needed
- C. None of these
- D. import core

Answer: B

NEW QUESTION 3

DataWeave is tightly integrated with _____.

- A. Mule runtime
- B. All APIs
- C. Flow Designer
- D. Exchange

Answer: A

NEW QUESTION 4

In the Database On Table Row operation, what does the Watermark column enable the On Table Row operation to do? A. To save the most recent records retrieved from a database to enable database caching.

- A. To enable duplicate processing of records in a database.
- B. To avoid duplicate processing of records in a database.
- C. To delete the most recent records retrieved from a database to enable database caching.

Answer: C

NEW QUESTION 5

What is the correct way to format the decimal 200.1234 as a string to two decimal places?

- A. 200.1234 as string {format: ".0#"}
- B. 200.1234 as string as format: ".0#"}
- C. 200.1234 as String {format: ".0#"}
- D. 200.1234 as String as format: ".0#"}

Answer: C

NEW QUESTION 6

According to Mulesoft, how are Modern APIs treated as?

- A. products
- B. code
- C. soap services
- D. organizations

Answer: A

NEW QUESTION 7

According to Semantic Versioning, which version would you change for incompatible API changes?

- A. MINOR
- B. PATCH
- C. MAJOR
- D. No change

Answer: C

NEW QUESTION 8

What is the use of DevKit in Mule 4?

- A. Facilitates communication between third-party systems and Mule applications.
- B. No use.
- C. Offers connector end user support in a few aspects of Mule app design.
- D. Enables the development of Anypoint Connectors.

Answer: B

NEW QUESTION 9

Which one of them is NOT a flow in Mule?

- A. sync flow
- B. subflow
- C. async flow
- D. async sub flow

Answer: D

NEW QUESTION 10

What asset can NOT be created by using Design Center?

- A. API
- B. API Portals
- C. Mule Apps
- D. API Fragments

Answer: B

NEW QUESTION 10

What is the use of API Notebooks?

- A. None of these
- B. Test Policies
- C. Test API functions
- D. Test RAML

Answer: C

NEW QUESTION 11

What is the DataWeave expression to log the Content-Type header using a Logger component?

- A. #["Content-Type: " ++ attributes.headers.'content-type']
- B. #["Content-Type: " ++ headers.'content-type']
- C. #["Content-Type: " + headers.'content-type']
- D. #["Content-Type: " + attributes.headers.'content-type']

Answer: A

NEW QUESTION 16

What is the trait name you would use for specifying client credentials in RAML?

- A. headers
- B. client-id
- C. client-id-required
- D. we do not specify in RAML

Answer: C

NEW QUESTION 21

What is the purpose of API autodiscovery?

- A. Enables API Manager to discover the published API on Anypoint Exchange.
- B. Allows a deployed Mule application to connect with API Manager to download policies and act as its own API proxy.
- C. Enables an API to be directly managed in API Manager.
- D. Allows the Mule application to be automatically discovered on Anypoint Exchange.

Answer: B

NEW QUESTION 23

Why would you use SOAP instead of http?

- A. If the architecture mandates.
- B. It is up to the integration specialist.
- C. Successful/retry logic for reliable messaging functionality.
- D. It is part of agile methodology.

Answer: C

NEW QUESTION 24

What is the correct syntax to reference a fragment in RAML?

- A. examples: #include examples/BankAccountsExample.raml
- B. examples: \$include examples/BankAccountsExample.raml
- C. examples: ?include examples/BankAccountsExample.raml
- D. examples: !include examples/BankAccountsExample.raml

Answer: D

NEW QUESTION 25

Which keyword do you use to create a new function in DataWeave?

- A. function
- B. fun
- C. func
- D. None of these

Answer: B

NEW QUESTION 27

How would you debug Mule applications?

- A. By Deploying apps on production
- B. Checking RAML
- C. Using logger component
- D. Cannot do it

Answer: C

NEW QUESTION 31

What HTTP method in a RESTful web service is typically used to completely replace an existing resource?

- A. GET
- B. PATCH
- C. POST
- D. PUT

Answer: D

NEW QUESTION 32

What does the minus operator do in DataWeave?

- A. Decrements the value by one.
- B. Removes items from a list.
- C. Increments the value by one.
- D. Removes characters from a string.

Answer: B

NEW QUESTION 34

What MuleSoft API-led connectivity layer is intended to expose part of a backend database without business logic?

- A. Data
- B. System
- C. Process
- D. Experience

Answer: B

NEW QUESTION 35

What is a core characteristic of the Modern API?

- A. API is rapidly prototyped following AGILE methodology.
- B. API follows the RESTful architecture.
- C. API is designed first using an API specification for rapid feedback.
- D. API has a mechanism to accept feedback and suggestions for improvement.

Answer: C

NEW QUESTION 36

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

MCD-Level-1 Practice Exam Features:

- * MCD-Level-1 Questions and Answers Updated Frequently
- * MCD-Level-1 Practice Questions Verified by Expert Senior Certified Staff
- * MCD-Level-1 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * MCD-Level-1 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The MCD-Level-1 Practice Test Here](#)