

Microsoft

Exam Questions MS-500

Microsoft 365 Security Administrator



NEW QUESTION 1

- (Exam Topic 1)

You need to recommend a solution to protect the sign-ins of Admin1 and Admin2. What should you include in the recommendation?

- A. a device compliance policy
- B. an access review
- C. a user risk policy
- D. a sign-in risk policy

Answer: D

Explanation:

References:
<https://docs.microsoft.com/en-us/azure/active-directory/identity-protection/howto-user-risk-policy>

NEW QUESTION 2

- (Exam Topic 1)

You need to recommend a solution that meets the technical and security requirements for sharing data with the partners. What should you include in the recommendation? Each correct answer presents part of the solution. NOTE: Each correct selection is worth one point.

- A. Create an access review.
- B. Assign the Global administrator role to User1.
- C. Assign the Guest inviter role to User1.
- D. Modify the External collaboration settings in the Azure Active Directory admin center.

Answer: CD

Explanation:

Reference:
<https://docs.microsoft.com/en-us/azure/active-directory/external-identities/delegate-invitations>

NEW QUESTION 3

- (Exam Topic 1)

You install Azure ATP sensors on domain controllers. You add a member to the Domain Admins group. You view the timeline in Azure ATP and discover that information regarding the membership change is missing. You need to meet the security requirements for Azure ATP reporting. What should you configure? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Policy to edit:

▼

Default Domain Controllers Policy

Default Domain Policy

A local policy on one domain controller

Audit setting to configure:

▼

Audit User Account Management

Audit Computer Account Management

Audit Other Account Management Events

Audit Security Group Management

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

References:
<https://docs.microsoft.com/en-us/azure-advanced-threat-protection/atp-advanced-audit-policy>

NEW QUESTION 4

- (Exam Topic 2)

How should you configure Azure AD Connect? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

User sign-in settings:

	▼
Password Synchronization with single-sign on	
Pass-through authentication with single sign-on	
Federation with Active Director Federation Services (AD FS)	

Device options:

	▼
Hybrid Azure AD Join	
Enable Device writeback	
Disable Device writeback	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

User sign-in settings:

	▼
Password Synchronization with single-sign on	
Pass-through authentication with single sign-on	
Federation with Active Director Federation Services (AD FS)	

Device options:

	▼
Hybrid Azure AD Join	
Enable Device writeback	
Disable Device writeback	

NEW QUESTION 5

- (Exam Topic 2)

How should you configure Group3? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Group type:

	▼
An Office 365 group in the Microsoft 365 admin center	
A security group in Active Directory Users and Computers	
A security group in the Azure Active Directory admin center	

Group membership criteria:

	▼
A dynamic distribution list	
A dynamic membership rule with an Advanced rule set to All users	
A dynamic membership rule with a Simple rule set to userType Equals User	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Group type:

	▼
An Office 365 group in the Microsoft 365 admin center	
A security group in Active Directory Users and Computers	
A security group in the Azure Active Directory admin center	

Group membership criteria:

	▼
A dynamic distribution list	
A dynamic membership rule with an Advanced rule set to All users	
A dynamic membership rule with a Simple rule set to userType Equals User	

NEW QUESTION 6

- (Exam Topic 2)

You need to create Group2.

What are two possible ways to create the group?

- A. an Office 365 group in the Microsoft 365 admin center
- B. a mail-enabled security group in the Microsoft 365 admin center
- C. a security group in the Microsoft 365 admin center
- D. a distribution list in the Microsoft 365 admin center
- E. a security group in the Azure AD admin center

Answer: CE

NEW QUESTION 7

- (Exam Topic 3)

Which role should you assign to User1?

- A. Global administrator
- B. User administrator
- C. Privileged role administrator
- D. Security administrator

Answer: D

Explanation:

<https://docs.microsoft.com/en-us/azure/active-directory/privileged-identity-management/pim-how-to-give-access>

NEW QUESTION 8

- (Exam Topic 3)

Which policies apply to which devices? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

DevicePolicy1:

None
Device1 only
Device3 only
Device2 and Device3 only
Device1 and Device3 only
Device1, Device2, and Device3

DevicePolicy2:

None
Device4 only
Device2 and Device4 only
Device2, Device3, and Device 4 only

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

DevicePolicy1:

None

Device1 only

Device3 only

Device2 and Device3 only

Device1 and Device3 only

Device1, Device2, and Device3

DevicePolicy2:

None

Device4 only

Device2 and Device4 only

Device2, Device3, and Device 4 only

NEW QUESTION 9
- (Exam Topic 3)
You are evaluating which devices are compliant in Intune.
For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

Statements	Yes	No
Device2 is compliant.	<input type="radio"/>	<input type="radio"/>
Device5 is compliant.	<input type="radio"/>	<input type="radio"/>
Device6 is compliant.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Statements	Yes	No
Device2 is compliant.	<input checked="" type="radio"/>	<input type="radio"/>
Device5 is compliant.	<input type="radio"/>	<input checked="" type="radio"/>
Device6 is compliant.	<input checked="" type="radio"/>	<input type="radio"/>

NEW QUESTION 10
- (Exam Topic 3)
Which users are members of ADGroup1 and ADGroup2? To answer, select the appropriate options in the answer area.
NOTE: Each correct selection is worth one point.

ADGroup1:

None

User1 and User2 only

User2 and User4 only

User3 and User4 only

User1, User2, User3, and User4

✓

ADGroup2:

None

User1 and User2 only

User2 and User4 only

User3 and User4 only

User1, User2, User3, and User4

✓

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/users-groups-roles/groups-dynamic-membership#suppor>

NEW QUESTION 10

- (Exam Topic 4)

Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.


Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may more than one lab that you must complete. You can use as much time as you would like to complete each lab.

But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.

Username and password



Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below. Microsoft 365 Username:

admin@LODSe244001@onmicrosoft.com Microsoft 365 Password: &=Q8v@2qGzYz

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support only: Lab instance: 11032396

You need to ensure that email messages in Exchange Online and documents in SharePoint Online are retained for eight years.

To complete this task, sign in to the Microsoft Office 365 admin center.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

NB: For our purposes, the retention period will be 8 years. For retaining email messages in Exchange Online:

Step 1: Create a retention tag

* 1. Navigate to the Exchange Admin Center

* 2. Navigate to Compliance management > Retention tags, and then click Add +

* 3. Select one of the following options:

➤ Applied automatically to entire mailbox (default): Select this option to create a default policy tag (DPT).

You can use DPTs to create a default deletion policy and a default archive policy, which applies to all items in the mailbox.

➤ Applied automatically to a specific folder: Select this option to create a retention policy tag (RPT) for a default folder such as Inbox or Deleted Items.

➤ Applied by users to items and folders (Personal): Select this option to create personal tags. These tags allow Outlook and Outlook on the web (formerly known as Outlook Web App) users to apply archive or deletion settings to a message or folders that are different from the settings applied to the parent folder or the entire mailbox.

* 4. The New retention tag page title and options will vary depending on the type of tag you selected. Complete the following fields:

- Name: Enter a name for the retention tag. The tag name is for display purposes and doesn't have any impact on the folder or item a tag is applied to. Consider that the personal tags you provision for users are available in Outlook and Outlook on the web.
- Apply this tag to the following default folder: This option is available only if you selected Applied automatically to a specific folder.
- Retention action: Select one of the following actions to be taken after the item reaches its retention period:
 - Delete and Allow Recovery: Select this action to delete items but allow users to recover them using the Recover Deleted Items option in Outlook or Outlook on the web. Items are retained until the deleted item retention period configured for the mailbox database or the mailbox user is reached.
 - Permanently Delete: Select this option to permanently delete the item from the mailbox database.
 - Move to Archive: This action is available only if you're creating a DPT or a personal tag. Select this action to move items to the user's In-Place Archive.
 - Retention period: Select one of the following options:
 - Never: Select this option to specify that items should never be deleted or moved to the archive.
 - When the item reaches the following age (in days): Select this option and specify the number of days to retain items before they're moved or deleted. The retention age for all supported items except Calendar and Tasks is calculated from the date an item is received or created. Retention age for Calendar and Tasks items is calculated from the end date.
 - Comment: User this optional field to enter any administrative notes or comments. The field isn't displayed to users.

Step 2: Create a retention policy

- * 1. Navigate to Compliance management > Retention policies, and then click Add +
- * 2. In New Retention Policy, complete the following fields:

- Name: Enter a name for the retention policy.
- Retention tags: Click Add + to select the tags you want to add to this retention policy. A retention policy can contain the following tags:
 - One DPT with the Move to Archive action.
 - One DPT with the Delete and Allow Recovery or Permanently Delete actions.
 - One RPT per default folder such as Inbox to delete items.
 - Any number of personal tags.


Step 3: Apply a retention policy to mailbox users

After you create a retention policy, you must apply it to mailbox users. You can apply different retention policies to different set of users.


- Navigate to Recipients > Mailboxes.
- In the list view, use the Shift or Ctrl keys to select multiple mailboxes.
- In the details pane, click More options.
- Under Retention Policy, click Update.
- In Bulk Assign Retention Policy, select the retention policy you want to apply to the mailboxes, and then click Save.

For retaining documents in SharePoint Online Access Security & Compliance Admin Center

- * 1. Navigate to the Office 365 Admin Centers




- * 2. From the list of available Admin Centers, click on Security & Compliance



How to create and publish a Retention Policy on a SharePoint site


Now that we are in the Security & Compliance Admin Center, we are ready to create and publish a Retention Policy on a SharePoint site. Under Data Governance, click Retention




* 1. Hit Create button to create new Retention Policy

Home > Retention


Email, documents, Skype and Teams conversations. Your users generate a lot of content every day. Take control of it by setting up retention policies to get rid of what you don't. [Learn more about retention](#)



* 2. Give your policy a name and description. Hit Next



* 3. On the next screen is where you set up the logic. You can configure how many days, months, or years to retain the content for, specify whether you want the math (retention period) to be calculated from the Created Date or Last Modified Date. Lastly, you can also specify whether you want to keep or delete content after the Retention period expires. Hit Next



* 4. On the next screen, you get to choose where to apply the policy. You can apply it to email (Exchange), SharePoint sites, OneDrive accounts as well as Office 365 Groups.

Create a policy to retain what you want and get rid of what you don't.

Name your policy

Settings

Choose locations

The policy will apply to content that's stored in the locations you choose.

- ☐ Apply policy only to content in Exchange email, public folders, Office 365 groups, OneDrive and SharePoint documents
- ☒ Let me choose specific locations. ⓘ

Choose locations

Review your settings

Status	Location	Include	Exclude
<input type="checkbox"/>	Exchange email	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	SharePoint sites	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	OneDrive accounts	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	Office 365 groups	All Choose groups	None Exclude groups

* 5. In my case, I applied a policy to a single Office 365 Group Site

Edit locations



1 group added

Choose groups

Groups (1) Clear all

Finance Team

FinanceTeam@sharepointmaven.com

* 6. On a final screen, you need to review and confirm the settings and click Create this policy button. It is imperative to note the message you get to see at the bottom. It warns you that content might be deleted as soon as the policy takes effect according to the logic you set up in previous steps.

Create a policy to retain what you want and get rid of what you don't.

Name your policy

Settings

Choose locations

Review your settings

Review your settings

⚠ It will take up to 1 day to apply the retention policy to the locations you chose.

Policy name

Retain for 2 days, then delete

Edit

Description

This policy retains documents for 2 days after they were last modified and then deletes them

Edit

Applies to content in these locations

SharePoint sites

Edit

Settings

Retention period

Keep content, and delete it if it's older than 2 days

Edit

Content that's currently older than this will be deleted after you turn on the policy.

Back

Save for later

Create this policy

Cancel

References:
<https://docs.microsoft.com/en-us/exchange/security-and-compliance/messaging-records-management/create-a-re>
<https://docs.microsoft.com/en-us/exchange/security-and-compliance/messaging-records-management/apply-rete>
<https://sharepointmaven.com/how-to-set-a-retention-policy-on-a-sharepoint-site/>

NEW QUESTION 13

- (Exam Topic 4)
 You have a hybrid Microsoft 365 environment.
 All computers run Windows 10 Enterprise and have Microsoft Office 365 ProPlus installed. All the computers are joined to Active Directory.
 You have a server named Server1 that runs Windows Server 2016. Server1 hosts the telemetry database. You need to prevent private details in the telemetry data from being transmitted to Microsoft. What should you do?

- A. On Server1, run readinessreportcreator.exe
- B. Configure a registry on Server1
- C. Configure a registry on the computers
- D. On the computers, run tdadm.exe

Answer: C

Explanation:

"To allow yourself and other administrators to identify the owners of Office files that have compatibility issues without revealing file names or specific locations, you can enable file obfuscation, which disguises Office file names, titles, and file paths. This setting is configured on the agent, which performs the obfuscation task before uploading data to the shared folder. The data that is stored on the local computer is not obfuscated."
<https://docs.microsoft.com/en-us/deployoffice/compat/manage-the-privacy-of-data-monitored-by-telemetry-in-o>

NEW QUESTION 16

- (Exam Topic 4)
 You have an Azure Active Directory (Azure AD) tenant named contoso.com that contains the users shown in the following table.

Name	Member of
User1	Group1
User2	Group2

You register devices in contoso.com as shown in the following table.

Name	Platform	Member of	Microsoft Intune managed
Device1	Windows 10	GroupA	Yes
Device2	iOS	GroupB	No

You create app protection policies in Intune as shown in the following table.

Name	Platform	Management state	Assigned to
Policy1	Windows 10	With enrollment	Group1
Policy2	Windows 10	With enrollment	Group2
Policy3	iOS	Apps on Intune managed devices	GroupA
Policy4	iOS	Apps on Intune managed devices	GroupB

For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

Statements	Yes	No
When User1 uses Device1, Policy3 applies.	<input type="radio"/>	<input type="radio"/>
When User2 uses Device1, Policy2 applies.	<input type="radio"/>	<input type="radio"/>
When User2 uses Device2, Policy4 applies.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

References:
<https://docs.microsoft.com/en-us/intune/apps/app-protection-policy>

NEW QUESTION 19

- (Exam Topic 4)
You have a Microsoft 365 subscription.
Yesterday, you created retention labels and published the labels to Microsoft Exchange Online mailboxes. You need to ensure that the labels will be available for manual assignment as soon as possible.
What should you do?

- A. From the Security & Compliance admin center, create a label policy
- B. From Exchange Online PowerShell, run Start-RetentionAutoTagLearning
- C. From Exchange Online PowerShell, run Start-ManagedFolderAssistant
- D. From the Security & Compliance admin center, create a data loss prevention (DLP) policy

Answer: C

NEW QUESTION 21


- (Exam Topic 4)
You have an Azure Active Directory (Azure AD) tenant that has a Microsoft 365 subscription. You recently configured the tenant to require multi factor authentication (MFA) for risky sign ins. You need to review the users who required MFA. What should you do?

- A. From the Microsoft 365 admin center, review a Security & Compliance report.
- B. From the Azure Active Directory admin center, download the sign-ins to a CSV file
- C. From the Microsoft 365 Compliance admin center, run an audit log search and download the results to a CSV file
- D. From the Azure Active Directory admin center, review the Authentication methods activities.

Answer: D

NEW QUESTION 22

- (Exam Topic 4)
You have a Microsoft SharePoint Online site named Site1 that contains the files shown in the following table.



Name	Number of IP addresses in the file
File1	2
File2	3

You have a data loss prevention (DLP) policy named DLP1 that has the advanced DLP rules shown in the following table.

policy named DLP1 that has the advanced

Name	Content contains	Policy tip	If match, stop processing	Priority
Rule1	1 or more IP addresses	Tip1	No	0
Rule2	3 or more IP addresses	Tip2	Yes	1
Rule3	2 or more IP addresses	Tip3	No	2

You apply DLP1 to Site1.

Which policy tips will appear for File2?

- A. Tip1 only
- B. Tip2 only
- C. Tip3 only
- D. Tip1 and Tip2 only

Answer: B

NEW QUESTION 26

- (Exam Topic 4)

Your network contains an on-premises Active Directory domain. The domain contains servers that run Windows Server and have advanced auditing enabled. The security logs of the servers are collected by using a third-party SIEM solution. You purchase a Microsoft 365 subscription and plan to deploy Azure Advanced Threat Protection (ATP) by using standalone sensors. You need to ensure that you can detect when sensitive groups are modified and when malicious services are created. What should you do?

- A. Configure Event Forwarding on the domain controllers
- B. Configure auditing in the Office 365 Security & Compliance center.
- C. Turn on Delayed updates for the Azure ATP sensors.
- D. Enable the Audit account management Group Policy setting for the servers.

Answer: A


Explanation:

Reference:
<https://docs.microsoft.com/en-us/azure-advanced-threat-protection/configure-event-forwarding>


NEW QUESTION 27



- (Exam Topic 4)



Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time. When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design. Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task. Labs are not timed separately, and this exam may more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided. Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab. Username and password



Use the following login credentials as needed:
 To enter your username, place your cursor in the Sign in box and click on the username below.
 To enter your password, place your cursor in the Enter password box and click on the password below. Microsoft 365 Username: admin@LODSe00019@onmicrosoft.com Microsoft 365 Password: #HSP.ug?\$p6un
 If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.
 The following information is for technical support only: Lab instance: 11122308







Recommended



You edited this
Jan 15



You edited this
Jan 15



You edited this
Jan 15



Excel

P and L Summary

lodse000198.sharepoint.co...



Contoso Electronics Outdoor...


lodse000198.sharepoint.co...



AD Slogans

lodse000198.sharepoint.co...

Ad Slogans



Recent

Pinned

Shared with me

Discover

Recent

Pinned

Shared with me

Discover



No recent online documents

Share and collaborate with others. To get started, create a new document
or drag it here to upload and open.

↑ Upload and open...

New ▾

Go to OneDrive →

The screenshot shows the OneDrive web interface. At the top, there are tabs for 'Recent', 'Pinned', 'Shared with me', and 'Discover'. Below this, a large red folder icon is displayed with the text 'No recent folders' and a message: 'Go to OneDrive, and we'll put a list of the folders you opened recently here.' A link 'Go to OneDrive' with a right arrow is provided.

Below the message, there are two sections for 'SharePoint'. The left section is titled 'Frequent sites' and lists three sites: 'Sales and Marketing' (SM), 'Retail' (R), and 'Communication Site' (Cs). The right section is titled 'Following' and lists three sites: 'Contoso Landings' (CL), 'Contoso Web 3' (CW), and 'Executive Corner' (EC). A link 'Go to SharePoint' with a right arrow is at the bottom of these sections.

Below the SharePoint sections, a browser window is shown. The address bar displays 'https://lodse000198-my.sharepoint.com/personal/adr...'. The browser window shows the OneDrive interface with a search bar and a list of files. The files are listed in a table with columns: Name, Modified, Modified By, and File Size.

Name	Modified	Modified By	File Size
Contoso Q2 Disivision Sales.pbix	January 14	MOD Administrator	305 KB
Employee Engagement Plan.docx	January 14	MOD Administrator	731 KB
Finance.pbix	January 14	MOD Administrator	3.18 MB
HR.pbix	January 14	MOD Administrator	1.42 MB
IT.pbix	January 14	MOD Administrator	1.35 MB
Marketing.pbix	January 14	MOD Administrator	1.79 MB
NC460 Sales Team.pbix	January 14	MOD Administrator	584 KB
Operations Analytics.pbix	January 14	MOD Administrator	573 KB
Operations.pbix	January 14	MOD Administrator	6.66 MB
Proposed_agents_topics.docx	January 14	MOD Administrator	591 KB
Sales.pbix	January 14	MOD Administrator	1.53 MB
X1DSD Launch Team.pbix	January 14	MOD Administrator	1.79 MB

You need to create an eDiscovery case that places a hold on the mailbox of a user named Allan Deyoung. The hold must retain email messages that have a subject containing the word merger or the word Contoso.
 To complete this task, sign in to the Microsoft 365 admin center.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

- * 1. Navigate to eDiscovery in the Security & Compliance Center, and then click Create a case.
- * 2. On the New Case page, give the case a name, type an optional description, and then click Save. The case name must be unique in your organization.

New case
✕

Enter a name and description

Give this case a friendly name so you can easily find it again later.

*Case name

Description

Save
Cancel

The new case is displayed in the list of cases on the eDiscovery page. You can hover the cursor over a case name to display information about the case, including the status of the case (Active or Closed), the description of the case (that was created in the previous step), and when the case was changed last and who changed it.

To create a hold for an eDiscovery case:

- * 1. In the Security & Compliance Center, click eDiscovery > eDiscovery to display the list of cases in your organization.
- * 2. Click Open next to the case that you want to create the holds in.
- * 3. On the Home page for the case, click the Hold tab.

Home
Hold
Search
Export
Switch to Advanced eDiscovery

+ Create
Refresh

🔍

Name
holdOne
HoldTwo

* 4. On the Hold page, click Create.

* 5. On the Name your hold page, give the hold a name. The name of the hold must be unique in your organization.

Name your hold

Name *

Enter a friendly name

Description

Enter a friendly description for your policy

















Next
Cancel

* 6. (Optional) In the Description box, add a description of the hold.

* 7. Click Next.

* 8. Choose the content locations that you want to place on hold. You can place mailboxes, sites, and public folders on hold.

Choose locations

Location	Include
 Exchange email	None Choose users, groups, or teams
 Office 365 group email	
 Skype for Business	
 Teams messages	
 To-Do	
 Yammer conversations	
 SharePoint sites	None Choose sites
 OneDrive accounts	
 Office 365 group sites	
 Teams sites	
 Yammer networks	
 Exchange public folders	None  

Back
Next
Cancel

➤ Exchange email - Click Choose users, groups, or teams and then click Choose users, groups, or teams again. to specify mailboxes to place on hold. Use the search box to find user mailboxes and distribution groups (to place a hold on the mailboxes of group members) to place on hold. You can also place a hold on the associated mailbox for a Microsoft Team, a Yammer Group, or an Office 365 Group. Select the user, group, team check box, click Choose, and then click Done.

Note

When you click Choose users, groups, or teams to specify mailboxes to place on hold, the mailbox picker that's displayed is empty. This is by design to enhance performance. To add people to this list, type a name (a minimum of 3 characters) in the search box.

* 9. After configuring a query-based hold, click Next.

* 10. Review your settings, and then click Create this hold. Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/ediscovery-cases?view=o365-worldwide#step-4-pla>

NEW QUESTION 30

- (Exam Topic 4)

You have a Microsoft 365 E5 subscription that has Microsoft 365 Defender enabled.

You plan to deploy a third-party app named App1 that will receive alert data from Microsoft 365 Defender. Which format will Microsoft 365 Defender use to send the alert data to App1?

- A. JSON
- B. ZIP
- C. XML
- D. CSV

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/security/defender-endpoint/alerts?view=o365-worldwide>

NEW QUESTION 34

- (Exam Topic 4)

You have a Microsoft Azure Active Directory (Azure AD) tenant named contoso.com that contains the users shown in the following table.

Name	Member	Multi-factor authentication (MFA) status
User1	Group1	Disabled
User2	Group1, Group2	Enabled

You create and enforce an Azure AD Identity Protection user risk policy that has the following settings:

- Assignments: Include Group1, Exclude Group2
- Conditions: Sign in risk of Low and above
- Access: Allow access, Require password change

You need to identify how the policy affects User1 and User2.

What occurs when User1 and User2 sign in from an unfamiliar location? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Must change their password:

▼

User1 only

User2 only

Both User1 and User2

Neither User1 not User2

Prompted for MFA:

▼

User1 only

User2 only

Both User1 and User2

Neither User1 not User2

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Must change their password:

▼

User1 only

User2 only

Both User1 and User2

Neither User1 not User2

Prompted for MFA:

▼

User1 only

User2 only

Both User1 and User2

Neither User1 not User2

NEW QUESTION 39

- (Exam Topic 4)

You have a Microsoft 365 subscription that contains the users shown in the following table.

Name	Azure Active Directory (Azure AD) role	Security group
User1	Directory writers	Group1, Group3
User2	Security administrator	Group1, Group2
User3	Azure Information Protection administrator	Group2, Group3
User4	Cloud application administrator	Group3, Group4

You need to ensure that User1, User2, and User3 can use self-service password reset (SSPR). The solution must not affect User 4.

Solution: You enable SSPR for Group3.

Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

By default, self-service password reset is enabled for Directory writers and Security administrator but not for Azure Information Protection administrators and Cloud application administrators. Therefore, we must enable SSPR for User3 by applying it to Group2 and not Group3 as User4 is in Group3. User4 would thus be affected if we enable it on Group3.

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/authentication/concept-sspr-policy#administrator-reset-p>

NEW QUESTION 42

- (Exam Topic 4)

You have a Microsoft 365 E5 subscription.

You create a sensitivity label named Label 1 and publish Label1 to all users and groups. You have the following files on a computer:

- File1.doc
- File2.docx
- File3.xlsx
- File4.txt

You need to identify which files can have Label1 applied. Which files should you identify?

- A. File2.docx only
- B. File1.do
- C. File2.doc
- D. File3.xls
- E. a
- F. File1 .do
- G. File2.docx, and File3.xlsx only
- H. File2.docx and File3.xlsx only

Answer: C

NEW QUESTION 46

- (Exam Topic 4)

Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.


Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may more than one lab that you must complete. You can use as much time as you would like to complete each lab.

But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.

Username and password




Use the following login credentials as needed:



To enter your username, place your cursor in the Sign in box and click on the username below.



To enter your password, place your cursor in the Enter password box and click on the password below. Microsoft 365 Username: admin@LODSe00019@onmicrosoft.com Microsoft 365 Password: #HSP.ug?\$p6un

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support only: Lab instance: 11122308







Recommended



You edited this
Jan 15



You edited this
Jan 15



You edited this
Jan 15



Excel

P and L Summary

lodse000198.sharepoint.co...



Contoso Electronics Outdoor...


lodse000198.sharepoint.co...



AD Slogans

lodse000198.sharepoint.co...

Ad Slogans



Recent

Pinned

Shared with me

Discover

Recent

Pinned

Shared with me

Discover



No recent online documents


Share and collaborate with others. To get started, create a new document
or drag it here to upload and open.

↑ Upload and open...

New ▾

Go to OneDrive →





The screenshot displays the OneDrive web interface. At the top, there are tabs for 'Recent', 'Pinned', 'Shared with me', and 'Discover'. Below these, the 'OneDrive' section shows a message: 'No recent folders. Go to OneDrive, and we'll put a list of the folders you opened recently here.' with a 'Go to OneDrive' link. Below this, there are two 'SharePoint' sections. The left section, titled 'Frequent sites', lists 'Sales and Marketing', 'Retail', and 'Communication Site'. The right section, titled 'Following', lists 'Contoso Landings', 'Contoso Web 3', and 'Executive Corner'. At the bottom, there is a 'Go to SharePoint' link.

The bottom part of the screenshot shows a browser window with the URL <https://lodge000198-my.sharepoint.com/personal/adr>. The browser displays the OneDrive interface with a search bar and a list of files. The files are sorted by 'Name' and include columns for 'Name', 'Modified', 'Modified By', and 'File Size'.

Name	Modified	Modified By	File Size
Contoso Q2 Disivision Sales.pbix	January 14	MOD Administrator	305 KB
Employee Engagement Plan.docx	January 14	MOD Administrator	731 KB
Finance.pbix	January 14	MOD Administrator	3.18 MB
HR.pbix	January 14	MOD Administrator	1.42 MB
IT.pbix	January 14	MOD Administrator	1.35 MB
Marketing.pbix	January 14	MOD Administrator	1.79 MB
NC460 Sales Team.pbix	January 14	MOD Administrator	584 KB
Operations Analytics.pbix	January 14	MOD Administrator	573 KB
Operations.pbix	January 14	MOD Administrator	6.66 MB
Proposed_agents_topics.docx	January 14	MOD Administrator	591 KB
Sales.pbix	January 14	MOD Administrator	1.53 MB
X1DSD Launch Team.pbix	January 14	MOD Administrator	1.79 MB

You need to ensure that a user named Allan Deyoung uses multi-factor authentication (MFA) for all authentication requests. To complete this task, sign in to the Microsoft 365 admin center.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

- * 1. Open the Admin Center and go to Users > Active Users
- * 2. Open Multi-factor authentication

Don't select any user yet, just open the Multi-factor authentication screen. You will find the button in the toolbar.

Active users

Add a user
Add multiple users
Multi-factor authentication
Refresh
Export Users

Display name ↑	Username	Licenses
Elise Mens		Office 365 E3
info		Office 365 F1
Rudy Mens		Microsoft Flow Free. Off

* 3. Open the Service settingsBefore we start enabling MFA for the users, we first go through the service settings. The button to the settings screen doesn't stand out, but it's just below the title

multi-factor authentication users service settings

Note: only users licensed to use Microsoft Online Services are eligible for Multi-Factor Authentication. Learn more about how to enable MFA for users. Before you begin, take a look at the multi-factor auth deployment guide.

bulk update

View: Sign-in allowed users
Multi-Factor Auth status: Any

<input type="checkbox"/>	DISPLAY NAME ▲	USER NAME	MULTI-FACTOR AUTH STATUS
<input type="checkbox"/>	Elise Mens		Disabled
<input type="checkbox"/>	info		Disabled
<input type="checkbox"/>	Rudy Mens		Disabled

- * 4. Setup MFA Office 365
- A few settings are important here:
- Make sure you check the App password. Otherwise, users can't authenticate in some applications (like the default mail app in Android).
 - Also, take a look at the remember function. By default, it is set to 14 days.

multi-factor authentication

users service settings

app passwords

- ☒ Allow users to create app passwords to sign in to non-browser apps
- ☐ Do not allow users to create app passwords to sign in to non-browser apps

verification options

Methods available to users:

- ☒ Call to phone
- ☒ Text message to phone
- ☒ Notification through mobile app
- ☒ Verification code from mobile app or hardware token

remember multi-factor authentication

- ☒ Allow users to remember multi-factor authentication on devices they trust

Days before a device must re-authenticate (1-60):

save

* 5. Enable MFA for Office 365 users

After you have set the settings to your liking click on save and then on users (just below the title Multi-factor authentication).

You see the list of your users again. Here you can select single or multiple users to enable MFA.

At the moment you enable Office 365 MFA for a user it can get the setup screen as soon as the users browse to one of the Office 365 products.

multi-factor authentication

users service settings

Note: only users licensed to use Microsoft Online Services are eligible for Multi-Factor Authentication. Learn more about how to license other users. Before you begin, take a look at the multi-factor auth deployment guide.

bulk update

View: Multi-Factor Auth status:

<input type="checkbox"/>	DISPLAY NAME	USER NAME	MULTI-FACTOR AUTH STATUS
<input type="checkbox"/>	Elise Mens		Disabled
<input type="checkbox"/>	info		Disabled
<input checked="" type="checkbox"/>	Rudy Mens		Disabled

Rudy Mens

quick steps

Enable

Manage user settings

Reference:

<https://lazyadmin.nl/office-365/how-to-setup-mfa-in-office-365/>

NEW QUESTION 47

- (Exam Topic 4)

Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.


Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may more than one lab that you must complete. You can use as much time as you would like to complete each lab.


But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.



Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.



Username and password



Use the following login credentials as needed:
 To enter your username, place your cursor in the Sign in box and click on the username below.
 To enter your password, place your cursor in the Enter password box and click on the password below. Microsoft 365 Username: admin@LODSe00019@onmicrosoft.com Microsoft 365 Password: #HSP.ug?\$p6un
 If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.
 The following information is for technical support only: Lab instance: 11122308







Recommended



You edited this
Jan 15



You edited this
Jan 15



You edited this
Jan 15



Excel

P and L Summary

lodse000198.sharepoint.co...



Contoso Electronics Outdoor...


lodse000198.sharepoint.co...



AD Slogans

lodse000198.sharepoint.co...

Ad Slogans



Recent

Pinned

Shared with me

Discover

Recent

Pinned

Shared with me

Discover




No recent online documents

Share and collaborate with others. To get started, create a new document
or drag it here to upload and open.

↑ Upload and open...

New ▾

Go to OneDrive →



The screenshot displays the OneDrive and SharePoint web interfaces. The top section shows the OneDrive 'Recent' view with a message 'No recent folders' and a 'Go to OneDrive' link. Below this, the 'SharePoint' section is divided into 'Frequent sites' and 'Following'. The 'Frequent sites' list includes 'Sales and Marketing', 'Retail', and 'Communication Site'. The 'Following' list includes 'Contoso Landings', 'Contoso Web 3', and 'Executive Corner'. A 'Go to SharePoint' link is also present.

The bottom section shows a web browser window with the URL <https://lodse000198-my.sharepoint.com/personal/adr>. The browser displays the SharePoint 'Files' view, which includes a table of files and folders.

Name	Modified	Modified By	File Size
Contoso Q2 Disivision Sales.pbix	January 14	MOD Administrator	305 KB
Employee Engagement Plan.docx	January 14	MOD Administrator	731 KB
Finance.pbix	January 14	MOD Administrator	3.18 MB
HR.pbix	January 14	MOD Administrator	1.42 MB
IT.pbix	January 14	MOD Administrator	1.35 MB
Marketing.pbix	January 14	MOD Administrator	1.79 MB
NC460 Sales Team.pbix	January 14	MOD Administrator	584 KB
Operations Analytics.pbix	January 14	MOD Administrator	573 KB
Operations.pbix	January 14	MOD Administrator	6.66 MB
Proposed_agents_topics.docx	January 14	MOD Administrator	591 KB
Sales.pbix	January 14	MOD Administrator	1.53 MB
X1DSD Launch Team.pbix	January 14	MOD Administrator	1.79 MB

You need to prevent any email messages that contain data covered by the U.K. Data Protection Act from being sent to recipients outside of your organization, unless the messages are sent to an external domain named adatum.com.
To complete this task, sign in to the Microsoft 365 admin center.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

- * 1. After signing into the Microsoft 365 admin center, navigate to Compliance Management in the Exchange Admin center.
- * 2. Click on "Data Loss Prevention" option.
- * 3. To add a new custom DLP policy, Click on (+) plus button to get the context menu
- * 4. Click on "New Custom DLP policy" option, a new window appears where you have to enter policy name, description, state and mode of the requirement details. Click on save button to create policy and continue...
- * 5. You will be back to the "Data Loss Prevention" screen with newly added policy information.

- * 6. Double click on the added row to open the policy details, click on rules option in left part of the screen as depicted
- * 7. Click on (+) plus button to add a new rule. Select the “Block messages with sensitive information” rule.
- * 8. On the following screen, we can add condition, action, exceptions, rule activation and deactivation dates

new rule

Name:

Sent to scope Outside the organization

*Apply this rule if...

X The recipient is located...

Outside the organization

and

X The message contains any of these sensitive information types...

Select sensitive information types

add condition

*Do the following...

X Generate incident report and send it to...

Send incident report to: Select one... with content: Custom content

and

X Notify the sender with a Policy Tip...

Block the message

add action

Except if...

add exception

Properties of this rule:

Save

Cancel

- * 9. Click on “Select Sensitive information Types” to specify the sensitive information details.

The screenshot shows the 'New rule' dialog box in Microsoft Word. The title bar reads 'new rule'. The main heading inside the dialog is 'Contains any of these sensitive information types'. Below this heading is a table with five columns: 'NAME', 'MINIMUM COUNT', 'MAXIMUM COUNT', 'MINIMUM CONFIDENCE...', and 'MAXIMUM CONFIDENCE...'. The table is currently empty, and below it, the text 'No sensitive information types selected' is displayed. To the left of the table, there are several options with checkboxes: 'Name', 'Set', '*Ap', 'x TI', 'and', 'x TI', 'Do', 'x G', 'and', 'x N', 'Exc', and 'Pro'. At the bottom right of the dialog are 'OK' and 'Cancel' buttons.

- * 10. Click on (+) plus button and add the following Sensitive information Types:

- > U.K. National Insurance Number (NINO)
- > U.S. / U.K. Passport Number
- > SWIFT Code

- * 11. Click on Ok
- * 12. Add an exception for recipients in the adatum.com domain
- * 13. Add recipients for incident reports and click ok
- * 14. Click save
- * 15. Click save

Reference:

<https://events.collab365.community/configure-data-loss-prevention-policies-in-exchange-online-in-office-365/>


NEW QUESTION 52

- (Exam Topic 4)

You have a Microsoft 365 E5 subscription that contains the users shown in the following table.

Name	Microsoft 365 role	Role group
Admin1	Global Administrator	None
Admin2	Compliance admin	None
User3	User	Compliance Manager Contributors
User4	User	Compliance Manager Administrators
User5	User	None

You create an assessment named Assessment1 as shown in the following exhibit.



Which users can update the title of Assessment1, and which users can add User5 to the Compliance Manager Readers role group? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Can update the Assessment1 title:

▼

User4 only
 Admin2 and User4 only
 Admin1, Admin2, and User4 only
 Admin1, Admin2, User3, and User4 only

Can add User5 to the Compliance Manager Reader role group:

▼

Admin1 only
 Admin1 and Admin2 only
 Admin1 and User4 only
 Admin1, Admin2, and User4 only

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1 = Admin 1, Admin 2, User 4

<https://learn.microsoft.com/en-us/microsoft-365/compliance/compliance-manager-setup?view=o365-worldwide> Box = 2 Only Admin 1

<https://learn.microsoft.com/en-us/microsoft-365/compliance/microsoft-365-compliance-center-permissions?view>

NEW QUESTION 53

- (Exam Topic 4)

You have a Microsoft 365 subscription.

The Global administrator role is assigned to your user account. You have a user named Admin1. You create an eDiscovery case named Case1.

You need to ensure that Admin1 can view the results of Case1. What should you do first?

A. From the Azure Active Directory admin center, assign a role group to Admin1.

B. From the Microsoft 365 admin center, assign a role to Admin1.

C. From Security & Compliance admin center, assign a role group to Admin1.

Answer: C

Explanation:

Reference:

<https://docs.microsoft.com/en-us/office365/securitycompliance/assign-ediscovery-permissions>

NEW QUESTION 58

- (Exam Topic 4)

You have a Microsoft 365 E3 subscription.

You plan to audit all Microsoft Exchange Online user and admin activities.

You need to ensure that all the Exchange audit log records are retained for one year. What should you do?

A. Modify the retention period of the default audit retention policy.

B. Create a custom audit retention policy.

C. Assign Microsoft 365 Enterprise E5 licenses to all users.

D. Modify the record type of the default audit retention policy.

Answer: C

Explanation:

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/audit-log-retention-policies?view=o365-worldwide>

NEW QUESTION 62

- (Exam Topic 4)

You have a Microsoft 365 Enterprise E5 subscription. You use Microsoft Defender for Endpoint.

You need to integrate Microsoft Defender for Office 365 and Microsoft Defender for Endpoint Where should you configure the integration?

A. From the Microsoft 365 admin center, select Settings, and then select Services fit add-ins

B. From the Microsoft 365 Defender portal, select Settings and then select Security center.

C. From the Microsoft 365 admin center, select Reports and then select Security & Compliance

D. From the Microsoft 365 Defender portal, select Explorer and then select MDE Settings

Answer: D

NEW QUESTION 67

- (Exam Topic 4)

You need to ensure that administrators can publish a label that adds a footer to email messages and documents. To complete this task, sign in to the Microsoft Office 365 portal.

A. Mastered

B. Not Mastered

Answer: A

Explanation:

You need to configure a Sensitivity label.

- Go to the Security & Compliance Admin Center.
- Navigate to Classification > Sensitivity labels.
- Click on + Create a label to create a new label.
- Give the label a name and description then click Next.
- Leave the Encryption option as None and click Next.
- On the Content Marking page, tick the checkbox Add a footer.
- Click the Customize Text link and add the footer text and click Save (for the question, it doesn't matter what text you add).
- Click Next.
- Leave the Auto-labeling for Office apps off and click Next.
- Click the Submit button to save your changes.
- The label is now ready to be published. Click the Done button to exit the page and create the label.

NEW QUESTION 72

- (Exam Topic 4)
 Your company has a Microsoft 365 subscription that contains the users shown in the following table.

Name	Member of
User1	Group1
User2	Group2
User3	Group3

The company implements Windows Defender Advanced Threat Protection (Windows Defender ATP). Windows Defender ATP includes the roles shown in the following table:

Name	Permission	Assigned user group
Role1	View data, Active remediation actions, Alerts investigation	Group1
Role2	View data, Active remediation actions	Group2
Windows Defender ATP administrator (default)	View data, Alerts investigation, Active remediation actions, Manage portal system settings, Manage security settings	Group3

Windows Defender ATP contains the machine groups shown in the following table:

Rank	Machine group	Machine	User access
First	ATPGroup1	Device1	Group1
Last	Ungrouped machines (default)	Device2	Group2

For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

Statements	Yes	No
User1 can run an antivirus scan on Device1.	<input type="radio"/>	<input type="radio"/>
User2 can collect an investigation package from Device2.	<input type="radio"/>	<input type="radio"/>
User3 can isolate Device1.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Statements	Yes	No
User1 can run an antivirus scan on Device1.	<input checked="" type="radio"/>	<input type="radio"/>
User2 can collect an investigation package from Device2.	<input type="radio"/>	<input type="radio"/>
User3 can isolate Device1.	<input type="radio"/>	<input checked="" type="radio"/>

NEW QUESTION 73

- (Exam Topic 4)
 You need to ensure that all users must change their password every 100 days. To complete this task, sign in to the Microsoft 365 portal.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

You need to configure the Password Expiration Policy.

- Sign in to the Microsoft 365 Admin Center.
- In the left navigation pane, expand the Settings section then select the Settings option.
- Click on Security and Privacy.
- Select the Password Expiration Policy.
- Ensure that the checkbox labelled Set user passwords to expire after a number of days is ticked.
- Enter 100 in the Days before passwords expire field.
- Click Save changes to save the changes.

NEW QUESTION 74

- (Exam Topic 4)

You have an Azure Active Directory (Azure AD) tenant that contains the users shown in the following table.

Name	Multi-factor auth status
User1	Disabled
User2	Enabled
User3	Enforced

You configure the Security Operator role in Azure AD Privileged Identity Management (PIM) as shown in the following exhibit.



You add assignments to the Security Operator role as shown in the following table.

Name	Assignment type
User1	Eligible
User2	Eligible
User3	Active

Which users can activate the Security Operator role?

- A. User2 only
- B. User3 only
- C. User1 and User2 only
- D. User2 and User3 only
- E. User1, User2, and User3

Answer: D

NEW QUESTION 79

- (Exam Topic 4)

You discover that Microsoft SharePoint content is shared with users from multiple domains.

You need to allow sharing invitations to be sent only to users in an email domain named contoso.com. To complete this task, sign in to the Microsoft 365 portal.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

You need to configure the Sharing options in the SharePoint admin center.

- Go to the SharePoint admin Center.
- Navigate to Policies > Sharing.
- In the External Sharing section, click on More external sharing settings.
- Tick the Limit external sharing by domain checkbox.
- Click the Add domains button.


- > Select the Allow only specific domains option and type in the domain contoso.com.
- > Click Save to save the changes.

NEW QUESTION 82

- (Exam Topic 4)

You have a Microsoft 365 tenant.

From the Azure Active Directory admin center, you review the Risky sign-ins report as shown in the following exhibit.



Security | Risky sign-ins

Search (Ctrl+/) Download Learn more Export Data Settings Troubleshoot Select all

Getting started

Protect

- Conditional Access
- Identity Protection
- Security Center

Manage

- Identity Secure Score
- Named locations
- Authentication methods
- MFA

Report

- Risky users
- Risky sign-ins

Troubleshooting + Support

- New support request

Date	User	IP address	Location	Risk state
<input type="checkbox"/> 7/10/2020, 9:25:00 AM	User 1	95.216.145.1	Tuusula, Uusimaa, FI	At risk
<input checked="" type="checkbox"/> 7/10/2020, 9:24:34 AM	User 1	95.216.145.1	Tuusula, Uusimaa, FI	At risk

You need to ensure that you can see additional details including the risk level and the risk detection type. What should you do?

- A. Purchase Microsoft 365 Enterprise E5 licenses.
- B. Activate an instance of Microsoft Defender for Identity.
- C. Configure Diagnostic settings in Azure Active Directory (Azure AD).
- D. Deploy Azure Sentinel and add a Microsoft Office 365 connector.

Answer: A

NEW QUESTION 86

- (Exam Topic 4)

You have a Microsoft 365 sensitivity label that is published to all the users in your Azure Active Directory (Azure AD) tenant as shown in the following exhibit.

Label name Rebranding	Edit
Tooltip Used for all documents containing information about the rebranding effort	Edit
Description	Edit
Encryption Advanced protection for content with this label	Edit
Content marking Watermark: INTERNAL	Edit
Endpoint data loss prevention	Edit
Auto labeling	Edit

For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

Statements	Yes	No
All the documents stored on each user's computer will include a watermark automatically.	<input type="radio"/>	<input type="radio"/>
If the sensitivity label is applied to a document, the document will have a header that contains the word "INTERNAL".	<input type="radio"/>	<input type="radio"/>
The sensitivity label can be applied only to documents that contain the word rebranding.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Reference:
<https://docs.microsoft.com/en-us/microsoft-365/compliance/sensitivity-labels-office-apps?view=o365-worldwid>

NEW QUESTION 90


- (Exam Topic 4)
You have a Microsoft 365 E5 subscription
You need to ensure that users who are assigned the Exchange administrator role have time-limited permissions and must use multi factor authentication (MFA) to request the permissions.
What should you use to achieve the goal?


- A. Microsoft 365 user management
- B. Microsoft Azure AD group management
- C. Security & Compliance permissions
- D. Microsoft Azure Active Directory (Azure AD) Privileged Identity Management


Answer: D

NEW QUESTION 93

- (Exam Topic 4)
You have a Microsoft 365 E5 subscription that contains an Azure Active Directory (Azure AD) tenant named contoso.com.
Azure AD Identity Protection alerts for contoso.com are configured as shown in the following exhibit.

 Save

 Discard

 Download

Alert on user risk level at or above

Low

Medium

High

Emails are sent to the following users. ⓘ

INCLUDED

1 selected

>

Add additional emails to receive alert notifications (Preview). ⓘ

A user named User1 is configured to receive alerts from Azure AD Identity Protection. You create users in contoso.com as shown in the following table.

Name	Role
User2	Security reader
User3	User administrator
User4	None
User5	None

The users perform the sign-ins shown in the following table.

Time	User	Risk event type
13:00	User4	Sign-ins from infected device
14:00	User4	Sign-in from unfamiliar location
15:00	User5	Sign-ins from anonymous IP address

For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

Statements	Yes	No
User1 receives three email alerts from Azure AD Identity Protection.	<input type="radio"/>	<input type="radio"/>
User2 receives three email alerts from Azure AD Identity Protection.	<input type="radio"/>	<input type="radio"/>
User3 receives two email alerts from Azure AD Identity Protection.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: No
User1 will receive the two alerts classified as medium or higher.
Sign-ins from infected device is classified as low. This risk detection identifies IP addresses, not user devices. If several devices are behind a single IP address, and only some are controlled by a bot network, sign-ins from other devices my trigger this event unnecessarily, which is why this risk detection is classified as Low.

Box 2: No
User2 will receive the two alerts classified as medium or higher.
Email alerts are sent to all global admins, security admins and security readers
Sign-ins from infected device is classified as low. This risk detection identifies IP addresses, not user devices. If several devices are behind a single IP address, and only some are controlled by a bot network, sign-ins from other devices my trigger this event unnecessarily, which is why this risk detection is classified as Low.

Box 3: No
User3 will not receive alters.
Email alerts are sent to all global admins, security admins and security readers. Reference:
<https://docs.microsoft.com/en-us/azure/active-directory/identity-protection/overview-identity-protection> <https://docs.microsoft.com/en-us/azure/active-directory/identity-protection/howto-identity-protection-configure>

NEW QUESTION 94
- (Exam Topic 4)

You have a Microsoft 365 E5 subscription that has Microsoft Defender for Cloud Apps enabled. You need to create an alert in Defender for Cloud Apps when source code is shared externally.
Which type of policy should you create?

- A. Cloud Discovery anomaly detection
- B. file
- C. access
- D. activity

Answer: B

NEW QUESTION 97

- (Exam Topic 4)
Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some questions sets might have more than one correct solution, while others might not have a correct solution.
After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.
You have an on-premises Active Directory domain named contoso.com.
You install and run Azure AD Connect on a server named Server1 that runs Windows Server. You need to view Azure AD Connect events.
You use the Application event log on Server1. Does that meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:
References:
<https://support.pingidentity.com/s/article/PingOne-How-to-troubleshoot-an-AD-Connect-Instance>

NEW QUESTION 99

- (Exam Topic 4)
You have a Microsoft 365 subscription. All users use Microsoft Exchange Online. Microsoft 365 is configured to use the default policy settings without any custom rules. You manage message hygiene.
Where are suspicious email messages placed by default? To answer, drag the appropriate location to the correct message types. Each location may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

Locations

ATP quarantine

The Junk Email folder of a user's mailbox

The Clutter folder a user's mailbox

Messages that contain word-filtered content:

Messages that are classified as phishing:

Answer Area

Location

Location

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Locations

ATP quarantine

The Junk Email folder of a user's mailbox

The Clutter folder a user's mailbox

Messages that contain word-filtered content:

Messages that are classified as phishing:

Answer Area

The Junk Email folder of a user's mailbox

The Junk Email folder of a user's mailbox

NEW QUESTION 104

- (Exam Topic 4)
You have a Microsoft 365 E5 subscription that uses insider risk management and contains the users shown in the following table.

Name	Role group
Admin1	Insider Risk Management
Admin2	Insider Risk Management Admins
Admin3	Insider Risk Management Analysts
Admin4	Insider Risk Management Investigators

Which users can use Content explorer?

- A. Admin1 and Admin2 only
- B. Admin4 only
- C. Admin2 and Admin3 only
- D. Admin1, Admin2, Admin3, and Admin4
- E. Admin1 and Admin4 only

Answer: D

NEW QUESTION 107

- (Exam Topic 4)

Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.


Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may more than one lab that you must complete. You can use as much time as you would like to complete each lab.

But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.

Username and password



Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below. Microsoft 365 Username:

admin@LODSe244001@onmicrosoft.com Microsoft 365 Password: &=Q8v@2qGzYz

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support only: Lab instance: 11032396

You need to ensure that a global administrator is notified when a document that contains U.S. Health Insurance Portability and Accountability Act (HIPAA) data is identified in your Microsoft 365 tenant.

To complete this task, sign in to the Microsoft Office 365 admin center.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

* 1. In the Security & Compliance Center > left navigation > Data loss prevention > Policy > + Create a policy.

* 2. Choose the U.S. Health Insurance Portability and Accountability Act (HIPAA) template > Next.

* 3. Name the policy > Next.

* 4. Choose All locations in Office 365 > Next.

* 5. At the first Policy Settings step just accept the defaults,

* 6. After clicking Next, you'll be presented with an additional Policy Settings page

➤ Deselect the Show policy tips to users and send them an email notification option.

➤ Select the Detect when content that's being shared contains option, and decrease the number of instances to 1.

➤ Select the Send incident reports in email option.

- * 7. > Next
- * 8. Select the option to turn on the policy right away > Next.
- * 9. Click Create to finish creating the policy. References:
<https://docs.microsoft.com/en-us/microsoft-365/compliance/create-test-tune-dlp-policy?view=o365-worldwide> <https://docs.microsoft.com/en-us/microsoft-365/compliance/data-loss-prevention-policies?view=o365-worldwid> <https://docs.microsoft.com/en-us/microsoft-365/compliance/what-the-dlp-policy-templates-include?view=o365>

NEW QUESTION 112

- (Exam Topic 4)

You have a Microsoft 365 subscription.

You need to ensure that all users who are assigned the Exchange administrator role have multi-factor authentication (MFA) enabled by default.

What should you use to achieve the goal?

- A. Security & Compliance permissions
- B. Microsoft Azure Active Directory (Azure AD) Privileged Identity Management
- C. Microsoft Azure AD group management
- D. Microsoft Office 365 user management

Answer: B

NEW QUESTION 114

- (Exam Topic 4)

You have an Azure Active Directory (Azure AD) tenant named contoso.com and a Microsoft 365 subscription. Contoso.com contains the groups shown in the following table.

Name	Type
Group1	Office 365
Group2	Distribution list
Group3	Mail-enabled security
Group4	Security

You plan to create a supervision policy named Policy1.

You need to identify which groups can be supervised by using Policy1. Which groups should you identify?

- A. Group1 and Group4 only
- B. Group1 only
- C. Group1, Group3, and Group4 only
- D. Group2 and Group3 only
- E. Group1, Group2, and Group3 only

Answer: E

Explanation:

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/configure-supervision-policies?view=o365-worldwi>

NEW QUESTION 115

- (Exam Topic 4)

You have a Microsoft 365 subscription that contains a user named Use1. You need to ensure that User1 can review Conditional Access policies.

Solution: You assign User1 the Application Administrator role. Does this meet goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 117

- (Exam Topic 4)

You have a Microsoft 365 E5 subscription that contains a user named Used.

You need to ensure that User! can use the Microsoft 365 compliance center to search audit logs and identify which users were added to Microsoft 365 role groups.

The solution must use the principle of least privilege.

To which role group should you add User1?

- A. Security Reader
- B. View-Only Organization Management
- C. Organization Management
- D. Compliance Management

Answer: C

NEW QUESTION 119

- (Exam Topic 4)

You have a Microsoft 365 subscription.

You need to enable auditing for all Microsoft Exchange Online users. What should you do?

- A. From the Exchange admin center, create a journal rule

- B. Run the Set-MailboxDatabase cmdlet
- C. Run the Set-Mailbox cmdlet
- D. From the Exchange admin center, create a mail flow message trace rule.

Answer: C

Explanation:

Reference:

<https://docs.microsoft.com/en-us/office365/securitycompliance/enable-mailbox-auditing>

NEW QUESTION 123

- (Exam Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some questions sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft 365 subscription.

You have a user named User1. Several users have full access to the mailbox of User1.

Some email messages sent to User1 appear to have been read and deleted before the user viewed them. When you search the audit log in Security & Compliance to identify who signed in to the mailbox of User1, the results are blank.

You need to ensure that you can view future sign-ins to the mailbox of User1. You run the Set-AdminAuditLogConfig -AdminAuditLogEnabled \$true -AdminAuditLogCmdlets *Mailbox* command. Does that meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

References:

<https://docs.microsoft.com/en-us/powershell/module/exchange/policy-and-compliance-audit/setadminauditlogco>

NEW QUESTION 127

- (Exam Topic 4)

You have a hybrid Azure Active Directory (Azure AD) tenant that has pass-through authentication enabled. You plan to implement Azure AD identity Protection and enable the user risk policy.

You need to configure the environment to support the user risk policy.

- A. Enable password hash synchronization.
- B. Configure a conditional access policy.
- C. Enforce the multi-factor authentication (MFA) registration policy.
- D. Enable the sign-in risk policy.

Answer: C

NEW QUESTION 128

- (Exam Topic 4)

You have a Microsoft 365 E5 subscription that contains a user named User1.

The Azure Active Directory (Azure AD) Identity Protection risky users report identifies User1. For User1, you select Confirm user compromised.

User1 can still sign in.

You need to prevent User1 from signing in. The solution must minimize the impact on users at a tower risk level.

Solution: From the Access settings, you select Block access for User1. Does this meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/identity-protection/howto-identity-protection-investigate>

NEW QUESTION 129

- (Exam Topic 4)

You configure several Advanced Threat Protection (ATP) policies in a Microsoft 365 subscription. You need to allow a user named User1 to view ATP reports in the Threat management dashboard. Which role provides User1 with the required role permissions?

- A. Security reader
- B. Message center reader
- C. Compliance administrator
- D. Information Protection administrator

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/office365/securitycompliance/view-reports-for-atp#what-permissions-areneeded>

NEW QUESTION 130

- (Exam Topic 4)

You have a Microsoft 365 E5 subscription

You need to use Microsoft Cloud App Security to identify documents stored in Microsoft SharePoint Online that contain proprietary information.

What should you create in Cloud App Security?

- A. a data source and a file policy
- B. a data source and an app discovery policy
- C. an app connector and an app discovery policy
- D. an app connector and a We policy

Answer: B

NEW QUESTION 132

- (Exam Topic 4)

Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.


Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may more than one lab that you must complete. You can use as much time as you would like to complete each lab.

But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.

Username and password



Use the following login credentials as needed:



To enter your username, place your cursor in the Sign in box and click on the username below.



To enter your password, place your cursor in the Enter password box and click on the password below. Microsoft 365 Username:

admin@LODSe00019@onmicrosoft.com Microsoft 365 Password: #HSP.ug?\$p6un

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support only: Lab instance: 11122308





Microsoft Office Home

office.com/7a9thui2

Contoso electronics Office 365

Good morning

Install Office

Start new Outlook OneDrive Word Excel PowerPoint

OneNote Skype Calendar People All apps

Recommended

You edited this Jan 15

Excel

Sales Results Overview
lodse000198.sharepoint.co...

You edited this Jan 15

Integrated Team Sales Process

Sales Process
lodse000198.sharepoint.co...

You edited this Jan 15

Org Chart

lodse000198.sharepoint.co...

Recent Pinned Shared with me Discover

Recommended

You edited this Jan 15

Excel

P and L Summary
lodse000198.sharepoint.co...

You edited this Jan 15

Contoso Electronics Outdoor...

lodse000198.sharepoint.co...


You edited this Jan 15

AD Slogans

lodse000198.sharepoint.co...

Recent Pinned Shared with me Discover

RecentPinnedShared with meDiscover



No recent online documents

Share and collaborate with others. To get started, create a new document or drag it here to upload and open.


Upload and open...

New

Go to OneDrive

RecentPinnedShared with meDiscover

OneDrive



No recent folders

Go to OneDrive, and we'll put a list of the folders you opened recently here.

Go to OneDrive

SharePoint

Frequent sitesFollowing

SM

Sales and Marketing

R

Retail

Cs

Communication Site

Go to SharePoint

SharePoint

Frequent sitesFollowing

CL

Contoso Landings

CW


Contoso Web 3

EC

Executive Corner

Passing Certification Exams Made Easy

visit - <https://www.surepassexam.com>



Name	Modified	Modified By	File Size
Contoso Q2 Disivision Sales.pbix	January 14	MOD Administrator	305 KB
Employee Engagement Plan.docx	January 14	MOD Administrator	731 KB
Finance.pbix	January 14	MOD Administrator	3.18 MB
HR.pbix	January 14	MOD Administrator	1.42 MB
IT.pbix	January 14	MOD Administrator	1.35 MB
Marketing.pbix	January 14	MOD Administrator	1.79 MB
NC460 Sales Team.pbix	January 14	MOD Administrator	584 KB
Operations Analytics.pbix	January 14	MOD Administrator	573 KB
Operations.pbix	January 14	MOD Administrator	6.66 MB
Proposed_agents_topics.docx	January 14	MOD Administrator	591 KB
Sales.pbix	January 14	MOD Administrator	1.53 MB
X1DSD Launch Team.pbix	January 14	MOD Administrator	1.79 MB

You plan to create a script to automate user mailbox searches. The script will search the mailbox of a user named Allan Deyoung for messages that contain the word injunction.
You need to create the search that will be included in the script. To complete this task, sign in to the Microsoft 365 admin center.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Step 1: Create a CSV file that contains information about the searches you want to run
The comma separated value (CSV) file that you create in this step contains a row for each user that want to search. You can search the user's Exchange Online mailbox (which includes the archive mailbox, if it's enabled) and their OneDrive for Business site. Or you can search just the mailbox or the OneDrive for Business site. You can also search any site in your SharePoint Online organization. The script that you run in Step 3 will create a separate search for each row in the CSV file.

* 1. Copy and paste the following text into a .txt file using NotePad. Save this file to a folder on your local computer. You'll save the other scripts to this folder as well. ExchangeLocation,SharePointLocation,ContentMatchQuery,StartDate,EndDate
sarad@contoso.onmicrosoft.com,https://contoso-my.sharepoint.com/personal/sarad_contoso_onmicrosoft_com,(OR legal),1/1/2000,12/31/2005
sarad@contoso.onmicrosoft.com,https://contoso-my.sharepoint.com/personal/sarad_contoso_onmicrosoft_com,(OR legal),1/1/2006,12/31/2010
sarad@contoso.onmicrosoft.com,https://contoso-my.sharepoint.com/personal/sarad_contoso_onmicrosoft_com,(OR legal),1/1/2011,3/21/2016
,https://contoso.sharepoint.com/sites/contoso,,,3/21/2016
,https://contoso-my.sharepoint.com/personal/davidl_contoso_onmicrosoft_com,,1/1/2015,
,https://contoso-my.sharepoint.com/personal/janets_contoso_onmicrosoft_com,,1/1/2015,
The first row, or header row, of the file lists the parameters that will be used by New-ComplianceSearch cmdlet to create a new Content Searches. Each parameter name is separated by a comma. Make sure there aren't any spaces in the header row. Each row under the header row represents the parameter values for each search. Be sure to replace the placeholder data in the CSV file with your actual data.

* 2. Open the .txt file in Excel, and then use the information in the following table to edit the file with information for each search.

Parameter	Description
ExchangeLocation	The SMTP address of the user's mailbox.
SharePointLocation	The URL for the user's OneDrive for Business site or the URL for any site in your organization. For the URL for OneDrive for Business sites, use this format: https://<your organization>-my.sharepoint.com/personal/<user alias>_<your organization>_onmicrosoft_com. For example, https://contoso-my.sharepoint.com/personal/sarad_contoso_onmicrosoft_com.
ContentMatchQuery	The search query for the search. For more information about creating a search query, see Keyword queries and search conditions for Content Search .
StartDate	For email, the date on or after a message was received by a recipient or sent by the sender. For documents on SharePoint or OneDrive for Business sites, the date on or after a document was last modified.
EndDate	For email, the date on or before a message was sent by a sent by the user. For documents on SharePoint or OneDrive for Business sites, the date on or before a document was last modified.

* 3. Save the Excel file as a CSV file to a folder on your local computer. The script that you create in Step 3 will use the information in this CSV file to create the searches.

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/create-report-on-and-delete-multiple-content-search> Keyword queries and search conditions for Content Search

<https://docs.microsoft.com/en-us/microsoft-365/compliance/keyword-queries-and-search-conditions?view=o365>

NEW QUESTION 133

- (Exam Topic 4)

You have a Microsoft 365 subscription that contains the users shown in the following table.

Name	User principal name (UPN)	Member of
User1	User1@contoso.com	Group1
User2	User2@contoso.com	Group2
User3	User3@contoso.com	Group2

Group1 is member of a group named Group3.

The Azure Active Directory (Azure AD) tenant contains the Windows 10 devices shown in the following table.

Name	Join type	Owner	Member of
Device1	Azure AD-registered	User3	Group4
Device2	Azure AD-joined	User2	Group5

Microsoft Endpoint Manager has the devices shown in the following table.

Name	Enrolled by UPN
Device1	User1@contoso.com
Device2	User2@contoso.com

Microsoft Endpoint Manager contains the compliance policies shown in the following table.

Name	Assignment
Policy1	Group3
Policy2	Group4
Policy3	Group2

For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

Answer Area

Statements	Yes	No
Policy1 applies to Device1.	<input type="radio"/>	<input type="radio"/>
Policy2 applies to Device1.	<input type="radio"/>	<input type="radio"/>
Policy3 applies to Device2.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Statements	Yes	No
Policy1 applies to Device1.	<input checked="" type="radio"/>	<input type="radio"/>
Policy2 applies to Device1.	<input type="radio"/>	<input checked="" type="radio"/>
Policy3 applies to Device2.	<input type="radio"/>	<input checked="" type="radio"/>

NEW QUESTION 138

- (Exam Topic 4)

You need to ensure that unmanaged mobile devices are quarantined when the devices attempt to connect to Exchange Online. To complete this task, sign in to the Microsoft 365 portal.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

You need to configure the Exchange ActiveSync Access Settings.

- Go to the Exchange admin center.
- Click on Mobile in the left navigation pane.
- On the Mobile Device Access page, click the Edit button in the Exchange ActiveSync Access Settings area.
- Select the Quarantine option under When a mobile device that isn't managed by a rule or personal exemption connects to Exchange.
- Optionally, you can configure notifications to be sent to administrators and a message to be sent to the mobile device user when a device is quarantined.
- Click Save to save the changes.

NEW QUESTION 139

- (Exam Topic 4)

You have a Microsoft 365 subscription that contains the users shown in the following table.

Name	Azure Active Directory (Azure AD) role	Security group
User1	Directory writers	Group1, Group3
User2	Security administrator	Group1, Group2
User3	Azure Information Protection administrator	Group2, Group3
User4	Cloud application administrator	Group3, Group4

You need to ensure that User1, User2 , and User3 can use self-service password reset (SSPR). The solution must not affect User 4. Solution: You create a conditional access policy for User1, User2, and User3, Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/authentication/tutorial-enable-sspr>

NEW QUESTION 140

- (Exam Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft 365 subscription that contains the users shown in the following table.

Name	Role
User1	Compliance Manager Contributor
User2	Compliance Manager Assessor
User3	Compliance Manager Administrator
User4	Portal Admin

You discover that all the users in the subscription can access Compliance Manager reports. The Compliance Manager Reader role is not assigned to any users. You need to recommend a solution to prevent a user named User5 from accessing the Compliance Manager reports.
 Solution: You recommend modifying the licenses assigned to User5. Does this meet the goal?

- A. Yes
- B. No

Answer: A

NEW QUESTION 141

- (Exam Topic 4)

You have a Microsoft 365 subscription.

You are creating a retention policy named Retention1 as shown in the following exhibit.

Decide if you want to retain content, delete it, or both

Do you want to retain content? ⓘ

☒ Yes, I want to retain it ⓘ

For this long... ▾ 2 years ▾

Retain the content based on ▾ when it was last modified ▾ ⓘ

Do you want us to delete it after this time? ⓘ

☒ Yes ☐ No

☐ No, just delete content that's older than ⓘ

1 years ▾

Need more options?

☐ Use advanced retention settings ⓘ

Back

Next

Cancel

You apply Retention1 to SharePoint sites and OneDrive accounts.

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

If a user creates a file in a Microsoft SharePoint library on January 1, 2019, and modifies the file every six months, the file will be [answer choice].

retained
▾

deleted on January 1, 2021
▾

deleted on July 1, 2021
▾

If a user creates a file in Microsoft OneDrive on January 1, 2019, modifies the file on March 1, 2019, and deletes the file on May 1, 2019, the user [answer choice].

cannot recover the file
▾

can recover the file until January 1, 2020
▾

can recover the file until March 1, 2020
▾

can recover the file until May 1, 2020
▾

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Passing Certification Exams Made Easy

visit - <https://www.surepassexam.com>

If a user creates a file in a Microsoft SharePoint library on January 1, 2019, and modifies the file every six months, the file will be [answer choice].

retained	▼
deleted on January 1, 2021	
deleted on July 1, 2021	

If a user creates a file in Microsoft OneDrive on January 1, 2019, modifies the file on March 1, 2019, and deletes the file on May 1, 2019, the user [answer choice].

cannot recover the file	▼
can recover the file until January 1, 2020	
can recover the file until March 1, 2020	
can recover the file until May 1, 2020	

NEW QUESTION 145

- (Exam Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft 365 subscription that contains the users shown in the following table.

Name	Role
User1	Compliance Manager Contributor
User2	Compliance Manager Assessor
User3	Compliance Manager Administrator
User4	Portal Admin

You discover that all the users in the subscription can access Compliance Manager reports. The Compliance Manager Reader role is not assigned to any users.

You need to recommend a solution to prevent a user named User5 from accessing the Compliance Manager reports.

Solution: You recommend assigning the Compliance Manager Reader role to User5. Does this meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 147

- (Exam Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft 365 E5 subscription that contains a user named User1.

The Azure Active Directory (Azure AD) Identity Protection risky users report identifies User1. For User1, you select Confirm user compromised.

User1 can still sign in.

You need to prevent User1 from signing in. The solution must minimize the impact on users at a lower risk level.

Solution: You configure the sign-in risk policy to block access when the sign-in risk level is high. Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/identity-protection/howto-identity-protection-investigate>

NEW QUESTION 152

- (Exam Topic 4)

You have a hybrid Microsoft 365 environment. All computers run Windows 10 and are managed by using Microsoft Intune.

You need to create a Microsoft Azure Active Directory (Azure AD) conditional access policy that will allow only Windows 10 computers marked as compliant to establish a VPN connection to the on-premises network.

What should you do first?

- A. From the Azure Active Directory admin center, create a new certificate
- B. Enable Application Proxy in Azure AD
- C. From Active Directory Administrative Center, create a Dynamic Access Control policy
- D. From the Azure Active Directory admin center, configure authentication methods

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/windows-server/remote/remote-access/vpn/ad-ca-vpn-connectivitywindows10>

NEW QUESTION 153

- (Exam Topic 4)

You have a Microsoft 365 E5 subscription.

Some users are required to use an authenticator app to access Microsoft SharePoint Online.

You need to view which users have used an authenticator app to access SharePoint Online. The solution must minimize costs.

What should you do?

- A. From the Azure Active Directory admin center, view the sign-ins.
- B. From the Security & Compliance admin center, download a report.
- C. From the Azure Active Directory admin center, view the authentication methods.
- D. From the Azure Active Directory admin center, view the audit logs.

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/reports-monitoring/concept-sign-ins>

NEW QUESTION 156

- (Exam Topic 4)

You have a Microsoft 365 subscription.

You have a Microsoft SharePoint Online site named Site1.

You have a Data Subject Request (DSR) case named Case1 that searches Site1. You create a new sensitive information type.

You need to ensure that Case1 returns all the documents that contain the new sensitive information type. What should you do?

- A. From the Security & Compliance admin center, create a new Search by ID List.
- B. From Site1, modify the search dictionary.
- C. From the Security & Compliance admin center, create a new Guided search.
- D. From Site1, initiate a re-indexing of Site1.

Answer: D

NEW QUESTION 158

- (Exam Topic 4)

Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.


Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may more than one lab that you must complete. You can use as much time as you would like to complete each lab.

But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.

Username and password



Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below. Microsoft 365 Username:

admin@LODSe244001@onmicrosoft.com Microsoft 365 Password: &=Q8v@2qGzYz

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support only: Lab instance: 11032396

You need to ensure that a user named Alex Wilber can register for multifactor authentication (MFA). To complete this task, sign in to the Microsoft Office 365 admin center.

- A. Mastered
- B. Not Mastered


Answer: A

Explanation:

Enable Modern authentication for your organization

* 1. To enable modern authentication, from the admin center, select Settings > Settings and then in the Services tab, choose Modern authentication from the list.

* 2. Check the Enable modern authentication box in the Modern authentication panel.



Enable multi-factor authentication for your organization

* 1. In the admin center, select Users and Active Users.

* 2. In the Active Users section, Click on multi-factor authentication.

* 3. On the Multi-factor authentication page, select user if you are enabling this for one user or select Bulk Update to enable multiple users.

* 4. Click on Enable under Quick Steps.

* 5. In the Pop-up window, Click on Enable Multi-Factor Authentication.

After you set up multi-factor authentication for your organization, your users will be required to set up two-step verification on their devices.

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/admin/security-and-compliance/set-up-multi-factor-authenticati>

NEW QUESTION 163

- (Exam Topic 4)

Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.


Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may more than one lab that you must complete. You can use as much time as you would like to complete each lab.

But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.

Username and password




Use the following login credentials as needed:



To enter your username, place your cursor in the Sign in box and click on the username below.



To enter your password, place your cursor in the Enter password box and click on the password below. Microsoft 365 Username: admin@LODSe00019@onmicrosoft.com Microsoft 365 Password: #HSP.ug?\$p6un

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support only: Lab instance: 11122308







Recommended



You edited this
Jan 15



You edited this
Jan 15



You edited this
Jan 15



Excel

P and L Summary

lodse000198.sharepoint.co...



Contoso Electronics Outdoor...


lodse000198.sharepoint.co...



AD Slogans

lodse000198.sharepoint.co...

Ad Slogans



Recent

Pinned

Shared with me

Discover

Recent

Pinned

Shared with me

Discover



No recent online documents

Share and collaborate with others. To get started, create a new document
or drag it here to upload and open.

↑ Upload and open...

New ▾

Go to OneDrive →

The screenshot shows the OneDrive web interface. At the top, there are tabs for 'Recent', 'Pinned', 'Shared with me', and 'Discover'. Below this, the 'OneDrive' header is visible. A large red folder icon is centered on the screen with the text 'No recent folders' and a message: 'Go to OneDrive, and we'll put a list of the folders you opened recently here.' Below this is a 'Go to OneDrive' link with a right arrow.

Below the message, there are two sections for 'SharePoint'. The left section is titled 'Frequent sites' and lists three sites: 'Sales and Marketing' (SM), 'Retail' (R), and 'Communication Site' (Cs). The right section is titled 'Following' and lists three sites: 'Contoso Landings' (CL), 'Contoso Web 3' (CW), and 'Executive Corner' (EC). At the bottom of these sections is a 'Go to SharePoint' link with a right arrow.

Below the SharePoint sections, there is a browser window showing the 'Files - OneDrive' page. The browser address bar shows 'https://lodse000198-my.sharepoint.com/personal/adr'. The OneDrive interface in the browser shows a search bar, a 'New' button, and a list of files. The files are sorted by 'Name' and include columns for 'Name', 'Modified', 'Modified By', and 'File Size'.

Name	Modified	Modified By	File Size
Contoso Q2 Disivision Sales.pbix	January 14	MOD Administrator	305 KB
Employee Engagement Plan.docx	January 14	MOD Administrator	731 KB
Finance.pbix	January 14	MOD Administrator	3.18 MB
HR.pbix	January 14	MOD Administrator	1.42 MB
IT.pbix	January 14	MOD Administrator	1.35 MB
Marketing.pbix	January 14	MOD Administrator	1.79 MB
NC460 Sales Team.pbix	January 14	MOD Administrator	584 KB
Operations Analytics.pbix	January 14	MOD Administrator	573 KB
Operations.pbix	January 14	MOD Administrator	6.66 MB
Proposed_agents_topics.docx	January 14	MOD Administrator	591 KB
Sales.pbix	January 14	MOD Administrator	1.53 MB
X1DSD Launch Team.pbix	January 14	MOD Administrator	1.79 MB

You need to create a retention policy that contains a data label. The policy must delete all Microsoft Office 365 content that is older than six months. To complete this task, sign in to the Microsoft 365 admin center.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Creating Office 365 labels is a two-step process. The first step is to create the actual label which includes the name, description, retention policy, and classifying the content as a record. Once this is completed, the second step requires the deployment of a label using a labelling policy which specifies the specific location to publish and applying the label automatically.

To create an Office 365 label, following these steps:

- * 1. Open Security and Compliance Centre;
- * 2. Click on Classifications;
- * 3. Click on Labels;

- * 4. The label will require configuration including: name your label (Name), add a description for the admins (Description for Admins), add a description for the users (Description for Users);
- * 5. Click Next once the configuration is completed;
- * 6. Click Label Settings on the left-hand side menu;
- * 7. The Label Settings will need to be configured. On this screen, you can toggle the Retention switch to either “on” or “off”. If you choose “on”, then you can answer the question “When this label is applied to content” with one of two options. The first option is to Retain the Content. From the pick boxes, you can choose the length of retention and upon the end of the retention, the action that will take place. The three actions are to delete the data, trigger an approval flow for review, or nothing can be actioned. The second option is to not retain the data after a specified amount of time or based on the age of the data; and
- * 8. The label has now been created.

To create a label policy, follow these steps:

- * 1. Open Security and Compliance Centre;
- * 2. Click on Data Governance, Retention;
- * 3. Choose Label Policies box at the top of the screen; and
- * 4. There are now two options. The first is to Publish Labels. If your organization wants its end users to apply the label manually, then this is the option you would choose. Note that this is location based. The second option is to Auto-apply Labels. With Auto-apply, you would have the ability to automatically apply a label when it meets the specified criteria.

References:

<https://www.maadarani.com/office-365-classification-and-retention-labels/>

NEW QUESTION 164

- (Exam Topic 4)

Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.


Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may more than one lab that you must complete. You can use as much time as you would like to complete each lab.

But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.

Username and password



Use the following login credentials as needed:



To enter your username, place your cursor in the Sign in box and click on the username below.



To enter your password, place your cursor in the Enter password box and click on the password below. Microsoft 365 Username:

admin@LODSe00019@onmicrosoft.com Microsoft 365 Password: #HSP.ug?\$p6un

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support only: Lab instance: 11122308





Microsoft Office Home | office.com/7a9thui2

Contoso electronics Office 365

Good morning

Install Office

Start new | Outlook | OneDrive | Word | Excel | PowerPoint

OneNote | Skype | Calendar | People | All apps

Recommended

You edited this Jan 15

Excel

Sales Results Overview
lodse000198.sharepoint.co...

You edited this Jan 15

Excel

Integrated Team Sales Process
lodse000198.sharepoint.co...

You edited this Jan 15

Org Chart
lodse000198.sharepoint.co...

Recent | Pinned | Shared with me | Discover

Recommended

You edited this Jan 15

Excel

P and L Summary
lodse000198.sharepoint.co...

You edited this Jan 15

Word


Contoso Electronics Outdoor...
lodse000198.sharepoint.co...


You edited this Jan 15

Word

AD Slogans
lodse000198.sharepoint.co...

Recent | Pinned | Shared with me | Discover






You need to ensure that all links to malware.contoso.com within documents stored in Microsoft Office 365 are blocked when the documents are accessed from Office 365 ProPlus applications.
 To complete this task, sign in to the Microsoft 365 admin center.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

- * 1. After signing in to the Microsoft 365 admin center, navigate to Threat management, choose Policy > Safe Links.
- * 2. In the Policies that apply to the entire organization section, select Default, and then choose Edit (the Edit button resembles a pencil).



- * 3. In the Block the following URLs section, add the malware.contoso.com link.
- * 4. In the Settings that apply to content except email section, select all the options.
- * 5. Choose Save. Reference:
<https://docs.microsoft.com/en-us/microsoft-365/security/office-365-security/set-up-atp-safe-links-policies?view>

NEW QUESTION 168

- (Exam Topic 4)
 Your company has a Microsoft 365 subscription, a Microsoft Azure subscription, and an Azure Active Directory (Azure AD) tenant named contoso.com. The in the following table.

Location	IP address space	Public NAT segment
Montreal	10.10.0.0/16	190.15.1.0/24
Seattle	172.16.0.0/16	194.25.2.0/24
New York	192.168.0.0/16	198.35.3.0/24

The tenant contains the users shown in the following table.

Name	Email address
User1	User1@contoso.com
User2	User2@contoso.com

You create the Microsoft Cloud App Security policy shown in the following exhibit.

Create filters for the policy

Act on:

Single activity:

Every activity that matches the filters

Repeated activity:

Repeated activity by a single user

Minimum repeated activities:

30

Within timeframe:

1

minutes

☐ In a single app

☐ Count only unique target files or folders per user

Edit and preview results

ACTIVITIES MATCHING ALL OF THE FOLLOWING

IP address

v

Raw IP address

equals

v

10.10.0.0/24

-

OR

194.25.2.0/24

-

+

Activity type

v

equals

v

Download file

v

User

v

From group

v

equals

v

Application(Cloud App Security)

v

as

Actor only

v

+

Alerts

☒ Create alert Use your organization's default settings

Daily alert limit

5

For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

Statements	Yes	No
In the Monreal office, if User1 downloads 40 files in 30 seconds, an alert will be created.	<input type="radio"/>	<input type="radio"/>
In the Seattle, if User2 downloads one file per second for two minutes, an alert will be created.	<input type="radio"/>	<input type="radio"/>
In the New York office, if User1 downloads 40 files in 10 seconds, an alert will be created.	<input type="radio"/>	<input type="radio"/>

A. Mastered
B. Not Mastered

Answer: A

Explanation:

Statements	Yes	No
In the Monreal office, if User1 downloads 40 files in 30 seconds, an alert will be created.	<div><input checked="" type="radio"/></div>	<div><input type="radio"/></div>
In the Seattle, if User2 downloads one file per second for two minutes, an alert will be created.	<div><input checked="" type="radio"/></div>	<div><input type="radio"/></div>
In the New York office, if User1 downloads 40 files in 10 seconds, an alert will be created.	<div><input type="radio"/></div>	<div><input checked="" type="radio"/></div>

Passing Certification Exams Made Easy

visit - <https://www.surepassexam.com>

NEW QUESTION 172

- (Exam Topic 4)
You have a Microsoft 365 subscription.
You have a team named Team1 in Microsoft Teams. You plan to place all the content in Team1 on hold.
You need to identify which mailbox and which Microsoft SharePoint site collection are associated to Team1. Which cmdlet should you use?

- A. Get-UnifiedGroup
- B. Get-MailUser
- C. Get-TeaMessagingSettings
- D. Get-TeamChannel

Answer: A

NEW QUESTION 173

- (Exam Topic 4)
You have a Microsoft 365 subscription.
You receive a General Data Protection Regulation (GDPR) request for the custom dictionary of a user. From the Compliance admin center you need to create a content search.
How should you configure the content search1?

- A. Condition: Type Operator
- B. Equals any of Value: Office Roaming Service
- C. Condition: Title Operator: Equals any of Value: Normal.dot
- D. Condition: Type Operator: Equals any of Value: Documents
- E. Condition: File type Operator: Equals any of Value: dic

Answer: D

NEW QUESTION 177

- (Exam Topic 4)
You have a Microsoft 365 subscription.
You have a site collection named SiteCollection1 that contains a site named Site2. Site2 contains a document library named Customers.
Customers contains a document named Litware.docx. You need to remove Litware.docx permanently.
Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions	Answer Area
From PowerShell, run Remove-SPOUserProfile	
Delete Litware.docx from the Recycle Bin of Site2.	
From PowerShell, run Set-SPOSite.	
Delete Litware.docx from the Recycle Bin of SiteCollection1.	
From Powershell, run Remove-SPOUserInfo	
Delete Litware.docx from Customers.	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Actions

From PowerShell, run Remove-SPOUserProfile

Delete Litware.docx from the Recycle Bin of Site2.

From PowerShell, run Set-SPOSite.

Delete Litware.docx from the Recycle Bin of SiteCollection1.

From Powershell, run Remove-SPOUserInfo

Delete Litware.docx from Customers.

Answer Area

Delete Litware.docx from Customers.

Delete Litware.docx from the Recycle Bin of Site2.

Delete Litware.docx from the Recycle Bin of SiteCollection1.

NEW QUESTION 179

- (Exam Topic 4)
 You have a Microsoft 365 tenant.
 You need to retain Azure Active Directory (Azure AD) audit logs for two years. Administrators must be able to query the audit log information by using the Azure Active Directory admin center.
 What should you do? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Save the audit logs to:

Azure Data Lake Storage Gen2

Azure Files

Azure Log Analytics

Azure Active Directory admin center blade to use to view the saved audit logs:

Audit logs

Identity Governance

Logs

Sign-ins

Usage & insights

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:
 Graphical user interface, text, application Description automatically generated
 Reference:
<https://docs.microsoft.com/en-gb/azure/active-directory/reports-monitoring/howto-analyze-activity-logs-log-ana>

NEW QUESTION 183

- (Exam Topic 4)
 You have a Microsoft 165 ES subscription that contains users named User 1 and User2? You have the audit log retention requirements shown in the following table.

User	Action	Retention period
User1	Rename a Microsoft SharePoint Online site.	12 months
User1	Perform all actions in Microsoft Dynamics 365.	6 months
User2	Create a Microsoft SharePoint Online site collection.	12 months
User2	Perform all Microsoft Exchange Online administrative actions.	10 years

You need to create audit retention policies to meet the requirements. The solution must minimize cost and the number of policies.
 What is the minimum number of audit retention policies that you should create?

- A. 1
- B. 2
- C. 3
- D. 4

Answer: C

NEW QUESTION 184

- (Exam Topic 4)

Your company has a Microsoft 365 subscription that includes a user named User1. You suspect that User1 sent email messages to a competitor detailing company secrets.
You need to recommend a solution to ensure that you can review any email messages sent by User1 to the competitor, including sent items that were deleted.
What should you include in the recommendation?

- A. Enable In-Place Archiving for the mailbox of User1
- B. From the Security & Compliance, perform a content search of the mailbox of User1
- C. Place a Litigation Hold on the mailbox of User1
- D. Configure message delivery restrictions for the mailbox of User1

Answer: C

NEW QUESTION 188

- (Exam Topic 4)

You have a Microsoft 365 E5 subscription and 5,000 users.
You create several alert policies that are triggered every time activities match rules.
You need to create an alert policy that is triggered when the volume of matched activities becomes unusual. What should you do first?

- A. Enable Microsoft Office 365 auditing.
- B. Enable Microsoft Office 365 analytics.
- C. Enable Microsoft Office 365 Cloud App Security.
- D. Deploy a Microsoft Office 365 add-in to all the users.


Answer: B

NEW QUESTION 193

- (Exam Topic 4)

You have a Microsoft 365 subscription that contains 100 users.
Microsoft Secure Score for the subscription is shown in the following exhibit.
Use the drop-down menus to select the answer choice that completes each statement based on the the information presented in the graphic.
NOTE: Each correct selection is worth one point.

Answer Area



If you set Enable Security defaults to **Yes** in Azure Active Directory (Azure AD), Microsoft Secure Score will increase by [answer choice].


If you enable multi-factor authentication (MFA) for 30 users, Microsoft Secure Score will increase by [answer choice].

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area



If you set Enable Security defaults to **Yes** in Azure Active Directory (Azure AD), Microsoft Secure Score will increase by [answer choice].

If you enable multi-factor authentication (MFA) for 30 users, Microsoft Secure Score will increase by [answer choice].

NEW QUESTION 198

- (Exam Topic 4)

Your company has a Microsoft 365 subscription.
The company forbids users to enroll personal devices in mobile device management (MDM). Users in the sales department have personal iOS devices.
You need to ensure that the sales department users can use the Microsoft Power BI app from iOS devices to access the Power BI data in your tenant.
The users must be prevented from backing up the app's data to iCloud. What should you create?

- A. a conditional access policy in Microsoft Azure Active Directory (Azure AD) that has a device state condition
- B. an app protection policy in Microsoft Intune
- C. a conditional access policy in Microsoft Azure Active Directory (Azure AD) that has a client apps condition
- D. a device compliance policy in Microsoft Intune

Answer: B

NEW QUESTION 202

- (Exam Topic 4)

Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.


Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may more than one lab that you must complete. You can use as much time as you would like to complete each lab.

But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.

Username and password





Use the following login credentials as needed:



To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below. Microsoft 365 Username: admin@LODSe00019@onmicrosoft.com Microsoft 365 Password: #HSP.ug?\$p6un

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support only: Lab instance: 11122308





Microsoft Office Home | office.com/7a9thui2

Contoso electronics Office 365

Good morning

Install Office

Start new | Outlook | OneDrive | Word | Excel | PowerPoint

OneNote | Skype | Calendar | People | All apps

Recommended

You edited this Jan 15

Excel

Sales Results Overview
lodse000198.sharepoint.co...

You edited this Jan 15

Integrated Team Sales Process
lodse000198.sharepoint.co...

You edited this Jan 15

Org Chart
lodse000198.sharepoint.co...

Recent | Pinned | Shared with me | Discover

Recommended

You edited this Jan 15

Excel

P and L Summary
lodse000198.sharepoint.co...


You edited this Jan 15

Contoso Electronics Outdoor...
lodse000198.sharepoint.co...

You edited this Jan 15

AD Slogans
lodse000198.sharepoint.co...

Recent | Pinned | Shared with me | Discover



Name	Modified	Modified By	File Size
Contoso Q2 Disivision Sales.pbix	January 14	MOD Administrator	305 KB
Employee Engagement Plan.docx	January 14	MOD Administrator	731 KB
Finance.pbix	January 14	MOD Administrator	3.18 MB
HR.pbix	January 14	MOD Administrator	1.42 MB
IT.pbix	January 14	MOD Administrator	1.35 MB
Marketing.pbix	January 14	MOD Administrator	1.79 MB
NC460 Sales Team.pbix	January 14	MOD Administrator	584 KB
Operations Analytics.pbix	January 14	MOD Administrator	573 KB
Operations.pbix	January 14	MOD Administrator	6.66 MB
Proposed_agents_topics.docx	January 14	MOD Administrator	591 KB
Sales.pbix	January 14	MOD Administrator	1.53 MB
X1DSD Launch Team.pbix	January 14	MOD Administrator	1.79 MB

You need to create an Azure Information Protection label to meet the following requirements:

- Content must expire after 21 days.
- Offline access must be allowed for 21 days only.
- Documents must be protected by using a cloud key.
- Authenticated users must be able to view content only.

To complete this task, sign in to the Microsoft 365 admin center.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

* 1. If you haven't already done so, open a new browser window and sign in to the Azure portal. Then navigate to the Azure Information Protection pane.

For example, in the search box for resources, services, and docs: Start typing Information and select Azure Information Protection.

* 2. From the Classifications > Labels menu option: On the Azure Information Protection - Labels pane, select the label you want to change.

On the Label pane, locate Set permissions for documents and emails containing this label, and select Protect.

* 3. Select Protection.

* 4. On the Protection pane, select Azure (cloud key).

* 5. Select Set permissions to define new protection settings in this portal.

* 6. If you selected Set permissions for Azure (cloud key), this option lets you select users and usage rights.

To specify the users that you want to be able to open protected documents and emails, select Add permissions. Then on the Add permissions pane, select the first set of users and groups who will have rights to use the content that will be protected by the selected label:

➤ Choose Select from the list where you can then add all users from your organization by selecting Add <organization name> - All members. This setting excludes guest accounts. Or, you can select Add any authenticated users, or browse the directory. When you choose all members or browse the directory, the users or groups must have an email address. In a production environment, users and groups nearly always have an email address, but in a simple testing environment, you might need to add email addresses to user accounts or groups.

➤ Change the File Content Expiration setting to 21 days.

➤ Change the Allow offline access setting to 21 days.

When you have finished configuring the permissions and settings, click OK.

This grouping of settings creates a custom template for the Azure Rights Management service. These templates can be used with applications and services that integrate with Azure Rights Management.

* 7. Click OK to close the Protection pane and see your choice of User defined or your chosen template display for the Protection option in the Label pane.

* 8. On the Label pane, click Save.

* 9. On the Azure Information Protection pane, use the PROTECTION column to confirm that your label now displays the protection setting that you want:

- A check mark if you have configured protection.
- An x mark to denote cancellation if you have configured a label to remove protection.
- A blank field when protection is not set.

When you clicked Save, your changes are automatically available to users and services. There's no longer a separate publish option.

Reference:

<https://docs.microsoft.com/en-us/azure/information-protection/configure-policy-protection>

NEW QUESTION 206

- (Exam Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some questions sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft 365 subscription.

You have a user named User1. Several users have full access to the mailbox of User1. Some email messages sent to User1 appear to have been read and deleted before the user viewed them. When you search the audit log in Security & Compliance to identify who signed in to the mailbox of User1, the results are blank. You need to ensure that you can view future sign-ins to the mailbox of User1. You run the Set-MailboxFolderPermission –Identity "User1" –User User1@contoso.com –AccessRights Owner command. Does that meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

References:
<https://docs.microsoft.com/en-us/powershell/module/exchange/mailboxes/set-mailbox?view=exchange-ps>

NEW QUESTION 207

- (Exam Topic 4)

You have a Microsoft 365 description that contains a user named User1. You need to that User1 can review registration and usage activity reports for Azure Multi-Factor Authentication (Azure MFA) for the subscription. The solution must meet the following requirements:

- Minimize Costs
- use the principle Of least privilege

What should you assign to user1?

License:

Role:

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

License:

Role:

NEW QUESTION 210

- (Exam Topic 4)

You have a Microsoft 365 subscription. Your company uses Jamf Pro to manage macOS devices. You plan to create device compliance policies for the macOS devices based on the Jamf Pro data. You need to connect Microsoft Endpoint Manager to Jamf Pro. What should you do first?

- A. From the Azure Active Directory admin center, add a Mobility (MDM and MAM) application.
- B. From the Endpoint Management admin center, add the Mobile Threat Defense connector.
- C. From the Endpoint Management admin center, configure Partner device management.
- D. From the Azure Active Directory admin center, register an application.

Answer: D

Explanation:

Reference:
<https://docs.microsoft.com/en-us/mem/intune/protect/conditional-access-integrate-jamf>

NEW QUESTION 214

- (Exam Topic 4)

You have a Microsoft 365 subscription.

A security manager receives an email message every time a data loss prevention (DLP) policy match occurs. You need to limit alert notifications to actionable DLP events.

What should you do?

- A. From the Security & Compliance admin center, modify the Policy Tips of a DLP policy.
- B. From the Cloud App Security admin center, apply a filter to the alerts.
- C. From the Security & Compliance admin center, modify the User overrides settings of a DLP policy.
- D. From the Security & Compliance admin center, modify the matched activities threshold of an alert policy.

Answer: D

Explanation:

References:

<https://docs.microsoft.com/en-us/office365/securitycompliance/alert-policies>

NEW QUESTION 219

- (Exam Topic 4)

Note: This question is part of series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft 365 E5 subscription that is associated to a Microsoft Azure Active Directory (Azure AD) tenant named contoso.com.

You use Active Directory Federation Services (AD FS) to federate on-premises Active Directory and the tenant. Azure AD Connect has the following settings:

- Source Anchor: objectGUID
- Password Hash Synchronization: Disabled
- Password writeback: Disabled
- Directory extension attribute sync: Disabled
- Azure AD app and attribute filtering: Disabled
- Exchange hybrid deployment: Disabled
- User writeback: Disabled

You need to ensure that you can use leaked credentials detection in Azure AD Identity Protection. Solution: You modify the Azure AD app and attribute filtering settings.

Does that meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 223

- (Exam Topic 4)

Your network contains an on-premises Active Directory domain named contoso.local that has a forest functional level of Windows Server 2008 R2.

You have a Microsoft 365 E5 subscription linked to an Azure Active Directory (Azure AD) tenant named contoso.com.

You plan to install Azure AD Connect and enable single sign-on (SSO).

You need to prepare the domain to support SSO. The solution must minimize administrative effort. What should you do?

- A. Raise the forest functional level to Windows Server 2016.
- B. Modify the UPN suffix of all domain users.
- C. Populate the mail attribute of all domain users.
- D. Rename the domain.

Answer: B

Explanation:

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/enterprise/prepare-a-non-routable-domain-for-directory-synchro>

NEW QUESTION 225

- (Exam Topic 4)

You have a Microsoft 365 subscription.

You create an Advanced Threat Protection (ATP) safe attachments policy to quarantine malware. You need to configure the retention duration for the attachments in quarantine.

Which type of threat management policy should you create from the Security&Compliance admin center?

- A. ATP anti-phishing
- B. DKIM
- C. Anti-spam
- D. Anti-malware

Answer: D

NEW QUESTION 228

- (Exam Topic 4)

A user stores the following files in Microsoft OneDrive:

- > File.docx
- > ImportantFile.docx
- > File_Important.docx

You create a Microsoft Cloud App Security file policy Policy1 that has the filter shown in the following exhibit.

Create a filter for the files this policy will act on

FILES MATCHING ALL OF THE FOLLOWING

X

File name

contains words

File

+

Apply to:

all files

Apply to:

all file owners

To which files does Policy1 apply?

- A. File_Important.docx only
- B. File.docx, ImportantFile.docx, and File_Important.docx
- C. File.docx only
- D. ImportantFile.docx only
- E. File.docx and File_Important.docx only

Answer: B

Explanation:

Reference:
<https://docs.microsoft.com/en-us/cloud-app-security/file-filters>

NEW QUESTION 230

- (Exam Topic 4)
You have a Microsoft 365 alert named Alert?
as shown in the following exhibit.

View alerts

+ Export

Filter

	Severity	Alert name	Status	Category	Activity count	Last occurrence...
<input type="checkbox"/>	Medium	Alert2	Resolved	Data loss prevention	1	6 days ago

You need to manage the status of Alert2. To which status can you change Alert2?

- A. The status cannot be changed.
- B. investigating only
- C. Active or investigating only
- D. Investigating, Active, or Dismissed
- E. Dismissed only

Answer: D

Explanation:

Reference:
<https://docs.microsoft.com/en-us/microsoft-365/compliance/dlp-configure-view-alerts-policies?view=o365-world>

NEW QUESTION 232

- (Exam Topic 4)
You have a Microsoft 365 E5 subscription that contains the users shown in the following table.

User	Security group	Azure Active Directory (Azure AD) role
User1	ADGroup1	Security administrator
User2	ADGroup2	Application administrator
User3	ADGroup3	User administrator

You have the devices shown in the following table.

Name	Operating system	Onboarded to Microsoft Defender for Endpoint
Device1	Windows 10	Yes
Device2	Windows 8.1	Yes
Device3	Windows 10	Yes

You have the Microsoft Defender for Endpoint portal roles shown in the following table.

Name	Assigned to
Role1	ADGroup1
Role2	ADGroup2
Role3	ADGroup3

You have the Microsoft Defender for Endpoint device groups shown in the following table.

Name	Remediation level	Rank	Role	Members
Group1	Full - remediate threats automatically	1	Role1	OS: Windows 10
Group2	Semi - require approval for all folders	2	Role2	OS: Windows 8.1
Group3	Semi - require approval for all folders	3	Role3	OS: Windows 10

For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

Statements	Yes	No
User1 can manage alerts for Device2.	<input type="radio"/>	<input type="radio"/>
User3 can manage alerts for Device3.	<input type="radio"/>	<input type="radio"/>
The Remediation level for Device3 is Semi - require approval for all folders.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Statements	Yes	No
User1 can manage alerts for Device2.	<input checked="" type="radio"/>	<input type="radio"/>
User3 can manage alerts for Device3.	<input type="radio"/>	<input checked="" type="radio"/>
The Remediation level for Device3 is Semi - require approval for all folders.	<input checked="" type="radio"/>	<input type="radio"/>

NEW QUESTION 235

- (Exam Topic 4)
You have a Microsoft 365 subscription.
You have a Microsoft SharePoint Online site named Site1.
You have a Data Subject Request X>SR1 case named Case1 that searches Site1. You create a new sensitive information type.
You need to ensure that Case1 returns all the documents that contain the new sensitive information type. What should you do?

- A. From the Compliance admin center, create a new Content search.
B. From Site1, modify the search dictionary.
C. From Site1, initiate a re-indexing of Site1.
D. From the Compliance admin center, create a new Search by ID List.

Answer: C

NEW QUESTION 238

- (Exam Topic 4)
You have a Microsoft Azure Active Directory (Azure AD) tenant named contoso.com that contains the users shown in the following table.

Name	Member of	Multi-factor authentication (MFA) status
User1	Group1, Group2	Disabled
User2	Group1	Disabled

You create and enforce an Azure AD Identity Protection sign-in risk policy that has the following settings: ➤ Assignments: Include Group1, Exclude Group2
 ➤ Conditions: Sign in risk of Low and above
 ➤ Access: Allow access, Require password multi-factor authentication

You need to identify how the policy affects User1 and User2.
 What occurs when each user signs in from an anonymous IP address? To answer, select the appropriate options in the answer area.
 NOTE: Each correct selection is worth one point.

User1:

Blocked

Can sign in without MFA

Prompted for MFA

User2:

Blocked

Can sign in without MFA

Prompted for MFA

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

User1:

Blocked

Can sign in without MFA

Prompted for MFA

User2:

Blocked

Can sign in without MFA

Prompted for MFA

NEW QUESTION 243

- (Exam Topic 4)
 You have a Microsoft 365 subscription.
 You create and run a content search from the Security & Compliance admin center. You need to download the results of the content search.
 What should you obtain first?

- A. an export key
- B. a password
- C. a certificate
- D. a pin

Answer: A

Explanation:
 References:
<https://docs.microsoft.com/en-us/office365/securitycompliance/export-search-results>

NEW QUESTION 248

- (Exam Topic 4)

You have a Microsoft Defender Advanced Threat Protection (Microsoft Defender ATP) deployment that has the custom network indicators turned on. Microsoft Defender ATP protects two computers that run Windows 10 as shown in the following table.

Name	Tag
Computer1	Kiosk1
Computer2	Tag1

Microsoft Defender ATP has the machine groups shown in the following table.

Rank	Name	Membership rule
1	Group1	Tag Contains 1
2	Group2	Name Ends with 2 And Tag Equals Tag1
3	Group3	Name Contains comp
Last	Ungrouped machines (default)	None

From Microsoft Defender Security Center, you create the URLs/Domains indicators shown in the following table.

URL/Domain	Action	Scope
http://www.contoso.com	Alert and block	Group1
http://www.litwareinc.com	Alert and block	Group2
http://www.litwareinc.com/public	Allow	All machines

For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

Statements	Yes	No
From a web browser on Computer1, you can open http://www.contoso.com .	<input type="radio"/>	<input type="radio"/>
From a web browser on Computer1, you can open http://www.litwareinc.com/public .	<input type="radio"/>	<input type="radio"/>
From a web browser on Computer2, you can open http://www.litwareinc.com .	<input type="radio"/>	<input type="radio"/>

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Statements	Yes	No
From a web browser on Computer1, you can open http://www.contoso.com .	<input type="radio"/>	<input checked="" type="radio"/>
From a web browser on Computer1, you can open http://www.litwareinc.com/public .	<input checked="" type="radio"/>	<input type="radio"/>
From a web browser on Computer2, you can open http://www.litwareinc.com .	<input type="radio"/>	<input checked="" type="radio"/>

NEW QUESTION 252

- (Exam Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some questions sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft 365 subscription.

You have a user named User1. Several users have full access to the mailbox of User1.

Some email messages sent to User1 appear to have been read and deleted before the user viewed them. When you search the audit log in Security & Compliance to identify who signed in to the mailbox of User1, the results are blank.

You need to ensure that you can view future sign-ins to the mailbox of User1. You run the Set-Mailbox -Identity "User1" -AuditEnabled \$true command. Does that meet the goal?

- A. Yes
B. No

Answer: A

Explanation:

References:

<https://docs.microsoft.com/en-us/powershell/module/exchange/mailboxes/set-mailbox?view=exchange-ps>

NEW QUESTION 257

- (Exam Topic 4)

Your company uses Microsoft Azure Advanced Threat Protection (ATP).

You enable the delayed deployment of updates for an Azure ATP sensor named Sensor1. How long after the Azure ATP cloud service is updated will Sensor1 be updated?

- A. 7 days
- B. 24 hours
- C. 1 hour
- D. 48 hours
- E. 12 hours

Answer: B

Explanation:

Note: The delay period was 24 hours. In ATP release 2.62, the 24 hour delay period has been increased to 72 hours.

NEW QUESTION 258

- (Exam Topic 4)

You have a Microsoft 365 subscription that uses a default name of litwareinc.com.

You configure the Sharing settings in Microsoft OneDrive as shown in the following exhibit.

Links

Choose the kind of link that's selected by default when users share items.

Default link type

☒ Shareable: Anyone with the link

☐ Internal: Only people in your organization

☐ Direct: Specific people

External sharing

Users can share with:

SharePoint

OneDrive

Most permissive

Least permissive

Anyone

New and existing external users

Existing external users

Only people in your organization

Users can create shareable links that don't require sign-in

External users must sign-in

Only users already in your organization's directory

No external sharing allowed.

Your sharing setting for OneDrive can't be more permissive than your setting for SharePoint.

Advanced settings for external sharing

☒ Allow or block sharing with people on specific domains

Allow only these domains

Contoso.com, Adatum.com

Add domains

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.
NOTE: Each correct selection is worth one point.

A user who has an email address of user1@fabrikam.com [answer choice]

cannot access OneDrive content

can access OneDrive content after a link is created

must be added to be a group before the user can access shared files

If a new guest user is created for user2@contoso.com [answer choice]

the user cannot access OneDrive content

the user can access OneDrive content after a link is created

must be added to a group before the user can access shared files

Passing Certification Exams Made Easy

visit - <https://www.surepassexam.com>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

References:

<https://docs.microsoft.com/en-us/onedrive/manage-sharing>

NEW QUESTION 259

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

MS-500 Practice Exam Features:

- * MS-500 Questions and Answers Updated Frequently
- * MS-500 Practice Questions Verified by Expert Senior Certified Staff
- * MS-500 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * MS-500 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The MS-500 Practice Test Here](#)