

Microsoft

Exam Questions PL-400

Microsoft Power Platform Developer



NEW QUESTION 1

- (Exam Topic 1)

You need to handle errors in UpdateRecord.js. Which code segment should you add at line UR06?

- A. `catch(error) { D18912E1457D5D1DDCBD40AB3BF70D5Dalert("Caught error: " + error.message);}`
- B. `Exception exception = Server.GetLastError() ; if(exception != null){}`
- C. `catch(exception e){ console.writeline(e)}`
- D. `function (error){ console.log(error.message)}`

Answer: A

Explanation:

The catch statement lets you handle the error. Syntax: `catch(err) {`
 Block of code to handle errors
`}`

Reference: https://www.w3schools.com/js/js_errors.asp

NEW QUESTION 2

- (Exam Topic 2)

You need to improve warehouse counting efficiency. What should you create?

- A. a flow that updates the warehouse counts as the worker performs the count
- B. a model-driven app that allows the user to key in inventory counts
- C. A Power BI dashboard that shows the inventory counting variances
- D. a canvas app that scans barcodes to allow a warehouse worker to select inventory counts

Answer: D

Explanation:

Scenario: Warehouse counting is performed manually by using a counting journal. All warehouse boxes and items are barcoded.

NEW QUESTION 3

- (Exam Topic 2)

You need to replace the bicycle inspection forms.

Which two solutions should you use? Each answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. a flow that maps inspection data to Dynamics 365 Field Service
- B. a logic app that guides the technician through the inspection
- C. a canvas app that guides the technician through the inspection
- D. a model-driven app based on customer service entities

Answer: AD

Explanation:

Scenario: The Adventure Works Cycles retail location performs bicycle inspections and performance tune-ups. Technicians use paper forms to document the bicycle inspection performed before a tune-up and any additional work performed on the bicycle.

Reference:

<https://docs.microsoft.com/en-us/dynamics365/field-service/overview> <https://us.hitachi-solutions.com/blog/canvas-vs-model-driven-apps/>

NEW QUESTION 4

- (Exam Topic 4)

You need to complete a PowerApps component framework (PCF) control.

How should you define the order in the manifest? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

```
<resources>
  <code path="scripts/HelloWorldControlWave.js" order="1"/>
  <code path="scripts/HelloWorldControlRandom.js" order="2"/>
  <css path="style/HelloWorldControl.css" order="
  <html path="HelloWorldControlWaveRandom.htm" order="
</resources>
```

1
2
3

1
2
3

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

The order property specifies the order of a flexible item relative to the rest of the flexible items inside the same container.
 Reference: https://www.w3schools.com/jsref/prop_style_order.asp

NEW QUESTION 5

- (Exam Topic 4)

A company uses SharePoint for its intranet and other functions. The company has also implemented model-driven apps. SharePoint users must be able to create contact records in the Common Data Service (CDS), without having to navigate to the model-driven apps. You need to create a link in SharePoint to open the CDS contact from displaying data from SharePoint. How should you complete the URL? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

http://contoso.crm.dynamics.com/ ? =contact&

=param_1%3DSharePoint&pagetype=

id
extraqs
formid

etc
etn

apps
entityrecord
entitylist

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

https://contoso.crm.dynamics.com/main.aspx?etn=contact&extraqs=param_1%3D&pagetype=entityrecord Box 1: main.aspx
 Example, to open the Active Contacts view. <https://myorg.crm.dynamics.com/main.aspx?etn=contact&pagetype=entitylist&viewid={00000000-0000-0000-0000-000000000000}> Box 2: etn
 Etn: The logical name of the entity. Important: Do not use the etc (entity type code) parameter that contains an integer code for the entity. This integer code varies for custom entities in different organizations.
 Box 3: Extraqs
 Extraqs: Optional for forms. This parameter contains encoded parameters within this parameter.
 When you open a new form by using the URL address, you can include arguments in the extraqs parameter to set field values
 Note: You must encode the parameters passed in the extraqs parameter. To encode the parameters, use encodeURIComponent. To use special characters like "=" or "&" in the parameter values, you must double encode (e.g. to set name to A=B&C, it would be extraqs=name%3DA%253DB%2526C).
 Box 4: entityrecord Reference:
<https://docs.microsoft.com/en-us/powerapps/developer/model-driven-apps/open-forms-views-dialogs-reports-url> <https://docs.microsoft.com/en-us/powerapps/developer/model-driven-apps/set-field-values-using-parameters-pas>

NEW QUESTION 6

- (Exam Topic 4)

You need to select the appropriate methods using the Azure Event Grid. Which method should you use for each requirement? To answer, drag the appropriate methods to the correct requirements. Each method may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content. NOTE: Each correct selection is worth one point.

Methods	Answer Area	
	Requirement	Method
Event handler	Notify the infrastructure team when a new virtual machine is created.	<input type="text"/>
Event sources	Route orders over \$5,000 to the credit department.	<input type="text"/>
Event subscription		
Events		

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Event handler
 Event handlers - The app or service reacting to the event. Box 2: Event subscriptions
 Event subscriptions - The endpoint or built-in mechanism to route events, sometimes to more than one handler. Subscriptions are also used by handlers to intelligently filter incoming events.
 Note:

There are five concepts in Azure Event Grid that let you get going: Events - What happened.
Event sources - Where the event took place.

NEW QUESTION 7

- (Exam Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

An organization has an Azure SQL Database instance that must be synchronized daily with data from Dynamics 365 Sales. A large amount of data might need to be synchronized on some days.

You need to reduce the time required to synchronize data. Solution:

- > Write a SSIS package to connect to the source and target.
- > Develop the SSIS package to find the records by the Modified on field.
- > Create or update the records in the database instance based on results.

Does the solution meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Instead enable change tracking for entities that will be synchronized, and use the Data Export Service to sync data between the database and Dynamics 365 Sales.

Reference:

<https://docs.microsoft.com/en-us/power-platform/admin/enable-change-tracking-control-data-synchronization> <https://docs.microsoft.com/en-us/power-platform/admin/replicate-data-microsoft-azure-sql-database>

NEW QUESTION 8

- (Exam Topic 4)

A bank uses a Common Data Service solution to manage clients.

Bank representatives perform client credit checks while the client is present. Credit checks may take up to five minutes to complete.

Bank policy dictates that the bank representative's app must stay blocked until credit checks are complete. You need to display a model-driven app while credit checks run to ask the bank representative and client to wait for the credit check to complete.

Which function should you use?

- A. `Xrm.Navigation.openWebResource("prefix.myPoliteMessage.html")`
- B. `Xrm.Navigation.openAlertDialog(myPoliteMessage)`
- C. `Xrm.Utility.openWebResource("prefix_myPoliteMessage.html")`
- D. `Xrm.Utility.showProgressIndicator(myPoliteMessage)`

Answer: D

Explanation:

`showProgressIndicator` displays a progress dialog with the specified message.

Any subsequent call to this method will update the displayed message in the existing progress dialog with the message specified in the latest method call.

The progress dialog blocks the UI until it is closed using the `closeProgressIndicator` method. So, you must use this method with caution.

Reference:

<https://docs.microsoft.com/en-us/powerapps/developer/model-driven-apps/clientapi/reference/xrm-utility/showp>

NEW QUESTION 9

- (Exam Topic 4)

A company delivers packages to businesses and consumers. A custom entity named Package captures the package details.

You need to add the following sets of fields to the entity and leverage the built-in operations of the platform:

- > A set of fields to represent the package length, width, depth, and weight. The maximum value for any dimension is 100 centimeters.
- > A set of fields for time-sensitive attributes to calculate the efficiency of a delivery based on when the delivery is entered in the system and the existing custom fields: Pickup time and Delivery time.

Which constructs should you use? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Requirement

Construct

Calculate the efficiency of the delivery.

DIFFINMINUTES(Created On, Modified On)
DIFFINMINUTES(Created On, Delivery Time)
DIFFINHOURS(Created On, Modified On)
DIFFINHOURS(Created On, Delivery Time)

Select the data type that has additional transformations applied before the data is displayed.

Autonumber
Phone number
Customer
Currency
Duration

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: DIFFINMINUTES(Created on, Delivery Time)

DIFFINMINUTES (date and time, date and time) returns the difference in minutes between two Date and Time columns.

Box 2: Duration Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/common-data-service/define-calculated-fields>

NEW QUESTION 10

- (Exam Topic 4)

A multinational company requires that all phone numbers be standardized as country code + area code + phone number.

The application design team decides that a custom PowerApps component framework (PCF) control should be used to prompt users for an area code and correctly format the phone number.

You need to get the list of valid area codes when a contact record is opened and before the user enters a new phone number.

In which function should you call `webAPI.retrieveMultipleRecords`?

- A. `notifyOutputChanged`
- B. `init`
- C. `getOutputs`
- D. `updateView`

Answer: D

Explanation:

The `updateView` method will be called when any value in the property bag has changed. This includes field values, data-sets, global values such as container height and width, offline status, component metadata values such as label, visible, etc.

Set the value of the field component to the raw value from the configured field. Note: `webAPI.retrieveMultipleRecords` retrieves a collection of entity records.

Reference:

<https://docs.microsoft.com/en-us/powerapps/developer/component-framework/reference/control/updateview>

NEW QUESTION 10

- (Exam Topic 4)

A company is creating a Power Apps portal to collaborate with vendors.

You need to implement custom functionality in the portal by using JavaScript code. Which two portal entities can you use? Each correct answer presents a complete solution. NOTE: Each correct selection is worth one point.

- A. Web pages
- B. Web resources
- C. Webforms
- D. Entity lists

Answer: CD

Explanation:

C: The Web Form Step record contains a field named Custom JavaScript that can be used to store JavaScript code to allow you to extend or modify the form's visual display or function.

D: You can add custom Javascripts to Entity lists. Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/portals/configure/add-custom-javascript> <https://docs.microsoft.com/en-us/powerapps/maker/portals/configure/entity-lists#add-custom-javascript>

NEW QUESTION 13

- (Exam Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You are designing a one-way integration from the Common Data Service to another system.

You must use an Azure Function to update the other system. The integration must send only newly created records to the other system. The solution must support scenarios where a component of the integration is unavailable for more than a few seconds to avoid data loss.

You need to design the integration solution.

Solution: Register a service endpoint in the Common Data Service that connects to an Azure Service Bus queue.

Register a step at the endpoint which runs asynchronously on the record's Create message and in the portoperation stage.

Configure the Azure Function to process records as they are added to the queue. Does the solution meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

Microsoft Dataverse supports integration with Azure.

For the Dataverse and Azure connection to work, there must be at least one solution in an Azure Service Bus solution account, where the solution contains one or more service endpoints.

For a queue endpoint contract, a listener doesn't have to be actively listening. Reference:

<https://docs.microsoft.com/en-us/powerapps/developer/common-data-service/azure-integration>

NEW QUESTION 16

- (Exam Topic 4)

A company has two development instances, two test instances, two staging instances, and one production instance.

The test team reports connection issues with the test and staging instances.

You need to identify which of the instances the testing team currently has access. Which two URLs can you use? Each correct answer presents a complete solution. NOTE: Each correct selection is worth one point.

- A. <https://myorg.api.crm.dynamics.com/api/data/v.9.1/>
- B. <https://dev.crm.dynamics.com/api/discovery/v9.1/Instances>
- C. [https://dev.crm.dynamics.com/api/discovery/v9.1/Instances\(UniqueName='myorg'\)](https://dev.crm.dynamics.com/api/discovery/v9.1/Instances(UniqueName='myorg'))
- D. <https://disco.crm.dynamics.com/api/discovery/v9.1/>
- E. <https://globaldisco.crm.dynamics.com/api/discovery/v9.1/Instances>

Answer: CE

Explanation:

C: Organization information is stored in the Instance entity of the Discovery service. To see the kind of information contained in that entity, send an HTTP GET request to the service for one of your instances.

GET [https://dev.{servername}/api/discovery/v9.0/Instances\(UniqueName='myorg'\)](https://dev.{servername}/api/discovery/v9.0/Instances(UniqueName='myorg'))

In the above example, the discovery service is used to obtain the organization information of the instance with a unique name of "myorg".

Reference:

<https://docs.microsoft.com/en-in/dynamics365/customerengagement/on-premises/developer/webapi/discover-url> <https://docs.microsoft.com/en-us/powerapps/developer/common-data-service/webapi/samples/global-discovery>

NEW QUESTION 21

- (Exam Topic 4)

You are developing a model-driven app for the purchasing department of an organization. You provision a new test environment and a security role. You select users to test the apps and assign the users to a security group named TestSG.

If the tests succeed, a manager will perform additional testing in the production environment and then publish the app for the organization's purchasing department.

You need to ensure that the test and production environments are configured correctly. What should you do? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Scenario	Security artifact
Ensure that only test users can access the test environment.	<div style="border: 1px solid black; padding: 5px;"> <p>Set the test environment security group to TestSG. Assign the test users the app security role. Set the test environment security group to TestSG and assign test users the app security role.</p> </div>
Ensure that only the manager can access the app in production.	<div style="border: 1px solid black; padding: 5px;"> <p>Set the production environment security group to TestSG. Assign the manager the app security role. Add the manager to the TestSG security group and grant the manager the app security role.</p> </div>
Ensure that test users can access the app in production.	<div style="border: 1px solid black; padding: 5px;"> <p>Set the production environment security group to TestSG. Assign the test users the app security role. Set the production environment security group to TestSG and assign test users the app security role.</p> </div>
Ensure that purchasing department users can access the test environment.	<div style="border: 1px solid black; padding: 5px;"> <p>Remove the security group TestSG associated with the test environment. Assign all users the app security role. Add all users in the department to the TestSG security group.</p> </div>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Set the test environment security group to TestSG and assign test users the app security role.

PowerApps apps use role-based security for sharing. The fundamental concept in role-based security is that a security role contains privileges that define a set of actions that can be performed within the app. All app users must be assigned to one or more predefined or custom roles.

Box 2: Assign the manager the app security role.

Box 3: Set the production environment security group to TestSG Box 4: Add all users in the department to the TestSG security group. Reference: <https://docs.microsoft.com/en-us/powerapps/maker/model-driven-apps/share-model-driven-app>

NEW QUESTION 25

- (Exam Topic 4)

A company uses the Data Export Service (DCS) to refresh their Azure SQL Data Warehouse instance. The data warehouse is used for historical trend analysis and forecasting.

The refresh process from the Common Data Service (CDS) environment to the data warehouse has errors. Users report that data is missing.

A CDS test environment that contains DES is available to troubleshoot the import outside of the production environment. You create a new database for testing. You need to configure the test environment to point to the new database. What should you create first to access the database?

- A. A new secret in Azure Key Vault
- B. A new user in the SQL database
- C. A new export profile in CDS test
- D. A new application registration

Answer: A

Explanation:

Because this service requires access to an external Microsoft Azure SQL Database from Dynamics 365 (online), a number of prerequisites must be satisfied before you can successfully access this service including:

- Global / Tenant Admin access, or an Azure Key Vault must be provisioned and the setup user must have permissions on Secrets.

Reference:

<https://blog.crgroup.com/dynamics-365-latest-feature-the-data-export-service/>

NEW QUESTION 30

- (Exam Topic 4)

A company uses five different shipping companies to deliver products to customers. Each shipping company has a separate service that quotes delivery fees for destination addresses.

You need to design a custom connector that retrieves the shipping fees from all the shipping companies by using their APIs.

Which three elements should you define for the custom connector? Each correct answer presents part of the solution.


NOTE: Each correct selection is worth one point.

- A. Authentication model
- B. Address parameter
- C. OpenAPI definition
- D. Fee parameter
- E. Fee reference

Answer: ABC

Explanation:

C: You can create a custom connector using a OpenAPI definition file or a URL to OpenAPI definition. B: On the Security page you get to choose how to authenticate to the API.



The screenshot shows the 'Security' configuration page for a custom connector named 'Trefle'. The page is divided into four tabs: '1. General', '2. Security', '3. Definition', and '4. Test'. The 'Security' tab is active. On the left, there is a 'Security' section with instructions: 'Choose the authentication type and fill in the required fields to set the security for your custom connector. Learn more'. The main content area is divided into two sections: 'Authentication type' and 'API Key'. In the 'Authentication type' section, a dropdown menu is set to 'API Key'. Below it is an 'Edit' icon. The 'API Key' section has a heading 'API Key' and a sub-heading 'Users will be required to provide the API Key when creating a connection'. It contains three fields: 'Parameter label *' with the value 'API Key', 'Parameter name *' with the value 'API-nyckel', and 'Parameter location *' with a dropdown menu set to 'Header'. There is also an 'Edit' icon at the bottom of this section. At the bottom of the page, there are navigation arrows for 'General' and 'Definition'.

A: If you were to create a Custom Connector from scratch, then you would have to study the API you have chosen and type in the URL manually here.

Request
+ Import from sample

Verb *
The verb describes the operations available on a single path.

GET

URL *
This is the request URL.

`https://trefle.io/api/plants/{id}`

Path
Path is used together with Path Templating, where the parameter value is actually part of the operation's URL.

* id ...

Query
Query parameters are appended to the URL. For example, in /items?id=####, the query parameter is id.

* token ...

Headers
These are custom headers that are part of the request.

Body
The body is the payload that's appended to the HTTP request. There can only be one body parameter.

Reference:

<https://carinaclaesson.com/2019/09/06/setting-up-a-custom-connector-from-an-openapi-file-and-utilizing-it-in-p>

NEW QUESTION 33

- (Exam Topic 4)

A company implements Dynamics 365 Customer Service. The company deploys synchronous plug-ins for the PreOperation and PostOperation stages on create and for the PostOperation stage on update for processing different case type.

Users experience errors when updating cases. The plug-in trace log files show that the PostOperation plug-in update of case times out after two minutes.

You perform basic testing and discover that this plug-in is triggered on every update of a case. You examine the code and discover that the plug-in retrieves all columns for the updated case record performing its work.

You need to reduce the number of errors. You need to achieve this goal with the test amount of changes. Solution: In the Plug-in Registration tool, set filtering attributes on the plug-in to only Case Type filed. Does the solution meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 36

- (Exam Topic 4)

You need to develop a set of Web API's for a company.

What should you implement? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Requirement

Operation

Implement operations that do not have side effects and may support further composition

▼
Functions
Actions
Entities

Implement operations that allow side effects, such as data modification

▼
Functions
Actions
Entities

Implement keyless named structure types that consist of a set of properties

▼
Complex types
Entity types
Enumeration types

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Functions

most functions and services that are stateless and do not have side effects. Box 2: Actions

Actions can have side effects. Box 3: Complex types

Reference:

<https://docs.microsoft.com/en-us/powerapps/developer/common-data-service/webapi/use-web-api-actions>

NEW QUESTION 40

- (Exam Topic 4)

You fix a bug in the code of your application, which is currently on version 10.0.2.1. You need to publish an updated version of the solution. Which version identifier should you use?

- A. 10.0.3.1
- B. 10.0.2.2
- C. 10.1.0.2
- D. 11.0.0

Answer: A

Explanation:

The version number are <major>.<minor>.<build>.<revision>.

When we create patches in Dynamics 365, the system will automatically increment the build version (you can overwrite the chosen number when you create the patch). For example, if our solution starts at 1.0.0.0, we export it to become 1.0.0.1. We then create a patch, and the version of the patch is 1.0.1.1. If we export it now, it might become 1.0.1.2. In all cases, the build or version number has been incremented. Patches require the build or version number to increment, but not the major or minor version.

Reference:

<https://cardesouza.com/how-solution-version-numbers-work-in-the-microsoft-power-platform/>

NEW QUESTION 44

- (Exam Topic 4)

You are troubleshooting Power Apps solutions.

You need to determine the cause for the identified issues.

What is the root cause for each issue? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Issue

Reason

Solution checker does not complete a run for one solution but works for a different solution.

A canvas app in the first solution has errors.
 The Power Apps checker application user is disabled.

You encounter an error on line three of a web resource as shown below:

The code uses the following rule: web-avoid-eval
 The code uses the following rule: web-remove-debug-script
 The code uses the following rule: web-avoid-modals
 The code uses the following rule: web-use-strict-mode.

```
var acctnumber = formContext.getAttribute
("accountnumber").getValue();
if (acctnumber == 'abc')
```

- A. Mastered
- B. Not Mastered

Answer: A


Explanation:

Box 1: A canvas app in the first solution has errors.

Failures that occur during background processing of the analysis will fail with 'Couldn't be completed' status and return an error message in the Power Apps portal as well as send email notification to the requestor.

Display name	Created	Version	Managed externally?	Solution check
Draft BPF	6/14/2019	1.0.0		Couldn't be completed

Selecting the portal notification will link to this page of common issues for further troubleshooting. If one of the provided common issues does not resolve the problem, a reference number is also returned. Provide this reference number to Microsoft Support for further investigation.



Box 2: The code uses the following rule: web-use-strict-mode

web-use-strict-mode is able to throw a SyntaxError before the script is executing. Example:

The reason is JavaScript lets you compare different variable types but this can have unexpected results, so by using the strict === it compares the same type and won't have unexpected results this gets a warning

entity.field == "Line1" Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/common-data-service/common-issues-resolutions-solution-c>

NEW QUESTION 45

- (Exam Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You are designing a one-way integration from the Common Data Service to another system.

You must use an Azure Function to update the other system. The integration must send only newly created records to the other system. The solution must support scenarios where a component of the integration is unavailable for more than a few seconds to avoid data loss.

You need to design the integration solution.

Solution: Register a webhook in the Common Data Service that connects to the Azure Function. Register a step on the webhook which runs synchronously on the record's Create message and in the post-operation stage.

Does the solution meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Instead use asynchronous communication. D18912E1457D5D1DDCDBD40AB3BF70D5D

NEW QUESTION 49

- (Exam Topic 4)

A company has a model-driven app that captures applications from prospective students. You are asked to create a new re-usable custom component using the Power Apps component framework (PCF). The custom component must allow entry of a date of birth and validate that the applicant is not a minor. You create the class AuditDatePicker in the TypeScript file Index.ts and the style sheet DatePicker.css. You need to define the component to be available only for relevant fields and its properties when used in a form. How should you complete the manifest? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

```
<?xml version="1.0" encoding="utf-8"?>
<manifest>
  <control namespace="delegate" constructor=
    version="1.0.0" display-name-key="Date Picker" description-key="Date of Birth
    Date Picker that validates if a minor" control-type="standard">
    <property name="value" display-name-key="Value" description-key="Value" of-
    type=
      usage=
    required="true" />
    <resources>
      <code path="Index.ts" order="1"/>
      <css path="css/DatePicker.css" order="1" />
    </resources>
  </control>
</manifest>
```

▼

Index.ts
 DatePicker.css
 AuditDatePicker

▼

Enum
 DateandTime.DateandTime
 DateandTime.DateOnly

▼

bound
 input

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: AuditDatePicker

Constructor: Constructor of the code component. Box 2:DateandTime.DateOnly

Box 3: bound

usage: Has two properties, bound and input. Bound properties are bound only to the value of the field. Input properties are either bound to a field or allow a static value.

Reference:

<https://docs.microsoft.com/en-us/powerapps/developer/component-framework/manifest-schema-reference/manif> <https://docs.microsoft.com/en-us/powerapps/developer/component-framework/implementing-controls-using-ty>

NEW QUESTION 54

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

PL-400 Practice Exam Features:

- * PL-400 Questions and Answers Updated Frequently
- * PL-400 Practice Questions Verified by Expert Senior Certified Staff
- * PL-400 Most Realistic Questions that Guarantee you a Pass on Your First Try
- * PL-400 Practice Test Questions in Multiple Choice Formats and Updates for 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The PL-400 Practice Test Here](#)