

Microsoft

Exam Questions MS-203

Microsoft 365 Messaging



NEW QUESTION 1

- (Topic 5)

You have an Exchange Online tenant.

You need to ensure that the users in your company's finance department can select email messages that will be deleted automatically one year later. The solution must apply only to the finance department users.

Which two actions should you perform? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Publish a label to the finance department.
- B. Create a data loss prevention (DLP) policy that uses the sensitive information type.
- C. For each mailbox in the finance department, configure the retention policy settings.
- D. Create a label that has a retention setting of one year.
- E. For each mailbox in the finance department, configure Message Delivery Restrictions.

Answer: AD

Explanation:

Create a retention label and publish it to the finance department users.

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/retention?view=o365-worldwide>

NEW QUESTION 2

- (Topic 5)

You have a Microsoft Exchange Online tenant that uses a third-party email gateway device. You discover that inbound email messages are delayed.

The gateway device receives the following error message when sending email to the tenant.

* 4.7.500 Server busy, please try again later. You need to prevent inbound email delays. What should you configure?

- A. Organization Sharing
- B. an MX record for the domain
- C. a transport rule
- D. a connector

Answer: D

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/mail-flow-best-practices/use-connectors-to-configure-mail-flow/use-connectors-to-configure-mail-flow>

NEW QUESTION 3

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Online subscription that uses a namespace of litwareinc.com.

You create a connector in Exchange Online that is configured as shown in the following exhibit.

Name	: Contoso
Enabled	: True
UseMXRecord	: True
ConnectorType	: Partner
RecipientDomains	: {Contoso.com}
SmartHosts	: {}
TlsDomain	: Contoso.com
TlsSettings	: DomainValidation
IsTransportRuleScoped	: False
RouteAllMessagesViaOnPremises	: False
CloudServiceMailEnabled	: False
AllAcceptedDomains	: False

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

If an email message is sent to info@contoso.com, the message [answer choice].

▼

will always be delivered by using TLS

will never be delivered by using TLS

will sometimes be delivered by using TLS

If a user attempts to send an email message to info@contoso.com, and the receiving server does not have a certificate that contains the name contoso.com, [answer choice].

▼

the message will be delivered unencrypted

the messages will not be delivered

the message will be delivered by using TLS

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

If an email message is sent to info@contoso.com, the message [answer choice].

▼

will always be delivered by using TLS

will never be delivered by using TLS

will sometimes be delivered by using TLS

If a user attempts to send an email message to info@contoso.com, and the receiving server does not have a certificate that contains the name contoso.com, [answer choice].

▼

the message will be delivered unencrypted

the messages will not be delivered

the message will be delivered by using TLS

NEW QUESTION 4

- (Topic 5)

You have a Microsoft 365 subscription that uses a default domain named contoso.com.

Users report that email messages from a domain named fabrikam.com are identified as spam even though the messages are legitimate.

You need to prevent messages from fabrikam.com from being identified as spam. What should you do?

- A. Enable the Zero-hour auto purge (ZAP) email protection feature.
- B. Enable the safe list on a connection filter.
- C. Edit the default mail flow rule to bypass the spam filter.
- D. Modify the IP Allow list of a connection filter policy.

Answer: D

Explanation:

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/security/office-365-security/configure-the-connection-filter-policy?view=o365-worldwide>

NEW QUESTION 5

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company has a Microsoft Exchange Server 2019 hybrid deployment that contains two Mailbox servers named MBX1 and MBX2.

The company has the departments shown in the following table.

Name	Mailbox location	Number of recipients
Sales	MBX1	300
Production	MBX2	500
Administration	MBX1	200
IT	Exchange Online	50
Managers	Exchange Online	100
Marketing	Exchange Online	350

From the on-premises organization, outbound email is sent directly to the Internet by using DNS lookups.

You are informed that some sales department users send email messages that are identified as spam.

You need to automatically block the sales department users from repeatedly sending spam.

Solution: You modify the outbound spam filter policy in Exchange Online. Does this meet the goal?

- A. Yes

B. No

Answer: B

Explanation:

From the on-premises organization, outbound email is sent directly to the Internet by using DNS lookups. Therefore, the Exchange Online outbound spam filter will not scan the emails sent from the on-premises mailboxes.

NEW QUESTION 6

DRAG DROP - (Topic 5)

Your company has three departments name Dept1, Dept2. and Dept3 and a Microsoft Exchange Online tenant.

You need to increase security for the email messages sent from the departments. The solution must meet the following requirements:

- « Users in Dept1 must be able to digitally sign and encrypt email messages as required.
- + Email messages sent from Dept2 to an external email domain must be encrypted automatically during transit only.
- « Email messages sent from Dept3 to an external email domain must be encrypted until the recipient opens the message.
- « Implementation costs must be minimized.

'Which type of encryption should you use for each department? To answer, drag the appropriate encryption types to the correct departments. Each encryption type may be used



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

? Users in Dept1 should use S/MIME encryption1. S/MIME is a standard for public key encryption and signing of email messages1. It allows users to digitally sign and encrypt email messages as required using certificates1. S/MIME provides end-to-end encryption and ensures message integrity and sender authentication1.
 ? Email messages sent from Dept2 to an external email domain should use TLS encryption1. TLS is a protocol that encrypts the connection or session between two servers1. It protects email messages during transit only and does not require any action from the sender or recipient1. TLS provides opportunistic encryption and ensures message confidentiality and server authentication1.
 ? Email messages sent from Dept3 to an external email domain should use Microsoft Purview Message Encryption2. Microsoft Purview Message Encryption is an online service that encrypts email messages and attachments using rights management policies2. It allows users to send encrypted email messages to anyone inside or outside the organization using various email services2. Microsoft Purview Message Encryption provides persistent encryption and ensures message confidentiality and authorization policies2.

NEW QUESTION 7

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company has a Microsoft 365 subscription.

Several users in the finance department of the company recently accessed unsafe websites by clicking on links in email messages.

Users in the marketing department of the company report that they must be able to access all the links embedded in email messages.

You need to reduce the likelihood of the finance department users accessing unsafe websites. The solution must affect only the finance department users.

Solution: You modify the Global Settings Safe Links policy.

Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/security/office-365-security/configure-global-settings-for-safe-links?view=o365-worldwide>

NEW QUESTION 8

- (Topic 5)

You have a Microsoft Exchange Online tenant that uses Microsoft Defender for Office 365.

You need to create a new Safe Attachments policy named Policy1 that meets the following requirements:

- ? Immediately delivers email messages that contain attachments and replaces the attachments with placeholders
- ? Reattaches the attachments after scanning is complete
- ? Quarantines malicious attachments

Which action should you select for Policy1?

- A. Monitor
- B. Block
- C. Dynamic Delivery
- D. Replace

Answer: C

NEW QUESTION 9

SIMULATION - (Topic 5)

SIMULATION


Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.



Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@abc.com

Microsoft 365 Password: xxxxxx

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only.

Lab Instance: XXXXXX

You need to ensure that the email messages in mailboxes and the documents in Microsoft OneDrive folders of all the users in your organization are retained for only five years.

To complete this task, sign in to the Microsoft 365 admin center.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

? From the Microsoft 365 compliance center, select Policies > Retention.

? Select New retention policy to start the Create retention policy configuration, and name your new retention policy.

? For the Choose the type of retention policy to create page, select Static. Adaptive policies don't support the locations for Exchange public folders or Skype for Business.

? Depending on your selected scope:

- On the Choose locations page, toggle on or off any of the locations except the locations for Teams and Yammer. For each location, you can leave it at the default to apply the policy to the entire location.

? Information specific to locations:

- Exchange email and Exchange public folders
- SharePoint sites and OneDrive accounts
- Microsoft 365 Groups
- Skype for Business

? For Decide if you want to retain content, delete it, or both page, specify the configuration options for retaining and deleting content.

You can create a retention policy that just retains content without deleting, retains and then deletes after a specified period of time, or just deletes content after a specified period of time.

? Complete the configuration and save your settings.

NEW QUESTION 10

DRAG DROP - (Topic 5)

Your company has a Microsoft 365 subscription for a domain named contoso.com.

The company acquires a company named Litware, Inc. that uses an IMAP-based messaging system. The SMTP domain of Litware is named litwareinc.com.

You need to migrate the mailboxes of Litware to Microsoft Office 365. The solution must ensure that users from Litware can receive email by using their current email address.

Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

Answer Area

Add an accepted domain to Office 365.

Create a migration endpoint and a migration batch.

Create an Office 365 connector.

Start the migration batch.

Provision a mailbox in Office 365 for each Litware user.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Actions

Answer Area

Add an accepted domain to Office 365.

Create a migration endpoint and a migration batch.

Create an Office 365 connector.

Start the migration batch.

Provision a mailbox in Office 365 for each Litware user.

Add an accepted domain to Office 365.

Provision a mailbox in Office 365 for each Litware user.

Create a migration endpoint and a migration batch.

Start the migration batch.

NEW QUESTION 10

- (Topic 5)

You have a Microsoft Exchange Server 2019 organization.

You need to provide a user named User1 with the ability to create and manage transport rules.

To which management role group should you add User1?

- A. Compliance Management
- B. Server Management
- C. Records Management
- D. Hygiene Management

Answer: C

Explanation:

References:

<https://docs.microsoft.com/en-us/exchange/records-management-exchange-2013-help>

NEW QUESTION 14

- (Topic 5)

You have a Microsoft Exchange Online tenant and the devices shown in the following table.

Name	Operating system	Microsoft Outlook version
Device1	Windows	Outlook 2019
Device2	MacOS	Outlook 2016 for Mac
Device3	iOS	Outlook for iOS
Device4	Windows	Outlook on the web

You plan to implement sensitivity labels for users to apply to email messages.

Which Microsoft Outlook versions will support sensitivity labels without requiring additional software?

- A. Outlook 2019 and Outlook on the web only
- B. Outlook on the web only
- C. Outlook 2019. Outlook 2016 for Ma
- D. Outlook for iO
- E. and Outlook on the web
- F. Outlook for iOS and Outlook on the web only
- G. Outlook 2019 only

Answer: D

NEW QUESTION 15

DRAG DROP - (Topic 5)

You have a Microsoft Exchange Online tenant.

You need to create a new public folder. The solution must ensure that users can create new posts by sending emails to the folder.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order

Actions

- Create a mail flow rule.
- Edit the properties of the public folder mailbox.
- Create a Microsoft 365 group.
- Create a public folder mailbox.
- Create a public folder.
- Edit the properties of the public folder.

Answer Area

⬆

⬇

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Actions

- Create a mail flow rule.
- Edit the properties of the public folder mailbox.
- Create a Microsoft 365 group.
- Create a public folder mailbox.
- Create a public folder.
- Edit the properties of the public folder.

Answer Area

- Create a public folder mailbox.
- Create a public folder.
- Edit the properties of the public folder.

⬆

⬇

NEW QUESTION 18

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Online tenant that contains three users named User1, User2, and User3. Mobile device mailbox policies are configured as shown in the following exhibit.

mobile device access **mobile device mailbox policies**



NAME	MODIFIED
Default (default)	9/28/2020 8:06 AM
Executive policy	9/28/2020 8:07 AM
Managers policy	9/28/2020 8:07 AM

The users are configured as shown in the following table.

Name	Assigned policy
User1	Executive policy
User2	Managers policy
User3	Default

You create a new mobile device mailbox policy as shown in the following exhibit.
 new mobile device mailbox policy

*Required fields

*Name:

Mobile Tablet Policy

- This is the default policy
- Allow mobile devices that don't fully support these policies to synchronize

Policies for Exchange ActiveSync and OWA for Devices

Select the policies that you want to enable for Exchange ActiveSync and OWA for Devices. [Learn more](#)

- Require a password
 - Allow simple passwords
 - Require an alphanumeric password
 - Password must include this many character sets:
 - 2
 - Require encryption on device
 - Minimum password length:
 - 6
 - Number of sign-in failures before device is wiped:
 - 5
 - Require sign-in after the device has been inactive for (minutes):
 - minutes
 - Enforce password lifetime (days):
 - 30 days
- Password recycle count:
 - 10

Save Cancel

For each of the following statements, select Yes if the statement is true. Otherwise, select No.
 NOTE: Each correct selection is worth one point.

Statements	Yes	No
Mobile Tablet Policy will be assigned to User3 automatically.	<input type="radio"/>	<input type="radio"/>
A new user can use a password of 135753.	<input type="radio"/>	<input type="radio"/>
Mobile Tablet Policy will be assigned to new users.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Statements	Yes	No
Mobile Tablet Policy will be assigned to User3 automatically.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
A new user can use a password of 135753.	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Mobile Tablet Policy will be assigned to new users.	<input checked="" type="checkbox"/>	<input type="checkbox"/>

NEW QUESTION 20

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Server 2019 organization that contains 200 mailboxes.

You need to add a second email address to each mailbox. The address must have a syntax that uses the first letter of each user's last name, followed by the user's first name, and then @fabrikam.com.

Solution: You convert all the mailboxes to shared mailboxes, and then you run the Set-Mailbox cmdlet and specify the -EmailAddressPolicyEnabled \$false parameter.

Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/email-addresses-and-address-books/email-address-policies/email-address-policies?view=exchserver-2019>

Email address policies define the rules that create email addresses for recipients in your Exchange organization.

The basic components of an email address policy are:

Email address templates: Define the email address format for the recipients (for example <firstname>@contoso.com or <lastname>.<firstname>@contoso.com).

Recipient filter: Specifies the recipients whose email addresses are configured by the policy.

Priority: Specifies the order to apply the email address policies (important if a recipient is identified by more than one policy).

The EmailAddressPolicyEnabled parameter specifies whether to apply email address policies to this recipient. Valid values are:

\$true: Email address policies are applied to this recipient. This is the default value.

\$false: Email address policies aren't applied to this recipient.

NEW QUESTION 21

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company has an Exchange Online tenant that contains 2,000 mailboxes.

A partner company named Fabrikam, Inc. uses a third-party messaging solution. The outbound SMTP server for Fabrikam uses an IP address of 131.107.2.22.

You discover that several email messages from the fabrikam.com domain are erroneously marked as spam.

You need to ensure that all the email messages sent from the fabrikam.com domain are delivered successfully to the user mailboxes of your company.

Solution: You create a connection filter. Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

You can allow the server IP address in the Connection Filter. This would achieve the objective of ensuring all email from Fabrikam.com is delivered. However, it would also allow any other company that uses the thirdparty email server to bypass the spam filter.

The fact that the question specifies that Fabrikam uses a "third-party messaging solution" suggests that the answer to this question should be No although technically it would work. Reference:

<https://docs.microsoft.com/en-us/microsoft-365/security/office-365-security/create-safe-sender-lists-in-office-365?view=o365-worldwide>

NEW QUESTION 22

- (Topic 5)

All the users in your company have Microsoft 365 mailboxes.

Each user connects to Microsoft Exchange Online and OneDrive for Business from a personal computer that runs Windows 10.

You need to ensure that the users can save attachments to OneDrive for Business only when they connect to their mailbox from Outlook on the web.

What should you create?

- A. an app protection policy in Microsoft Endpoint Manager
- B. a device compliance policy in Microsoft Endpoint Manager
- C. an Outlook Web App policy in Exchange Online
- D. an Exchange ActiveSync device access rule

Answer: C

Explanation:

<https://www.pelegit.co.il/prevent-downloading-attachments-through-owa/>

NEW QUESTION 27

SIMULATION - (Topic 5)


Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.



Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@abc.com

Microsoft 365 Password: xxxxxx

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only.

Lab Instance: XXXXXX

You need to ensure that all email messages in the mailbox of a user named Pradeep Gupta are retained for 90 days.

To complete this task, sign in to the Microsoft 365 admin center.

- A. Mastered
- B. Not Mastered


Answer: A

Explanation:

? Go to the Microsoft 365 admin center and then click Users > Active users.

? Select Pradeep Gupta.

? On the properties flyout page, click the Mail tab, and then under More actions, click Manage litigation hold.



The screenshot shows the user profile for Abraham McMahon. The 'Mail' tab is active. Under 'Mailbox permissions', there is a grey bar. Under 'Email apps', POP, OWA, and IMAP are blocked, while other email apps are allowed. Under 'Email forwarding', it is set to 'None'. Under 'More actions', the 'Manage litigation hold' link is highlighted with a red box.

? On the Manage litigation hold flyout page, select the Turn on litigation hold checkbox and then enter the following optional information:

- _ Hold duration (days): Use this box to create a time-based hold and specify how long mailbox items are held when the mailbox is placed on Litigation hold. The duration is calculated from the date a mailbox item is received or created. When the hold duration expires for a specific item, that item will no longer be preserved. If you leave this box blank, items are preserved indefinitely or until the hold is removed. Configure 90 days.
- _ Note visible to the user: Use this box to inform the user their mailbox is on Litigation hold. The note will appear on the Account Information page in the user's mailbox if they're using Outlook 2010 or later. To access this page, users can click File in Outlook.
- _ Web page with more information for the user: Use this box to direct the user to a website for more information about Litigation hold. This URL appears on the Account Information page in the user's mailbox if they are using Outlook 2010 or later. To access this page, users can click File in Outlook.

Click Save changes on the Litigation hold flyout page to create the hold.
 The system displays a banner saying it might take up to 240 minutes for the change to take effect.

NEW QUESTION 29

- (Topic 5)

You have a Microsoft Exchange Server 2019 organization that uses an Edge Server.
 You plan to implement a hybrid deployment between Exchange Online and Exchange Server.
 You need to ensure that all the email between Exchange Online and Exchange Server 2019 is sent by using the Edge Server.
 Which two hybrid configuration topologies could you deploy to meet the requirements? Each correct answer presents a complete solution.

- A. Modern Minimal
- B. Classic Minimal
- C. Classic Full
- D. Classic Express
- E. Modern Full

Answer: CE

Explanation:

Reference:
<https://www.enowsoftware.com/solutions-engine/what-are-your-exchange-hybrid-options>

NEW QUESTION 33

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Online tenant that contains a mail-enabled public folder named CustomerSupport
 You need to create a group for the customer support team at your company. The solution must ensure that email sent to the group is also posted to the CustomerSupport public folder
 How should you configure the group? To answer, select the appropriate options in the answer area.
 NOTE: Each correct selection is worth one point.

Answer Area

Group type:

Distribution list
Microsoft 365
Security

Configuration:

Add CustomerSupport as a member of the group.
Assign the group the Contributor role for CustomerSupport.
Configure the Send As settings.
Configure the Send on Behalf settings.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Group type:

Distribution list
Microsoft 365
Security

Configuration:

Add CustomerSupport as a member of the group.
Assign the group the Contributor role for CustomerSupport.
Configure the Send As settings.
Configure the Send on Behalf settings.

NEW QUESTION 37

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Server 2019 organization that uses an email domain named contoso.com.

You plan to move several mailboxes to Microsoft 365.

You need to configure hybrid mail flow to meet the following requirements:

? All email messages received from the internet must be filtered for spam by Microsoft 365.

? Your company's on-premises firewall must allow email messages between the on-premises Exchange servers and Microsoft 365.

What should you configure? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Mail exchanger (MX) record to configure:

▼
Mail.contoso.com
Contoso-com.mail.protection.outlook.com
Outlook.office365.com

Firewall port to allow:

▼
TCP 25
TCP 2525
TCP 587
TCP 993

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Mail exchanger (MX) record to configure:

▼
Mail.contoso.com
Contoso-com.mail.protection.outlook.com
Outlook.office365.com

Firewall port to allow:

▼
TCP 25
TCP 2525
TCP 587
TCP 993

NEW QUESTION 41

- (Topic 5)

You have a hybrid deployment that contains a Microsoft Exchange Online tenant and an on-premises Exchange Server 2019 server named Server1. All users use an email address suffix of @contoso.com.

You migrate 200 mailboxes from Server1 to Exchange Online by using Exchange PowerShell cmdlets. Users hosted on Server1 can send email messages to the migrated mailboxes.

In Microsoft 365, you create a new mailbox that uses an email address of user1@contoso.com.

When email is sent from the mailboxes hosted on Server1 to user1@contoso.com, the senders receive a non-delivery report (NDR) that contains the following text: "550 5.1.10 RESOLVER.ADR.RecipientNotFound; Recipient not found by SMTP address lookup."

You verify that Microsoft 365 mailboxes can send email to user1@contoso.com successfully.

You delete the user account and mailbox of User1.

You need to ensure that when new mailboxes are created, all the users at your company can exchange email successfully

Which two actions should you perform? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. From Azure AD Connect, modify the synchronization settings
- B. From Server1, run the New-RemoteMailbox cmdlet
- C. From Server1, run the Enable-Mailbox cmdlet
- D. From the on-premises network, create new mailboxes, and then migrate the mailboxes to Microsoft 365
- E. From the Exchange admin center, modify the properties of the Outbound connector

Answer: BD

Explanation:

The problem happens because the on-premise Exchange server is not aware of the existence of the mailbox created in Exchange Online. To prevent this happening, new mailboxes need to be created from the on-premise Exchange server.

You can create on Exchange Online mailbox from the on-premise server by running New- RemoteMailbox cmdlet. Alternatively, you can create a local mailbox on the on-premise server and then migrate the mailbox to Exchange Online.

NEW QUESTION 43

- (Topic 5)

You manage a Microsoft Exchange Server 2019 organization that contains several thousand users.

All the users connect to their mailbox by using a mobile device and Exchange ActiveSync. You need to prevent the users from syncing email messages that are older than 14 days to the mobile devices.

What should you use?

- A. an Outlook Web App mailbox policy

- B. a mobile device mailbox policy
- C. an ActiveSync device access rule
- D. a conditional access policy

Answer: B

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/clients/exchange-activesync/mobile-device-mailbox-policies?view=exchserver-2019>

NEW QUESTION 44

- (Topic 5)

You have a Microsoft Exchange Online tenant that contains a public folder named CustomerSupport. You need to access CustomerSupport by using Outlook on the web. Which section in Outlook on the web should you add CustomerSupport?

- A. Favorites
- B. Folders
- C. Groups

Answer: C

NEW QUESTION 45

- (Topic 5)

You have a Microsoft Exchange Online tenant.

Remote users report that they receive an error message when they attempt to add their email account to Microsoft Outlook.

You need to confirm that the DNS records resolve correctly for the users.

Which two DNS records should you test? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. autodiscover.outlook.com
- B. smtp.office365.com
- C. outlook.office365.com
- D. security.microsoft365.com
- E. portal.office.com

Answer: AC

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/troubleshoot/administration/incorrect-settings>

NEW QUESTION 49

- (Topic 4)

You need to email a list of configuration changes to the Exchange Online environment that were recently performed by Allan Deyoung.

What should you do?

- A. Run the admin audit log report
- B. Run the external admin audit log report
- C. Export the admin audit log
- D. Run an administrator role group report
- E. Export the mailbox audit logs

Answer: C

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/security-and-compliance/exchange-auditing-reports/exchange-auditing-reports>

NEW QUESTION 51

- (Topic 4)

You discover that email messages sent to contoso.com are NOT delivered through Contoso Connector.

You need to ensure that all email sent to contoso.com is delivered through Contoso

Connector.

Which connector setting should you modify?

- A. Routing
- B. Security restrictions
- C. Use of connector
- D. Status

Answer: C

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/mail-flow-best-practices/use-connectors-to-configure-mail-flow/set-up-connectors-for-secure-mail-flow-with-a-partner>

NEW QUESTION 55

- (Topic 3)

You need to encrypt email between Fabrikam and Litware to support the planned changes. What should you configure in the Exchange admin center?

- A. a connector
- B. an organization relationship
- C. a sharing policy
- D. a remote domain

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/mail-flow-best-practices/use-connectors-to-configure-mail-flow/set-up-connectors-for-secure-mail-flow-with-a-partner>

NEW QUESTION 60

HOTSPOT - (Topic 3)

You need to ensure that In-Place Archiving is enabled for the marketing department users.

Which user should perform the change, and which tool should the user use? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

User:

▼
Admin2 only
Admin3 only
Admin1 and Admin3 only
Admin2 and Admin4 only

Tool:

▼
Microsoft 365 admin center
Microsoft 365 security center
Microsoft 365 compliance center

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application Description automatically generated

NEW QUESTION 62

- (Topic 3)

User3 leaves the company.

You need to ensure that Admin1 and Admin2 can access the mailbox of User3. The solution must meet the technical requirements.

What should you do?

- A. Migrate the mailbox of User3 to a distribution group.
- B. Migrate the mailbox of User3 to a Microsoft 365 group.
- C. Convert the mailbox of User3 into a resource mailbox.
- D. Convert the mailbox of User3 into a shared mailbox.

Answer: D

Explanation:

Fabrikam identifies the following technical requirements:

? When users leave the company, remove their licenses and ensure that their mailbox is accessible to Admin1 and Admin2.

If you remove the license from User3, the mailbox will be deleted after 30 days. Converting the mailbox to a shared mailbox will ensure that the mailbox is not deleted. You would still need to give Admin1 and Admin2 permissions to access the mailbox.

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/admin/email/convert-user-mailbox-to-shared-mailbox?view=o365-worldwide>

NEW QUESTION 67

- (Topic 3)

You need to identify the contents of the FabrikamProject public folder to meet the technical requirements.

Which PowerShell cmdlet should you run?

- A. Get-PublicFolderScaciscics
- B. Get-PublicFolderItemStatistics
- C. Get-PublicFolderMailboxDiagnoscics
- D. Get-PublicFolder

Answer: B

Explanation:

Reference:

<https://docs.microsoft.com/en-us/powershell/module/exchange/get-publicfolderitemstatistics?view=exchange-ps>

NEW QUESTION 72

HOTSPOT - (Topic 3)

You need to configure the new smartboard to support the planned changes.

Which three settings should you configure? To answer, select the appropriate settings in the answer area.

NOTE: Each correct selection is worth one point.

Booking options

Assign settings for the booking policy that defines when this resource can be scheduled

- Allow repeating meetings
- Allow scheduling only during work hours
- Auto-accepts meeting request

Set to "Off" if you want to specify users who want to accept meetings manually

Booking delegates

Automatically decline meetings outside of limits below

Booking window (days)

Maximum duration (hours)

If the organizer needs a reply enter message below

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application, email Description automatically generated

NEW QUESTION 75

- (Topic 2)

You need to implement a solution to support the planned changes for the branch office administrators.

What should you do?

- A. Assign the Mail Recipients role to the branch office administrators and use a default management scope.
- B. Assign the Mail Recipients role to the branch office administrators and create a custom management scope.
- C. Assign the Recipient Policies role to the branch office administrators and use a default management scope.
- D. Assign the Recipient Policies role to the branch office administrators and create a custom management scope.

Answer: B

Explanation:

Ensure that the branch office administrators can configure the properties of the mailboxes in their respective offices only.

Reference:

<https://docs.microsoft.com/en-us/exchange/mail-recipients-role-exchange-2013-help>

NEW QUESTION 80

- (Topic 2)

You need to implement a solution to support the planned changes for the helpdesk users. What should you do?

- A. Assign the Recipient Policies role to the helpdesk users and a default management scope
- B. Assign the Mail Recipients role to the helpdesk users and use a default management scope
- C. Assign the Mail Recipients role to the helpdesk users and create a custom management scope

D. Assign the Recipient Policies roles to the helpdesk users and create a custom management scope

Answer: C

NEW QUESTION 84

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Online tenant named adatum.com that contains a user named User1.

You plan to perform a new message trace for User1. The message trace must generate an Enhanced summary report.

Which three Delivery status options can be included in the report? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

New message trace

Senders ⓘ

U User1@adatum.com X

Recipients ⓘ

All

Time range (UTC-06:00) ⓘ Custom time range

Last 2 day(s)

90 30 15 10 7 2 1 day 12 hr 6 hr 0

Detailed search options ^

Delivery status ⓘ

All

All

Delivered ✓

Expanded

Failed ✓

Pending ✓

Quarantined

Filtered as spam

Getting status

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

New message trace

Senders ⓘ

Recipients ⓘ

Time range (UTC-06:00) ⓘ

[Custom time range](#)

Last 2 day(s)
 90 30 15 10 7 2 1 day 12 hr 6 hr 0

Detailed search options ^

Delivery status ⓘ

All

Delivered

Expanded

Failed

Pending

Quarantined

Filtered as spam

Getting status

NEW QUESTION 87

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Online tenant that contains a user named User1. User1 has the Department attribute set to Procurement. You create the connector shown in the Connector exhibit. (Click the Connector tab.) You create the transport rule shown in the Transport rule exhibit (Click the Transport rule tab.) For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

Answer Area

Statements	Yes	No
Email messages from User1 to user2@contoso.com are sent to mail.contoso.com.	<input type="radio"/>	<input type="radio"/>
Email messages from User1 to user2@contoso.com are delivered only if a TLS connection is established.	<input type="radio"/>	<input type="radio"/>
Email messages from User1 to user3@europe.contoso.com are delivered by using the Contoso Secured Outbound Mail connector.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Statements	Yes	No
Email messages from User1 to user2@contoso.com are sent to mail.contoso.com.	<input checked="" type="radio"/>	<input type="radio"/>
Email messages from User1 to user2@contoso.com are delivered only if a TLS connection is established.	<input type="radio"/>	<input checked="" type="radio"/>
Email messages from User1 to user3@europe.contoso.com are delivered by using the Contoso Secured Outbound Mail connector.	<input checked="" type="radio"/>	<input type="radio"/>

NEW QUESTION 92

SIMULATION - (Topic 5)
 SIMULATION


Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.



Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@abc.com

Microsoft 365 Password: xxxxxx

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only.

Lab Instance: XXXXXX

You need to ensure that all email sent or received by a user named Diego Siciliani is preserved in Exchange Online. The solution must prevent Diego Siciliani from permanently deleting any email messages for 180 days.

To complete this task, sign in to the Microsoft 365 admin center.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

You need configure a Retention Policy. You could also use a Litigation Hold but Retention Policies are replacing Litigation Holds in future, so a Retention Policy is the way to go.

? In the Microsoft 365 Compliance Center, go to the Policies section and click Retention.

? Click the New retention policy link.

? Enter a name for the policy (such as "Diego Siciliani Email Retention") and click Next.

? In the retention period, enter 180 days and click Next.

? Ensure that only Exchange email is selected. SharePoint sites, OneDrive accounts and Office 365 groups are also selected by default so you may need to deselect them.

? Click the Choose recipients link for Exchange email.

? Click the Choose recipients button to open a list of recipients.

? Select Admin1 and click the Choose button then click the Done button.

? Click Next.

? Click the Create this policy button.

NEW QUESTION 96

- (Topic 5)

You have a Microsoft Exchange Online tenant named contoso.com.

You create a partnership with two other companies named fabnkam.com and wingtiptoys.com. All the mailboxes of fabnkam.com are hosted in Microsoft 365. All the mailboxes of wingtiptoys.com are hosted in an on-premises Exchange Server 2019 organization.

You need to ensure that all the email messages sent from contoso.com to fabrikam.com and wingtiptoys.com is encrypted by using TLS.

What should you do?

- A. Configure one connector.
- B. Create an organizational relationship.
- C. Create two remote domains.
- D. Run the Office 365 Exchange Hybrid Configuration wizard.
- E. Configure two mail flow rules.

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/mail-flow-best-practices/use-connectors-to-configure-mail-flow/set-up-connectors-for-secure-mail-flow-with-a-partner>

NEW QUESTION 101

- (Topic 5)

You plan to use the Microsoft Office 365 Import service to import PST files.

You need to create a new user account to perform the import. The solution must use the principle of least privilege.

Which two roles should you assign to the user account? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. the Recipient Management role in Office 365
- B. the Organization Management role in Office 365
- C. the Mailbox Import Export role in Office 365
- D. the Global reader role in Azure Active Directory (Azure AD)
- E. the Global administrator role in Office 365

Answer: AC

Explanation:

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/use-network-upload-to-import-pst-files?view=o365-worldwide>

NEW QUESTION 105

DRAG DROP - (Topic 5)

You have a Microsoft 365 E5 subscription that contains a public folder named Folder1 and two users named User1 and User2. You need to ensure that the users can perform the actions shown in the following table.

User	Action
User1	<ul style="list-style-type: none"> • Create new items. • Delete items created by User1. • Only modify items created by User1. • Read existing items. • View folders.
User2	<ul style="list-style-type: none"> • Create subfolders. • Read all items. • Delete all items. • Only modify items created by User2.

The solution must use the principle of least privilege and minimize administrative effort. Which folder permission should you grant to each user? To answer, drag the appropriate permissions to the correct users. Each permission may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Permissions

- Author
- Custom
- Editor
- Non-Editing Author
- Owner
- PublishingEditor
- PublishingAuthor

Answer Area

User1:

User2:

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Permissions

- Author
- Custom
- Editor
- Non-Editing Author
- Owner
- PublishingEditor
- PublishingAuthor

Answer Area

User1:

User2:

NEW QUESTION 106

- (Topic 5)

You have a Microsoft Exchange Online tenant that has a domain named contoso.com. From the Exchange admin center, you create an organization relationship that has the following settings:

- Domain to share with: fabhkam.com
- Share calendar free/busy information for: Everyone in your organization

The users in contoso.com report that they cannot view the calendar free/busy information of the users in fabrikam.com. You need to ensure that the users in both tenants can view the calendar free/busy information of all users.

What should you do?

- A. Configure a sharing policy for fabrikam.com.
- B. Request fabrikam.com to configure an organization relationship with contoso.com.
- C. Add a remote domain to fabnkam.com.
- D. Request fabrikam.com to add contoso.com as an accepted domain.

Answer: B

NEW QUESTION 107

- (Topic 5)

You have a Microsoft Exchange Online tenant.

Users report that legitimate email messages are delivered to their Junk Email folder. You plan to use the Microsoft Remote Connectivity Analyzer to identify the cause of the issue.

Which test should you run?

- A. Outlook Connectivity
- B. Inbound SMTP Email
- C. Outbound SMTP Email
- D. Message Analyzer

Answer: D

NEW QUESTION 109

- (Topic 5)

You have a Microsoft Exchange Online tenant that uses Microsoft Defender for Office 365. You create a new anti-phishing policy named Policy1. You need to ensure that users are notified every five days about all the email messages quarantined by Policy1.

Which two actions should you perform? Each correct answer presents part of the solution. NOTE: Each correct selection is worth one point.

- A. Modify the AdminOnlyAccessPolicy quarantine policy and assign the policy to Policy1.
- B. Modify the DefaultFullAccessPolicy quarantine policy and assign the policy to Policy1.
- C. Modify the global settings for quarantine policies.
- D. Add a custom quarantine policy and assign the policy to Policy1.
- E. Configure the User reported messages settings.

Answer: CD

NEW QUESTION 113

- (Topic 5)

You have two mailboxes named Mailbox1 and Mailbox2 that have the ProhibitSendReceiveQuota parameter set to 50 GB. From a Microsoft Exchange Online tenant, you run the following PowerShell command.

```
PS C:\> Get-Mailbox | Select-Object Alias, RecipientTypeDetails | FT -AutoSize
```

Alias	RecipientTypeDetails
-----	-----
Mailbox1	SharedMailbox
Mailbox2	RoomMailbox

You receive the license status of each mailbox and discover the configurations shown in the following table.

Alias	SKUAssigned
Mailbox1	False
Mailbox2	False

You need to increase the quota for Mailbox1 and Mailbox2. What should you do first?

- A. Assign a license to each mailbox.
- B. Convert each mailbox into an equipment mailbox.
- C. Enable an archive for each mailbox.
- D. Place both mailboxes on retention hold.

Answer: A

Explanation:

Shared and resource mailboxes don't require a license. However, without a license, these mailboxes are limited to 50 GB. To increase the mailbox size, an E3 or E5 license must be assigned. This will increase the mailbox to 100 GB.

Reference:

<https://docs.microsoft.com/en-us/office365/servicedescriptions/exchange-online-service-description/exchange-online-limits>

NEW QUESTION 115

- (Topic 5)

You have a Microsoft 365 E5 subscription.

A user attempts to send an email message to an external recipient and receives the following error message: "Your message couldn't be delivered because you weren't recognized as a valid sender. The most common reason for this is that your email address is suspected of sending spam and it's no longer allowed to send messages outside of your organization. Contact your mail admin for assistance. Remote Server returned '550 5.1.8 Access denied, bad outbound sender'."

You need to ensure that the user send email to external recipients. What should you do?

- A. compliance management in the Exchange admin center
- B. Data loss prevention in the Security & Compliance admin center
- C. Threat management in the Security & Compliance admin center
- D. action center in the Exchange admin center

Answer: C

Explanation:

<http://automatica.com.au/2020/01/office-365-single-users-unable-to-send-email-access-denied-bad-outbound-sender-error/>

NEW QUESTION 119

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Server 2019 hybrid deployment.

You are migrating mailboxes from the on-premises organization to Exchange Online. From the Exchange admin center, you create a new migration batch that includes 25

mailboxes, and then you select Manual Complete the batch.

Later, you must complete the migration of a mailbox named user1@litware.com in the batch as soon as possible. You discover that the status of the migration batch is Syncing, but the status of the move request for user1@litware.com is Synced.

You need to complete the migration of the user1@litware.com mailbox to Exchange Online as soon as possible.

How should you complete the command? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

▼

Set-MoveRequest

Set-MigrationBatch

Set-MigrationConfig

-Identity "user1@litware.com"

▼

-CompleteAfter(Get-Date)

-SuspendWhenReadyToComplete \$false

-PreventCompletion \$false

Resume-MoveRequest -Identity "user1@litware.com"

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

▼

Set-MoveRequest

Set-MigrationBatch

Set-MigrationConfig

-Identity "user1@litware.com"

▼

-CompleteAfter(Get-Date)

-SuspendWhenReadyToComplete \$false

-PreventCompletion \$false

Resume-MoveRequest -Identity "user1@litware.com"

NEW QUESTION 124

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the

stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution. After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen. You have a Microsoft Exchange Online tenant that contains the following email domains:

- ? Adatum.com
- ? Contoso.com
- ? Fabrikam.com

When external recipients receive email messages from the users in the tenant, all the messages are delivered by using the @contoso.com email domain. You need to ensure that the users send email by using the @fabrikam.com email domain. Solution: From the Microsoft 365 admin center, you set fabrikam.com as the default domain.

Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/admin/setup/domains-faq?view=o365-worldwide#how-do-i-set-or-change-the-default-domain-in-microsoft-365>

NEW QUESTION 126

- (Topic 5)

You have a Microsoft Exchange Online tenant.

You plan to use a third-party service to archive all the email messages that are sent and received by the Exchange mailboxes.

You need to copy all the sent and received messages automatically to the third-party service.

What should you configure?

- A. a content search
- B. a retention policy
- C. an archive policy
- D. a journal rule

Answer: D

NEW QUESTION 127

SIMULATION - (Topic 5)

SIMULATION


Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.



Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@abc.com

Microsoft 365 Password: xxxxxx

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only.

Lab Instance: XXXXXX

You need to ensure that the users in your company can schedule a conference room named Room1 in the company's office by using Microsoft Outlook.

To complete this task, sign in to the Exchange admin center.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

? In the Exchange admin center, navigate to Recipients > Resources.

? To create a room mailbox, click New + > Room mailbox.

? Use the options on the page to specify the settings for the new resource mailbox.

- Room name: Use this box to type a name for the room mailbox. This is the name that's listed in the resource mailbox list in the Exchange admin center and in your organization's address book. This name is required and it can't exceed 64 characters.

- Alias: A room mailbox has an email address so it can receive booking requests. The email address consists of an alias on the left side of the @ symbol, which must be unique in the forest, and your domain name on the right. The alias is required.

- Location, Phone, Capacity: You can use these fields to enter details about the room. However, as explained earlier, you can include some or all of this information in the room name so users can see it.

? When you're finished, click Save to create the room mailbox.

NEW QUESTION 130

- (Topic 5)

You discover that Policy1 failed to apply to the Executives group.

You need to ensure that Policy1 is applied to all the members of the Executives group. What should you do?

- A. Increase the priority of Policy1.
- B. Decrease the priority of Strict Preset Security Policy.
- C. Remove the Executives group from the Strict protection preset security policy.
- D. Modify the Strict protection preset security policy to match Policy? and assign the Strict protection preset security policy to contoso.com.

Answer: C

Explanation:

Preset security policies are policies that provide a centralized location for applying all of the recommended spam, malware, and phishing policies to users at once1

. The policy settings are not configurable and are set by Microsoft based on best practice1s

. There are two types of preset security policies: Standard protection and Strict protection1

. Standard protection is a baseline protection profile that's suitable for most user1s. Strict protection is a more aggressive protection profile for selected users who are high value targets or priority users1.

If you want to apply Policy1 to the Executives group, you need to remove them from the Strict protection preset security policy first. Otherwise, the preset security policy will take precedence over Policy1 and prevent it from being applied2.

To remove the Executives group from the Strict protection preset security policy, you can follow these steps2:

? Login to the Microsoft Security portal at <https://security.microsoft.com>.

? On the left nav, under Email & collaboration, select Policies & rules.

? Select Threat policies.

? Select Preset Security Policies underneath the Templated policies heading

? Select Manage underneath the Strict protection preset.

? Select Specific recipients and remove the Executives group from the list of recipients.

? Select Save.

NEW QUESTION 133

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Server 2019 hybrid deployment.

You run the Get-HybridConfiguration cmdlet and receive the output shown in the following exhibit.

```
ClientAccessServers      : {}
EdgeTransportServers    : {}
ReceivingtransportServers : (EX01, EX02)
SendingTransportServers  : (EX01, EX02)
OnPremisesSmartHost     : mail.litware.com
Domains                 : {litware.com}
Features                : {FreeBusy, MoveMailbox, Moiltips, MessageTracking, SecureMail, Photos}
ExternalIPAddresses     : {}
TlsCertificateName      : <I>CN=CA, O=SSLCert Inc, C=US<S>CN=mail.litware.com, OU=IT, O=User1,
                        L=Redmond, S=Washington, C=US
```

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

To enable users who have on-premises mailboxes to access their archive mailbox in Exchange online, you must modify the [answer choice] property.

ClientAccessServers
Domains
Features
ExternalIPAddresses

Depending on where the user mailbox is located, to enable automatic Microsoft Outlook on the web redirection to either the on-premises organization or Exchange Online, you must modify the [answer choice] property.

ClientAccessServers
Domains
Features
ExternalIPAddresses

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

References:

<https://docs.microsoft.com/en-us/powershell/module/exchange/federation-and-hybrid/set-hybridconfiguration?view=exchange-ps>

NEW QUESTION 138

- (Topic 5)

You plan to use the Hybrid Agent to integrate your Microsoft Exchange Server 2016 organization and Exchange Online. The installation of the Hybrid Agent fails. You validate the following Exchange virtual directory settings.

```
Get-WebServicesVirtualDirectory | fl
```

```
ExternalAuthenticationMethods: {Ntlm, WindowsIntegrated, WSSecurity, OAuth}
InternalURL : https://mail.contoso.com/EWS/Exchange.asmx
ExternalURL: https://mail.contoso.com/EWS/Exchange.asmx
MRSProxyEnabled: False
Server : EX01
```

```
Get-MAPIVirtualDirectory | fl
```

```
InternalURL : https://autodiscover.contoso.com/mapi
ExternalURL: https://Autodiscover.contoso.com/mapid
Server: EX01
```

```
Get-OWAVirtualDirectory | fl
```

```
InternalURL : https://mail.contoso.com/owa
ExternalURL: https://mail.contoso.com/owa
Server: EX01
```

You need to install the Hybrid Agent successfully. What should you do first?

- A. Update the server parameter of WebServicesVirtualDirectory to the FQDN of Exchange instead of the host name.
- B. Set MRSProxyEnabled to True.
- C. Remove WindowsIntegrated from ExternalAuthenticationMethods.
- D. Change the ExternalURL parameter of MAPIVirtualDirectory to https://mail.contoso.com instead of https://autodiscover.contoso.com.

Answer: B

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/hybrid-deployment/hybrid-agent#running-setup>

NEW QUESTION 141

- (Topic 5)

You have a Microsoft Exchange Online tenant that contains a mailbox named Sales. You need to create a copy of all the external email sent from the Sales mailbox to an alternate location. What should you create?

- A. a data loss prevention (DLP) policy
- B. a records management file plan
- C. a journaling rule
- D. a retention policy

Answer: C

NEW QUESTION 143

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the

stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution. After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen. You have a Microsoft Exchange Server 2019 hybrid deployment. All user mailboxes are hosted in Microsoft 365. All outbound SMTP email is routed through the on-premises Exchange organization. A corporate security policy requires that you must prevent credit card numbers from being sent to internet recipients by using email. You need to configure the deployment to meet the security policy requirement. Solution: From the Exchange organization, you modify the properties of the Send connectors. Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

You should create a Data Loss Prevention (DLP) policy.

NEW QUESTION 148

- (Topic 5)

You have a hybrid deployment between a Microsoft Exchange Online tenant and an on-premises Exchange Server 2019 organization. The deployment contains an Exchange Server 2019 server named Server1. Server1 has a public certificate named Cert1 that is bound to the SMTP protocol. Cert1 will expire soon. you replace Cert1 with a new certificate named Cert2 from a different public certification authority (CA) After you replace the certificate, you discover that email delivery between Server1 and the Exchange Online tenant fails. You need to ensure that messages can be delivered successfully What should you do on Server1?

- A. Return the Hybrid Configuration wizard
- B. Restart the MExchangeTransport service.
- C. Recreate the certificate and include an exportable private key.
- D. Bind a self-signed certificate to the SMTP protocol.

Answer: A

Explanation:

When replacing a certificate used in a hybrid deployment, you should run the Hybrid Configuration wizard again to update the certificate information in the hybrid configuration settings. This process updates the certificate used by the hybrid deployment and ensures that email delivery between the on-premises Exchange Server and the Exchange Online tenant is successful.

NEW QUESTION 153

- (Topic 5)

You have a Microsoft Exchange Server 2019 organization. You need to ensure that a user named User1 can prevent mailbox content from being deleted if the content contains the words Fabrikam and Confidential. What should you do?

- A. Add User1 to the Organization Management management role group.
- B. Add User1 to the Records Management management role group.
- C. Assign the mailbox Search and Mailbox Import Export
- D. Assign the Mailbox Search and Legal Hold management roles to User1.

Answer: D

Explanation:

References:

<https://docs.microsoft.com/en-us/exchange/policy-and-compliance/holds/holds?view=exchserver-2019>

NEW QUESTION 155

- (Topic 5)

You have a Microsoft Exchange Online tenant that contains 1,000 user mailboxes and 10 main enabled users. The mail-enabled users have email addresses in two SMTP domains named fabrikam.com and contoso.com. You need to convert the mail-enabled users into user mailboxes. What should you do first?

- A. Add the users to an Office 365 group.
- B. Assign a license to each user.
- C. Remove the remote domains of fabrikam.com and contoso.com
- D. Modify the email forwarding settings of each user.

Answer: C

Explanation:

You need to remove the remote domains first then assign a license to the user account.

NEW QUESTION 160

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company has an Exchange Online tenant that contains 2,000 mailboxes.

A partner company named Fabrikam, Inc. uses a third-party messaging solution. The outbound SMTP server for Fabrikam uses an IP address of 131.107.2.22.

You discover that several email messages from the fabrikam.com domain are erroneously marked as spam.

You need to ensure that all the email messages sent from the fabrikam.com domain are delivered successfully to the user mailboxes of your company.
 Solution: You create a spam filter policy. Does this meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

Add Fabrikam.com to the 'Domain allow list' in a spam filter policy.

NEW QUESTION 162

HOTSPOT - (Topic 5)

Your network contains an Active Directory forest named contoso.com.
 You plan to implement Microsoft 365 and use Microsoft Exchange Online services.
 You need to ensure that all client computers can use Autodiscover to connect to Microsoft 365.
 Which record should you create? To answer, select the appropriate options in the answer area.
 NOTE: Each correct selection is worth one point.

Record Type: ▼

Host(A)
Alias(CNAME)
Text(TXT)

Target: ▼

autodiscover.contoso.com
autodiscover.outlook.com
autodiscover.office365.com

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Record Type: ▼

Host(A)
Alias(CNAME)
Text(TXT)

Target: ▼

autodiscover.contoso.com
autodiscover.outlook.com
autodiscover.office365.com

NEW QUESTION 166

- (Topic 5)

You manage a Microsoft Exchange Server 2019 hybrid deployment. All user mailboxes are located both on-premises and in the cloud.
 You need to configure the deployment so that the on-premises mailboxes can access the public folders. Which three commands should you run? Each correct answer presents part of the solution.
 NOTE: Each correct selection is worth one point.

- A. Sync-MailPublicFolders.ps1
- B. Set-OrganizationConfig -PublicFoldersEnabled Remote
- C. Import-PublicFolderMailboxes.ps1
- D. Sync-MailPublicFoldersCloudToOnprem.ps1
- E. Set-OrganizationConfig -PublicFoldersEnabled Local -RemotePublicFolderMailboxes PFMailbox1

Answer: BCD

Explanation:

Reference:
<https://docs.microsoft.com/en-us/exchange/hybrid-deployment/set-up-exo-hybrid-public-folders>

NEW QUESTION 170

DRAG DROP - (Topic 5)

You have a Microsoft 365 subscription that has Microsoft Defender for Office 365 enabled and contains two groups named Group1 and Group 2. The members of the groups must meet the requirements shown in the following table.

Group	Requirement
Group1	Enable email impersonation protection.
Group2	Receive email containing attachments that have a .jar extension from an application that sends log files.

You need to configure threat protection policies to meet the requirements.

Which threat protection policy should you configure for each group? To answer, drag the appropriate policies to the correct groups. Each policy may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each coned selection is worth one point.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

NEW QUESTION 174

- (Topic 5)

You have a Microsoft Exchange Online tenant that contains a public folder named PF1.

You need to ensure that email sent to pf1@contoso.com is posted to PF1. What should you do?

- A. Create a shared mailbox.
- B. Mail-enable the public folder.
- C. Create a public folder mailbox.
- D. Create a mail flow rule.

Answer: B

NEW QUESTION 178

DRAG DROP - (Topic 5)

You have a Microsoft 365 subscription that contains two groups named Group1 and Group 2.

The members of the groups perform the tasks shown in the following table.

Name	Task
Group1	Manage mail flow rules, anti-spam policies, and quarantined messages.
Group2	Manage data loss prevention (DLP) policies and quarantine.

You need to add Group1 and Group2 to role groups. The solution must use the principle of least privilege.

To which role group should you add each group? To answer, drag the appropriate role groups to the correct groups. Each role group may be used once, more than once, or not at all You may need to drag the split bar between panes or scroll to view content.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:



NEW QUESTION 181

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Online tenant that contains the following email domains:

? Adatum.com

? Contoso.com

? Fabrikam.com

When external recipients receive email messages from the users in the tenant, all the messages are delivered by using the @contoso.com email domain.

You need to ensure that the users send email by using the @fabrikam.com email domain. Solution: From the Exchange Management Shell, you run Set-Mailbox cmdlet.

Does this meet the goal?

A. Yes

B. No

Answer: B

Explanation:

Set-Mailbox -PrimarySmtpAddress <SmtpAddress>

Reference:

<https://docs.microsoft.com/en-us/powershell/module/exchange/set-mailbox?view=exchange-ps>

NEW QUESTION 185

- (Topic 5)

You have a Microsoft Exchange Server 2019 organization. You create a retention policy. You need to ensure that all email older than one year is moved to an archive mailbox. What should you use?

A. a data loss prevention (DLP) policy

B. a retention policy tag

C. a default policy tag

D. a personal tag

Answer: C

NEW QUESTION 188

- (Topic 5)

You have a Microsoft Exchange Server 2019 organization. You purchase a Microsoft Office 365 E5 subscription.

You plan to implement Exchange Modern Hybrid and free/busy sharing.

Which two components should you configure for the planned implementations? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

A. a sharing policy

B. a federation trust

C. a relying party trust

D. Active Directory Lightweight Directory Services (AD LDS)

E. an organization relationship

Answer: BE

Explanation:

References:

<https://docs.microsoft.com/en-us/exchange/shared-free-busy>

NEW QUESTION 191

- (Topic 5)

You have a Microsoft 365 environment that contains 1,000 mailboxes.

You need to ensure that only an administrator named Admin1 can use the Exchange Management Shell to manage

What should you do?

A. Create a conditional access policy and apply the policy to all users.

B. For all users, run the set-user cmdlet and specify the -RemotePowershellEnabled parameter.

C. Create a conditional access policy and apply the policy to Admin1.

D. For Admin1, run the set-user cmdlet and specify the -RemotePowerShellEnabled parameter.

Answer: A


NEW QUESTION 194

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Online tenant named contoso.com that contains a resource mailbox named Room1. You need to configure Room1 to send the following automatic response message: "Thanks for the meeting invite." How should you complete the command? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area




- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area



NEW QUESTION 199

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft 365 E5 subscription.

You need to ensure that a user named User1 can review audit reports from the Microsoft 365 security center. User1 must be prevented from tracing messages from the Security admin center.

Solution: You assign the Security Reader role to User1. Does this meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

Security Administrator can view the audit reports but cannot create a message trace.

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/security/office-365-security/message-trace-scc>

NEW QUESTION 204

HOTSPOT - (Topic 5)

You have a Microsoft 365 subscription that contains the mail-enabled groups shown in the following table.

Name	Members
Managers	User1, User2, User3
Finance	User4, User5, User6


All users have an email address with a suffix of @contoso.com.

You plan to create an anti-phishing policy named Policy1 to meet the following requirements:

- Apply to all email messages sent to current and future users in the Finance group.
- Prevent email messages from impersonating users in the Managers group.

How should you configure Policy1? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area




- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area



NEW QUESTION 205

- (Topic 5)

You have a Microsoft 365 E3 subscription that uses Microsoft Exchange Online. You need to retain audit log entries for users in the legal department for up to one year. Which two actions should you perform? Each Correct answer presents part of the solution.

Note: Each Correct Selection is worth one point.

- A. For the default audit log retention policy, set Duration to 1 Year.
- B. Assign a Microsoft Office 365 E5 license to each legal department user.
- C. Create a retention policy that has a one-year retention tag and apply the policy to the user mailboxes in the legal department.
- D. Create a new audit log retention policy and assign the policy to the legal department.
- E. Assign a Microsoft Office 365 E5 license to each user in the tenant.

Answer: AC

Explanation:

You can set the default audit log retention policy to retain log entries for up to one year by changing the "Duration" setting to "1 Year."

* C. Create a retention policy that has a one-year retention tag and apply the policy to the user mailboxes in the legal department. Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/retention-policies-in-the-security-compliance-center?view=o365-worldwide#create-or-edit-a-retention-policy>

You can create a retention policy with a one-year retention tag, and then apply the policy to the user mailboxes in the legal department. This will ensure that the audit log entries for those users are retained for up to one year as per the retention tag.

NEW QUESTION 209

- (Topic 5)

You have a Microsoft Exchange Online tenant.

A user named User1 no longer receives email in Outlook for Windows, but can see new messages in Outlook on the web

You plan to use the Microsoft Remote Connectivity Analyzer to run a connectivity test to verify whether MAPI over HTTP is failing.

Which test should you run?

- A. Outlook Connectivity
- B. Synchronization, Notification, Availability, and Automatic Replies
- C. Exchange ActiveSync
- D. Office 365 Single Sign-on Test
- E. Inbound SMTP Email

Answer: E

NEW QUESTION 212

- (Topic 5)

All the users in your company are licensed for Microsoft 365 and connect to their mailbox from client computers that run Windows 10.

The users connect to Outlook on the web by using the following browsers:

? Google Chrome

? Microsoft Edge

? Firefox

You apply restrictions for Outlook on the web sessions by using app protection policies in Microsoft Endpoint Manager, and then you deploy several Outlook Web App policies.

You need to ensure that the users can continue to connect successfully to their mailbox by using Outlook on the web.

What should you do?

- A. Enroll all the computers in Microsoft Intune
- B. Instruct all the users to connect by using Microsoft Edge only
- C. From Microsoft Cloud App Security, configure a sanctioned application

Answer: A

Explanation:

Reference:
<https://docs.microsoft.com/en-us/mem/intune/apps/app-protection-policy>

NEW QUESTION 216

DRAG DROP - (Topic 5)

You have a hybrid deployment between a Microsoft Exchange Online tenant and an on- premises Exchange Server 2019 organization. The certificate for the hybrid deployment expires in two days. You need to replace the certificate.

Which three cmdlets should you run in sequence? To answer, move the appropriate cmdlets from the list of cmdlets to the answer area and arrange them in the correct order.

Cmdlets	Answer Area
Export-ExchangeCertificate	
New-ExchangeCertificate	
Switch-Certificate	⬅️
Import-PfxCertificate	➡️
Import-ExchangeCertificate	⬆️
Enable-ExchangeCertificate	⬆️

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

New-ExchangeCertificate: Create the certificate renewal request. Import-ExchangeCertificate: Install the new certificate. Enable-ExchangeCertificate: Assign the new certificate to Exchange services.

NEW QUESTION 221

HOTSPOT - (Topic 5)

HOTSPOT

You have a Microsoft Exchange Online subscription. You run the following command.

Set-ActiveSyncOrganizationSettings -DefaultAccessLevel Block

You run Get-ActiveSyncDeviceAccessRule | f1 Identity, AccessLevel, Characteristic, QueryString and you receive the following output.

```

Identity           : Outlook-Android/2.0 (UserAgent)
AccessLevel        : allow
Characteristic     : UserAgent
QueryString        : Outlook-Android/2.0

Identity           : Outlook-iOS/2.0 (UserAgent)
AccessLevel        : Allow
Characteristic     : UserAgent
QueryString        : Outlook-iOS/2.0
    
```

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
iOS devices can use the Microsoft Outlook app to sync mailbox data.	<input type="radio"/>	<input type="radio"/>
Android devices can use the Microsoft Outlook app to sync mailbox data.	<input type="radio"/>	<input type="radio"/>
iOS devices can use the native Mail app to sync mailbox data.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Statements	Yes	No
iOS devices can use the Microsoft Outlook app to sync mailbox data.	<input checked="" type="radio"/>	<input type="radio"/>
Android devices can use the Microsoft Outlook app to sync mailbox data.	<input checked="" type="radio"/>	<input type="radio"/>
iOS devices can use the native Mail app to sync mailbox data.	<input type="radio"/>	<input checked="" type="radio"/>

NEW QUESTION 225

- (Topic 5)

You have a Microsoft 365 E3 subscription that uses Microsoft Exchange Online.

You need to ensure that Safe Links and Safe Attachments protection is enabled for users. What should you do?

- A. Create an anti-malware policy and enable the common attachments filter.
- B. Assign a Microsoft 365 E5 license to each user.
- C. Enable the Strict protection preset security policy.
- D. Create an Enhanced Filtering for Connectors rule.

Answer: C

NEW QUESTION 230

DRAG DROP - (Topic 5)

You have a Microsoft Exchange Server 2019 organization.

You need to identify which accounts in Active Directory are assigned permissions to dismount mailbox databases.

How should you complete the command? To answer, drag the appropriate values to the correct targets. Each value may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Values	Answer Area
Get-ManagementRole	\$Perms = <input type="text"/> -Cmdlet Dismount-Database
Get-ManagementRoleAssignment	\$Perms foreach { <input type="text"/> -Role \$_.Name -Delegating \$false
Get-ManagementRoleEntry	Format-Table -Auto Role,RoleAssigneeType,RoleAssigneeName}
Get-ManagementScope	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Values	Answer Area
Get-ManagementRole	\$Perms = <input checked="" type="text" value="Get-ManagementRoleEntry"/> -Cmdlet Dismount-Database
Get-ManagementRoleAssignment	\$Perms foreach { <input checked="" type="text" value="Get-ManagementRoleAssignment"/> -Role \$_.Name -Delegating \$false
Get-ManagementRoleEntry	Format-Table -Auto Role,RoleAssigneeType,RoleAssigneeName}
Get-ManagementScope	

NEW QUESTION 235

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Online tenant that contains two users named Admin1 and Admin2. The users are assigned the roles shown in the following table. Admin1 performs the following actions:

Name	Role
Admin1	Recipient Management
Admin2	Organization Management, Mailbox Import Export

- From the Microsoft 365 admin center, adds a new user named User1 who is assigned a Microsoft 365 Enterprise E5 license
- From Exchange Online PowerShell, runs the New-Mailbox cmdlet Admin2 performs the following actions:
- From Exchange Online PowerShell, runs the Search-Mailbox cmdlet and specifies the - DeleteContent switch
- From Exchange Online PowerShell, runs the Test-ApplicationAccessPolicy cmdlet Which actions are recorded in the administrator audit log? To answer, select the appropriate options in the answer area.

Answer Area

Admin1:

- All actions are recorded.
- No actions are recorded.**
- Only the addition of User1 is recorded.
- Only the running of New-Mailbox is recorded.

Admin2:

- All actions are recorded.**
- No actions are recorded.
- Only the running of Search-Mailbox is recorded.
- Only the running of Test-ApplicationAccessPolicy is recorded.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:
Answer Area

Admin1:

- All actions are recorded.
- No actions are recorded.**
- Only the addition of User1 is recorded.
- Only the running of New-Mailbox is recorded.

Admin2:

- All actions are recorded.**
- No actions are recorded.
- Only the running of Search-Mailbox is recorded.
- Only the running of Test-ApplicationAccessPolicy is recorded.

NEW QUESTION 239

- (Topic 5)

You have a Microsoft Exchange Online tenant that contains a retention policy named Policy1 and a user named User1. Policy1 is assigned to all users and contains the retention tags shown in the following table.

Name	Type	Retention period	Retention action
Tag1	Default mailbox	1826 days	Permanently Delete
Tag2	Default folder	365 days	Move to Archive
Tag3	Personal	730 days	Move to Archive

Tag3 is applied to an email message in the inbox of User1. You remove Tag3 from Policy1. What will occur to the message?

- A. The existing retention tag will be retained.
- B. The existing retention tag will be removed.
- C. The default mailbox retention tag will apply.
- D. The default folder retention tag will apply.

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/security-and-compliance/messaging-records-management/retention-tags-and-policies>

NEW QUESTION 243

HOTSPOT - (Topic 5)

You are migrating mailboxes from a Microsoft Exchange Server 2016 organization to Exchange Online. The mailbox migrations are configured to suspend, and you plan to perform a coordinated cutover.

Which PowerShell command should you run to complete all the suspended mailbox migrations? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

- Get-ADUser
- Get-Mailbox
- Get-MigrationUser
- Get-MoveRequest

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Get-MoveRequest

The Get-MoveRequest cmdlet gets the status of an ongoing asynchronous mailbox move that was initiated by using the New-MoveRequest cmdlet.

Box 2: Resume-MoveRequest

The Resume-MoveRequest cmdlet is used to resume a move request that has been suspended or has failed.

NEW QUESTION 244

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company has a Microsoft 365 subscription.

Several users in the finance department of the company recently accessed unsafe websites by clicking on links in email messages.

Users in the marketing department of the company report that they must be able to access all the links embedded in email messages.

You need to reduce the likelihood of the finance department users accessing unsafe websites. The solution must affect only the finance department users.

Solution: You create a new safe links policy and apply the policy to finance department users.

Does this meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/security/office-365-security/set-up-safe-links-policies?view=o365-worldwide>

NEW QUESTION 246

- (Topic 5)

You have a Microsoft Exchange Server 2019 organization. You implement hybrid connectivity to Microsoft 365.

You need to ensure that users can use the Microsoft Outlook mobile app on their device to access their onpremises mailbox.

What should you do?

- A. Run Azure AD Connect.
- B. Run Set-CASMailbox -OutlookMobileEnabled for each user.
- C. Enable Hybrid Modern Authentication (HMA).
- D. Configure Active Directory Federation Services (AD FS).

Answer: C

Explanation:

Reference:

<https://techcommunity.microsoft.com/t5/exchange-team-blog/announcing-hybrid-modern-authentication-forexchange-on-premises/ba-p/607476>

NEW QUESTION 249

SIMULATION - (Topic 5)

SIMULATION

Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.


When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s)

and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.



Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@abc.com

Microsoft 365 Password: xxxxxx

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only.

Lab Instance: XXXXXX

You need to ensure that the users in your tenant can only share calendar availability information with the other users in the tenant.

To complete this task, sign in to the Microsoft 365 admin center.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

? From the Microsoft 365 admin center dashboard, go to Admin > Exchange.

? Go to organization > sharing.

? Under Individual Sharing, select a sharing a policy. In the On column, clear the check box for the sharing policy you want to disable.

NEW QUESTION 254

- (Topic 5)

You have a Microsoft Exchange Server 2016 hybrid deployment.

You plan to migrate mailboxes from the on-premises Exchange organization to Exchange Online.

You have the appropriate permissions to perform the mailbox migrations. You need to prepare the environment for the planned migration.

What should you do?

- A. Disable Microsoft Outlook for the web.
- B. Install the Hybrid Agent.
- C. Run Get-MigrationBatch -Identity "MyMigrationBatch".
- D. Enable the MRSPProxy service on an on-premises Exchange server.

Answer: D

Explanation:

Mailbox replication service (MRS) proxy is used for cross forest mailbox move and remote move migration between on premise exchange and exchange online (Office 365)

Reference:

<https://docs.microsoft.com/en-us/Exchange/hybrid-deployment/move-mailboxes>

NEW QUESTION 258

- (Topic 5)

Your company has a Microsoft Exchange Server 2019 hybrid deployment. The company has a finance department.

You need to move all the on-premises mailboxes of the finance department to Exchange Online. The bulk of the move operation must occur during a weekend when the company's Internet traffic is lowest. The move must then be finalized the following Monday. The solution must minimize disruption to end users.

What should you do first?

- A. Schedule a task that runs the New-MoveRequest cmdlet and specifies the Remote parameter
- B. Create a batch migration and clear the Automatically complete the migration batchcheck box
- C. Run the New-MigrationBatch cmdlet and specify the MoveOptions parameter
- D. Create a batch migration and select the Automatically complete the migration batchcheck box

Answer: C

NEW QUESTION 260

- (Topic 5)

You have a Microsoft Exchange Online tenant.

You need to ensure that all new mailboxes can send and receive messages that are up to a maximum of 50 MB.

What should you do in the Exchange admin center?

- A. From Manage mailboxes, configure the Message size restriction Mailflow setting.
- B. Configure a mail flow rule.
- C. From Manage mailboxes, configure the Message delivery restriction Mailflow setting.
- D. For each new mailbox, configure the recipient limit.

Answer: A

NEW QUESTION 263

DRAG DROP - (Topic 5)

Your company named ADatum Corporation has a Microsoft 365 subscription. ADatum acquires a company named Contoso, Ltd.

In the subscription, you create a new mailbox for each user at Contoso.

You need to provide the Contoso users with a global address list (GAL) that contains only their email addresses.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions		Answer Area
Create an address book policy (ABP) named Contoso-AB that uses the GAL.		
Create an address book policy (ABP) named Contoso-AB that uses the new set of address lists.		
Create a new set of address lists for the Contoso users.	> <	^ v
Assign Contoso-AB to all the mailboxes of the Contoso users.		
Create a new GAL named Contoso GAL.		

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Actions		Answer Area
Create an address book policy (ABP) named Contoso-AB that uses the GAL.		Create a new GAL named Contoso GAL.
Create an address book policy (ABP) named Contoso-AB that uses the new set of address lists.		Create an address book policy (ABP) named Contoso-AB that uses the GAL.
Create a new set of address lists for the Contoso users.	> <	Assign Contoso-AB to all the mailboxes of the Contoso users.
Assign Contoso-AB to all the mailboxes of the Contoso users.		
Create a new GAL named Contoso GAL.		

NEW QUESTION 264

- (Topic 5)

You have a Microsoft Exchange Online tenant that contains a resource mailbox named ConferenceRoom1.

ConferenceRoom1 is configured as shown in the following exhibit.

ConferenceRoom1

general

▶ **booking delegates**

booking options

contact information

email address

MailTip

mailbox delegation

Booking requests:

- Use customized setting to accept or decline booking requests
- Accept or decline booking requests automatically
- Select delegates who can accept or decline booking requests

Delegates:

+ -

User4

You need to review the customized setting for booking requests. Which cmdlet should you run?

- A. Get-ResourceConfig
- B. Get-Mailbox
- C. Get-MailboxCalendarFolder
- D. Get-CalendarProcessing

Answer: D

Explanation:

Reference:

<https://itpro.outsidesys.com/2017/11/06/exchange-configuring-the-resource-booking-attendant-with-powershell/>
<https://docs.microsoft.com/en-us/powershell/module/exchange/get-calendarprocessing?view=exchange-ps>

NEW QUESTION 265

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Online tenant.

You plan to filter all inbound and outbound email messages by using a third-party message hygiene solution.

You need to ensure that all the email sent and received by the tenant is filtered through the message hygiene solution. The solution must ensure that only the message hygiene solution can send email to the tenant.

What should you configure for the tenant? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

DNS records:

▼
Mail exchanger (MX)
Alias (CNAME)
Host (A)
Service location (SRV)

Exchange Online configuration:

▼
One inbound connector and one Outbound connector
One inbound connector only
One Outbound connector only
One remote domain and one accepted domain

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

DNS records:

▼
Mail exchanger (MX)
Alias (CNAME)
Host (A)
Service location (SRV)

Exchange Online configuration:

▼
One inbound connector and one Outbound connector
One inbound connector only
One Outbound connector only
One remote domain and one accepted domain

NEW QUESTION 270

- (Topic 5)

You have a Microsoft 365 subscription.

A safe attachments policy that uses Dynamic Delivery is applied to all recipients who match your SMTP domains.

You need to prevent attachments from being scanned when internal users send email to one another.

What should you do?

- A. From the Security & Compliance admin center, modify the safe attachments policy.
- B. From the Security & Compliance admin center, modify the Service assurance settings.
- C. From the Exchange admin center, create a transport rule.
- D. From the Exchange admin center, modify the malware filter.

Answer: C

Explanation:

Create a transport rule (or mail flow rule as they are called nowadays) to configure the message header: X-MS-Exchange-Organization-SkipSafeAttachmentProcessing.

Reference:

<https://docs.microsoft.com/en-gb/archive/blogs/office365labs/eo-atp-considerations-reports-demonstrations>

NEW QUESTION 273

HOTSPOT - (Topic 5)

You have a hybrid deployment of Microsoft Exchange Server 2019 and Microsoft 365 that contains three servers.

All email received from the Internet is sent directly to the servers. You run the following command.

Get-MalwareFilterPolicy | FL Name,BypassInboundMessages,BypassOutboundMessages,Action,IsDefault

You receive the output shown in the following exhibit.

```
Name : Default
BypassInboundMessages : False
BypassOutboundMessages : False
Action : DeleteAttachmentAndUseDefaultAlertText
IsDefault : True
EnableInternalSenderNotifications : True
EnableExternalSenderNotifications : True
```

You run the Get-TransportAgent cmdlet and receive the output shown in the following exhibit.

Identity	Enabled	Priority
Transport Rule Agent	True	1
DLP Policy Agent	True	2
Retention Policy Agent	True	3
Supervisory Review Agent	True	4
Malware Agent	False	5
Text Messaging Routing Agent	True	6
Text Messaging Delivery Agent	True	7
System Probe Drop Smtip Agent	True	8
System Probe Drop Routing Agent	True	9

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
If an email message sent from the Internet contains malware, the message will be delivered successfully to the recipient's mailbox	<input type="radio"/>	<input type="radio"/>
To prevent an email message from the Internet that contains malware from being delivered to an internal recipient, the default antimalware policy must be modified	<input type="radio"/>	<input type="radio"/>
To prevent an email message from the Internet that contains malware from being delivered to an internal recipient, the priority of the malware agent must be modified	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Statements	Yes	No
If an email message sent from the Internet contains malware, the message will be delivered successfully to the recipient's mailbox	<input checked="" type="radio"/>	<input type="radio"/>
To prevent an email message from the Internet that contains malware from being delivered to an internal recipient, the default antimalware policy must be modified	<input type="radio"/>	<input checked="" type="radio"/>
To prevent an email message from the Internet that contains malware from being delivered to an internal recipient, the priority of the malware agent must be modified	<input type="radio"/>	<input checked="" type="radio"/>

NEW QUESTION 275

- (Topic 5)

You have a Microsoft Exchange Server 2019 organization that contains 5,000 mailboxes.

You need to migrate 1,000 users to Exchange Online. The migrated users must support Hybrid Modern Authentication (HMA).

Which migration method should you use?

- A. cutover migration
- B. full hybrid migration
- C. minimal hybrid migration
- D. express hybrid migration

Answer: B

NEW QUESTION 277

- (Topic 5)

You have a Microsoft Exchange Online tenant that has an email domain named

comoso.com. Contoso.com routes all inbound email messages through a third-party email protection service.

You discover that all the inbound email messages contain the source IP address of the email protection service.

You need to ensure that all the inbound email messages retain the source IP address of the original sender.

What should you do?

- A. Modify the SPF TXT record of contoso.com.
- B. Enable Enhanced Filtering for Connectors.
- C. Configure a mail flow rule.
- D. Add an entry for a spoofed sender to Tenant Allow/Block Lists.

Answer: B

NEW QUESTION 278

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Online tenant.

Archive mailboxes are enabled for all users. You need to ensure that the default size of each user's archive mailbox increases automatically when the mailbox approaches the storage limit. The solution must apply automatically to all current and future mailboxes.

How should you complete the PowerShell command? To, answer select the appropriate options in the answer area.



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Set-Mailbox -Identity * -ArchiveQuota "Unlimited"

To ensure that the default size of each user's archive mailbox increases automatically when the mailbox approaches the storage limit and to apply the solution automatically to all

current and future mailboxes, you can use the Set-Mailbox cmdlet in PowerShell and specify the -ArchiveQuota parameter.

Here is an example of how you could complete the PowerShell command: Copy code

Set-Mailbox -Identity * -ArchiveQuota "Unlimited"

This command will set the archive mailbox size to unlimited for all mailboxes in the tenant. Please note that, when you set the archive mailbox size to unlimited, the user's mailbox will continue to grow until it reaches the available storage space in the tenant.

You could also set a specific size limit, for example: Copy code

Set-Mailbox -Identity * -ArchiveQuota "50 GB"

This command will set the archive mailbox size to 50 GB for all mailboxes in the tenant. You can then use the Get-Mailbox cmdlet to verify the new archive mailbox size for all mailboxes in the tenant:

Copy code

Get-Mailbox -Identity * | Select DisplayName, ArchiveQuota

This command will return the DisplayName and ArchiveQuota properties for all mailboxes in the tenant.

NEW QUESTION 282

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Server 2019 organization that contains 200 mailboxes. You need to add a second email address to each mailbox. The address must have a

syntax that uses the first letter of each user's last name, followed by the user's first name, and then @fabrikam.com.

Solution: You create an email address policy that uses the %1g%s@fabrikam.com email address format.

Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/email-addresses-and-address-books/email-address-policies/email-address-policies?view=exchserver-2019>

NEW QUESTION 286

DRAG DROP - (Topic 5)

Your company has a Microsoft Exchange Server 2019 hybrid deployment.

The company has two departments that have the mailboxes configured as shown in the following table.

Department	Mailbox location	License
Accounting	On-premises	Exchange Server 2019 Standard CAL
Marketing	Exchange Online	Microsoft 365 E5

All the accounting department mailboxes reside in a database named ACCT-DB01. You create the mailboxes shown in the following table.

Name	Location
JRNL-MBX01	On-premises
JRNL-MBX02	Exchange Online

You need to record all the email communication of the users in each department. The solution must minimize costs.

What should you use for each department? To answer, drag the appropriate options to the correct departments. Each option may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Options

- Database journaling
- A journal rule that uses JRNL-MBX01
- A journal rule that uses JRNL-MBX02

Answer Area

Accounting:

Marketing:

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Options

- Database journaling
- A journal rule that uses JRNL-MBX01
- A journal rule that uses JRNL-MBX02

Answer Area

Accounting:

Marketing:

NEW QUESTION 290

DRAG DROP - (Topic 5)

You have a Microsoft Exchange Server 2019 hybrid deployment that contains the users shown in the following table.

Name	Mailbox location
User1	Exchange Online
User2	Exchange on-premises

You need to provide each user with an archive mailbox that is stored in Exchange Online.


Which admin center should you use to perform the configuration for each user? To answer, drag the appropriate admin centers to the correct users. Each admin center may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Admin Centers

- The Exchange admin center from an on-premises server
- The Exchange admin center from Exchange Online
- The Microsoft 265 admin center
- The Security and Compliance admin center

Answer Area



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

References:

<https://docs.microsoft.com/en-us/office365/securitycompliance/enable-archive-mailboxes> <https://docs.microsoft.com/en-us/exchange/hybrid-deployment/create-cloud-based-archive>

NEW QUESTION 292

HOTSPOT - (Topic 5)

You have a Microsoft 365 E5 tenant that contains two Azure Active Directory (Azure AD) security groups named Finance and Marketing. The tenant contains the users and devices shown in the following table.

Name	Azure AD group membership	Device
User1	Finance	Device1
User2	Marketing	Device2
User3	Finance	Device3

The devices are configured as shown in the following table.

Device	Azure AD-joined	Microsoft Intune-enrolled
Device1	No	No
Device2	Yes	Yes
Device3	Yes	Yes

A conditional access policy is configured as shown in the following exhibit.

Name * Outlook on the Web Policy

Include Exclude

- None
- All users
- Select users and groups
 - All guest and external users ⓘ
 - Directory roles ⓘ
 - Users and groups

Cloud apps or actions ⓘ
1 app included

Conditions ⓘ
0 conditions selected

Access controls
A Finance ...

Grant ⓘ
0 controls selected

Session ⓘ
Use app enforced restrictions

From Microsoft Exchange Online PowerShell, you run the following cmdlet.

```
Set-OwaMailboxPolicy -Identity OwaMailboxPolicy-Default -ConditionalAccessPolicy ReadOnly
```

All the users connect to Exchange Online by using Outlook on the web.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
When using Outlook on the web, User1 can only view email attachments.	<input type="radio"/>	<input type="radio"/>
When using Outlook on the web, User2 can only view and print email attachments.	<input type="radio"/>	<input type="radio"/>
When using Outlook on the web, User3 can view, download, and print email attachments.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Statements	Yes	No
When using Outlook on the web, User1 can only view email attachments.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
When using Outlook on the web, User2 can only view and print email attachments.	<input type="checkbox"/>	<input checked="" type="checkbox"/>
When using Outlook on the web, User3 can view, download, and print email attachments.	<input type="checkbox"/>	<input checked="" type="checkbox"/>

NEW QUESTION 297

- (Topic 5)

Your company named Contoso, Ltd. has a Microsoft Exchange Online subscription.

You have several transport rules. The rules automatically apply a disclaimer to email messages that contain certain keywords in the subject and are sent to recipients in an email domain named fabrikam.com.

You receive a report that some messages are delivered without the disclaimer.

You need to view which transport rules were applied to messages sent to the fabrikam.com recipients.

What should you use?

- A. the SMTP protocol logs
- B. a URL trace
- C. the transport server logs
- D. a message trace

Answer: D

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/monitoring/trace-an-email-message/run-a-message-trace-andview-results>

NEW QUESTION 298

- (Topic 5)

You have a Microsoft 365 subscription.

Several users report today that they cannot access email from their mobile device. They successfully accessed their email from the same device yesterday.

You need to identify which mobile device access rule applies to the devices. Which cmdlet should you run?

- A. Get-MsolDevice
- B. Get-DeviceTenantRule
- C. Get-MobileDevice
- D. Get-ActiveSyncMailboxPolicy

Answer: C

Explanation:

The Get-MobileDevice cmdlet returns identification, configuration, and status information for each mobile device.

Note: The Get-MobileDeviceStatistics cmdlet can also be used. Reference:

<https://docs.microsoft.com/en-us/powershell/module/exchange/devices/get-mobiledevice?view=exchange-ps>

NEW QUESTION 300

- (Topic 5)

You have a Microsoft Exchange Online tenant that contains 1,000 users.

You need to prevent 100 users in the finance department at your company from using Direct file access when using Outlook on the web. The solution must ensure that all the other users in the company can continue to use Direct file access when using Outlook on the web.

What should you do?

- A. Modify the default sharing policy.
- B. Create and assign an Outlook Web App policy.
- C. Create and assign a sharing policy.
- D. Modify the default Outlook Web App policy.

Answer: B

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/clients/outlook-on-the-web/mailbox-policies?view=exchserver-2019>

NEW QUESTION 303

HOTSPOT - (Topic 5)

You create a transport rule as shown in the following exhibit.

```

Name           : Rule1
State          : Enabled
Mode          : AuditAndNotify
Priority       : 1
SentTo        : {User1@contoso.com}
StopRuleProcessing : True
DeleteMessage : False
Disconnect    : False
RedirectMessageTo :
RejectMessageEnhancedStatusCode : 5.7.1
RejectMessageReasonText : Please forward all sales enquiries to 'Sales@Contoso.com'.
Quarantine    : False
SubjectOrBodyContainsWords : {Quote, Enquiry, Sales}
    
```

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.
 NOTE: Each correct selection is worth one point.

If an email message sent to User1 contains the word **Quote** ▼
 the message will be rejected
 the message will be delivered
 the message will be redirected to sales@contoso.com

The transport rule has ▼
 the highest priority and cannot be superseded by another rule
 the lowest priority. Another rule can supersede Rule1
 the medium priority. Another rule can supersede Rule1

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

If an email message sent to User1 contains the word **Quote** ▼
 the message will be rejected
 the message will be delivered
 the message will be redirected to sales@contoso.com

The transport rule has ▼
 the highest priority and cannot be superseded by another rule
 the lowest priority. Another rule can supersede Rule1
 the medium priority. Another rule can supersede Rule1

NEW QUESTION 306

SIMULATION - (Topic 5)
 SIMULATION


Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.



Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@abc.com

Microsoft 365 Password: xxxxxx

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only.

Lab Instance: XXXXXX

You need to create a public folder named Finance in your Microsoft 365 tenant. Users must be able to send emails to Finance by using an email address of finance@lab.CloudCredential(1).TenantName.

To complete this task, sign in to the Exchange admin center.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Use the EAC to create a public folder mailbox

? In the EAC, go to Public folders > Public folder mailboxes, and then click Add +.

? In the New public folder mailbox page that opens, enter the following information:

- Name: Enter the name for the public folder mailbox.

- Organizational unit: Click Browse to select the location in Active Directory where the mailbox object is created.

- Mailbox database: Click Browse to select the mailbox database where the mailbox is created.

When you're finished, click Save.

Use the EAC to create a public folder

When using the EAC to create a public folder, you'll only be able to set the name and the path of the public folder. To configure additional settings, you'll need to edit the public folder after it's created.

? Navigate to Public folders > Public folders.

? If you want to create this public folder as a child of an existing public folder, click the existing public folder in the list view. If you want to create a top-level public folder, skip this step.

? Click Add +.

? In Public Folder, type the name of the public folder.

? In the Path box, verify the path to the public folder. If this isn't the desired path, click Cancel and follow Step 2 of this procedure.

? Click Save.

? Navigate back to Public folders > Public folders.

? In the list view, select the public folder that you want to mail-enable or mail-disable.

? In the details pane, under Mail settings, click Enable or Disable.

? A warning box displays asking if you're sure you want to enable or disable email for the public folder. Click Yes to continue.

NEW QUESTION 308

- (Topic 2)

You need to recommend a procedure for closing the Brussels office that meets the technical requirements.

What should you recommend?

- A. In the main office, deploy an Exchange Server 2016 server that has the Unified Messaging role installed, and then move the mailboxes from the Brussels office to the new server.
- B. Deploy a Microsoft Skype for Business 2019 server to the main office, and then move the mailboxes from the Brussels office to an Exchange Server 2019 server in the main office.
- C. Implement a new mailbox database on an Exchange Server 2019 server in the main office, and then move the mailboxes from the Brussels office to the new mailbox database.
- D. Implement a new database availability group (DAG) that contains the server in the Brussels office and a new Exchange Server 2019 server in the main office, and then create a mailbox database copy on the new server in the main office.

Answer: C

Explanation:

References:
<https://docs.microsoft.com/en-us/exchange/architecture/mailbox-servers/manage-mailbox-moves?view=exchserver-2019>
<https://theitbros.com/move-exchange-mailboxes-to-another-database/>

NEW QUESTION 313

- (Topic 1)
 You need to recommend a solution that meets the security requirements for protecting users. What should you recommend?

- A. From the Security & Compliance admin center, create an ATP safe attachments policy.
- B. From the Exchange admin center in Exchange Online, create a spam filter policy.
- C. From the Security & Compliance admin center, create an ATP anti-phishing policy.
- D. From the Security & Compliance admin center, create an ATP Safe Links policy.

Answer: D

Explanation:

All users must be protected from accessing unsecure websites when they click on URLs embedded in email messages.

NEW QUESTION 315

- (Topic 1)
 You need to resolve the email delivery delay issue. What should you do?

- A. From the Security & Compliance admin center, modify the safe attachments policy
- B. From the Security & Compliance admin center, create a supervision policy.
- C. From the Exchange admin center in Exchange Online, modify the antimalware policy.
- D. From the Exchange admin center in Exchange Online, modify the spam filter policy.

Answer: A

Explanation:

References:
<https://docs.microsoft.com/en-us/office365/securitycompliance/dynamic-delivery-and-previewing>

NEW QUESTION 317

- (Topic 1)
 You need to recommend a solution for the public folders that supports the planned changes and meets the technical requirements. What should you recommend?

- A. Microsoft SharePoint site mailboxes
- B. Office 365 groups
- C. Resource mailboxes
- D. Public folder replicas

Answer: B

Explanation:

References:
<https://docs.microsoft.com/en-us/exchange/collaboration/public-folders/migrate-to-office-365-groups?view=exchserver-2019>

NEW QUESTION 318

HOTSPOT - (Topic 1)
 Use the drop-down menus to select the answer choice that complete each statement based on the information presented in the Exchange Online Connector exhibit.
 NOTE: Each correct selection is worth one point.

To meet the security requirements for the email messages received from fabrikam.com, set **(answer choice)** to *, fabrikam.com.

▼
AssociatedAcceptedDomains
ConnectorSource
SenderDomains

When an email message is sent from fabrikam.com to an on-premises mailbox, the message will be sent **(answer choice)**.

▼
back to a sender in fabrikam.com
to the Edge Transport server encrypted
to the Edge Transport server unencrypted

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

SenderDomains
to the Edge Transport server encrypted

NEW QUESTION 323

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

MS-203 Practice Exam Features:

- * MS-203 Questions and Answers Updated Frequently
- * MS-203 Practice Questions Verified by Expert Senior Certified Staff
- * MS-203 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * MS-203 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The MS-203 Practice Test Here](#)