

IBM

Exam Questions 1Y0-204

Citrix Virtual Apps and Desktops 7 Administration



NEW QUESTION 1

Which tool should a Citrix Administrator use to monitor the overall daily performance of a Citrix Virtual Apps and Desktops Site?

- A. Citrix Studio
- B. HDX Monitor
- C. Citrix Director
- D. CDF Traces

Answer: C

NEW QUESTION 2

Scenario: A Citrix Administrator manages a Citrix Gateway with a Standard Platform License, with remote employees in the environment. The administrator wants to increase employee access by 300 users through the Citrix Gateway, using VPN access.

Which license should the administrator recommend purchasing for this environment?

- A. Citrix ADC Burst Packs License
- B. Citrix ADC Upgrade License
- C. Citrix Gateway Universal License
- D. Citrix Gateway Express License

Answer: C

NEW QUESTION 3

Scenario: A Citrix Administrator wants to add machines to a Delivery Group. The administrator has two machine catalogs containing unallocated machines. On the screen to choose machines from machine catalogs, the administrator can see that only one machine catalog is available.

A possible cause of this issue is that the machines in the unavailable machine catalog are . (Choose the correct option to complete the sentence.)

- A. different OS types
- B. provisioned with another provisioning method
- C. unregistered
- D. turned off

Answer: A

NEW QUESTION 4

What are three daily steps a Citrix Administrator should take to monitor a Citrix Virtual Apps and Desktops infrastructure? (Choose three.)

- A. Review Citrix policies.
- B. Perform a capacity assessment.
- C. Test environment access.
- D. Check virtual machine power states.
- E. Review available Citrix software upgrades.
- F. Check for warnings or alerts with Citrix Director.

Answer: CDF

NEW QUESTION 5

Which log records detailed information such as statistics, metrics and debug information on the Citrix ADC in a proprietary binary format?

- A. Syslog
- B. Nstrace
- C. Nsconfig
- D. Nslog

Answer: D

NEW QUESTION 6

Scenario: A Citrix Administrator is performing a disaster recovery test and decided to fail over the Citrix ADC high availability (HA) pair appliances. The administrator noticed that the failover is NOT working as expected in item text, and the Secondary Citrix ADC is NOT taking over as Primary. The administrator suspects that networking issues may be causing the failure.

What could be the cause of this issue with the Citrix ADCs?

- A. HA hertbeats are only seen on some enabled interfaces of the Secondary Node.
- B. HA monitoring is enabled on an interface of the Secondary Node that shows as ENABLED, DOWN.
- C. The Independent network configuration (INC) mode is enabled on the Primary Node.
- D. HA monitoring is enabled on a disabled inteface of the Primary Node.

Answer: D

NEW QUESTION 7

Which step can a Citrix Administrator take in order to use the default compression policies?

- A. Bind the default compression policies to the virtual server.
- B. Enable compression on the associated bound services.
- C. Disable the Citrix ADC Compression feature at a global level.

D. Select the compression algorithm (gzip/deflate/identity).

Answer: A

NEW QUESTION 8

Scenario: A Citrix Administrator has executed the following command:

```
set httpcallout httpcallout1 -cacheForSecs 120
```

What will be the effect of this command?

- A. The cache duration of the HTTP request is set to 120 seconds.
- B. The cache duration of the HTTP callout request is set to 120 seconds.
- C. The cache duration of the HTTP response is set to 120 seconds.
- D. The cache duration of the HTTP callout response is set to 120 seconds.

Answer: D

NEW QUESTION 9

Which command should a Citrix Administrator use to configure a Content Switching virtual server for implementing the Citrix Secure Web Gateway in the transparent proxy mode?

- A. add cs vserver swgVS PROXY * 21 -Authn401 on -authnVsName transparent-auth-vs
- B. add cs vserver swgVS PROXY** -Authn401 on -authnVsName explicit-auth-vs
- C. add cs vserver swgVS PROXY 192.168.10.1 -Authn401 on -authnVsName transparent-auth-vs
- D. add cs vserver swgVS PROXY 192.168.10.1 80 -Authn401 on -authnVsName transparent-auth-vs

Answer: C

NEW QUESTION 10

Which three options are allowed when using Classic policies? (Choose three.)

- A. HTTP
- B. CLIENT
- C. SERVER
- D. IP
- E. DNS
- F. TCP

Answer: ADF

NEW QUESTION 10

Which utility can a Citrix Administrator use to resolve the Domain Name System (DNS) request being looked up frequently?

- A. nslookup
- B. dig +trace
- C. curl -K -d
- D. ping

Answer: B

Explanation:

<https://www.citrix.com/blogs/2019/05/31/dig-into-gslb-dns-problems-with-citrix-adc-no-shovel-required/>

NEW QUESTION 12

Scenario: A Citrix Administrator needs to power-manage a group of Server OS Virtual Delivery Agent (VDA) machines that are all in the same Delivery Group. The administrator needs all the machines to be restarted once a week during the weekend. Additionally, a subset of the machines should be restarted every day during non-peak hours.

Which feature must the administrator change from the default values in order to fulfill the requirements?

- A. Restart duration
- B. Weekday and weekend hours
- C. Peak and non-peak hours
- D. Tag restrictions

Answer: D

NEW QUESTION 17

Scenario: A Citrix ADC receives packets that are destined for a MAC address owned by the Citrix ADC. The destination IP address of the packets does NOT belong to the Citrix ADC. Layer 3 Mode is enabled by default on the Citrix ADC.

What will the Citrix ADC do with the packets in this scenario?

- A. Drop the packets
- B. Bridge the packets.
- C. Route the packets.
- D. Process the packets.

Answer: C

NEW QUESTION 20

Scenario: A Lead Citrix Administrator for a large company hired a new administrator for the team to help manage a Citrix Virtual Desktops infrastructure. The new administrator will need to manage user sessions and power-manage machines within the Delivery Group but should NOT be able to create any new objects. Which role should the lead administrator create for the new administrator?

- A. Delivery Group Administrator
- B. Machine Catalog Administrator
- C. Help Desk Administrator
- D. Host Administrator

Answer: C

NEW QUESTION 22

Scenario: A Citrix Administrator needs to review the current state of specific machine sessions and application instances that are running in a Citrix Virtual Apps and Desktops Site. The administrator also needs to power-manage sessions. The Site is a premium licensed Site. Where should the administrator navigate to within Citrix Director to obtain this information?

- A. Filters
- B. Trends
- C. Dashboard
- D. Alerts

Answer: A

NEW QUESTION 27

A Citrix Administrator is configuring a Citrix ADC high availability (HA) pair and needs to ensure that one Citrix ADC is UP and primary at all times to ensure the business websites are always available.

What does the administrator need to do to ensure that the Citrix ADCs still handle web traffic in the event that both nodes become unavailable or fail a health check?

- A. Disable HA Fail-safe mode on the Primary Citrix ADC only.
- B. Configure HA Fail-safe mode on each Citrix ADC independently.
- C. Configure HA Fail-safe mode on the Primary Citrix ADC only.
- D. Disable HA Fail-safe mode on the Secondary Citrix ADC.

Answer: B

NEW QUESTION 28

Scenario: A Citrix Administrator is configuring the Workspace Experience to provide users with access to their applications and desktops. The administrator deployed Microsoft Azure Active Directory (AD) already and wants to leverage it to support user access to the Workspace Experience.

Which two steps does the administrator need to take to enable users to authenticate using Azure AD to the Workspace Experience? (Choose two.)

- A. Add Cloud Connector information to the Azure AD console.
- B. Enable Azure AD authentication under Workspace Configuration in Citrix Cloud.
- C. Add Azure AD Account under Identity Providers in Citrix Cloud.
- D. Deploy Cloud Connectors to support Azure AD authentication.

Answer: BC

NEW QUESTION 30

Scenario: A Citrix Administrator configured the “-denySSLReneg” Parameter using the below command on Citrix ADC to enhance security.
set ssl parameter -denySSLReneg <option>

Which two options can the administrator use to complete the command? (Choose two.)

- A. NONSECURE
- B. HIGHSECURE
- C. FRONTEND_CLIENT
- D. NO
- E. ALL

Answer: AC

NEW QUESTION 35

Which tool should a Citrix Administrator use when a user reports “event ID 1022: The Citrix Desktop Service Failed to register with any controller”?

- A. HDX Monitor
- B. VDA Cleanup Utility
- C. Citrix Scout
- D. Citrix Health Assistant

Answer: D

NEW QUESTION 37

Scenario: A Citrix Administrator needs to deploy 300 virtual Windows 10 desktops in an environment. The deployment should have a low impact on the existing network infrastructure. The environment also requires user-installed applications and persistency.

Which Citrix technology can the administrator use to provision the desktops?

- A. Citrix Provisioning
- B. Existing Machines
- C. Machine Creation Services
- D. Manual Provisioning

Answer: C

NEW QUESTION 40

Scenario: A Citrix Administrator is configuring load balancing on a Citrix ADC appliance for the company web servers. The administrator needs to create a custom monitor that will look for a specific keyword response from the website and will be used to keep the services in an UP state. Which type of monitor can the administrator create to accomplish this scenario?

- A. HTTP-ECV monitor with the keyword in the Special Parameters – Receive String field.
- B. A HTTP monitor with the keyword in the Special Parameters – Response Codes field.
- C. A TCP monitor with the keyword in the Special Parameters – Response Code field.
- D. An UDP-ECV monitor with the keyword in the Special Parameters – Receive String field.

Answer: A

NEW QUESTION 42

Which three policy settings can a Citrix Administrator configure to improve HDX session performance for high-latency, low bandwidth user connections? (Choose three.)

- A. Maximum number of sessions
- B. View window contents while dragging
- C. CPU usage
- D. Target frame rate and color depth
- E. Limit video quality
- F. Application launch wait timeout

Answer: BDE

NEW QUESTION 46

Which three methods can a Citrix Administrator choose from when creating a Featured App Group for a set of applications? (Choose three.)

- A. Application names
- B. Installed locally
- C. Keyword
- D. Application category
- E. Delivery Group

Answer: ACD

Explanation:

You can create product featured app groups for your end users that are related to or fit in a specific category. For example, you can create a Sales Department featured app group containing applications that are used by that department. You can define featured apps in the StoreFront administration console by using application names or by using keywords or application categories that were defined in the Studio console.

NEW QUESTION 51

Scenario: A Citrix Administrator configured the rewrite policies below:

```
bind lb vserver VPN_http-policyName POL_1-priority 120 -gotoPriorityExpression END -type REQUEST
bind lb vserver VPN_http-policyName POL_2-priority 90 -gotoPriorityExpression NEXT -type REQUEST
bind lb vserver VPN_http-policyName POL_3-priority 100 -gotoPriorityExpression NEXT -type REQUEST
bind lb vserver VPN_http-policyName POL_4-priority 110 -gotoPriorityExpression END -type REQUEST
```

In which order will the policies be evaluated?

- A. POL_2, POL_3
- B. POL_2
- C. POL_2, POL_3, POL_4, POL_1
- D. POL_2, POL_3, POL_4

Answer: C

NEW QUESTION 56

Scenario: A Citrix ADC is configured with Interface 1/1 and bound to VLAN 40. A Citrix Administrator has executed the following command: bind vlan 20 -ifnum 1/1 What is the result of executing the command on the Citrix ADC?

- A. Interface 1/1 is bound to VLAN 20, and native VLAN is 1.
- B. Interface 1/1 is bound to VLAN 20, and native VLAN is 40.
- C. Interface 1/1 is bound to VLAN 20, and native VLAN is NOT changed.
- D. Interface 1/1 is bound to VLAN 20, and native VLAN is 20.

Answer: B

NEW QUESTION 58

A Citrix Administrator executed the following command in the Global Server Load Balancing (GSLB) environment:

```
set gslb site SiteB -triggerMonitor MEPDOWN
```

What will be the effect of this command to the default service monitoring behavior on the remote site?

- A. The service monitor will take precedence over Metric Exchange Protocol (MEP)
- B. The service monitor is invoked only when Metric Exchange Protocol (MEP) has marked the service as DOWN for any reason.
- C. The state of the GSLB service will always be controlled by Metric Exchange Protocol (MEP).
- D. The service monitor is invoked only when Metric Exchange Protocol (MEP) connectivity has been lost between SiteA and SiteB.

Answer: B

NEW QUESTION 62

Scenario: A Citrix Administrator has a Citrix ADC SDX with four VPX instances configured. The SDX has a 10GB bandwidth license that has been configured with dedicated bandwidth of 2GB for each instance. However, the administrator found that three instances do NOT ever reach the bandwidth limit, while one instance reaches the limit and needs 1GB more bandwidth to accommodate increased traffic requests.

What can the administrator change on the instance that requires more bandwidth, to meet traffic requirements?

- A. Configure burst capacity on the instance adding 1 GB of bandwidth with burst priority 0.
- B. Purchase an SDX license to increase the bandwidth on the instances.
- C. Configure burst capacity of 1GB with priority 10.
- D. Configure LA channel to increase the bandwidth.

Answer: C

NEW QUESTION 63

Scenario: A Citrix Administrator configured the HTTP_Callout feature on the Citrix ADC using the command-line interface. After configuring the commands, the device is facing the HTTP callout recursion issue.

Click on the 'Exhibit' button to view the screenshot of the command-line interface.

```
>
> add policy httpCallout myCallout
Done
> set policy httpCallout myCallout - IPAddress 10.102.3.95 -port 80 -returnType TEXT -
hostExpr "\"10.102.3.95\" \" -urlStemExpr \"/cgi-bin/check_clnt_from_database.pl
lout Request") -parameters cip (CLIENT.IP.SRC) -resultExpr "HTTP.RES.BODY(100)"
Done
> add responder policy Poll "SYS.HTTP_CALLOUT(myCallout).CONTAINS(\"IP Matched\")" RESET
Done
> bind responder global Poll 100 END -type OVERRIDE
```

How will the administrator rectify the issue?

- A. Change the expression of the Responder policy to "HTTP.REQ.HEADER("Request").EQ("Callout Request").NOT && SYS.HTTP_CALLOUT(myCallout).CONTAINS("IP Matched")"
- B. Change the expression of the Responder policy to "HTTP.REQ.HEADER("Request").EQ("Callout Request").NOT && SYS.HTTP_CALLOUT(myCallout).CONTAINS("IP Matched").NOT
- C. In the HTTP Callout policy, change the -parameters to "cip(CLIENT.IP.SRC)&&HTTP.REQ.HEADER("Request").EQ("Callout Request")"
- D. In the HTTP Callout policy, change the -parameters to "cip(CLIENT.IP.DST)&&HTTP.REQ.HEADER("Request").EQ("Callout Request")"

Answer: B

NEW QUESTION 68

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

1Y0-204 Practice Exam Features:

- * 1Y0-204 Questions and Answers Updated Frequently
- * 1Y0-204 Practice Questions Verified by Expert Senior Certified Staff
- * 1Y0-204 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * 1Y0-204 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The 1Y0-204 Practice Test Here](#)