



Google

Exam Questions Professional-Data-Engineer

Google Professional Data Engineer Exam

NEW QUESTION 1

- (Exam Topic 1)

You want to use a database of information about tissue samples to classify future tissue samples as either normal or mutated. You are evaluating an unsupervised anomaly detection method for classifying the tissue samples. Which two characteristics support this method? (Choose two.)

- A. There are very few occurrences of mutations relative to normal samples.
- B. There are roughly equal occurrences of both normal and mutated samples in the database.
- C. You expect future mutations to have different features from the mutated samples in the database.
- D. You expect future mutations to have similar features to the mutated samples in the database.
- E. You already have labels for which samples are mutated and which are normal in the database.

Answer: AD

Explanation:

Unsupervised anomaly detection techniques detect anomalies in an unlabeled test data set under the assumption that the majority of the instances in the data set are normal by looking for instances that seem to fit least to the remainder of the data set. https://en.wikipedia.org/wiki/Anomaly_detection

NEW QUESTION 2

- (Exam Topic 1)

Your weather app queries a database every 15 minutes to get the current temperature. The frontend is powered by Google App Engine and serves millions of users. How should you design the frontend to respond to a database failure?

- A. Issue a command to restart the database servers.
- B. Retry the query with exponential backoff, up to a cap of 15 minutes.
- C. Retry the query every second until it comes back online to minimize staleness of data.
- D. Reduce the query frequency to once every hour until the database comes back online.

Answer: B

Explanation:

<https://cloud.google.com/sql/docs/mysql/manage-connections#backoff>

NEW QUESTION 3

- (Exam Topic 1)

You are building a model to make clothing recommendations. You know a user's fashion preference is likely to change over time, so you build a data pipeline to stream new data back to the model as it becomes available. How should you use this data to train the model?

- A. Continuously retrain the model on just the new data.
- B. Continuously retrain the model on a combination of existing data and the new data.
- C. Train on the existing data while using the new data as your test set.
- D. Train on the new data while using the existing data as your test set.

Answer: C

Explanation:

<https://cloud.google.com/automl-tables/docs/prepare>

NEW QUESTION 4

- (Exam Topic 1)

Your company is using WHILECARD tables to query data across multiple tables with similar names. The SQL statement is currently failing with the following error:

```
# Syntax error : Expected end of statement but got "-" at [4:11] SELECT age
```

```
FROM
```

```
bigquery-public-data.noaa_gsod.gsod WHERE
```

```
age != 99
```

```
AND_TABLE_SUFFIX = '1929' ORDER BY
```

```
age DESC
```

Which table name will make the SQL statement work correctly?

- A. 'bigquery-public-data.noaa_gsod.gsod'
- B. bigquery-public-data.noaa_gsod.gsod*
- C. 'bigquery-public-data.noaa_gsod.gsod'*
- D. 'bigquery-public-data.noaa_gsod.gsod*'

Answer: D

NEW QUESTION 5

- (Exam Topic 1)

Your company is streaming real-time sensor data from their factory floor into Bigtable and they have noticed extremely poor performance. How should the row key be redesigned to improve Bigtable performance on queries that populate real-time dashboards?

- A. Use a row key of the form <timestamp>.
- B. Use a row key of the form <sensorid>.
- C. Use a row key of the form <timestamp>#<sensorid>.
- D. Use a row key of the form >#<sensorid>#<timestamp>.

Answer: A

NEW QUESTION 6

- (Exam Topic 1)

You are building new real-time data warehouse for your company and will use Google BigQuery streaming inserts. There is no guarantee that data will only be sent in once but you do have a unique ID for each row of data and an event timestamp. You want to ensure that duplicates are not included while interactively querying data. Which query type should you use?

- A. Include ORDER BY DESK on timestamp column and LIMIT to 1.
- B. Use GROUP BY on the unique ID column and timestamp column and SUM on the values.
- C. Use the LAG window function with PARTITION by unique ID along with WHERE LAG IS NOT NULL.
- D. Use the ROW_NUMBER window function with PARTITION by unique ID along with WHERE row equals 1.

Answer: D

Explanation:

<https://cloud.google.com/bigquery/docs/reference/standard-sql/analytic-function-concepts>

NEW QUESTION 7

- (Exam Topic 1)

You have Google Cloud Dataflow streaming pipeline running with a Google Cloud Pub/Sub subscription as the source. You need to make an update to the code that will make the new Cloud Dataflow pipeline incompatible with the current version. You do not want to lose any data when making this update. What should you do?

- A. Update the current pipeline and use the drain flag.
- B. Update the current pipeline and provide the transform mapping JSON object.
- C. Create a new pipeline that has the same Cloud Pub/Sub subscription and cancel the old pipeline.
- D. Create a new pipeline that has a new Cloud Pub/Sub subscription and cancel the old pipeline.

Answer: D

NEW QUESTION 8

- (Exam Topic 1)

You are building a model to predict whether or not it will rain on a given day. You have thousands of input features and want to see if you can improve training speed by removing some features while having a minimum effect on model accuracy. What can you do?

- A. Eliminate features that are highly correlated to the output labels.
- B. Combine highly co-dependent features into one representative feature.
- C. Instead of feeding in each feature individually, average their values in batches of 3.
- D. Remove the features that have null values for more than 50% of the training records.

Answer: B

NEW QUESTION 9

- (Exam Topic 1)

Your company's on-premises Apache Hadoop servers are approaching end-of-life, and IT has decided to migrate the cluster to Google Cloud Dataproc. A like-for-like migration of the cluster would require 50 TB of Google Persistent Disk per node. The CIO is concerned about the cost of using that much block storage. You want to minimize the storage cost of the migration. What should you do?

- A. Put the data into Google Cloud Storage.
- B. Use preemptible virtual machines (VMs) for the Cloud Dataproc cluster.
- C. Tune the Cloud Dataproc cluster so that there is just enough disk for all data.
- D. Migrate some of the cold data into Google Cloud Storage, and keep only the hot data in Persistent Disk.

Answer: B

NEW QUESTION 10

- (Exam Topic 1)

You want to process payment transactions in a point-of-sale application that will run on Google Cloud Platform. Your user base could grow exponentially, but you do not want to manage infrastructure scaling.

Which Google database service should you use?

- A. Cloud SQL
- B. BigQuery
- C. Cloud Bigtable
- D. Cloud Datastore

Answer: A

NEW QUESTION 10

- (Exam Topic 1)

You are working on a sensitive project involving private user data. You have set up a project on Google Cloud Platform to house your work internally. An external consultant is going to assist with coding a complex transformation in a Google Cloud Dataflow pipeline for your project. How should you maintain users' privacy?

- A. Grant the consultant the Viewer role on the project.
- B. Grant the consultant the Cloud Dataflow Developer role on the project.
- C. Create a service account and allow the consultant to log on with it.
- D. Create an anonymized sample of the data for the consultant to work with in a different project.

Answer: C

NEW QUESTION 15

- (Exam Topic 1)

Your company is migrating their 30-node Apache Hadoop cluster to the cloud. They want to re-use Hadoop jobs they have already created and minimize the management of the cluster as much as possible. They also want to be able to persist data beyond the life of the cluster. What should you do?

- A. Create a Google Cloud Dataflow job to process the data.
- B. Create a Google Cloud Dataproc cluster that uses persistent disks for HDFS.
- C. Create a Hadoop cluster on Google Compute Engine that uses persistent disks.
- D. Create a Cloud Dataproc cluster that uses the Google Cloud Storage connector.
- E. Create a Hadoop cluster on Google Compute Engine that uses Local SSD disks.

Answer: D

NEW QUESTION 19

- (Exam Topic 1)

Your company is running their first dynamic campaign, serving different offers by analyzing real-time data during the holiday season. The data scientists are collecting terabytes of data that rapidly grows every hour during their 30-day campaign. They are using Google Cloud Dataflow to preprocess the data and collect the feature (signals) data that is needed for the machine learning model in Google Cloud Bigtable. The team is observing suboptimal performance with reads and writes of their initial load of 10 TB of data. They want to improve this performance while minimizing cost. What should they do?

- A. Redefine the schema by evenly distributing reads and writes across the row space of the table.
- B. The performance issue should be resolved over time as the size of the Bigtable cluster is increased.
- C. Redesign the schema to use a single row key to identify values that need to be updated frequently in the cluster.
- D. Redesign the schema to use row keys based on numeric IDs that increase sequentially per user viewing the offers.

Answer: A

NEW QUESTION 20

- (Exam Topic 1)

Business owners at your company have given you a database of bank transactions. Each row contains the user ID, transaction type, transaction location, and transaction amount. They ask you to investigate what type of machine learning can be applied to the data. Which three machine learning applications can you use? (Choose three.)

- A. Supervised learning to determine which transactions are most likely to be fraudulent.
- B. Unsupervised learning to determine which transactions are most likely to be fraudulent.
- C. Clustering to divide the transactions into N categories based on feature similarity.
- D. Supervised learning to predict the location of a transaction.
- E. Reinforcement learning to predict the location of a transaction.
- F. Unsupervised learning to predict the location of a transaction.

Answer: BCD

NEW QUESTION 23

- (Exam Topic 1)

Your company uses a proprietary system to send inventory data every 6 hours to a data ingestion service in the cloud. Transmitted data includes a payload of several fields and the timestamp of the transmission. If there are any concerns about a transmission, the system re-transmits the data. How should you deduplicate the data most efficiently?

- A. Assign global unique identifiers (GUID) to each data entry.
- B. Compute the hash value of each data entry, and compare it with all historical data.
- C. Store each data entry as the primary key in a separate database and apply an index.
- D. Maintain a database table to store the hash value and other metadata for each data entry.

Answer: D

NEW QUESTION 27

- (Exam Topic 1)

You create an important report for your large team in Google Data Studio 360. The report uses Google BigQuery as its data source. You notice that visualizations are not showing data that is less than 1 hour old. What should you do?

- A. Disable caching by editing the report settings.
- B. Disable caching in BigQuery by editing table details.
- C. Refresh your browser tab showing the visualizations.
- D. Clear your browser history for the past hour then reload the tab showing the visualizations.

Answer: A

Explanation:

Reference <https://support.google.com/datastudio/answer/7020039?hl=en>

NEW QUESTION 32

- (Exam Topic 2)

Flowlogic wants to use Google BigQuery as their primary analysis system, but they still have Apache Hadoop and Spark workloads that they cannot move to BigQuery. Flowlogic does not know how to store the data that is common to both workloads. What should they do?

- A. Store the common data in BigQuery as partitioned tables.
- B. Store the common data in BigQuery and expose authorized views.

- C. Store the common data encoded as Avro in Google Cloud Storage.
- D. Store the common data in the HDFS storage for a Google Cloud Dataproc cluster.

Answer: B

NEW QUESTION 35

- (Exam Topic 3)

You need to compose visualizations for operations teams with the following requirements: Which approach meets the requirements?

- A. Load the data into Google Sheets, use formulas to calculate a metric, and use filters/sorting to show only suboptimal links in a table.
- B. Load the data into Google BigQuery tables, write Google Apps Script that queries the data, calculates the metric, and shows only suboptimal rows in a table in Google Sheets.
- C. Load the data into Google Cloud Datastore tables, write a Google App Engine Application that queries all rows, applies a function to derive the metric, and then renders results in a table using the Google charts and visualization API.
- D. Load the data into Google BigQuery tables, write a Google Data Studio 360 report that connects to your data, calculates a metric, and then uses a filter expression to show only suboptimal rows in a table.

Answer: C

NEW QUESTION 40

- (Exam Topic 3)

MJTelco's Google Cloud Dataflow pipeline is now ready to start receiving data from the 50,000 installations. You want to allow Cloud Dataflow to scale its compute power up as required. Which Cloud Dataflow pipeline configuration setting should you update?

- A. The zone
- B. The number of workers
- C. The disk size per worker
- D. The maximum number of workers

Answer: A

NEW QUESTION 44

- (Exam Topic 3)

Given the record streams MJTelco is interested in ingesting per day, they are concerned about the cost of Google BigQuery increasing. MJTelco asks you to provide a design solution. They require a single large data table called tracking_table. Additionally, they want to minimize the cost of daily queries while performing fine-grained analysis of each day's events. They also want to use streaming ingestion. What should you do?

- A. Create a table called tracking_table and include a DATE column.
- B. Create a partitioned table called tracking_table and include a TIMESTAMP column.
- C. Create sharded tables for each day following the pattern tracking_table_YYYYMMDD.
- D. Create a table called tracking_table with a TIMESTAMP column to represent the day.

Answer: B

NEW QUESTION 47

- (Exam Topic 4)

Your company is loading comma-separated values (CSV) files into Google BigQuery. The data is fully imported successfully; however, the imported data is not matching byte-to-byte to the source file. What is the most likely cause of this problem?

- A. The CSV data loaded in BigQuery is not flagged as CSV.
- B. The CSV data has invalid rows that were skipped on import.
- C. The CSV data loaded in BigQuery is not using BigQuery's default encoding.
- D. The CSV data has not gone through an ETL phase before loading into BigQuery.

Answer: B

NEW QUESTION 49

- (Exam Topic 4)

You work for a manufacturing plant that batches application log files together into a single log file once a day at 2:00 AM. You have written a Google Cloud Dataflow job to process that log file. You need to make sure the log file is processed once per day as inexpensively as possible. What should you do?

- A. Change the processing job to use Google Cloud Dataproc instead.
- B. Manually start the Cloud Dataflow job each morning when you get into the office.
- C. Create a cron job with Google App Engine Cron Service to run the Cloud Dataflow job.
- D. Configure the Cloud Dataflow job as a streaming job so that it processes the log data immediately.

Answer: C

NEW QUESTION 54

- (Exam Topic 4)

You are deploying a new storage system for your mobile application, which is a media streaming service. You decide the best fit is Google Cloud Datastore. You have entities with multiple properties, some of which can take on multiple values. For example, in the entity 'Movie' the property 'actors' and the property 'tags' have multiple values but the property 'date released' does not. A typical query would ask for all movies with actor=<actorname> ordered by date_released or all movies with tag=Comedy ordered by date_released. How should you avoid a combinatorial explosion in the number of indexes?

A. Manually configure the index in your index config as follows:

Indexes:

-kind: Movie

Properties:

-name: actors

name: date_released

-kind: Movie

Properties:

-name: tags

name: date_released

B. Manually configure the index in your index config as follows:

Indexes:

-kind: Movie

Properties:

-name: actors

-name: tags

-name: date_published

C. Set the following in your entity options: exclude_from_indexes = 'actors, tags'

D. Set the following in your entity options: exclude_from_indexes = 'date_published'

- A. Option A
- B. Option B.
- C. Option C
- D. Option D

Answer: A

NEW QUESTION 57

- (Exam Topic 5)

Scaling a Cloud Dataproc cluster typically involves .

- A. increasing or decreasing the number of worker nodes
- B. increasing or decreasing the number of master nodes
- C. moving memory to run more applications on a single node
- D. deleting applications from unused nodes periodically

Answer: A

Explanation:

After creating a Cloud Dataproc cluster, you can scale the cluster by increasing or decreasing the number of worker nodes in the cluster at any time, even when jobs are running on the cluster. Cloud Dataproc clusters are typically scaled to:

- 1) increase the number of workers to make a job run faster
- 2) decrease the number of workers to save money
- 3) increase the number of nodes to expand available Hadoop Distributed Filesystem (HDFS) storage Reference:
<https://cloud.google.com/dataproc/docs/concepts/scaling-clusters>

NEW QUESTION 62

- (Exam Topic 5)

Which SQL keyword can be used to reduce the number of columns processed by BigQuery?

- A. BETWEEN
- B. WHERE
- C. SELECT
- D. LIMIT

Answer: C

Explanation:

SELECT allows you to query specific columns rather than the whole table.

LIMIT, BETWEEN, and WHERE clauses will not reduce the number of columns processed by BigQuery.

Reference:

https://cloud.google.com/bigquery/launch-checklist#architecture_design_and_development_checklist

NEW QUESTION 66

- (Exam Topic 5)

Which action can a Cloud Dataproc Viewer perform?

- A. Submit a job.
- B. Create a cluster.
- C. Delete a cluster.
- D. List the jobs.

Answer: D

Explanation:

A Cloud Dataproc Viewer is limited in its actions based on its role. A viewer can only list clusters, get cluster details, list jobs, get job details, list operations, and get operation details.

Reference: https://cloud.google.com/dataproc/docs/concepts/iam#iam_roles_and_cloud_dataproc_operations_summary

NEW QUESTION 70

- (Exam Topic 5)

You are developing a software application using Google's Dataflow SDK, and want to use conditional, for loops and other complex programming structures to create a branching pipeline. Which component will be used for the data processing operation?

- A. PCollection
- B. Transform
- C. Pipeline
- D. Sink API

Answer: B

Explanation:

In Google Cloud, the Dataflow SDK provides a transform component. It is responsible for the data processing operation. You can use conditional, for loops, and other complex programming structure to create a branching pipeline.

Reference: <https://cloud.google.com/dataflow/model/programming-model>

NEW QUESTION 73

- (Exam Topic 5)

How can you get a neural network to learn about relationships between categories in a categorical feature?

- A. Create a multi-hot column
- B. Create a one-hot column
- C. Create a hash bucket
- D. Create an embedding column

Answer: D

Explanation:

There are two problems with one-hot encoding. First, it has high dimensionality, meaning that instead of having just one value, like a continuous feature, it has many values, or dimensions. This makes computation more time-consuming, especially if a feature has a very large number of categories. The second problem is that it doesn't encode any relationships between the categories. They are completely independent from each other, so the network has no way of knowing which ones are similar to each other.

Both of these problems can be solved by representing a categorical feature with an embedding

column. The idea is that each category has a smaller vector with, let's say, 5 values in it. But unlike a one-hot vector, the values are not usually 0. The values are weights, similar to the weights that are used for basic features in a neural network. The difference is that each category has a set of weights (5 of them in this case).

You can think of each value in the embedding vector as a feature of the category. So, if two categories are very similar to each other, then their embedding vectors should be very similar too.

Reference:

<https://cloudacademy.com/google/introduction-to-google-cloud-machine-learning-engine-course/a-wide-and-dee>

NEW QUESTION 74

- (Exam Topic 5)

In order to securely transfer web traffic data from your computer's web browser to the Cloud Dataproc cluster you should use a(n) .

- A. VPN connection
- B. Special browser
- C. SSH tunnel
- D. FTP connection

Answer: C

Explanation:

To connect to the web interfaces, it is recommended to use an SSH tunnel to create a secure connection to the master node.

Reference:

https://cloud.google.com/dataproc/docs/concepts/cluster-web-interfaces#connecting_to_the_web_interfaces

NEW QUESTION 78

- (Exam Topic 5)

The YARN ResourceManager and the HDFS NameNode interfaces are available on a Cloud Dataproc cluster _____.

- A. application node

- B. conditional node
- C. master node
- D. worker node

Answer: C

Explanation:

The YARN ResourceManager and the HDFS NameNode interfaces are available on a Cloud Dataproc cluster master node. The cluster master-host-name is the name of your Cloud Dataproc cluster followed by an -m suffix—for example, if your cluster is named "my-cluster", the master-host-name would be "my-cluster-m".
Reference: <https://cloud.google.com/dataproc/docs/concepts/cluster-web-interfaces#interfaces>

NEW QUESTION 81

- (Exam Topic 5)

Suppose you have a table that includes a nested column called "city" inside a column called "person", but when you try to submit the following query in BigQuery, it gives you an error.

SELECT person FROM `project1.example.table1` WHERE city = "London" How would you correct the error?

- A. Add ", UNNEST(person)" before the WHERE clause.
- B. Change "person" to "person.city".
- C. Change "person" to "city.person".
- D. Add ", UNNEST(city)" before the WHERE clause.

Answer: A

Explanation:

To access the person.city column, you need to "UNNEST(person)" and JOIN it to table1 using a comma. Reference:
https://cloud.google.com/bigquery/docs/reference/standard-sql/migrating-from-legacy-sql#nested_repeated_resu

NEW QUESTION 86

- (Exam Topic 5)

To give a user read permission for only the first three columns of a table, which access control method would you use?

- A. Primitive role
- B. Predefined role
- C. Authorized view
- D. It's not possible to give access to only the first three columns of a table.

Answer: C

Explanation:

An authorized view allows you to share query results with particular users and groups without giving them read access to the underlying tables. Authorized views can only be created in a dataset that does not contain the tables queried by the view.

When you create an authorized view, you use the view's SQL query to restrict access to only the rows and columns you want the users to see.

Reference: <https://cloud.google.com/bigquery/docs/views#authorized-views>

NEW QUESTION 91

- (Exam Topic 5)

Which of the following IAM roles does your Compute Engine account require to be able to run pipeline jobs?

- A. dataflow.worker
- B. dataflow.compute
- C. dataflow.developer
- D. dataflow.viewer

Answer: A

Explanation:

The dataflow.worker role provides the permissions necessary for a Compute Engine service account to execute work units for a Dataflow pipeline

Reference: <https://cloud.google.com/dataflow/access-control>

NEW QUESTION 95

- (Exam Topic 5)

Which of the following is NOT one of the three main types of triggers that Dataflow supports?

- A. Trigger based on element size in bytes
- B. Trigger that is a combination of other triggers
- C. Trigger based on element count
- D. Trigger based on time

Answer: A

Explanation:

There are three major kinds of triggers that Dataflow supports: 1. Time-based triggers 2. Data-driven triggers. You can set a trigger to emit results from a window when that window has received a certain number of data elements. 3. Composite triggers. These triggers combine multiple time-based or data-driven triggers in some logical way

Reference: <https://cloud.google.com/dataflow/model/triggers>

NEW QUESTION 97

- (Exam Topic 5)

Which Java SDK class can you use to run your Dataflow programs locally?

- A. LocalRunner
- B. DirectPipelineRunner
- C. MachineRunner
- D. LocalPipelineRunner

Answer: B

Explanation:

DirectPipelineRunner allows you to execute operations in the pipeline directly, without any optimization. Useful for small local execution and tests

Reference:

<https://cloud.google.com/dataflow/java-sdk/JavaDoc/com/google/cloud/dataflow/sdk/runners/DirectPipelineRun>

NEW QUESTION 99

- (Exam Topic 5)

Why do you need to split a machine learning dataset into training data and test data?

- A. So you can try two different sets of features
- B. To make sure your model is generalized for more than just the training data
- C. To allow you to create unit tests in your code
- D. So you can use one dataset for a wide model and one for a deep model

Answer: B

Explanation:

The flaw with evaluating a predictive model on training data is that it does not inform you on how well the model has generalized to new unseen data. A model that is selected for its accuracy on the training dataset rather than its accuracy on an unseen test dataset is very likely to have lower accuracy on an unseen test dataset. The reason is that the model is not as generalized. It has specialized to the structure in the training dataset. This is called overfitting.

Reference: <https://machinelearningmastery.com/a-simple-intuition-for-overfitting/>

NEW QUESTION 104

- (Exam Topic 5)

When you store data in Cloud Bigtable, what is the recommended minimum amount of stored data?

- A. 500 TB
- B. 1 GB
- C. 1 TB
- D. 500 GB

Answer: C

Explanation:

Cloud Bigtable is not a relational database. It does not support SQL queries, joins, or multi-row transactions. It is not a good solution for less than 1 TB of data.

Reference: https://cloud.google.com/bigtable/docs/overview#title_short_and_other_storage_options

NEW QUESTION 109

- (Exam Topic 5)

What is the general recommendation when designing your row keys for a Cloud Bigtable schema?

- A. Include multiple time series values within the row key
- B. Keep the row key as an 8 bit integer
- C. Keep your row key reasonably short
- D. Keep your row key as long as the field permits

Answer: C

Explanation:

A general guide is to, keep your row keys reasonably short. Long row keys take up additional memory and storage and increase the time it takes to get responses from the Cloud Bigtable server.

Reference: <https://cloud.google.com/bigtable/docs/schema-design#row-keys>

NEW QUESTION 114

- (Exam Topic 5)

Suppose you have a dataset of images that are each labeled as to whether or not they contain a human face. To create a neural network that recognizes human faces in images using this labeled dataset, what approach would likely be the most effective?

- A. Use K-means Clustering to detect faces in the pixels.
- B. Use feature engineering to add features for eyes, noses, and mouths to the input data.
- C. Use deep learning by creating a neural network with multiple hidden layers to automatically detect features of faces.
- D. Build a neural network with an input layer of pixels, a hidden layer, and an output layer with two categories.

Answer: C

Explanation:

Traditional machine learning relies on shallow nets, composed of one input and one output layer, and at most one hidden layer in between. More than three layers

(including input and output) qualifies as “deep” learning. So deep is a strictly defined, technical term that means more than one hidden layer. In deep-learning networks, each layer of nodes trains on a distinct set of features based on the previous layer’s output. The further you advance into the neural net, the more complex the features your nodes can recognize, since they aggregate and recombine features from the previous layer. A neural network with only one hidden layer would be unable to automatically recognize high-level features of faces, such as eyes, because it wouldn't be able to "build" these features using previous hidden layers that detect low-level features, such as lines. Feature engineering is difficult to perform on raw image data. K- means Clustering is an unsupervised learning method used to categorize unlabeled data. Reference: <https://deeplearning4j.org/neuralnet-overview>

NEW QUESTION 119

- (Exam Topic 5)

You want to use a BigQuery table as a data sink. In which writing mode(s) can you use BigQuery as a sink?

- A. Both batch and streaming
- B. BigQuery cannot be used as a sink
- C. Only batch
- D. Only streaming

Answer: A

Explanation:

When you apply a BigQueryIO.Write transform in batch mode to write to a single table, Dataflow invokes a BigQuery load job. When you apply a BigQueryIO.Write transform in streaming mode or in batch mode using a function to specify the destination table, Dataflow uses BigQuery's streaming inserts. Reference: <https://cloud.google.com/dataflow/model/bigquery-io>

NEW QUESTION 120

- (Exam Topic 5)

Which of the following are feature engineering techniques? (Select 2 answers)

- A. Hidden feature layers
- B. Feature prioritization
- C. Crossed feature columns
- D. Bucketization of a continuous feature

Answer: CD

Explanation:

Selecting and crafting the right set of feature columns is key to learning an effective model. Bucketization is a process of dividing the entire range of a continuous feature into a set of consecutive bins/buckets, and then converting the original numerical feature into a bucket ID (as a categorical feature) depending on which bucket that value falls into. Using each base feature column separately may not be enough to explain the data. To learn the differences between different feature combinations, we can add crossed feature columns to the model. Reference: https://www.tensorflow.org/tutorials/wide#selecting_and_engineering_features_for_the_model

NEW QUESTION 121

- (Exam Topic 5)

Which role must be assigned to a service account used by the virtual machines in a Dataproc cluster so they can execute jobs?

- A. Dataproc Worker
- B. Dataproc Viewer
- C. Dataproc Runner
- D. Dataproc Editor

Answer: A

Explanation:

Service accounts used with Cloud Dataproc must have Dataproc/Dataproc Worker role (or have all the permissions granted by Dataproc Worker role). Reference: https://cloud.google.com/dataproc/docs/concepts/service-accounts#important_notes

NEW QUESTION 122

- (Exam Topic 5)

For the best possible performance, what is the recommended zone for your Compute Engine instance and Cloud Bigtable instance?

- A. Have the Compute Engine instance in the furthest zone from the Cloud Bigtable instance.
- B. Have both the Compute Engine instance and the Cloud Bigtable instance to be in different zones.
- C. Have both the Compute Engine instance and the Cloud Bigtable instance to be in the same zone.
- D. Have the Cloud Bigtable instance to be in the same zone as all of the consumers of your data.

Answer: C

Explanation:

It is recommended to create your Compute Engine instance in the same zone as your Cloud Bigtable instance for the best possible performance. If it's not possible to create a instance in the same zone, you should create your instance in another zone within the same region. For example, if your Cloud Bigtable instance is located in us-central1-b, you could create your instance in us-central1-f. This change may result in several milliseconds of additional latency for each Cloud Bigtable request. It is recommended to avoid creating your Compute Engine instance in a different region from your Cloud Bigtable instance, which can add hundreds of milliseconds of latency to each Cloud Bigtable request. Reference: <https://cloud.google.com/bigtable/docs/creating-compute-instance>

NEW QUESTION 125

- (Exam Topic 5)

Which of the following is not true about Dataflow pipelines?

- A. Pipelines are a set of operations
- B. Pipelines represent a data processing job
- C. Pipelines represent a directed graph of steps
- D. Pipelines can share data between instances

Answer: D

Explanation:

The data and transforms in a pipeline are unique to, and owned by, that pipeline. While your program can create multiple pipelines, pipelines cannot share data or transforms

Reference: <https://cloud.google.com/dataflow/model/pipelines>

NEW QUESTION 128

- (Exam Topic 5)

Which of the following statements about the Wide & Deep Learning model are true? (Select 2 answers.)

- A. The wide model is used for memorization, while the deep model is used for generalization.
- B. A good use for the wide and deep model is a recommender system.
- C. The wide model is used for generalization, while the deep model is used for memorization.
- D. A good use for the wide and deep model is a small-scale linear regression problem.

Answer: AB

Explanation:

Can we teach computers to learn like humans do, by combining the power of memorization and generalization? It's not an easy question to answer, but by jointly training a wide linear model (for memorization) alongside a deep neural network (for generalization), one can combine the strengths of both to bring us one step closer. At Google, we call it Wide & Deep Learning. It's useful for generic large-scale regression and classification problems with sparse inputs (categorical features with a large number of possible feature values), such as recommender systems, search, and ranking problems.

Reference: <https://research.googleblog.com/2016/06/wide-deep-learning-better-together-with.html>

NEW QUESTION 130

- (Exam Topic 5)

Cloud Dataproc is a managed Apache Hadoop and Apache service.

- A. Blaze
- B. Spark
- C. Fire
- D. Ignite

Answer: B

Explanation:

Cloud Dataproc is a managed Apache Spark and Apache Hadoop service that lets you use open source data tools for batch processing, querying, streaming, and machine learning.

Reference: <https://cloud.google.com/dataproc/docs/>

NEW QUESTION 133

- (Exam Topic 5)

What is the recommended action to do in order to switch between SSD and HDD storage for your Google Cloud Bigtable instance?

- A. create a third instance and sync the data from the two storage types via batch jobs
- B. export the data from the existing instance and import the data into a new instance
- C. run parallel instances where one is HDD and the other is SDD
- D. the selection is final and you must resume using the same storage type

Answer: B

Explanation:

When you create a Cloud Bigtable instance and cluster, your choice of SSD or HDD storage for the cluster is permanent. You cannot use the Google Cloud Platform Console to change the type of storage that is used for the cluster.

If you need to convert an existing HDD cluster to SSD, or vice-versa, you can export the data from the existing instance and import the data into a new instance. Alternatively, you can write

a Cloud Dataflow or Hadoop MapReduce job that copies the data from one instance to another. Reference: <https://cloud.google.com/bigtable/docs/choosing-ssd-hdd->

NEW QUESTION 134

- (Exam Topic 5)

If you're running a performance test that depends upon Cloud Bigtable, all the choices except one below are recommended steps. Which is NOT a recommended step to follow?

- A. Do not use a production instance.
- B. Run your test for at least 10 minutes.
- C. Before you test, run a heavy pre-test for several minutes.
- D. Use at least 300 GB of data.

Answer: A

Explanation:

If you're running a performance test that depends upon Cloud Bigtable, be sure to follow these steps as you plan and execute your test:
Use a production instance. A development instance will not give you an accurate sense of how a production instance performs under load.
Use at least 300 GB of data. Cloud Bigtable performs best with 1 TB or more of data. However, 300 GB of data is enough to provide reasonable results in a performance test on a 3-node cluster. On larger clusters, use 100 GB of data per node.
Before you test, run a heavy pre-test for several minutes. This step gives Cloud Bigtable a chance to balance data across your nodes based on the access patterns it observes.
Run your test for at least 10 minutes. This step lets Cloud Bigtable further optimize your data, and it helps ensure that you will test reads from disk as well as cached reads from memory.
Reference: <https://cloud.google.com/bigtable/docs/performance>

NEW QUESTION 138

- (Exam Topic 5)

When running a pipeline that has a BigQuery source, on your local machine, you continue to get permission denied errors. What could be the reason for that?

- A. Your gcloud does not have access to the BigQuery resources
- B. BigQuery cannot be accessed from local machines
- C. You are missing gcloud on your machine
- D. Pipelines cannot be run locally

Answer: A

Explanation:

When reading from a Dataflow source or writing to a Dataflow sink using DirectPipelineRunner, the Cloud Platform account that you configured with the gcloud executable will need access to the corresponding source/sink
Reference:
<https://cloud.google.com/dataflow/java-sdk/JavaDoc/com/google/cloud/dataflow/sdk/runners/DirectPipelineRun>

NEW QUESTION 142

- (Exam Topic 5)

Cloud Dataproc charges you only for what you really use with billing.

- A. month-by-month
- B. minute-by-minute
- C. week-by-week
- D. hour-by-hour

Answer: B

Explanation:

One of the advantages of Cloud Dataproc is its low cost. Dataproc charges for what you really use with minute-by-minute billing and a low, ten-minute-minimum billing period.
Reference: <https://cloud.google.com/dataproc/docs/concepts/overview>

NEW QUESTION 145

- (Exam Topic 5)

Which of the following job types are supported by Cloud Dataproc (select 3 answers)?

- A. Hive
- B. Pig
- C. YARN
- D. Spark

Answer: ABD

Explanation:

Cloud Dataproc provides out-of-the box and end-to-end support for many of the most popular job types, including Spark, Spark SQL, PySpark, MapReduce, Hive, and Pig jobs.
Reference: https://cloud.google.com/dataproc/docs/resources/faq#what_type_of_jobs_can_i_run

NEW QUESTION 149

- (Exam Topic 6)

An online retailer has built their current application on Google App Engine. A new initiative at the company mandates that they extend their application to allow their customers to transact directly via the application.
They need to manage their shopping transactions and analyze combined data from multiple datasets using a business intelligence (BI) tool. They want to use only a single database for this purpose. Which Google Cloud database should they choose?

- A. BigQuery
- B. Cloud SQL
- C. Cloud BigTable
- D. Cloud Datastore

Answer: C

Explanation:

Reference: <https://cloud.google.com/solutions/business-intelligence/>

NEW QUESTION 150

- (Exam Topic 6)

You have Cloud Functions written in Node.js that pull messages from Cloud Pub/Sub and send the data to BigQuery. You observe that the message processing rate on the Pub/Sub topic is orders of magnitude higher than anticipated, but there is no error logged in Stackdriver Log Viewer. What are the two most likely causes of this problem? Choose 2 answers.

- A. Publisher throughput quota is too small.
- B. Total outstanding messages exceed the 10-MB maximum.
- C. Error handling in the subscriber code is not handling run-time errors properly.
- D. The subscriber code cannot keep up with the messages.
- E. The subscriber code does not acknowledge the messages that it pulls.

Answer: CD

NEW QUESTION 152

- (Exam Topic 6)

Your company maintains a hybrid deployment with GCP, where analytics are performed on your anonymized customer data. The data are imported to Cloud Storage from your data center through parallel uploads to a data transfer server running on GCP. Management informs you that the daily transfers take too long and have asked you to fix the problem. You want to maximize transfer speeds. Which action should you take?

- A. Increase the CPU size on your server.
- B. Increase the size of the Google Persistent Disk on your server.
- C. Increase your network bandwidth from your datacenter to GCP.
- D. Increase your network bandwidth from Compute Engine to Cloud Storage.

Answer: C

NEW QUESTION 155

- (Exam Topic 6)

Your company is selecting a system to centralize data ingestion and delivery. You are considering messaging and data integration systems to address the requirements. The key requirements are:

- The ability to seek to a particular offset in a topic, possibly back to the start of all data ever captured
- Support for publish/subscribe semantics on hundreds of topics
- Retain per-key ordering

Which system should you choose?

- A. Apache Kafka
- B. Cloud Storage
- C. Cloud Pub/Sub
- D. Firebase Cloud Messaging

Answer: A

NEW QUESTION 159

- (Exam Topic 6)

You are building a new application that you need to collect data from in a scalable way. Data arrives continuously from the application throughout the day, and you expect to generate approximately 150 GB of JSON data per day by the end of the year. Your requirements are:

- Decoupling producer from consumer
 - Space and cost-efficient storage of the raw ingested data, which is to be stored indefinitely
 - Near real-time SQL query
 - Maintain at least 2 years of historical data, which will be queried with SQL
- Which pipeline should you use to meet these requirements?

- A. Create an application that provides an API
- B. Write a tool to poll the API and write data to Cloud Storage as gzipped JSON files.
- C. Create an application that writes to a Cloud SQL database to store the data
- D. Set up periodic exports of the database to write to Cloud Storage and load into BigQuery.
- E. Create an application that publishes events to Cloud Pub/Sub, and create Spark jobs on Cloud Dataproc to convert the JSON data to Avro format, stored on HDFS on Persistent Disk.
- F. Create an application that publishes events to Cloud Pub/Sub, and create a Cloud Dataflow pipeline that transforms the JSON event payloads to Avro, writing the data to Cloud Storage and BigQuery.

Answer: A

NEW QUESTION 160

- (Exam Topic 6)

You need to copy millions of sensitive patient records from a relational database to BigQuery. The total size of the database is 10 TB. You need to design a solution that is secure and time-efficient. What should you do?

- A. Export the records from the database as an Avro file
- B. Upload the file to GCS using gsutil, and then load the Avro file into BigQuery using the BigQuery web UI in the GCP Console.
- C. Export the records from the database as an Avro file
- D. Copy the file onto a Transfer Appliance and send it to Google, and then load the Avro file into BigQuery using the BigQuery web UI in the GCP Console.
- E. Export the records from the database into a CSV file
- F. Create a public URL for the CSV file, and then use Storage Transfer Service to move the file to Cloud Storage
- G. Load the CSV file into BigQuery using the BigQuery web UI in the GCP Console.

- H. Export the records from the database as an Avro file
- I. Create a public URL for the Avro file, and then use Storage Transfer Service to move the file to Cloud Storage
- J. Load the Avro file into BigQuery using the BigQuery web UI in the GCP Console.

Answer: A

NEW QUESTION 163

- (Exam Topic 6)

You need to migrate a 2TB relational database to Google Cloud Platform. You do not have the resources to significantly refactor the application that uses this database and cost to operate is of primary concern.

Which service do you select for storing and serving your data?

- A. Cloud Spanner
- B. Cloud Bigtable
- C. Cloud Firestore
- D. Cloud SQL

Answer: D

NEW QUESTION 168

- (Exam Topic 6)

The marketing team at your organization provides regular updates of a segment of your customer dataset. The marketing team has given you a CSV with 1 million records that must be updated in BigQuery. When you use the UPDATE statement in BigQuery, you receive a quotaExceeded error. What should you do?

- A. Reduce the number of records updated each day to stay within the BigQuery UPDATE DML statement limit.
- B. Increase the BigQuery UPDATE DML statement limit in the Quota management section of the Google Cloud Platform Console.
- C. Split the source CSV file into smaller CSV files in Cloud Storage to reduce the number of BigQuery UPDATE DML statements per BigQuery job.
- D. Import the new records from the CSV file into a new BigQuery table
- E. Create a BigQuery job that merges the new records with the existing records and writes the results to a new BigQuery table.

Answer: D

NEW QUESTION 172

- (Exam Topic 6)

You work on a regression problem in a natural language processing domain, and you have 100M labeled examples in your dataset. You have randomly shuffled your data and split your dataset into train and test samples (in a 90/10 ratio). After you trained the neural network and evaluated your model on a test set, you discover that the root-mean-squared error (RMSE) of your model is twice as high on the train set as on the test set. How should you improve the performance of your model?

- A. Increase the share of the test sample in the train-test split.
- B. Try to collect more data and increase the size of your dataset.
- C. Try out regularization techniques (e.g., dropout or batch normalization) to avoid overfitting.
- D. Increase the complexity of your model by, e.g., introducing an additional layer or increase the size of vocabularies or n-grams used.

Answer: D

NEW QUESTION 175

- (Exam Topic 6)

You use BigQuery as your centralized analytics platform. New data is loaded every day, and an ETL pipeline modifies the original data and prepares it for the final users. This ETL pipeline is regularly modified and can generate errors, but sometimes the errors are detected only after 2 weeks. You need to provide a method to recover from these errors, and your backups should be optimized for storage costs. How should you organize your data in BigQuery and store your backups?

- A. Organize your data in a single table, export, and compress and store the BigQuery data in Cloud Storage.
- B. Organize your data in separate tables for each month, and export, compress, and store the data in Cloud Storage.
- C. Organize your data in separate tables for each month, and duplicate your data on a separate dataset in BigQuery.
- D. Organize your data in separate tables for each month, and use snapshot decorators to restore the table to a time prior to the corruption.

Answer: D

NEW QUESTION 180

- (Exam Topic 6)

You architect a system to analyze seismic data. Your extract, transform, and load (ETL) process runs as a series of MapReduce jobs on an Apache Hadoop cluster. The ETL process takes days to process a data set because some steps are computationally expensive. Then you discover that a sensor calibration step has been omitted. How should you change your ETL process to carry out sensor calibration systematically in the future?

- A. Modify the transform MapReduce jobs to apply sensor calibration before they do anything else.
- B. Introduce a new MapReduce job to apply sensor calibration to raw data, and ensure all other MapReduce jobs are chained after this.
- C. Add sensor calibration data to the output of the ETL process, and document that all users need to apply sensor calibration themselves.
- D. Develop an algorithm through simulation to predict variance of data output from the last MapReduce job based on calibration factors, and apply the correction to all data.

Answer: A

NEW QUESTION 183

- (Exam Topic 6)

You are building a real-time prediction engine that streams files, which may contain PII (personal identifiable information) data, into Cloud Storage and eventually into BigQuery. You want to ensure that the sensitive data is masked but still maintains referential integrity, because names and emails are often used as join keys

How should you use the Cloud Data Loss Prevention API (DLP API) to ensure that the PII data is not accessible by unauthorized individuals?

- A. Create a pseudonym by replacing the PII data with cryptogenic tokens, and store the non-tokenized data in a locked-down bucket.
- B. Redact all PII data, and store a version of the unredacted data in a locked-down bucket
- C. Scan every table in BigQuery, and mask the data it finds that has PII
- D. Create a pseudonym by replacing PII data with a cryptographic format-preserving token

Answer: A

NEW QUESTION 184

- (Exam Topic 6)

Your company currently runs a large on-premises cluster using Spark Hive and Hadoop Distributed File System (HDFS) in a colocation facility. The cluster is designed to support peak usage on the system, however, many jobs are batch in nature, and usage of the cluster fluctuates quite dramatically. Your company is eager to move to the cloud to reduce the overhead associated with on-premises infrastructure and maintenance and to benefit from the cost savings. They are also hoping to modernize their existing infrastructure to use more server offerings in order to take advantage of the cloud. Because of the timing of their contract renewal with the colocation facility they have only 2 months for their initial migration. How should you recommend they approach their upcoming migration strategy so they can maximize their cost savings in the cloud while still executing the migration in time?

- A. Migrate the workloads to Dataproc plus HOPS, modernize later
- B. Migrate the workloads to Dataproc plus Cloud Storage modernize later
- C. Migrate the Spark workload to Dataproc plus HDFS, and modernize the Hive workload for BigQuery
- D. Modernize the Spark workload for Dataflow and the Hive workload for BigQuery

Answer: D

NEW QUESTION 185

- (Exam Topic 6)

You are creating a new pipeline in Google Cloud to stream IoT data from Cloud Pub/Sub through Cloud Dataflow to BigQuery. While previewing the data, you notice that roughly 2% of the data appears to be corrupt. You need to modify the Cloud Dataflow pipeline to filter out this corrupt data. What should you do?

- A. Add a SideInput that returns a Boolean if the element is corrupt.
- B. Add a ParDo transform in Cloud Dataflow to discard corrupt elements.
- C. Add a Partition transform in Cloud Dataflow to separate valid data from corrupt data.
- D. Add a GroupByKey transform in Cloud Dataflow to group all of the valid data together and discard the rest.

Answer: B

NEW QUESTION 190

- (Exam Topic 6)

You are building a new data pipeline to share data between two different types of applications: jobs generators and job runners. Your solution must scale to accommodate increases in usage and must accommodate the addition of new applications without negatively affecting the performance of existing ones. What should you do?

- A. Create an API using App Engine to receive and send messages to the applications
- B. Use a Cloud Pub/Sub topic to publish jobs, and use subscriptions to execute them
- C. Create a table on Cloud SQL, and insert and delete rows with the job information
- D. Create a table on Cloud Spanner, and insert and delete rows with the job information

Answer: A

NEW QUESTION 193

- (Exam Topic 6)

Each analytics team in your organization is running BigQuery jobs in their own projects. You want to enable each team to monitor slot usage within their projects. What should you do?

- A. Create a Stackdriver Monitoring dashboard based on the BigQuery metric query/scanned_bytes
- B. Create a Stackdriver Monitoring dashboard based on the BigQuery metric slots/allocated_for_project
- C. Create a log export for each project, capture the BigQuery job execution logs, create a custom metric based on the totalSlotMs, and create a Stackdriver Monitoring dashboard based on the custom metric
- D. Create an aggregated log export at the organization level, capture the BigQuery job execution logs, create a custom metric based on the totalSlotMs, and create a Stackdriver Monitoring dashboard based on the custom metric

Answer: D

NEW QUESTION 195

- (Exam Topic 6)

You have data pipelines running on BigQuery, Cloud Dataflow, and Cloud Dataproc. You need to perform health checks and monitor their behavior, and then notify the team managing the pipelines if they fail. You also need to be able to work across multiple projects. Your preference is to use managed products or features of the platform. What should you do?

- A. Export the information to Cloud Stackdriver, and set up an Alerting policy
- B. Run a Virtual Machine in Compute Engine with Airflow, and export the information to Stackdriver
- C. Export the logs to BigQuery, and set up App Engine to read that information and send emails if you find a failure in the logs
- D. Develop an App Engine application to consume logs using GCP API calls, and send emails if you find a failure in the logs

Answer: B

NEW QUESTION 198

- (Exam Topic 6)

You are a head of BI at a large enterprise company with multiple business units that each have different priorities and budgets. You use on-demand pricing for BigQuery with a quota of 2K concurrent on-demand slots per project. Users at your organization sometimes don't get slots to execute their query and you need to correct this. You'd like to avoid introducing new projects to your account. What should you do?

- A. Convert your batch BQ queries into interactive BQ queries.
- B. Create an additional project to overcome the 2K on-demand per-project quota.
- C. Switch to flat-rate pricing and establish a hierarchical priority model for your projects.
- D. Increase the amount of concurrent slots per project at the Quotas page at the Cloud Console.

Answer: C

Explanation:

Reference <https://cloud.google.com/blog/products/gcp/busting-12-myths-about-bigquery>

NEW QUESTION 200

- (Exam Topic 6)

You have a data pipeline that writes data to Cloud Bigtable using well-designed row keys. You want to monitor your pipeline to determine when to increase the size of your Cloud Bigtable cluster. Which two actions can you take to accomplish this? Choose 2 answers.


- A. Review Key Visualizer metric
- B. Increase the size of the Cloud Bigtable cluster when the Read pressure index is above 100.
- C. Review Key Visualizer metric
- D. Increase the size of the Cloud Bigtable cluster when the Write pressure index is above 100.
- E. Monitor the latency of write operation
- F. Increase the size of the Cloud Bigtable cluster when there is a sustained increase in write latency.
- G. Monitor storage utilization
- H. Increase the size of the Cloud Bigtable cluster when utilization increases above 70% of max capacity.
- I. Monitor latency of read operation
- J. Increase the size of the Cloud Bigtable cluster if read operations take longer than 100 ms.

Answer: AC

NEW QUESTION 201

- (Exam Topic 6)

A live TV show asks viewers to cast votes using their mobile phones. The event generates a large volume of data during a 3 minute period. You are in charge of the Voting restructure* and must ensure that the platform can handle the load and that all votes are processed. You must display partial results while voting is open. After voting ends you need to count the votes exactly once while optimizing cost. What should you do?



- A. Create a Memorystore instance with a high availability (HA) configuration
- B. Write votes to a Pub Sub topic and have Cloud Functions subscribe to it and write votes to BigQuery
- C. Write votes to a Pub/Sub topic and load into both Bigtable and BigQuery via a Dataflow pipeline. Query Bigtable for real-time results and BigQuery for later analysis. Shutdown the Bigtable instance when voting concludes.
- D. Create a Cloud SQL for PostgreSQL database with high availability (HA) configuration and multiple read replicas

Answer: C

NEW QUESTION 206

- (Exam Topic 6)

You are deploying MariaDB SQL databases on GCE VM Instances and need to configure monitoring and alerting. You want to collect metrics including network connections, disk IO and replication status from MariaDB with minimal development effort and use StackDriver for dashboards and alerts. What should you do?

- A. Install the OpenCensus Agent and create a custom metric collection application with a StackDriver exporter.
- B. Place the MariaDB instances in an Instance Group with a Health Check.
- C. Install the StackDriver Logging Agent and configure fluentd in_tail plugin to read MariaDB logs.
- D. Install the StackDriver Agent and configure the MySQL plugin.

Answer: C

NEW QUESTION 210

- (Exam Topic 6)

You are selecting services to write and transform JSON messages from Cloud Pub/Sub to BigQuery for a data pipeline on Google Cloud. You want to minimize service costs. You also want to monitor and accommodate input data volume that will vary in size with minimal manual intervention. What should you do?

- A. Use Cloud Dataproc to run your transformation
- B. Monitor CPU utilization for the cluster
- C. Resize the number of worker nodes in your cluster via the command line.
- D. Use Cloud Dataproc to run your transformation
- E. Use the diagnose command to generate an operational output archive
- F. Locate the bottleneck and adjust cluster resources.
- G. Use Cloud Dataflow to run your transformation
- H. Monitor the job system lag with Stackdriver
- I. Use the default autoscaling setting for worker instances.
- J. Use Cloud Dataflow to run your transformation
- K. Monitor the total execution time for a sampling of jobs
- L. Configure the job to use non-default Compute Engine machine types when needed.

Answer: B

NEW QUESTION 214

- (Exam Topic 6)

You need to deploy additional dependencies to all of a Cloud Dataproc cluster at startup using an existing initialization action. Company security policies require that Cloud Dataproc nodes do not have access to the Internet so public initialization actions cannot fetch resources. What should you do?

- A. Deploy the Cloud SQL Proxy on the Cloud Dataproc master
- B. Use an SSH tunnel to give the Cloud Dataproc cluster access to the Internet
- C. Copy all dependencies to a Cloud Storage bucket within your VPC security perimeter
- D. Use Resource Manager to add the service account used by the Cloud Dataproc cluster to the Network User role

Answer: D

NEW QUESTION 216

- (Exam Topic 6)

You are migrating your data warehouse to BigQuery. You have migrated all of your data into tables in a dataset. Multiple users from your organization will be using the data. They should only see certain tables based on their team membership. How should you set user permissions?

- A. Assign the users/groups data viewer access at the table level for each table
- B. Create SQL views for each team in the same dataset in which the data resides, and assign the users/groups data viewer access to the SQL views
- C. Create authorized views for each team in the same dataset in which the data resides, and assign the users/groups data viewer access to the authorized views
- D. Create authorized views for each team in datasets created for each team
- E. Assign the authorized views data viewer access to the dataset in which the data reside
- F. Assign the users/groups data viewer access to the datasets in which the authorized views reside

Answer: A

NEW QUESTION 218

- (Exam Topic 6)

You need to give new website users a globally unique identifier (GUID) using a service that takes in data points and returns a GUID. This data is sourced from both internal and external systems via HTTP calls that you will make via microservices within your pipeline. There will be tens of thousands of messages per second and that can be multithreaded, and you worry about the backpressure on the system. How should you design your pipeline to minimize that backpressure?

- A. Call out to the service via HTTP
- B. Create the pipeline statically in the class definition
- C. Create a new object in the startBundle method of DoFn
- D. Batch the job into ten-second increments

Answer: A

NEW QUESTION 223

- (Exam Topic 6)

An organization maintains a Google BigQuery dataset that contains tables with user-level data. They want to expose aggregates of this data to other Google Cloud projects, while still controlling access to the user-level data. Additionally, they need to minimize their overall storage cost and ensure the analysis cost for other projects is assigned to those projects. What should they do?

- A. Create and share an authorized view that provides the aggregate results.
- B. Create and share a new dataset and view that provides the aggregate results.
- C. Create and share a new dataset and table that contains the aggregate results.
- D. Create dataViewer Identity and Access Management (IAM) roles on the dataset to enable sharing.

Answer: D

Explanation:

Reference: <https://cloud.google.com/bigquery/docs/access-control>

NEW QUESTION 225

- (Exam Topic 6)

Your company receives both batch- and stream-based event data. You want to process the data using Google Cloud Dataflow over a predictable time period. However, you realize that in some instances data can arrive late or out of order. How should you design your Cloud Dataflow pipeline to handle data that is late or

out of order?

- A. Set a single global window to capture all the data.
- B. Set sliding windows to capture all the lagged data.
- C. Use watermarks and timestamps to capture the lagged data.
- D. Ensure every datasource type (stream or batch) has a timestamp, and use the timestamps to define the logic for lagged data.

Answer: B

NEW QUESTION 230

- (Exam Topic 6)

You have a petabyte of analytics data and need to design a storage and processing platform for it. You must be able to perform data warehouse-style analytics on the data in Google Cloud and expose the dataset as files for batch analysis tools in other cloud providers. What should you do?

- A. Store and process the entire dataset in BigQuery.
- B. Store and process the entire dataset in Cloud Bigtable.
- C. Store the full dataset in BigQuery, and store a compressed copy of the data in a Cloud Storage bucket.
- D. Store the warm data as files in Cloud Storage, and store the active data in BigQuer
- E. Keep this ratio as 80% warm and 20% active.

Answer: C

NEW QUESTION 232

- (Exam Topic 6)

You work for a bank. You have a labelled dataset that contains information on already granted loan application and whether these applications have been defaulted. You have been asked to train a model to predict default rates for credit applicants.

What should you do?

- A. Increase the size of the dataset by collecting additional data.
- B. Train a linear regression to predict a credit default risk score.
- C. Remove the bias from the data and collect applications that have been declined loans.
- D. Match loan applicants with their social profiles to enable feature engineering.

Answer: B

NEW QUESTION 235

- (Exam Topic 6)

You are using BigQuery and Data Studio to design a customer-facing dashboard that displays large quantities of aggregated data. You expect a high volume of concurrent users. You need to optimize tie dashboard to provide quick visualizations with minimal latency. What should you do?

- A. Use BigQuery BI Engine with materialized views
- B. Use BigQuery BI Engine with streaming data.
- C. Use BigQuery BI Engine with authorized views
- D. Use BigQuery BI Engine with logical reviews

Answer: B

NEW QUESTION 236

- (Exam Topic 6)

You set up a streaming data insert into a Redis cluster via a Kafka cluster. Both clusters are running on Compute Engine instances. You need to encrypt data at rest with encryption keys that you can create, rotate, and destroy as needed. What should you do?

- A. Create a dedicated service account, and use encryption at rest to reference your data stored in your Compute Engine cluster instances as part of your API service calls.
- B. Create encryption keys in Cloud Key Management Servic
- C. Use those keys to encrypt your data in all of the Compute Engine cluster instances.
- D. Create encryption keys locall
- E. Upload your encryption keys to Cloud Key Management Servic
- F. Use those keys to encrypt your data in all of the Compute Engine cluster instances.
- G. Create encryption keys in Cloud Key Management Servic
- H. Reference those keys in your API service calls when accessing the data in your Compute Engine cluster instances.

Answer: C

NEW QUESTION 241

- (Exam Topic 6)

You need to create a near real-time inventory dashboard that reads the main inventory tables in your BigQuery data warehouse. Historical inventory data is stored as inventory balances by item and location. You have several thousand updates to inventory every hour. You want to maximize performance of the dashboard and ensure that the data is accurate. What should you do?

- A. Leverage BigQuery UPDATE statements to update the inventory balances as they are changing.
- B. Partition the inventory balance table by item to reduce the amount of data scanned with each inventory update.
- C. Use the BigQuery streaming the stream changes into a daily inventory movement tabl
- D. Calculate balances in a view that joins it to the historical inventory balance tabl
- E. Update the inventory balance table nightly.
- F. Use the BigQuery bulk loader to batch load inventory changes into a daily inventory movement table.Calculate balances in a view that joins it to the historical inventory balance tabl
- G. Update the inventory balance table nightly.

Answer: A

NEW QUESTION 244

- (Exam Topic 6)

An aerospace company uses a proprietary data format to store its night data. You need to connect this new data source to BigQuery and stream the data into BigQuery. You want to efficiently import the data into BigQuery where consuming as few resources as possible. What should you do?

- A. Use a standard Dataflow pipeline to store the raw data in BigQuery and then transform the format later when the data is used
- B. Write a shell script that triggers a Cloud Function that performs periodic ETL batch jobs on the new data source
- C. Use Apache Hive to write a Dataproc job that streams the data into BigQuery in CSV format
- D. Use an Apache Beam custom connector to write a Dataflow pipeline that streams the data into BigQuery in Avro format

Answer: D

NEW QUESTION 248

- (Exam Topic 6)

You are designing storage for 20 TB of text files as part of deploying a data pipeline on Google Cloud. Your input data is in CSV format. You want to minimize the cost of querying aggregate values for multiple users who will query the data in Cloud Storage with multiple engines. Which storage service and schema design should you use?

- A. Use Cloud Bigtable for storage
- B. Install the HBase shell on a Compute Engine instance to query the Cloud Bigtable data.
- C. Use Cloud Bigtable for storage
- D. Link as permanent tables in BigQuery for query.
- E. Use Cloud Storage for storage
- F. Link as permanent tables in BigQuery for query.
- G. Use Cloud Storage for storage
- H. Link as temporary tables in BigQuery for query.

Answer: A

NEW QUESTION 253

- (Exam Topic 6)

You work for a large financial institution that is planning to use Dialogflow to create a chatbot for the company's mobile app. You have reviewed old chat logs and lagged each conversation for intent based on each customer's stated intention for contacting customer service. About 70% of customer requests are simple requests that are solved within 10 intents. The remaining 30% of inquiries require much longer, more complicated requests. Which intents should you automate first?

- A. Automate the 10 intents that cover 70% of the requests so that live agents can handle more complicated requests
- B. Automate the more complicated requests first because those require more of the agents' time
- C. Automate a blend of the shortest and longest intents to be representative of all intents
- D. Automate intents in places where common words such as "payment" appear only once so the software isn't confused

Answer: A

NEW QUESTION 257

- (Exam Topic 6)

You work for a global shipping company. You want to train a model on 40 TB of data to predict which ships in each geographic region are likely to cause delivery delays on any given day. The model will be based on multiple attributes collected from multiple sources. Telemetry data, including location in GeoJSON format, will be pulled from each ship and loaded every hour. You want to have a dashboard that shows how many and which ships are likely to cause delays within a region. You want to use a storage solution that has native functionality for prediction and geospatial processing. Which storage solution should you use?

- A. BigQuery
- B. Cloud Bigtable
- C. Cloud Datastore
- D. Cloud SQL for PostgreSQL

Answer: A

NEW QUESTION 261

- (Exam Topic 6)

You are developing an application that uses a recommendation engine on Google Cloud. Your solution should display new videos to customers based on past views. Your solution needs to generate labels for the entities in videos that the customer has viewed. Your design must be able to provide very fast filtering suggestions based on data from other customer preferences on several TB of data. What should you do?

- A. Build and train a complex classification model with Spark MLlib to generate labels and filter the results. Deploy the models using Cloud Dataproc
- B. Call the model from your application.
- C. Build and train a classification model with Spark MLlib to generate labels
- D. Build and train a second classification model with Spark MLlib to filter results to match customer preference
- E. Deploy the models using Cloud Dataproc
- F. Call the models from your application.
- G. Build an application that calls the Cloud Video Intelligence API to generate labels
- H. Store data in Cloud Bigtable, and filter the predicted labels to match the user's viewing history to generate preferences.
- I. Build an application that calls the Cloud Video Intelligence API to generate labels
- J. Store data in Cloud SQL, and join and filter the predicted labels to match the user's viewing history to generate preferences.

Answer: C

NEW QUESTION 265

- (Exam Topic 6)

You are working on a niche product in the image recognition domain. Your team has developed a model that is dominated by custom C++ TensorFlow ops your team has implemented. These ops are used inside your main training loop and are performing bulky matrix multiplications. It currently takes up to several days to train a model. You want to decrease this time significantly and keep the cost low by using an accelerator on Google Cloud. What should you do?

- A. Use Cloud TPUs without any additional adjustment to your code.
- B. Use Cloud TPUs after implementing GPU kernel support for your customs ops.
- C. Use Cloud GPUs after implementing GPU kernel support for your customs ops.
- D. Stay on CPUs, and increase the size of the cluster you're training your model on.

Answer: B

NEW QUESTION 266

- (Exam Topic 6)

You used Cloud Dataprep to create a recipe on a sample of data in a BigQuery table. You want to reuse this recipe on a daily upload of data with the same schema, after the load job with variable execution time completes. What should you do?

- A. Create a cron schedule in Cloud Dataprep.
- B. Create an App Engine cron job to schedule the execution of the Cloud Dataprep job.
- C. Export the recipe as a Cloud Dataprep template, and create a job in Cloud Scheduler.
- D. Export the Cloud Dataprep job as a Cloud Dataflow template, and incorporate it into a Cloud Composer job.

Answer: D

NEW QUESTION 271

- (Exam Topic 6)

A shipping company has live package-tracking data that is sent to an Apache Kafka stream in real time. This is then loaded into BigQuery. Analysts in your company want to query the tracking data in BigQuery to analyze geospatial trends in the lifecycle of a package. The table was originally created with ingest-date partitioning. Over time, the query processing time has increased. You need to implement a change that would improve query performance in BigQuery. What should you do?

- A. Implement clustering in BigQuery on the ingest date column.
- B. Implement clustering in BigQuery on the package-tracking ID column.
- C. Tier older data onto Cloud Storage files, and leverage extended tables.
- D. Re-create the table using data partitioning on the package delivery date.

Answer: A

NEW QUESTION 272

- (Exam Topic 6)

Your organization has been collecting and analyzing data in Google BigQuery for 6 months. The majority of the data analyzed is placed in a time-partitioned table named events_partitioned. To reduce the cost of queries, your organization created a view called events, which queries only the last 14 days of data. The view is described in legacy SQL. Next month, existing applications will be connecting to BigQuery to read the events data via an ODBC connection. You need to ensure the applications can connect. Which two actions should you take? (Choose two.)

- A. Create a new view over events using standard SQL
- B. Create a new partitioned table using a standard SQL query
- C. Create a new view over events_partitioned using standard SQL
- D. Create a service account for the ODBC connection to use for authentication
- E. Create a Google Cloud Identity and Access Management (Cloud IAM) role for the ODBC connection and shared "events"

Answer: AE

NEW QUESTION 274

- (Exam Topic 6)

You work for a manufacturing company that sources up to 750 different components, each from a different supplier. You've collected a labeled dataset that has on average 1000 examples for each unique component. Your team wants to implement an app to help warehouse workers recognize incoming components based on a photo of the component. You want to implement the first working version of this app (as Proof-Of-Concept) within a few working days. What should you do?

- A. Use Cloud Vision AutoML with the existing dataset.
- B. Use Cloud Vision AutoML, but reduce your dataset twice.
- C. Use Cloud Vision API by providing custom labels as recognition hints.
- D. Train your own image recognition model leveraging transfer learning techniques.

Answer: A

NEW QUESTION 278

- (Exam Topic 6)

After migrating ETL jobs to run on BigQuery, you need to verify that the output of the migrated jobs is the same as the output of the original. You've loaded a table containing the output of the original job and want to compare the contents with output from the migrated job to show that they are identical. The tables do not contain a primary key column that would enable you to join them together for comparison. What should you do?

- A. Select random samples from the tables using the RAND() function and compare the samples.
- B. Select random samples from the tables using the HASH() function and compare the samples.
- C. Use a Dataproc cluster and the BigQuery Hadoop connector to read the data from each table and calculate a hash from non-timestamp columns of the table after sortin

- D. Compare the hashes of each table.
- E. Create stratified random samples using the OVER() function and compare equivalent samples from each table.

Answer: B

NEW QUESTION 279

- (Exam Topic 6)

You work for a mid-sized enterprise that needs to move its operational system transaction data from an on-premises database to GCP. The database is about 20 TB in size. Which database should you choose?

- A. Cloud SQL
- B. Cloud Bigtable
- C. Cloud Spanner
- D. Cloud Datastore

Answer: A

NEW QUESTION 280

- (Exam Topic 6)

Your infrastructure includes a set of YouTube channels. You have been tasked with creating a process for sending the YouTube channel data to Google Cloud for analysis. You want to design a solution that allows your world-wide marketing teams to perform ANSI SQL and other types of analysis on up-to-date YouTube channels log data. How should you set up the log data transfer into Google Cloud?

- A. Use Storage Transfer Service to transfer the offsite backup files to a Cloud Storage Multi-Regional storage bucket as a final destination.
- B. Use Storage Transfer Service to transfer the offsite backup files to a Cloud Storage Regional bucket as a final destination.
- C. Use BigQuery Data Transfer Service to transfer the offsite backup files to a Cloud Storage Multi-Regional storage bucket as a final destination.
- D. Use BigQuery Data Transfer Service to transfer the offsite backup files to a Cloud Storage Regional storage bucket as a final destination.

Answer: B

NEW QUESTION 283

- (Exam Topic 6)

You need to choose a database to store time series CPU and memory usage for millions of computers. You need to store this data in one-second interval samples. Analysts will be performing real-time, ad hoc analytics against the database. You want to avoid being charged for every query executed and ensure that the schema design will allow for future growth of the dataset. Which database and data model should you choose?

- A. Create a table in BigQuery, and append the new samples for CPU and memory to the table
- B. Create a wide table in BigQuery, create a column for the sample value at each second, and update the row with the interval for each second
- C. Create a narrow table in Cloud Bigtable with a row key that combines the Computer Engine computer identifier with the sample time at each second
- D. Create a wide table in Cloud Bigtable with a row key that combines the computer identifier with the sample time at each minute, and combine the values for each second as column data.

Answer: C

Explanation:

A tall and narrow table has a small number of events per row, which could be just one event, whereas a short and wide table has a large number of events per row. As explained in a moment, tall and narrow tables are best suited for time-series data. For time series, you should generally use tall and narrow tables. This is for two reasons: Storing one event per row makes it easier to run queries against your data. Storing many events per row makes it more likely that the total row size will exceed the recommended maximum (see Rows can be big but are not infinite).

https://cloud.google.com/bigtable/docs/schema-design-time-series#patterns_for_row_key_design

NEW QUESTION 288

- (Exam Topic 6)

You have a data stored in BigQuery. The data in the BigQuery dataset must be highly available. You need to define a storage, backup, and recovery strategy of this data that minimizes cost. How should you configure the BigQuery table?

- A. Set the BigQuery dataset to be regiona
- B. In the event of an emergency, use a point-in-time snapshot to recover the data.
- C. Set the BigQuery dataset to be regiona
- D. Create a scheduled query to make copies of the data to tables suffixed with the time of the backu
- E. In the event of an emergency, use the backup copy of the table.
- F. Set the BigQuery dataset to be multi-regiona
- G. In the event of an emergency, use a point-in-time snapshot to recover the data.
- H. Set the BigQuery dataset to be multi-regiona
- I. Create a scheduled query to make copies of the data to tables suffixed with the time of the backu
- J. In the event of an emergency, use the backup copy of the table.

Answer: B

NEW QUESTION 293

- (Exam Topic 6)

You want to analyze hundreds of thousands of social media posts daily at the lowest cost and with the fewest steps.

You have the following requirements:

- You will batch-load the posts once per day and run them through the Cloud Natural Language API.
- You will extract topics and sentiment from the posts.
- You must store the raw posts for archiving and reprocessing.

➤ You will create dashboards to be shared with people both inside and outside your organization.
You need to store both the data extracted from the API to perform analysis as well as the raw social media posts for historical archiving. What should you do?

- A. Store the social media posts and the data extracted from the API in BigQuery.
- B. Store the social media posts and the data extracted from the API in Cloud SQL.
- C. Store the raw social media posts in Cloud Storage, and write the data extracted from the API into BigQuery.
- D. Feed to social media posts into the API directly from the source, and write the extracted data from the API into BigQuery.

Answer: D

NEW QUESTION 296

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questons and Answers in PDF Format

Professional-Data-Engineer Practice Exam Features:

- * Professional-Data-Engineer Questions and Answers Updated Frequently
- * Professional-Data-Engineer Practice Questions Verified by Expert Senior Certified Staff
- * Professional-Data-Engineer Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * Professional-Data-Engineer Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The Professional-Data-Engineer Practice Test Here](#)