



Amazon-Web-Services

Exam Questions DOP-C02

AWS Certified DevOps Engineer - Professional

About ExamBible

[Your Partner of IT Exam](#)

Found in 1998

ExamBible is a company specialized on providing high quality IT exam practice study materials, especially Cisco CCNA, CCDA, CCNP, CCIE, Checkpoint CCSE, CompTIA A+, Network+ certification practice exams and so on. We guarantee that the candidates will not only pass any IT exam at the first attempt but also get profound understanding about the certificates they have got. There are so many alike companies in this industry, however, ExamBible has its unique advantages that other companies could not achieve.

Our Advances

* 99.9% Uptime

All examinations will be up to date.

* 24/7 Quality Support

We will provide service round the clock.

* 100% Pass Rate

Our guarantee that you will pass the exam.

* Unique Gurantee

If you do not pass the exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

NEW QUESTION 1

A company's DevOps engineer uses AWS Systems Manager to perform maintenance tasks during maintenance windows. The company has a few Amazon EC2 instances that require a restart after notifications from AWS Health. The DevOps engineer needs to implement an automated solution to remediate these notifications. The DevOps engineer creates an Amazon EventBridge rule.

How should the DevOps engineer configure the EventBridge rule to meet these requirements?

- A. Configure an event source of AWS Health, a service of EC2, and an event type that indicates instance maintenance.
- B. Target a Systems Manager document to restart the EC2 instance.
- C. Configure an event source of Systems Manager and an event type that indicates a maintenance window.
- D. Target a Systems Manager document to restart the EC2 instance.
- E. Configure an event source of AWS Health, a service of EC2, and an event type that indicates instance maintenance.
- F. Target a newly created AWS Lambda function that registers an automation task to restart the EC2 instance during a maintenance window.
- G. Configure an event source of EC2 and an event type that indicates instance maintenance.
- H. Target a newly created AWS Lambda function that registers an automation task to restart the EC2 instance during a maintenance window.

Answer: C

Explanation:

AWS Health provides real-time events and information related to your AWS infrastructure. It can be integrated with Amazon EventBridge to act upon the health events automatically. If the maintenance notification from AWS Health indicates that an EC2 instance requires a restart, you can set up an EventBridge rule to respond to such events. In this case, the target of this rule would be a Lambda function that would trigger a Systems Manager automation to restart the EC2 instance during a maintenance window. Remember, AWS Health is the source of the events (not EC2 or Systems Manager), and AWS Lambda can be used to execute complex remediation tasks, such as scheduling maintenance tasks via Systems Manager.

The following are the steps involved in configuring the EventBridge rule to meet these requirements:

? Configure an event source of AWS Health, a service of EC2, and an event type that indicates instance maintenance.

? Target a newly created AWS Lambda function that registers an automation task to restart the EC2 instance during a maintenance window.

The AWS Lambda function will be triggered by the event from AWS Health. The function will then register an automation task to restart the EC2 instance during the next maintenance window.

NEW QUESTION 2

A company wants to use AWS development tools to replace its current bash deployment scripts. The company currently deploys a LAMP application to a group of Amazon EC2 instances behind an Application Load Balancer (ALB). During the deployments, the company unit tests the committed application, stops and starts services, unregisters and re-registers instances with the load balancer, and updates file permissions. The company wants to maintain the same deployment functionality through the shift to using AWS services.

Which solution will meet these requirements?

- A. Use AWS CodeBuild to test the application.
- B. Use bash scripts invoked by AWS CodeDeploy's appspec.yml file to restart services, and deregister and register instances with the ALB.
- C. Use the appspec.yml file to update file permissions without a custom script.
- D. Use AWS CodePipeline to move the application from the AWS CodeCommit repository to AWS CodeDeploy.
- E. Use CodeDeploy's deployment group to test the application, unregister and re-register instances with the ALB, and restart service.
- F. and restart service.
- G. Use the appspec.yml file to update file permissions without a custom script.
- H. Use AWS CodePipeline to move the application source code from the AWS CodeCommit repository to AWS CodeDeploy.
- I. Use CodeDeploy to test the application.
- J. Use CodeDeploy's appspec.yml file to restart services and update permissions without a custom script.
- K. Use AWS CodeBuild to unregister and re-register instances with the ALB.
- L. Use AWS CodePipeline to trigger AWS CodeBuild to test the application.
- M. Use bash scripts invoked by AWS CodeDeploy's appspec.yml file to restart service.
- N. Unregister and re-register the instances in the AWS CodeDeploy deployment group with the ALB.
- O. Update the appspec.yml file to update file permissions without a custom script.

Answer: D

Explanation:

<https://aws.amazon.com/blogs/devops/how-to-test-and-debug-aws-codedeploy-locally-before-you-ship-your-code/#:~:text=You%20can%20test%20application%20code,local%20server%20or%20EC2%20instance.>

NEW QUESTION 3

A company runs applications in AWS accounts that are in an organization in AWS Organizations. The applications use Amazon EC2 instances and Amazon S3. The company wants to detect potentially compromised EC2 instances, suspicious network activity, and unusual API activity in its existing AWS accounts and in any AWS accounts that the company creates in the future. When the company detects one of these events, the company wants to use an existing Amazon Simple Notification Service (Amazon SNS) topic to send a notification to its operational support team for investigation and remediation.

Which solution will meet these requirements in accordance with AWS best practices?

- A. In the organization's management account, configure an AWS account as the Amazon GuardDuty administrator account.
- B. In the GuardDuty administrator account, add the company's existing AWS accounts to GuardDuty as members. In the GuardDuty administrator account, create an Amazon EventBridge rule with an event pattern to match GuardDuty events and to forward matching events to the SNS topic.
- C. In the organization's management account, configure Amazon GuardDuty to add newly created AWS accounts by invitation and to send invitations to the existing AWS accounts. Create an AWS CloudFormation stack set that accepts the GuardDuty invitation and creates an Amazon EventBridge rule. Configure the rule with an event pattern to match GuardDuty events and to forward matching events to the SNS topic.
- D. GuardDuty events and to forward matching events to the SNS topic.
- E. Configure the CloudFormation stack set to deploy into all AWS accounts in the organization.
- F. In the organization's management account, create an AWS CloudTrail organization trail. Activate the organization trail in all AWS accounts in the organization.
- G. Create an SCP that enables VPC Flow Logs in each account in the organization.
- H. Create an SCP that enables VPC Flow Logs in each account in the organization.
- I. Configure AWS Security Hub for the organization. Create an Amazon EventBridge rule with an event pattern to match Security Hub events and to forward matching events to the SNS topic.

matching events to the SNS topic.

J. In the organization's management account configure an AWS account as the AWS CloudTrail administrator account in the CloudTrail administrator account create a CloudTrail organization trail

K. Add the company's existing AWS accounts to the organization trail Create an SCP that enables VPC Flow Logs in each account in the organization

L. Configure AWS Security Hub for the organization

M. Create an Amazon EventBridge rule with an event pattern to match Security Hub events and to forward matching events to the SNS topic.

Answer: B

Explanation:

It allows the company to detect potentially compromised EC2 instances, suspicious network activity, and unusual API activity in its existing AWS accounts and in any AWS accounts that the company creates in the future using Amazon GuardDuty. It also provides a solution for automatically adding future AWS accounts to GuardDuty by configuring GuardDuty to add newly created AWS accounts by invitation and to send invitations to the existing AWS accounts.

NEW QUESTION 4

A company is examining its disaster recovery capability and wants the ability to switch over its daily operations to a secondary AWS Region. The company uses AWS CodeCommit as a source control tool in the primary Region.

A DevOps engineer must provide the capability for the company to develop code in the secondary Region. If the company needs to use the secondary Region, developers can add an additional remote URL to their local Git configuration.

Which solution will meet these requirements?

A. Create a CodeCommit repository in the secondary Region

B. Create an AWS CodeBuild project to perform a Git mirror operation of the primary Region's CodeCommit repository to the secondary Region's CodeCommit repository

C. Create an AWS Lambda function that invokes the CodeBuild project

D. Create an Amazon EventBridge rule that reacts to merge events in the primary Region's CodeCommit repository

E. Configure the EventBridge rule to invoke the Lambda function.

F. Create an Amazon S3 bucket in the secondary Region

G. Create an AWS Fargate task to perform a Git mirror operation of the primary Region's CodeCommit repository and copy the result to the S3 bucket

H. Create an AWS Lambda function that initiates the Fargate task

I. Create an Amazon EventBridge rule that reacts to merge events in the CodeCommit repository

J. Configure the EventBridge rule to invoke the Lambda function.

K. Create an AWS CodeArtifact repository in the secondary Region

L. Create an AWS CodePipeline pipeline that uses the primary Region's CodeCommit repository for the source action

M. Create a Cross-Region stage in the pipeline that packages the CodeCommit repository contents and stores the contents in the CodeArtifact repository when a pull request is merged into the CodeCommit repository.

N. Create an AWS Cloud9 environment and a CodeCommit repository in the secondary Region

O. Configure the primary Region's CodeCommit repository as a remote repository in the AWS Cloud9 environment

P. Connect the secondary Region's CodeCommit repository to the AWS Cloud9 environment.

Answer: A

Explanation:

The best solution to meet the disaster recovery capability and allow developers to switch over to a secondary AWS Region for code development is option A. This involves creating a CodeCommit repository in the secondary Region and setting up an AWS CodeBuild project to perform a Git mirror operation of the primary Region's CodeCommit repository to the secondary Region's repository. An AWS Lambda function is then created to invoke the CodeBuild project. Additionally, an Amazon EventBridge rule is configured to react to merge events in the primary Region's CodeCommit repository and invoke the Lambda function¹². This setup ensures that the secondary Region's repository is always up-to-date with the primary repository, allowing for a seamless transition in case of a disaster recovery event¹.

References:

? AWS CodeCommit User Guide on resilience and disaster recovery¹.

? AWS Documentation on monitoring CodeCommit events in Amazon EventBridge and Amazon CloudWatch Events².

NEW QUESTION 5

A company requires an RPO of 2 hours and an RTO of 10 minutes for its data and application at all times. An application uses a MySQL database and Amazon EC2 web servers. The development team needs a strategy for failover and disaster recovery.

Which combination of deployment strategies will meet these requirements? (Select TWO.)

A. Create an Amazon Aurora cluster in one Availability Zone across multiple Regions as the data store Use Aurora's automatic recovery capabilities in the event of a disaster

B. Create an Amazon Aurora global database in two Regions as the data store

C. In the event of a failure promote the secondary Region as the primary for the application.

D. Create an Amazon Aurora multi-master cluster across multiple Regions as the data store

E. Use a Network Load Balancer to balance the database traffic in different Regions.

F. Set up the application in two Regions and use Amazon Route 53 failover-based routing that points to the Application Load Balancers in both Regions

G. Use health checks to determine the availability in a given Region

H. Use Auto Scaling groups in each Region to adjust capacity based on demand.

I. Set up the application in two Regions and use a multi-Region Auto Scaling group behind Application Load Balancers to manage the capacity based on demand

J. In the event of a disaster adjust the Auto Scaling group's desired instance count to increase baseline capacity in the failover Region.

Answer: BD

NEW QUESTION 6

A DevOps engineer is implementing governance controls for a company that requires its infrastructure to be housed within the United States. The engineer must restrict which AWS Regions can be used, and ensure an alert is sent as soon as possible if any activity outside the governance policy takes place. The controls should be automatically enabled on any new Region outside the United States (US).

Which combination of actions will meet these requirements? (Select TWO.)

A. Create an AWS Organizations SCP that denies access to all non-global services in non-US Region

B. Attach the policy to the root of the organization.

- C. Configure AWS CloudTrail to send logs to Amazon CloudWatch Logs and enable it for all Region
- D. Use a CloudWatch Logs metric filter to send an alert on any service activity in non-US Regions.
- E. Use an AWS Lambda function that checks for AWS service activity and deploy it to all Region
- F. Write an Amazon EventBridge rule that runs the Lambda function every hour, sending an alert if activity is found in a non-US Region.
- G. Use an AWS Lambda function to query Amazon Inspector to look for service activity in non-US Regions and send alerts if any activity is found.
- H. Write an SCP using the aws: RequestedRegion condition key limiting access to US Region
- I. Apply the policy to all users, groups, and roles

Answer: AB

Explanation:

To implement governance controls that restrict AWS service usage to within the United States and ensure alerts for any activity outside the governance policy, the following actions will meet the requirements:

? A. Create an AWS Organizations SCP that denies access to all non-global services in non-US Regions. Attach the policy to the root of the organization. This action will effectively prevent users and roles in all accounts within the organization from accessing services in non-US Regions¹².

? B. Configure AWS CloudTrail to send logs to Amazon CloudWatch Logs and enable it for all Regions. Use a CloudWatch Logs metric filter to send an alert on any service activity in non-US Regions. This action will allow monitoring of all AWS Regions and will trigger alerts if any activity is detected in non-US Regions, ensuring that the governance team is notified as soon as possible³.

References:

? AWS Documentation on Service Control Policies (SCPs) and how they can be used to manage permissions and restrict access based on Regions¹².

? AWS Documentation on monitoring CloudTrail log files with Amazon CloudWatch Logs to set up alerts for specific activities³.

NEW QUESTION 7

An application runs on Amazon EC2 instances behind an Application Load Balancer (ALB). A DevOps engineer is using AWS CodeDeploy to release a new version. The deployment fails during the AllowTraffic lifecycle event, but a cause for the failure is not indicated in the deployment logs.

What would cause this?

- A. The appspec
- B. yml file contains an invalid script that runs in the AllowTraffic lifecycle hook.
- C. The user who initiated the deployment does not have the necessary permissions to interact with the ALB.
- D. The health checks specified for the ALB target group are misconfigured.
- E. The CodeDeploy agent was not installed in the EC2 instances that are part of the ALB target group.

Answer: C

Explanation:

This failure is typically due to incorrectly configured health checks in Elastic Load Balancing for the Classic Load Balancer, Application Load Balancer, or Network Load Balancer used to manage traffic for the deployment group. To resolve the issue, review and correct any errors in the health check configuration for the load balancer. <https://docs.aws.amazon.com/codedeploy/latest/userguide/troubleshooting-deployments.html#troubleshooting-deployments-allowtraffic-no-logs>

NEW QUESTION 8

A DevOps engineer is building an application that uses an AWS Lambda function to query an Amazon Aurora MySQL DB cluster. The Lambda function performs only read queries. Amazon EventBridge events invoke the Lambda function.

As more events invoke the Lambda function each second, the database's latency increases and the database's throughput decreases. The DevOps engineer needs to improve the performance of the application.

Which combination of steps will meet these requirements? (Select THREE.)

- A. Use Amazon RDS Proxy to create a proxy
- B. Connect the proxy to the Aurora cluster reader endpoint
- C. Set a maximum connections percentage on the proxy.
- D. Implement database connection pooling inside the Lambda code
- E. Set a maximum number of connections on the database connection pool.
- F. Implement the database connection opening outside the Lambda event handler code.
- G. Implement the database connection opening and closing inside the Lambda event handler code.
- H. Connect to the proxy endpoint from the Lambda function.
- I. Connect to the Aurora cluster endpoint from the Lambda function.

Answer: ACE

Explanation:

To improve the performance of the application, the DevOps engineer should use Amazon RDS Proxy, implement the database connection opening outside the Lambda event handler code, and connect to the proxy endpoint from the Lambda function. References:

? Amazon RDS Proxy is a fully managed, highly available database proxy for Amazon Relational Database Service (RDS) that makes applications more scalable, more resilient to database failures, and more secure¹. By using Amazon RDS Proxy, the DevOps engineer can reduce the overhead of opening and closing connections to the database, which can improve latency and throughput².

? The DevOps engineer should connect the proxy to the Aurora cluster reader endpoint, which allows read-only connections to one of the Aurora Replicas in the DB cluster³. This can help balance the load across multiple read replicas and improve performance for read-intensive workloads⁴.

? The DevOps engineer should implement the database connection opening outside the Lambda event handler code, which means using a global variable to store the database connection object⁵. This can enable connection reuse across multiple invocations of the Lambda function, which can reduce latency and improve performance.

? The DevOps engineer should connect to the proxy endpoint from the Lambda function, which is a unique URL that represents the proxy. This can allow the Lambda function to access the database through the proxy, which can provide benefits such as connection pooling, load balancing, failover handling, and enhanced security.

? The other options are incorrect because:

NEW QUESTION 9

A company is adopting AWS CodeDeploy to automate its application deployments for a Java-Apache Tomcat application with an Apache Webserver. The development team started with a proof of concept, created a deployment group for a developer environment, and performed functional tests within the application. After completion, the team will create additional deployment groups for staging and production.

The current log level is configured within the Apache settings, but the team wants to change this configuration dynamically when the deployment occurs, so that they can set different log level configurations depending on the deployment group without having a different application revision for each group. How can these requirements be met with the LEAST management overhead and without requiring different script versions for each deployment group?

- A. Tag the Amazon EC2 instances depending on the deployment group
- B. Then place a script into the application revision that calls the metadata service and the EC2 API to identify which deployment group the instance is part of
- C. Use this information to configure the log level setting
- D. Reference the script as part of the AfterInstall lifecycle hook in the appspec.yml file.
- E. Create a script that uses the CodeDeploy environment variable DEPLOYMENT_GROUP_NAME to identify which deployment group the instance is part of
- F. Use this information to configure the log level setting
- G. Reference this script as part of the BeforeInstall lifecycle hook in the appspec.yml file.
- H. Create a CodeDeploy custom environment variable for each environment
- I. Then place a script into the application revision that checks this environment variable to identify which deployment group the instance is part of
- J. Use this information to configure the log level setting
- K. Reference this script as part of the ValidateService lifecycle hook in the appspec.yml file.
- L. Create a script that uses the CodeDeploy environment variable DEPLOYMENT_GROUP_ID to identify which deployment group the instance is part of to configure the log level setting
- M. Reference this script as part of the Install lifecycle hook in the appspec.yml file.

Answer: B

Explanation:

The following are the steps that the company can take to change the log level dynamically when the deployment occurs:

? Create a script that uses the CodeDeploy environment variable DEPLOYMENT_GROUP_NAME to identify which deployment group the instance is part of.

? Use this information to configure the log level settings.

? Reference this script as part of the BeforeInstall lifecycle hook in the appspec.yml file.

The DEPLOYMENT_GROUP_NAME environment variable is automatically set by CodeDeploy when the deployment is triggered. This means that the script does not need to call the metadata service or the EC2 API to identify the deployment group.

This solution is the least complex and requires the least management overhead. It also does not require different script versions for each deployment group.

The following are the reasons why the other options are not correct:

? Option A is incorrect because it would require tagging the Amazon EC2 instances, which would be a manual and time-consuming process.

? Option C is incorrect because it would require creating a custom environment variable for each environment. This would be a complex and error-prone process.

? Option D is incorrect because it would use

the DEPLOYMENT_GROUP_ID environment variable. However, this variable is not automatically set by CodeDeploy, so the script would need to call the metadata service or the EC2 API to get the deployment group ID. This would add complexity and overhead to the solution.

NEW QUESTION 10

A company uses AWS Key Management Service (AWS KMS) keys and manual key rotation to meet regulatory compliance requirements. The security team wants to be notified when any keys have not been rotated after 90 days.

Which solution will accomplish this?

- A. Configure AWS KMS to publish to an Amazon Simple Notification Service (Amazon SNS) topic when keys are more than 90 days old.
- B. Configure an Amazon EventBridge event to launch an AWS Lambda function to call the AWS Trusted Advisor API and publish to an Amazon Simple Notification Service (Amazon SNS) topic.
- C. Develop an AWS Config custom rule that publishes to an Amazon Simple Notification Service (Amazon SNS) topic when keys are more than 90 days old.
- D. Configure AWS Security Hub to publish to an Amazon Simple Notification Service (Amazon SNS) topic when keys are more than 90 days old.

Answer: C

Explanation:

<https://aws.amazon.com/blogs/security/how-to-use-aws-config-to-determine-compliance-of-aws-kms-key-policies-to-your-specifications/>

NEW QUESTION 10

A company is implementing a well-architected design for its globally accessible API stack. The design needs to ensure both high reliability and fast response times for users located in North America and Europe.

The API stack contains the following three tiers: Amazon API Gateway

AWS Lambda Amazon DynamoDB

Which solution will meet the requirements?

- A. Configure Amazon Route 53 to point to API Gateway APIs in North America and Europe using health check
- B. Configure the APIs to forward requests to a Lambda function in that Region
- C. Configure the Lambda functions to retrieve and update the data in a DynamoDB table in the same Region as the Lambda function.
- D. Configure Amazon Route 53 to point to API Gateway APIs in North America and Europe using latency-based routing and health check
- E. Configure the APIs to forward requests to a Lambda function in that Region
- F. Configure the Lambda functions to retrieve and update the data in a DynamoDB global table.
- G. Configure Amazon Route 53 to point to API Gateway in North America, create a disaster recovery API in Europe, and configure both APIs to forward requests to the Lambda functions in that Region
- H. Retrieve the data from a DynamoDB global table
- I. Deploy a Lambda function to check the North America API health every 5 minutes
- J. In the event of a failure, update Route 53 to point to the disaster recovery API.
- K. Configure Amazon Route 53 to point to API Gateway API in North America using latency-based routing
- L. Configure the API to forward requests to the Lambda function in the Region nearest to the user
- M. Configure the Lambda function to retrieve and update the data in a DynamoDB table.

Answer: B

NEW QUESTION 13

A company hosts its staging website using an Amazon EC2 instance backed with Amazon EBS storage. The company wants to recover quickly with minimal data losses in the event of network connectivity issues or power failures on the EC2 instance.

Which solution will meet these requirements?

- A. Add the instance to an EC2 Auto Scaling group with the minimum, maximum, and desired capacity set to 1.
- B. Add the instance to an EC2 Auto Scaling group with a lifecycle hook to detach the EBS volume when the EC2 instance shuts down or terminates.
- C. Create an Amazon CloudWatch alarm for the StatusCheckFailed System metric and select the EC2 action to recover the instance.
- D. Create an Amazon CloudWatch alarm for the StatusCheckFailed Instance metric and select the EC2 action to reboot the instance.

Answer: C

Explanation:

<https://docs.aws.amazon.com/AWSEC2/latest/UserGuide/ec2-instance-recover.html>

NEW QUESTION 15

A production account has a requirement that any Amazon EC2 instance that has been logged in to manually must be terminated within 24 hours. All applications in the production account are using Auto Scaling groups with the Amazon CloudWatch Logs agent configured. How can this process be automated?

- A. Create a CloudWatch Logs subscription to an AWS Step Functions applicatio
- B. Configure an AWS Lambda function to add a tag to the EC2 instance that produced the login event and mark the instance to be decommissioned
- C. Create an Amazon EventBridge rule to invoke a second Lambda function once a day that will terminate all instances with this tag.
- D. Create an Amazon CloudWatch alarm that will be invoked by the login event
- E. Send the notification to an Amazon Simple Notification Service (Amazon SNS) topic that the operations team is subscribed to, and have them terminate the EC2 instance within 24 hours.
- F. Create an Amazon CloudWatch alarm that will be invoked by the login event
- G. Configure the alarm to send to an Amazon Simple Queue Service (Amazon SQS) queue
- H. Use a group of worker instances to process messages from the queue, which then schedules an Amazon EventBridge rule to be invoked.
- I. Create a CloudWatch Logs subscription to an AWS Lambda function
- J. Configure the function to add a tag to the EC2 instance that produced the login event and mark the instance to be decommissioned
- K. Create an Amazon EventBridge rule to invoke a daily Lambda function that terminates all instances with this tag.

Answer: D

Explanation:

"You can use subscriptions to get access to a real-time feed of log events from CloudWatch Logs and have it delivered to other services such as an Amazon Kinesis stream, an Amazon Kinesis Data Firehose stream, or AWS Lambda for custom processing, analysis, or loading to other systems. When log events are sent to the receiving service, they are Base64 encoded and compressed with the gzip format." See <https://docs.aws.amazon.com/AmazonCloudWatch/latest/logs/Subscriptions.html>

NEW QUESTION 17

A company has an application and a CI/CD pipeline. The CI/CD pipeline consists of an AWS CodePipeline pipeline and an AWS CodeBuild project. The CodeBuild project runs tests against the application as part of the build process and outputs a test report. The company must keep the test reports for 90 days. Which solution will meet these requirements?

- A. Add a new stage in the CodePipeline pipeline after the stage that contains the CodeBuild project
- B. Create an Amazon S3 bucket to store the report
- C. Configure an S3 deploy action type in the new CodePipeline stage with the appropriate path and format for the reports.
- D. Add a report group in the CodeBuild project buildspec file with the appropriate path and format for the report
- E. Create an Amazon S3 bucket to store the report
- F. Configure an Amazon EventBridge rule that invokes an AWS Lambda function to copy the reports to the S3 bucket when a build is complete
- G. Create an S3 Lifecycle rule to expire the objects after 90 days.
- H. Add a new stage in the CodePipeline pipeline
- I. Configure a test action type with the appropriate path and format for the report
- J. Configure the report expiration time to be 90 days in the CodeBuild project buildspec file.
- K. Add a report group in the CodeBuild project buildspec file with the appropriate path and format for the report
- L. Create an Amazon S3 bucket to store the report
- M. Configure the report group as an artifact in the CodeBuild project buildspec file
- N. Configure the S3 bucket as the artifact destination
- O. Set the object expiration to 90 days.

Answer: B

Explanation:

The correct solution is to add a report group in the AWS CodeBuild project buildspec file with the appropriate path and format for the reports. Then, create an Amazon S3 bucket to store the reports. You should configure an Amazon EventBridge rule that invokes an AWS Lambda function to copy the reports to the S3 bucket when a build is completed. Finally, create an S3 Lifecycle rule to expire the objects after 90 days. This approach allows for the automated transfer of reports to long-term storage and ensures

they are retained for the required duration without manual intervention¹. References:

? AWS CodeBuild User Guide on test reporting¹.

? AWS CodeBuild User Guide on working with report groups².

? AWS Documentation on using AWS CodePipeline with AWS CodeBuild³.

NEW QUESTION 21

A company uses AWS CodePipeline pipelines to automate releases of its application. A typical pipeline consists of three stages: build, test, and deployment. The company has been using a separate AWS CodeBuild project to run scripts for each stage. However, the company now wants to use AWS CodeDeploy to handle the deployment stage of the pipelines.

The company has packaged the application as an RPM package and must deploy the application to a fleet of Amazon EC2 instances. The EC2 instances are in an EC2 Auto Scaling group and are launched from a common AMI.

Which combination of steps should a DevOps engineer perform to meet these requirements? (Choose two.)

- A. Create a new version of the common AMI with the CodeDeploy agent installed
- B. Update the IAM role of the EC2 instances to allow access to CodeDeploy.
- C. Create a new version of the common AMI with the CodeDeploy agent installed

- D. Create an AppSpec file that contains application deployment scripts and grants access to CodeDeploy.
- E. Create an application in CodeDeploy.
- F. Configure an in-place deployment type.
- G. Specify the Auto Scaling group as the deployment target.
- H. Add a step to the CodePipeline pipeline to use EC2 Image Builder to create a new AMI.
- I. Configure CodeDeploy to deploy the newly created AMI.
- J. Create an application in CodeDeploy.
- K. Configure an in-place deployment type.
- L. Specify the Auto Scaling group as the deployment target.
- M. Update the CodePipeline pipeline to use the CodeDeploy action to deploy the application.
- N. Create an application in CodeDeploy.
- O. Configure an in-place deployment type.
- P. Specify the EC2 instances that are launched from the common AMI as the deployment target.
- Q. Update the CodePipeline pipeline to use the CodeDeploy action to deploy the application.

Answer: AD

Explanation:

<https://docs.aws.amazon.com/codedeploy/latest/userguide/integrations-aws-auto-scaling.html>

NEW QUESTION 25

A large enterprise is deploying a web application on AWS. The application runs on Amazon EC2 instances behind an Application Load Balancer. The instances run in an Auto Scaling group across multiple Availability Zones. The application stores data in an Amazon RDS for Oracle DB instance and Amazon DynamoDB. There are separate environments for development testing and production. What is the MOST secure and flexible way to obtain password credentials during deployment?

- A. Retrieve an access key from an AWS Systems Manager securestring parameter to access AWS service.
- B. Retrieve the database credentials from a Systems Manager SecureString parameter.
- C. Launch the EC2 instances with an EC2 IAM role to access AWS services. Retrieve the database credentials from AWS Secrets Manager.
- D. Retrieve an access key from an AWS Systems Manager plaintext parameter to access AWS service.
- E. Retrieve the database credentials from a Systems Manager SecureString parameter.
- F. Launch the EC2 instances with an EC2 IAM role to access AWS services. Store the database passwords in an encrypted config file with the application artifacts.

Answer: B

Explanation:

AWS Secrets Manager is a secrets management service that helps you protect access to your applications, services, and IT resources. This service enables you to easily rotate, manage, and retrieve database credentials, API keys, and other secrets throughout their lifecycle. Using Secrets Manager, you can secure and manage secrets used to access resources in the AWS Cloud, on third-party services, and on-premises. SSM parameter store and AWS Secret manager are both a secure option. However, Secrets manager is more flexible and has more options like password generation. Reference: <https://www.1strategy.com/blog/2019/02/28/aws-parameter-store-vs-aws-secrets-manager/>

NEW QUESTION 27

A company manages multiple AWS accounts by using AWS Organizations with OUs for the different business divisions. The company is updating their corporate network to use new IP address ranges. The company has 10 Amazon S3 buckets in different AWS accounts. The S3 buckets store reports for the different divisions. The S3 bucket configurations allow only private corporate network IP addresses to access the S3 buckets. A DevOps engineer needs to change the range of IP addresses that have permission to access the contents of the S3 buckets. The DevOps engineer also needs to revoke the permissions of two OUs in the company. Which solution will meet these requirements?

- A. Create a new SCP that has two statements, one that allows access to the new range of IP addresses for all the S3 buckets and one that denies access to the old range of IP addresses for all the S3 bucket.
- B. Set a permissions boundary for the OrganizationAccountAccessRole role in the two OUs to deny access to the S3 buckets.
- C. Create a new SCP that has a statement that allows only the new range of IP addresses to access the S3 bucket.
- D. Create another SCP that denies access to the S3 bucket.
- E. Attach the second SCP to the two OUs.
- F. On all the S3 buckets, configure resource-based policies that allow only the new range of IP addresses to access the S3 bucket.
- G. Create a new SCP that denies access to the S3 bucket.
- H. Attach the SCP to the two OUs.
- I. On all the S3 buckets, configure resource-based policies that allow only the new range of IP addresses to access the S3 bucket.
- J. Set a permissions boundary for the OrganizationAccountAccessRole role in the two OUs to deny access to the S3 buckets.

Answer: C

Explanation:

The correct answer is C.

A comprehensive and detailed explanation is:

? Option A is incorrect because creating a new SCP that has two statements, one that allows access to the new range of IP addresses for all the S3 buckets and one that denies access to the old range of IP addresses for all the S3 buckets, is not a valid solution. SCPs are not resource-based policies, and they cannot specify the S3 buckets or the IP addresses as resources or conditions. SCPs can only control the actions that can be performed by the principals in the organization, not the access to specific resources. Moreover, setting a permissions boundary for the OrganizationAccountAccessRole role in the two OUs to deny access to the S3 buckets is not sufficient to revoke the permissions of the two OUs, as there might be other roles or users in those OUs that can still access the S3 buckets.

? Option B is incorrect because creating a new SCP that has a statement that allows

only the new range of IP addresses to access the S3 buckets is not a valid solution, for the same reason as option A. SCPs are not resource-based policies, and they cannot specify the S3 buckets or the IP addresses as resources or conditions. Creating another SCP that denies access to the S3 buckets and attaching it to the two OUs is also not a valid solution, as SCPs cannot specify the S3 buckets as resources either.

? Option C is correct because it meets both requirements of changing the range of IP addresses that have permission to access the contents of the S3 buckets and revoking the permissions of two OUs in the company. On all the S3 buckets, configuring resource-based policies that allow only the new range of IP addresses to access the S3 buckets is a valid way to update the IP address ranges, as resource-based policies can specify both resources and conditions. Creating a new SCP that denies access to the S3 buckets and attaching it to the two OUs is also a valid way to revoke the permissions of those OUs, as SCPs can

deny actions such as s3:PutObject or s3:GetObject on any resource.

? Option D is incorrect because setting a permissions boundary for the OrganizationAccountAccessRole role in the two OUs to deny access to the S3 buckets is not sufficient to revoke the permissions of the two OUs, as there might be other roles or users in those OUs that can still access the S3 buckets. A permissions boundary is a policy that defines the maximum permissions that an IAM entity can have. However, it does not revoke any existing permissions that are granted by other policies.

References:

- ? AWS Organizations
- ? S3 Bucket Policies
- ? Service Control Policies
- ? Permissions Boundaries

NEW QUESTION 31

A healthcare services company is concerned about the growing costs of software licensing for an application for monitoring patient wellness. The company wants to create an audit process to ensure that the application is running exclusively on Amazon EC2 Dedicated Hosts. A DevOps engineer must create a workflow to audit the application to ensure compliance.

What steps should the engineer take to meet this requirement with the LEAST administrative overhead?

- A. Use AWS Systems Manager Configuration Compliance
- B. Use calls to the put-compliance-items API action to scan and build a database of noncompliant EC2 instances based on their host placement configuration
- C. Use an Amazon DynamoDB table to store these instance IDs for fast access
- D. Generate a report through Systems Manager by calling the list-compliance-summaries API action.
- E. Use custom Java code running on an EC2 instance
- F. Set up EC2 Auto Scaling for the instance depending on the number of instances to be checked
- G. Send the list of noncompliant EC2 instance IDs to an Amazon SQS queue
- H. Set up another worker instance to process instance IDs from the SQS queue and write them to Amazon DynamoDB
- I. Use an AWS Lambda function to terminate noncompliant instance IDs obtained from the queue, and send them to an Amazon SNS email topic for distribution.
- J. Use AWS Config
- K. Identify all EC2 instances to be audited by enabling Config Recording on all Amazon EC2 resources for the region
- L. Create a custom AWS Config rule that triggers an AWS Lambda function by using the "config-rule-change-triggered" blueprint. Modify the Lambda evaluateCompliance () function to verify host placement to return a NON_COMPLIANT result if the instance is not running on an EC2 Dedicated Host
- M. Use the AWS Config report to address noncompliant instances.
- N. Use AWS CloudTrail
- O. Identify all EC2 instances to be audited by analyzing all calls to the EC2 RunCommand API action
- P. Invoke a AWS Lambda function that analyzes the host placement of the instance
- Q. Store the EC2 instance ID of noncompliant resources in an Amazon RDS for MySQL DB instance
- R. Generate a report by querying the RDS instance and exporting the query results to a CSV text file.

Answer: C

Explanation:

The correct answer is C. Using AWS Config to identify and audit all EC2 instances based on their host placement configuration is the most efficient and scalable solution to ensure compliance with the software licensing requirement. AWS Config is a service that enables you to assess, audit, and evaluate the configurations of your AWS resources. By creating a custom AWS Config rule that triggers a Lambda function to verify host placement, the DevOps engineer can automate the process of checking whether the instances are running on EC2 Dedicated Hosts or not. The Lambda function can return a NON_COMPLIANT result if the instance is not running on an EC2 Dedicated Host, and the AWS Config report can provide a summary of the compliance status of the instances. This solution requires the least administrative overhead compared to the other options.

Option A is incorrect because using AWS Systems Manager Configuration Compliance to scan and build a database of noncompliant EC2 instances based on their host placement configuration is a more complex and costly solution than using AWS Config. AWS Systems Manager Configuration Compliance is a feature of AWS Systems Manager that enables you to scan your managed instances for patch compliance and configuration inconsistencies. To use this feature, the DevOps engineer would need to install the Systems Manager Agent on each EC2 instance, create a State Manager association to run the put-compliance-items API action periodically, and use a DynamoDB table to store the instance IDs of noncompliant resources. This solution would also require more API calls and storage costs than using AWS Config.

Option B is incorrect because using custom Java code running on an EC2 instance to check and terminate noncompliant EC2 instances is a more cumbersome and error-prone solution than using AWS Config. This solution would require the DevOps engineer to write and maintain the Java code, set up EC2 Auto Scaling for the instance, use an SQS queue and another worker instance to process the instance IDs, use a Lambda function and an SNS topic to terminate and notify the noncompliant instances, and handle any potential failures or exceptions in the workflow. This solution would also incur more compute, storage, and messaging costs than using AWS Config.

Option D is incorrect because using AWS CloudTrail to identify and audit EC2 instances by analyzing the EC2 RunCommand API action is a less reliable and accurate solution than using AWS Config. AWS CloudTrail is a service that enables you to monitor and log the API activity in your AWS account. The EC2 RunCommand API action is used to execute commands on one or more EC2 instances. However, this API action does not necessarily indicate the host placement of the instance, and it may not capture all the instances that are running on EC2 Dedicated Hosts or not. Therefore, option D would not provide a comprehensive and consistent audit of the EC2 instances.

NEW QUESTION 36

A company runs a workload on Amazon EC2 instances. The company needs a control that requires the use of Instance Metadata Service Version 2 (IMDSv2) on all EC2 instances in the AWS account. If an EC2 instance does not prevent the use of Instance Metadata Service Version 1 (IMDSv1), the EC2 instance must be terminated.

Which solution will meet these requirements?

- A. Set up AWS Config in the account
- B. Use a managed rule to check EC2 instances
- C. Configure the rule to remediate the findings by using AWS Systems Manager Automation to terminate the instance.
- D. Create a permissions boundary that prevents the ec2:RunInstances action if the ec2:MetadataHttpTokens condition key is not set to a value of require
- E. Attach the permissions boundary to the IAM role that was used to launch the instance.
- F. Set up Amazon Inspector in the account
- G. Configure Amazon Inspector to activate deep inspection for EC2 instances
- H. Create an Amazon EventBridge rule for an Inspector2 finding
- I. Set an AWS Lambda function as the target to terminate the instance.
- J. Create an Amazon EventBridge rule for the EC2 instance launch successful event
- K. Send the event to an AWS Lambda function to inspect the EC2 metadata and to terminate the instance.

Answer: B

Explanation:

To implement a control that requires the use of IMDSv2 on all EC2 instances in the account, the DevOps engineer can use a permissions boundary. A permissions boundary is a policy that defines the maximum permissions that an IAM entity can have. The DevOps engineer can create a permissions boundary that prevents the `ec2:RunInstance` action if the `ec2:MetadataHttpTokens` condition key is not set to a value of `required`. This condition key enforces the use of IMDSv2 on EC2 instances. The DevOps engineer can attach the permissions boundary to the IAM role that was used to launch the instance. This way, any attempt to launch an EC2 instance without using IMDSv2 will be denied by the permissions boundary.

NEW QUESTION 40

A company's developers use Amazon EC2 instances as remote workstations. The company is concerned that users can create or modify EC2 security groups to allow unrestricted inbound access.

A DevOps engineer needs to develop a solution to detect when users create unrestricted security group rules. The solution must detect changes to security group rules in near real time, remove unrestricted rules, and send email notifications to the security team. The DevOps engineer has created an AWS Lambda function that checks for security group ID from input, removes rules that grant unrestricted access, and sends notifications through Amazon Simple Notification Service (Amazon SNS).

What should the DevOps engineer do next to meet the requirements?

- A. Configure the Lambda function to be invoked by the SNS topic
- B. Create an AWS CloudTrail subscription for the SNS topic
- C. Configure a subscription filter for security group modification events.
- D. Create an Amazon EventBridge scheduled rule to invoke the Lambda function
- E. Define a schedule pattern that runs the Lambda function every hour.
- F. Create an Amazon EventBridge event rule that has the default event bus as the source
- G. Define the rule's event pattern to match EC2 security group creation and modification event
- H. Configure the rule to invoke the Lambda function.
- I. Create an Amazon EventBridge custom event bus that subscribes to events from all AWS services
- J. Configure the Lambda function to be invoked by the custom event bus.

Answer: C

Explanation:

To meet the requirements, the DevOps engineer should create an Amazon EventBridge event rule that has the default event bus as the source. The rule's event pattern should match EC2 security group creation and modification events, and it should be configured to invoke the Lambda function. This solution will allow for near real-time detection of security group rule changes and will trigger the Lambda function to remove any unrestricted rules and send email notifications to the security team. <https://repost.aws/knowledge-center/monitor-security-group-changes-ec2>

NEW QUESTION 41

A DevOps engineer has developed an AWS Lambda function. The Lambda function starts an AWS CloudFormation drift detection operation on all supported resources for a specific CloudFormation stack. The Lambda function then exits its invocation. The DevOps engineer has created an Amazon EventBridge scheduled rule that invokes the Lambda function every hour. An Amazon Simple Notification Service (Amazon SNS) topic already exists in the AWS account. The DevOps engineer has subscribed to the SNS topic to receive notifications.

The DevOps engineer needs to receive a notification as soon as possible when drift is detected in this specific stack configuration.

Which solution will meet these requirements?

- A. Configure the existing EventBridge rule to also target the SNS topic. Configure an SNS subscription filter policy to match the CloudFormation stack
- B. Attach the subscription filter policy to the SNS topic
- C. Create a second Lambda function to query the CloudFormation API for the drift detection results for the stack. Configure the second Lambda function to publish a message to the SNS topic. If drift is detected, adjust the existing EventBridge rule to also target the second Lambda function.
- D. Configure Amazon GuardDuty in the account with drift detection for all CloudFormation stacks
- E. Create a second EventBridge rule that reacts to the GuardDuty drift detection event finding for the specific CloudFormation stack
- F. Configure the SNS topic as a target of the second EventBridge rule.
- G. Configure AWS Config in the account
- H. Use the `cloudformation-stack-drift-detection-check-managed-rule`
- I. Create a second EventBridge rule that reacts to a compliance change event for the CloudFormation stack
- J. Configure the SNS topic as a target of the second EventBridge rule.

Answer: D

Explanation:

A comprehensive and detailed explanation is:

? Option A is incorrect because EventBridge rules cannot filter events based on the message body or attributes of the target service. Therefore, configuring an SNS subscription filter policy to match the CloudFormation stack will not work. The SNS topic will receive all events from the EventBridge rule, regardless of the stack name or drift status.

? Option B is incorrect because it introduces unnecessary complexity and cost.

Creating a second Lambda function to query the CloudFormation API for the drift detection results is redundant, since CloudFormation already publishes drift detection events to EventBridge. Moreover, invoking two Lambda functions every hour will incur more charges than invoking one.

? Option C is incorrect because GuardDuty does not provide drift detection for CloudFormation stacks. GuardDuty is a threat detection service that monitors for malicious activity and unauthorized behavior in AWS accounts and workloads. It does not monitor or report on configuration changes or drifts in CloudFormation stacks.

? Option D is correct because it leverages AWS Config and its managed rule for drift detection. AWS Config is a service that enables you to assess, audit, and evaluate the configurations of your AWS resources. It can detect configuration changes and drifts in CloudFormation stacks using the `cloudformation-stack-drift-detection-check-managed-rule`. This rule triggers an AWS Config event when a stack drifts from its expected template configuration. By creating a second EventBridge rule that reacts to this event for the specific stack, the DevOps engineer can configure the SNS topic as a target and receive a notification as soon as possible when drift is detected.

References:

? AWS Config

? Amazon SNS subscription filter policies

? Amazon EventBridge rules

NEW QUESTION 45

A company sells products through an ecommerce web application. The company wants a dashboard that shows a pie chart of product transaction details. The company wants to integrate the dashboard with the company's existing Amazon CloudWatch dashboards. Which solution will meet these requirements with the MOST operational efficiency?

- A. Update the ecommerce application to emit a JSON object to a CloudWatch log group for each processed transaction.
- B. Use CloudWatch Logs Insights to query the log group and to visualize the results in a pie chart format. Attach the results to the desired CloudWatch dashboard.
- C. Update the ecommerce application to emit a JSON object to an Amazon S3 bucket for each processed transaction.
- D. Use Amazon Athena to query the S3 bucket and to visualize the results in a pie chart format.
- E. Export the results from Athena. Attach the results to the desired CloudWatch dashboard.
- F. Update the ecommerce application to use AWS X-Ray for instrumentation.
- G. Create a new X-Ray subsegment. Add an annotation for each processed transaction.
- H. Use X-Ray traces to query the data and to visualize the results in a pie chart format. Attach the results to the desired CloudWatch dashboard.
- I. Update the ecommerce application to emit a JSON object to a CloudWatch log group for each processed transaction. Create an AWS Lambda function to aggregate and write the results to Amazon DynamoDB.
- J. Create a Lambda subscription filter for the log file.
- K. Attach the results to the desired CloudWatch dashboard.

Answer: A

Explanation:

The correct answer is A.

A comprehensive and detailed explanation is:

? Option A is correct because it meets the requirements with the most operational efficiency. Updating the ecommerce application to emit a JSON object to a CloudWatch log group for each processed transaction is a simple and cost-effective way to collect the data needed for the dashboard. Using CloudWatch Logs Insights to query the log group and to visualize the results in a pie chart format is also a convenient and integrated solution that leverages the existing CloudWatch dashboards. Attaching the results to the desired CloudWatch dashboard is straightforward and does not require any additional steps or services.

? Option B is incorrect because it introduces unnecessary complexity and cost.

Updating the ecommerce application to emit a JSON object to an Amazon S3 bucket for each processed transaction is a valid way to store the data, but it requires creating and managing an S3 bucket and its permissions. Using Amazon Athena to query the S3 bucket and to visualize the results in a pie chart format is also a valid way to analyze the data, but it incurs charges based on the amount of data scanned by each query. Exporting the results from Athena and attaching them to the desired CloudWatch dashboard is also an extra step that adds more overhead and latency.

? Option C is incorrect because it uses AWS X-Ray for an inappropriate purpose.

Updating the ecommerce application to use AWS X-Ray for instrumentation is a good practice for monitoring and tracing distributed applications, but it is not designed for aggregating product transaction details. Creating a new X-Ray subsegment and adding an annotation for each processed transaction is possible, but it would clutter the X-Ray service map and make it harder to debug performance issues. Using X-Ray traces to query the data and to visualize the results in a pie chart format is also possible, but it would require custom code and logic that are not supported by X-Ray natively. Attaching the results to the desired CloudWatch dashboard is also not supported by X-Ray directly, and would require additional steps or services.

? Option D is incorrect because it introduces unnecessary complexity and cost.

Updating the ecommerce application to emit a JSON object to a CloudWatch log group for each processed transaction is a simple and cost-effective way to collect the data needed for the dashboard, as in option A. However, creating an AWS Lambda function to aggregate and write the results to Amazon DynamoDB is redundant, as CloudWatch Logs Insights can already perform aggregation queries on log data. Creating a Lambda subscription filter for the log file is also redundant, as CloudWatch Logs Insights can already access log data directly. Attaching the results to the desired CloudWatch dashboard would also require additional steps or services, as DynamoDB does not support native integration with CloudWatch dashboards.

References:

? CloudWatch Logs Insights

? Amazon Athena

? AWS X-Ray

? AWS Lambda

? Amazon DynamoDB

NEW QUESTION 50

A DevOps engineer is creating an AWS CloudFormation template to deploy a web service. The web service will run on Amazon EC2 instances in a private subnet behind an Application Load Balancer (ALB). The DevOps engineer must ensure that the service can accept requests from clients that have IPv6 addresses. What should the DevOps engineer do with the CloudFormation template so that IPv6 clients can access the web service?

- A. Add an IPv6 CIDR block to the VPC and the private subnet for the EC2 instance.
- B. Create route table entries for the IPv6 network, use EC2 instance types that support IPv6, and assign IPv6 addresses to each EC2 instance.
- C. Assign each EC2 instance an IPv6 Elastic IP address.
- D. Create a target group, and add the EC2 instances as target.
- E. Create a listener on port 443 of the ALB, and associate the target group with the ALB.
- F. Replace the ALB with a Network Load Balancer (NLB). Add an IPv6 CIDR block to the VPC and subnets for the NLB, and assign the NLB an IPv6 Elastic IP address.
- G. Add an IPv6 CIDR block to the VPC and subnets for the ALB.
- H. Create a listener on port 443, and specify the dualstack IP address type on the ALB.
- I. Create a target group, and add the EC2 instances as target.
- J. Associate the target group with the ALB.

Answer: D

Explanation:

It involves adding an IPv6 CIDR block to the VPC and subnets for the ALB and specifying the dualstack IP address type on the ALB listener. This allows the ALB to listen on both IPv4 and IPv6 addresses, and forward requests to the EC2 instances that are added as targets to the target group associated with the ALB.

NEW QUESTION 55

A company's application is currently deployed to a single AWS Region. Recently, the company opened a new office on a different continent. The users in the new office are experiencing high latency. The company's application runs on Amazon EC2 instances behind an Application Load Balancer (ALB) and uses Amazon DynamoDB as the database layer. The instances run in an EC2 Auto Scaling group across multiple Availability Zones. A DevOps engineer is tasked with minimizing application response times and improving availability for users in both Regions.

Which combination of actions should be taken to address the latency issues? (Choose three.)

- A. Create a new DynamoDB table in the new Region with cross-Region replication enabled.
- B. Create new ALB and Auto Scaling group global resources and configure the new ALB to direct traffic to the new Auto Scaling group.
- C. Create new ALB and Auto Scaling group resources in the new Region and configure the new ALB to direct traffic to the new Auto Scaling group.
- D. Create Amazon Route 53 records, health checks, and latency-based routing policies to route to the ALB.
- E. Create Amazon Route 53 aliases, health checks, and failover routing policies to route to the ALB.
- F. Convert the DynamoDB table to a global table.

Answer: CDF

Explanation:

C. Create new ALB and Auto Scaling group resources in the new Region and configure the new ALB to direct traffic to the new Auto Scaling group. This will allow users in the new Region to access the application with lower latency by reducing the network hops between the user and the application servers.

* D. Create Amazon Route 53 records, health checks, and latency-based routing policies to route to the ALB. This will enable Route 53 to route user traffic to the nearest healthy ALB, based on the latency between the user and the ALBs.

* F. Convert the DynamoDB table to a global table. This will enable reads and writes to the table in both Regions with low latency, improving the overall response time of the application

NEW QUESTION 58

A video-sharing company stores its videos in Amazon S3. The company has observed a sudden increase in video access requests, but the company does not know which videos are most popular. The company needs to identify the general access pattern for the video files. This pattern includes the number of users who access a certain file on a given day, as well as the number of times a file is accessed. A DevOps engineer manages a large commercial website that runs on Amazon EC2. The website uses Amazon Kinesis Data Streams to collect and process web logs. The DevOps engineer manages the Kinesis consumer application, which also runs on Amazon EC2. Sudden increases of data cause the Kinesis consumer application to fall behind and the Kinesis data streams drop records before the records can be processed. The DevOps engineer must implement a solution to improve stream handling.

Which solution meets these requirements with the MOST operational efficiency?"

er of pull requests for certain files.
How can the company meet these requirements with the LEAST amount of effort?

- A. Activate S3 server access logging
- B. Import the access logs into an Amazon Aurora database
- C. Use an Aurora SQL query to analyze the access patterns.
- D. Activate S3 server access logging
- E. Use Amazon Athena to create an external table with the log file
- F. Use Athena to create a SQL query to analyze the access patterns.
- G. Invoke an AWS Lambda function for every S3 object access event
- H. Configure the Lambda function to write the file access information, such as user, S3 bucket, and file key, to an Amazon Kinesis Data Analytics for SQL application
- I. S3 bucket, and file key, to an Amazon Aurora database
- J. Use an Aurora SQL query to analyze the access patterns.
- K. Record an Amazon CloudWatch Logs log message for every S3 object access event
- L. Configure a CloudWatch Logs log stream to write the file access information, such as user, S3 bucket, and file key, to an Amazon Kinesis Data Analytics for SQL application
- M. Perform a sliding window analysis.

Answer: B

Explanation:

Activating S3 server access logging and using Amazon Athena to create an external table with the log files is the easiest and most cost-effective way to analyze access patterns. This option requires minimal setup and allows for quick analysis of the access patterns with SQL queries. Additionally, Amazon Athena scales automatically to match the query load, so there is no need for additional infrastructure provisioning or management.

NEW QUESTION 59

A company has deployed a critical application in two AWS Regions. The application uses an Application Load Balancer (ALB) in both Regions. The company has Amazon Route 53 alias DNS records for both ALBs.

The company uses Amazon Route 53 Application Recovery Controller to ensure that the application can fail over between the two Regions. The Route 53 ARC configuration includes a routing control for both Regions. The company uses Route 53 ARC to perform quarterly disaster recovery (DR) tests.

During the most recent DR test, a DevOps engineer accidentally turned off both routing controls. The company needs to ensure that at least one routing control is turned on at all times.

Which solution will meet these requirements?

- A. In Route 53 ARC, create a new assertion safety rule
- B. create a new assertion safety rule
- C. Apply the assertion safety rule to the two routing controls
- D. Configure the rule with the ATLEAST type with a threshold of 1.
- E. In Route 53 ARC, create a new gating safety rule
- F. Apply the assertion safety rule to the two routing controls
- G. Configure the rule with the OR type with a threshold of 1.
- H. In Route 53 ARC, create a new resource set
- I. Configure the resource set with an AWS: Route53: HealthCheck resource type
- J. Specify the ARNs of the two routing controls as the target resources
- K. Create a new readiness check for the resource set.
- L. In Route 53 ARC, create a new resource set
- M. Configure the resource set with an AWS: Route53RecoveryReadiness: DNSTargetResource resource type
- N. Add the domain names of the two Route 53 alias DNS records as the target resources
- O. Create a new readiness check for the resource set.

Answer: A

Explanation:

The correct solution is to create a new assertion safety rule in Route 53 ARC and apply it to the two routing controls. An assertion safety rule is a type of safety rule that ensures that a minimum number of routing controls are always enabled. The ATLEAST type of assertion safety rule specifies the minimum number of routing controls that must be enabled for the rule to evaluate as healthy. By setting the threshold to 1, the rule ensures that at least one routing control is always turned on.

This prevents the scenario where both routing controls are accidentally turned off and the application becomes unavailable in both Regions. The other solutions are incorrect because they do not use safety rules to prevent both routing controls from being turned off. A gating safety rule is a type of safety rule that prevents routing control state changes that violate the rule logic. The OR type of gating safety rule specifies that one or more routing controls must be enabled for the rule to evaluate as healthy. However, this rule does not prevent a user from turning off both routing controls manually. A resource set is a collection of resources that are tested for readiness by Route 53 ARC. A readiness check is a test that verifies that all the resources in a resource set are operational. However, these concepts are not related to routing control states or safety rules. Therefore, creating a new resource set and a new readiness check will not ensure that at least one routing control is turned on at all times. References:

- ? Routing control in Amazon Route 53 Application Recovery Controller
- ? Viewing and updating routing control states in Route 53 ARC
- ? Creating a control panel in Route 53 ARC
- ? Creating safety rules in Route 53 ARC

NEW QUESTION 62

A DevOps team manages an API running on-premises that serves as a backend for an Amazon API Gateway endpoint. Customers have been complaining about high response latencies, which the development team has verified using the API Gateway latency metrics in Amazon CloudWatch. To identify the cause, the team needs to collect relevant data without introducing additional latency. Which actions should be taken to accomplish this? (Choose two.)

- A. Install the CloudWatch agent server side and configure the agent to upload relevant logs to CloudWatch.
- B. Enable AWS X-Ray tracing in API Gateway, modify the application to capture request segments, and upload those segments to X-Ray during each request.
- C. Enable AWS X-Ray tracing in API Gateway, modify the application to capture request segments, and use the X-Ray daemon to upload segments to X-Ray.
- D. Modify the on-premises application to send log information back to API Gateway with each request.
- E. Modify the on-premises application to calculate and upload statistical data relevant to the API service requests to CloudWatch metrics.

Answer: AC

Explanation:

<https://docs.aws.amazon.com/AmazonCloudWatch/latest/monitoring/install-CloudWatch-Agent-on-premise.html>
<https://docs.aws.amazon.com/xray/latest/devguide/xray-api-sendingdata.html>

NEW QUESTION 64

A company recently migrated its legacy application from on-premises to AWS. The application is hosted on Amazon EC2 instances behind an Application Load Balancer which is behind Amazon API Gateway. The company wants to ensure users experience minimal disruptions during any deployment of a new version of the application. The company also wants to ensure it can quickly roll back updates if there is an issue. Which solution will meet these requirements with MINIMAL changes to the application?

- A. Introduce changes as a separate environment parallel to the existing one Configure API Gateway to use a canary release deployment to send a small subset of user traffic to the new environment.
- B. Introduce changes as a separate environment parallel to the existing one Update the application's DNS alias records to point to the new environment.
- C. Introduce changes as a separate target group behind the existing Application Load Balancer Configure API Gateway to route user traffic to the new target group in steps.
- D. Introduce changes as a separate target group behind the existing Application Load Balancer Configure API Gateway to route all traffic to the Application Load Balancer which then sends the traffic to the new target group.

Answer: A

Explanation:

API Gateway supports canary deployment on a deployment stage before you direct all traffic to that stage. A parallel environment means we will create a new ALB and a target group that will target a new set of EC2 instances on which the newer version of the app will be deployed. So the canary setting associated to the new version of the API will connect with the new ALB instance which in turn will direct the traffic to the new EC2 instances on which the newer version of the application is deployed.

NEW QUESTION 69

A company's application teams use AWS CodeCommit repositories for their applications. The application teams have repositories in multiple AWS accounts. All accounts are in an organization in AWS Organizations. Each application team uses AWS IAM Identity Center (AWS Single Sign-On) configured with an external IdP to assume a developer IAM role. The developer role allows the application teams to use Git to work with the code in the repositories. A security audit reveals that the application teams can modify the main branch in any repository. A DevOps engineer must implement a solution that allows the application teams to modify the main branch of only the repositories that they manage. Which combination of steps will meet these requirements? (Select THREE.)

- A. Update the SAML assertion to pass the user's team name
- B. Update the IAM role's trust policy to add an access-team session tag that has the team name.
- C. Create an approval rule template for each team in the Organizations management account
- D. Associate the template with all the repositories
- E. Add the developer role ARN as an approver.
- F. Create an approval rule template for each account
- G. Associate the template with all repositories
- H. Add the "aws:ResourceTag/access-team":"\$;{aws:PrincipalTag/access-team}" condition to the approval rule template.
- I. For each CodeCommit repository, add an access-team tag that has the value set to the name of the associated team.
- J. Attach an SCP to the account
- K. Include the following statement:

```
{
  "Effect": "Deny",
  "Action": [
    "codecommit:GitPush",
    "codecommit:PutFile",
    "codecommit:Merge*"
  ],
  "Resource": "*",
  "Condition": {
    "StringEqualsIfExists": {
      "codecommit:References": ["refs/heads/main"]
    },
    "StringNotEquals": {
      "aws:ResourceTag/access-team": "$ ;{aws:PrincipalTag/access-team}"
    },
    "Null": {
      "codecommit:References": "false"
    }
  }
}
```

L. Create an IAM permissions boundary in each account

M. Include the following statement: {

```
  "Effect": "Allow",
  "Action": [
    "codecommit:GitPush",
    "codecommit:PutFile",
    "codecommit:Merge*"
  ],
  "Resource": "*",
  "Condition": {
    "StringEqualsIfExists": {
      "codecommit:References": ["refs/heads/main"]
    },
    "StringNotEquals": {
      "aws:ResourceTag/access-team": "$ ;{aws:PrincipalTag/access-team}"
    },
    "Null": {
      "codecommit:References": "false"
    }
  }
}
```

Answer: ADF

Explanation:

Short Explanation: To meet the requirements, the DevOps engineer should update the SAML assertion to pass the user's team name, update the IAM role's trust policy to add an access-team session tag that has the team name, create an IAM permissions boundary in each account, and for each CodeCommit repository, add an access-team tag that has the value set to the name of the associated team.

References:

? Updating the SAML assertion to pass the user's team name allows the DevOps engineer to use IAM tags to identify which team a user belongs to. This can help enforce fine-grained access control based on the user's team membership¹.

? Updating the IAM role's trust policy to add an access-team session tag that has the team name allows the DevOps engineer to use IAM condition keys to restrict access based on the session tag value². For example, the DevOps engineer can use the aws:PrincipalTag condition key to match the access-team tag of the user with the access-team tag of the repository³.

? Creating an IAM permissions boundary in each account allows the DevOps engineer to set the maximum permissions that an identity-based policy can grant to an IAM entity. An entity's permissions boundary allows it to perform only the actions that are allowed by both its identity-based policies and its permissions boundaries⁴. For example, the DevOps engineer can use a permissions boundary policy to limit the actions that a user can perform on CodeCommit repositories based on their access-team tag⁵.

? For each CodeCommit repository, adding an access-team tag that has the value set to the name of the associated team allows the DevOps engineer to use resource tags to identify which team manages a repository. This can help enforce fine-grained access control based on the resource tag value⁶.

? The other options are incorrect because:

NEW QUESTION 72

A company has 20 service teams. Each service team is responsible for its own microservice. Each service team uses a separate AWS account for its microservice and a VPC with the 192.168.0.0/22 CIDR block. The company manages the AWS accounts with AWS Organizations.

Each service team hosts its microservice on multiple Amazon EC2 instances behind an Application Load Balancer. The microservices communicate with each other across the public internet. The company's security team has issued a new guideline that all communication between microservices must use HTTPS over private network connections and cannot traverse the public internet.

A DevOps engineer must implement a solution that fulfills these obligations and minimizes the number of changes for each service team.

Which solution will meet these requirements?

A. Create a new AWS account in AWS Organizations. Create a VPC in this account and use AWS Resource Access Manager to share the private subnets of this

VPC with the organization Instruct the service teams to launch a ne

B. Network Load Balancer (NLB) and EC2 instances that use the shared private subnets Use the NLB DNS names for communication between microservices.

C. Create a Network Load Balancer (NLB) in each of the microservice VPCs Use AWS PrivateLink to create VPC endpoints in each AWS account for the NLBs Create subscriptions to each VPC endpoint in each of the other AWS accounts Use the VPC endpoint DNS names for communication between microservices.

D. Create a Network Load Balancer (NLB) in each of the microservice VPCs Create VPC peering connections between each of the microservice VPCs Update the route tables for each VPC to use the peering links Use the NLB DNS names for communication between microservices.

E. Create a new AWS account in AWS Organizations Create a transit gateway in this account and use AWS Resource Access Manager to share the transit gateway with the organizatio

F. In each of the microservice VPC

G. create a transit gateway attachment to the shared transit gateway Update the route tables of each VPC to use the transit gateway Create a Network Load Balancer (NLB) in each of the microservice VPCs Use the NLB DNS names for communication between microservices.

Answer: B

Explanation:

<https://aws.amazon.com/blogs/networking-and-content-delivery/connecting-networks-with-overlapping-ip-ranges/> Private link is the best option because Transit Gateway doesn't support overlapping CIDR ranges.

NEW QUESTION 73

A media company has several thousand Amazon EC2 instances in an AWS account. The company is using Slack and a shared email inbox for team communications and important updates. A DevOps engineer needs to send all AWS-scheduled EC2 maintenance notifications to the Slack channel and the shared inbox. The solution must include the instances' Name and Owner tags.

Which solution will meet these requirements?

A. Integrate AWS Trusted Advisor with AWS Config Configure a custom AWS Config rule to invoke an AWS Lambda function to publish notifications to an Amazon Simple Notification Service (Amazon SNS) topic Subscribe a Slack channel endpoint and the shared inbox to the topic.

B. Use Amazon EventBridge to monitor for AWS Health Events Configure the maintenance events to target an Amazon Simple Notification Service (Amazon SNS) topic Subscribe an AWS Lambda function to the SNS topic to send notifications to the Slack channel and the shared inbox.

C. Create an AWS Lambda function that sends EC2 maintenance notifications to the Slack channel and the shared inbox Monitor EC2 health events by using Amazon CloudWatch metrics Configure a CloudWatch alarm that invokes the Lambda function when a maintenance notification is received.

D. Configure AWS Support integration with AWS CloudTrail Create a CloudTrail lookup event to invoke an AWS Lambda function to pass EC2 maintenance notifications to Amazon Simple Notification Service (Amazon SNS) Configure Amazon SNS to target the Slack channel and the shared inbox.

Answer: B

Explanation:

<https://docs.aws.amazon.com/health/latest/ug/cloudwatch-events-health.html>

NEW QUESTION 74

A company is running an application on Amazon EC2 instances in an Auto Scaling group. Recently an issue occurred that prevented EC2 instances from launching successfully and it took several hours for the support team to discover the issue. The support team wants to be notified by email whenever an EC2 instance does not start successfully.

Which action will accomplish this?

A. Add a health check to the Auto Scaling group to invoke an AWS Lambda function whenever an instance status is impaired.

B. Configure the Auto Scaling group to send a notification to an Amazon SNS topic whenever a failed instance launch occurs.

C. Create an Amazon CloudWatch alarm that invokes an AWS Lambda function when a failed AttachInstances Auto Scaling API call is made.

D. Create a status check alarm on Amazon EC2 to send a notification to an Amazon SNS topic whenever a status check fail occurs.

Answer: B

Explanation:

<https://docs.aws.amazon.com/autoscaling/ec2/userguide/ASGettingNotifications.html#auto-scaling-sns-notifications>

NEW QUESTION 76

An IT team has built an AWS CloudFormation template so others in the company can quickly and reliably deploy and terminate an application. The template creates an Amazon EC2 instance with a user data script to install the application and an Amazon S3 bucket that the application uses to serve static webpages while it is running.

All resources should be removed when the CloudFormation stack is deleted. However, the team observes that CloudFormation reports an error during stack deletion, and the S3 bucket created by the stack is not deleted.

How can the team resolve the error in the MOST efficient manner to ensure that all resources are deleted without errors?

A. Add a DeletionPolicy attribute to the S3 bucket resource, with the value Delete forcing the bucket to be removed when the stack is deleted.

B. Add a custom resource with an AWS Lambda function with the DependsOn attribute specifying the S3 bucket, and an IAM role

C. Write the Lambda function to delete all objects from the bucket when RequestType is Delete.

D. Identify the resource that was not delete

E. Manually empty the S3 bucket and then delete it.

F. Replace the EC2 and S3 bucket resources with a single AWS OpsWorks Stacks resource

G. Define a custom recipe for the stack to create and delete the EC2 instance and the S3 bucket.

Answer: B

Explanation:

<https://aws.amazon.com/premiumsupport/knowledge-center/cloudformation-s3-custom-resources/>

NEW QUESTION 79

A DevOps engineer needs to configure a blue green deployment for an existing three-tier application. The application runs on Amazon EC2 instances and uses an Amazon RDS database The EC2 instances run behind an Application Load Balancer (ALB) and are in an Auto Scaling group.

The DevOps engineer has created a launch template and an Auto Scaling group for the blue environment. The DevOps engineer also has created a launch

template and an Auto Scaling group for the green environment. Each Auto Scaling group deploys to a matching blue or green target group. The target group also specifies which software blue or green gets loaded on the EC2 instances. The ALB can be configured to send traffic to the blue environments target group or the green environments target group. An Amazon Route 53 record for www example com points to the ALB.

The deployment must move traffic all at once between the software on the blue environment's EC2 instances to the newly deployed software on the green environments EC2 instances

What should the DevOps engineer do to meet these requirements?

- A. Start a rolling restart to the Auto Scaling group for the green environment to deploy the new software on the green environment's EC2 instances When the rolling restart is complete, use an AWS CLI command to update the ALB to send traffic to the green environment's target group.
- B. Use an AWS CLI command to update the ALB to send traffic to the green environment's target group
- C. Then start a rolling restart of the Auto Scaling group for the green environment to deploy the new software on the green environment's EC2 instances.
- D. Update the launch template to deploy the green environment's software on the blue environment's EC2 instances Keep the target groups and Auto Scaling groups unchanged in both environments Perform a rolling restart of the blue environment's EC2 instances.
- E. Start a rolling restart of the Auto Scaling group for the green environment to deploy the new software on the green environment's EC2 instances When the rolling restart is complete, update the Route 53 DNS to point to the green environments endpoint on the ALB.

Answer: A

Explanation:

This solution will meet the requirements because it will use a rolling restart to gradually replace the EC2 instances in the green environment with new instances that have the new software version installed. A rolling restart is a process that terminates and launches instances in batches, ensuring that there is always a minimum number of healthy instances in service. This way, the green environment can be updated without affecting the availability or performance of the application. When the rolling restart is complete, the DevOps engineer can use an AWS CLI command to modify the listener rules of the ALB and change the default action to forward traffic to the green environment's target group. This will switch the traffic from the blue environment to the green environment all at once, as required by the question.

NEW QUESTION 82

A company deploys updates to its Amazon API Gateway API several times a week by using an AWS CodePipeline pipeline. As part of the update process the company exports the JavaScript SDK for the API from the API. Gateway console and uploads the SDK to an Amazon S3 bucket

The company has configured an Amazon CloudFront distribution that uses the S3 bucket as an origin Web client then download the SDK by using the CloudFront distribution's endpoint. A DevOps engineer needs to implement a solution to make the new SDK available automatically during new API deployments.

Which solution will meet these requirements?

- A. Create a CodePipeline action immediately after the deployment stage of the AP
- B. Configure the action to invoke an AWS Lambda functio
- C. Configure the Lambda function to download the SDK from API Gateway, upload the SDK to the S3 bucket and create a CloudFront invalidation for the SDK path.
- D. Create a CodePipeline action immediately after the deployment stage of the API Configure the action to use the CodePipeline integration with AP
- E. Gateway to export the SDK to Amazon S3 Create another action that uses the CodePipeline integration with Amazon S3 to invalidate the cache for the SDK path.
- F. Create an Amazon EventBridge rule that reacts to UpdateStage events from aws apigateway Configure the rule to invoke an AWS Lambda function to download the SDK from API Gateway upload the SDK to the S3 bucket and call the CloudFront API to create an invalidation for the SDK path.
- G. Create an Amazon EventBridge rule that reacts to Creat
- H. Deployment events from aws apigatewa
- I. Configure the rule to invoke an AWS Lambda function to download the SDK from AP
- J. Gateway upload the SDK to the S3 bucket and call the S3 API to invalidate the cache for the SDK path.

Answer: A

Explanation:

This solution would allow the company to automate the process of updating the SDK and making it available to web clients. By adding a CodePipeline action immediately after the deployment stage of the API, the Lambda function will be invoked automatically each time the API is updated. The Lambda function should be able to download the new SDK from API Gateway, upload it to the S3 bucket and also create a CloudFront invalidation for the SDK path so that the latest version of the SDK is available for the web clients. This is the most straight forward solution and it will meet the requirements.

NEW QUESTION 84

A company has an application that is using a MySQL-compatible Amazon Aurora Multi-AZ DB cluster as the database. A cross-Region read replica has been created for disaster recovery purposes. A DevOps engineer wants to automate the promotion of the replica so it becomes the primary database instance in the event of a failure.

Which solution will accomplish this?

- A. Configure a latency-based Amazon Route 53 CNAME with health checks so it points to both the primary and replica endpoint
- B. Subscribe an Amazon SNS topic to Amazon RDS failure notifications from AWS CloudTrail and use that topic to invoke an AWS Lambda function that will promote the replica instance as the primary.
- C. Create an Aurora custom endpoint to point to the primary database instanc
- D. Configure the application to use this endpoint
- E. Configure AWS CloudTrail to run an AWS Lambda function to promote the replica instance and modify the custom endpoint to point to the newly promoted instance.
- F. Create an AWS Lambda function to modify the application's AWS CloudFormation template to promote the replica, apply the template to update the stack, and point the application to the newly promoted instanc
- G. Create an Amazon CloudWatch alarm to invoke this Lambda function after the failure event occurs.
- H. Store the Aurora endpoint in AWS Systems Manager Parameter Stor
- I. Create an Amazon EventBridge event that detects the database failure and runs an AWS Lambda function to promote the replica instance and update the endpoint URL stored in AWS Systems Manager Parameter Stor
- J. Code the application to reload the endpoint from Parameter Store if a database connection fails.

Answer: D

Explanation:

EventBridge is needed to detect the database failure. Lambda is needed to promote the replica as it's in another Region (manual promotion, otherwise). Storing and updating the endpoint in Parameter store is important in updating the application. Look at High Availability section of Aurora FAQ:

<https://aws.amazon.com/rds/aurora/faqs/>

NEW QUESTION 86

To run an application, a DevOps engineer launches an Amazon EC2 instance with public IP addresses in a public subnet. A user data script obtains the application artifacts and installs them on the instances upon launch. A change to the security classification of the application now requires the instances to run with no access to the internet. While the instances launch successfully and show as healthy, the application does not seem to be installed.

Which of the following should successfully install the application while complying with the new rule?

- A. Launch the instances in a public subnet with Elastic IP addresses attached
- B. Once the application is installed and running, run a script to disassociate the Elastic IP addresses afterwards.
- C. Set up a NAT gateway
- D. Deploy the EC2 instances to a private subnet
- E. Update the private subnet's route table to use the NAT gateway as the default route.
- F. Publish the application artifacts to an Amazon S3 bucket and create a VPC endpoint for S3. Assign an IAM instance profile to the EC2 instances so they can read the application artifacts from the S3 bucket.
- G. Create a security group for the application instances and allow only outbound traffic to the artifact repository
- H. Remove the security group rule once the install is complete.

Answer: C

Explanation:

EC2 instances running in private subnets of a VPC can now have controlled access to S3 buckets, objects, and API functions that are in the same region as the VPC. You can use an S3 bucket policy to indicate which VPCs and which VPC Endpoints have access to your S3 buckets 1-

<https://aws.amazon.com/pt/blogs/aws/new-vpc-endpoint-for-amazon-s3/>

NEW QUESTION 91

A DevOps engineer is working on a data archival project that requires the migration of on-premises data to an Amazon S3 bucket. The DevOps engineer develops a script that incrementally archives on-premises data that is older than 1 month to Amazon S3. Data that is transferred to Amazon S3 is deleted from the on-premises location. The script uses the S3 PutObject operation.

During a code review the DevOps engineer notices that the script does not verify whether the data was successfully copied to Amazon S3. The DevOps engineer must update the script to ensure that data is not corrupted during transmission. The script must use MD5 checksums to verify data integrity before the on-premises data is deleted.

Which solutions for the script will meet these requirements? (Select TWO.)

- A. Check the returned response for the Versioned Compare the returned Versioned against the MD5 checksum.
- B. Include the MD5 checksum within the Content-MD5 parameter
- C. Check the operation's return status to find out if an error was returned.
- D. Include the checksum digest within the tagging parameter as a URL query parameter.
- E. Check the returned response for the ETag
- F. Compare the returned ETag against the MD5 checksum.
- G. Include the checksum digest within the Metadata parameter as a name-value pair. After upload use the S3 HeadObject operation to retrieve metadata from the object.

Answer: BD

Explanation:

<https://docs.aws.amazon.com/AmazonS3/latest/userguide/checking-object-integrity.html>

NEW QUESTION 93

A company wants to deploy a workload on several hundred Amazon EC2 instances. The company will provision the EC2 instances in an Auto Scaling group by using a launch template.

The workload will pull files from an Amazon S3 bucket, process the data, and put the results into a different S3 bucket. The EC2 instances must have least-privilege permissions and must use temporary security credentials.

Which combination of steps will meet these requirements? (Select TWO.)

- A. Create an IAM role that has the appropriate permissions for S3 bucket
- B. Add the IAM role to an instance profile.
- C. Update the launch template to include the IAM instance profile.
- D. Create an IAM user that has the appropriate permissions for Amazon S3. Generate a secret key and token.
- E. Create a trust anchor and profile
- F. Attach the IAM role to the profile.
- G. Update the launch template
- H. Modify the user data to use the new secret key and token.

Answer: AB

Explanation:

To meet the requirements of deploying a workload on several hundred EC2 instances with least-privilege permissions and temporary security credentials, the company should use an IAM role and an instance profile. An IAM role is a way to grant permissions to an entity that you trust, such as an EC2 instance. An instance profile is a container for an IAM role that you can use to pass role information to an EC2 instance when the instance starts. By using an IAM role and an instance profile, the EC2 instances can automatically receive temporary security credentials from the AWS Security Token Service (STS) and use them to access the S3 buckets. This way, the company does not need to manage or rotate any long-term credentials, such as IAM users or access keys.

To use an IAM role and an instance profile, the company should create an IAM role that has the appropriate permissions for S3 buckets. The permissions should allow the EC2 instances to read from the source S3 bucket and write to the destination S3 bucket. The company should also create a trust policy for the IAM role that specifies that EC2 is allowed to assume the role. Then, the company should add the IAM role to an instance profile. An instance profile can have only one IAM role, so the company does not need to create multiple roles or profiles for this scenario.

Next, the company should update the launch template to include the IAM instance profile. A launch template is a way to save launch parameters for EC2 instances, such as the instance type, security group, user data, and IAM instance profile. By using a launch template, the company can ensure that all EC2 instances in the Auto Scaling group have consistent configuration and permissions. The company should specify the name or ARN of the IAM instance profile in

the launch template. This way, when the Auto Scaling group launches new EC2 instances based on the launch template, they will automatically receive the IAM role and its permissions through the instance profile.

The other options are not correct because they do not meet the requirements or follow best practices. Creating an IAM user and generating a secret key and token is not a good option because it involves managing long-term credentials that need to be rotated regularly. Moreover, embedding credentials in user data is not secure because user data is visible to anyone who can describe the EC2 instance. Creating a trust anchor and profile is not a valid option because trust anchors are used for certificate-based authentication, not for IAM roles or instance profiles. Modifying user data to use a new secret key and token is also not a good option because it requires updating user data every time the credentials change, which is not scalable or efficient.

References:

? 1: AWS Certified DevOps Engineer - Professional Certification | AWS Certification

| AWS

? 2: DevOps Resources - Amazon Web Services (AWS)

? 3: Exam Readiness: AWS Certified DevOps Engineer - Professional

? : IAM Roles for Amazon EC2 - AWS Identity and Access Management

? : Working with Instance Profiles - AWS Identity and Access Management

? : Launching an Instance Using a Launch Template - Amazon Elastic Compute Cloud

? : Temporary Security Credentials - AWS Identity and Access Management

NEW QUESTION 96

A company needs to ensure that flow logs remain configured for all existing and new VPCs in its AWS account. The company uses an AWS CloudFormation stack to manage its VPCs. The company needs a solution that will work for any VPCs that any IAM user creates.

Which solution will meet these requirements?

- A. Add the resource to the CloudFormation stack that creates the VPCs.
- B. Create an organization in AWS Organization
- C. Add the company's AWS account to the organizatio
- D. Create an SCP to prevent users from modifying VPC flow logs.
- E. Turn on AWS Confi
- F. Create an AWS Config rule to check whether VPC flow logs are turned o
- G. Configure automatic remediation to turn on VPC flow logs.
- H. Create an IAM policy to deny the use of API calls for VPC flow log
- I. Attach the IAM policy to all IAM users.

Answer: C

Explanation:

To meet the requirements of ensuring that flow logs remain configured for all existing and new VPCs in the AWS account, the company should use AWS Config and automatic remediation. AWS Config is a service that enables customers to assess, audit, and evaluate the configurations of their AWS resources. AWS Config continuously monitors and records the configuration changes of the AWS resources and evaluates them against desired configurations. Customers can use AWS Config rules to define the desired configuration state of their AWS resources and trigger actions when a resource configuration violates a rule.

One of the AWS Config rules that customers can use is vpc-flow-logs-enabled, which checks whether VPC flow logs are enabled for all VPCs in an AWS account. Customers can also configure automatic remediation for this rule, which means that AWS Config will automatically enable VPC flow logs for any VPCs that do not have them enabled. Customers can specify the destination (CloudWatch Logs or S3) and the traffic type (all, accept, or reject) for the flow logs as remediation parameters. By using AWS Config and automatic remediation, the company can ensure that flow logs remain configured for all existing and new VPCs in its AWS account, regardless of who creates them or how they are created.

The other options are not correct because they do not meet the requirements or follow best practices. Adding the resource to the CloudFormation stack that creates the VPCs is not a sufficient solution because it will only work for VPCs that are created by using the CloudFormation stack. It will not work for VPCs that are created by using other methods, such as the console or the API. Creating an organization in AWS Organizations and creating an SCP to prevent users from modifying VPC flow logs is not a good solution because it will not ensure that flow logs are enabled for all VPCs in the first place. It will only prevent users from disabling or changing flow logs after they are enabled. Creating an IAM policy to deny the use of API calls for VPC flow logs and attaching it to all IAM users is not a valid solution because it will prevent users from enabling or disabling flow logs at all.

It will also not work for VPCs that are created by using other methods, such as the console or CloudFormation.

References:

? 1: AWS::EC2::FlowLog - AWS CloudFormation

? 2: Amazon VPC Flow Logs extends CloudFormation Support to custom format subscriptions, 1-minute aggregation intervals and tagging

? 3: Logging IP traffic using VPC Flow Logs - Amazon Virtual Private Cloud

? : About AWS Config - AWS Config

? : vpc-flow-logs-enabled - AWS Config

? : Remediate Noncompliant Resources with AWS Config Rules - AWS Config

NEW QUESTION 100

A company has a guideline that every Amazon EC2 instance must be launched from an AMI that the company's security team produces Every month the security team sends an email message with the latest approved AMIs to all the development teams.

The development teams use AWS CloudFormation to deploy their applications. When developers launch a new service they have to search their email for the latest AMIs that the security department sent. A DevOps engineer wants to automate the process that the security team uses to provide the AMI IDs to the development teams.

What is the MOST scalable solution that meets these requirements?

- A. Direct the security team to use CloudFormation to create new versions of the AMIs and to list! the AMI ARNs in an encrypted Amazon S3 object as part of the stack's Outputs Section Instruct the developers to use a cross-stack reference to load the encrypted S3 object and obtain the most recent AMI ARNs.
- B. Direct the security team to use a CloudFormation stack to create an AWS CodePipeline pipeline that builds new AMIs and places the latest AMI ARNs in an encrypted Amazon S3 object as part of the pipeline output Instruct the developers to use a cross-stack reference within their own CloudFormation template to obtain the S3 object location and the most recent AMI ARNs.
- C. Direct the security team to use Amazon EC2 Image Builder to create new AMIs and to place the AMI ARNs as parameters in AWS Systems Manager Parameter Store Instruct the developers to specify a parameter of type SSM in their CloudFormation stack to obtain the most recent AMI ARNs from Parameter Store.
- D. Direct the security team to use Amazon EC2 Image Builder to create new AMIs and to create an Amazon Simple Notification Service (Amazon SNS) topic so that every development team can receive notification
- E. When the development teams receive a notification instruct them to write an AWS Lambda function that will update their CloudFormation stack with the most recent AMI ARNs.

Answer: C

Explanation:

<https://docs.aws.amazon.com/AWSCloudFormation/latest/UserGuide/dynamic-references.html>

NEW QUESTION 105

A DevOps engineer is building a continuous deployment pipeline for a serverless application that uses AWS Lambda functions. The company wants to reduce the customer impact of an unsuccessful deployment. The company also wants to monitor for issues.

Which deploy stage configuration will meet these requirements?

- A. Use an AWS Serverless Application Model (AWS SAM) template to define the serverless applicatio
- B. Use AWS CodeDeploy to deploy the Lambda functions with the Canary10Percent15Minutes Deployment Preference Typ
- C. Use Amazon CloudWatch alarms to monitor the health of the functions.
- D. Use AWS CloudFormation to publish a new stack update, and include Amazon CloudWatch alarms on all resource
- E. Set up an AWS CodePipeline approval action for a developer to verify and approve the AWS CloudFormation change set.
- F. Use AWS CloudFormation to publish a new version on every stack update, and include Amazon CloudWatch alarms on all resource
- G. Use the RoutingConfig property of the AWS::Lambda::Alias resource to update the traffic routing during the stack update.
- H. Use AWS CodeBuild to add sample event payloads for testing to the Lambda function
- I. Publish a new version of the functions, and include Amazon CloudWatch alarm
- J. Update the production alias to point to the new versio
- K. Configure rollbacks to occur when an alarm is in the ALARM state.

Answer: D

Explanation:

Use routing configuration on an alias to send a portion of traffic to a second function version. For example, you can reduce the risk of deploying a new version by configuring the alias to send most of the traffic to the existing version, and only a small percentage of traffic to the new version.

<https://docs.aws.amazon.com/lambda/latest/dg/configuration-aliases.html>

The following are the steps involved in the deploy stage configuration that will meet the requirements:

? Use AWS CodeBuild to add sample event payloads for testing to the Lambda functions.

? Publish a new version of the functions, and include Amazon CloudWatch alarms.

? Update the production alias to point to the new version.

? Configure rollbacks to occur when an alarm is in the ALARM state.

This configuration will help to reduce the customer impact of an unsuccessful deployment

by deploying the new version of the functions to a staging environment first. This will allow the DevOps engineer to test the new version of the functions before deploying it to production.

The configuration will also help to monitor for issues by including Amazon CloudWatch alarms. These alarms will alert the DevOps engineer if there are any problems with the new version of the functions.

NEW QUESTION 108

A company is performing vulnerability scanning for all Amazon EC2 instances across many accounts. The accounts are in an organization in AWS Organizations. Each account's VPCs are attached to a shared transit gateway. The VPCs send traffic to the internet through a central egress VPC. The company has enabled Amazon Inspector in a delegated administrator account and has enabled scanning for all member accounts.

A DevOps engineer discovers that some EC2 instances are listed in the "not scanning" tab in Amazon Inspector.

Which combination of actions should the DevOps engineer take to resolve this issue? (Choose three.)

- A. Verify that AWS Systems Manager Agent is installed and is running on the EC2 instances that Amazon Inspector is not scanning.
- B. Associate the target EC2 instances with security groups that allow outbound communication on port 443 to the AWS Systems Manager service endpoint.
- C. Grant inspector: StartAssessmentRun permissions to the IAM role that the DevOps engineer is using.
- D. Configure EC2 Instance Connect for the EC2 instances that Amazon Inspector is not scanning.
- E. Associate the target EC2 instances with instance profiles that grant permissions to communicate with AWS Systems Manager.
- F. Create a managed-instance activatio
- G. Use the Activation Code and the Activation ID to register the EC2 instances.

Answer: ABE

Explanation:

<https://docs.aws.amazon.com/inspector/latest/user/scanning-ec2.html>

NEW QUESTION 111

A company uses an organization in AWS Organizations that has all features enabled. The company uses AWS Backup in a primary account and uses an AWS Key Management Service (AWS KMS) key to encrypt the backups.

The company needs to automate a cross-account backup of the resources that AWS Backup backs up in the primary account. The company configures cross-account backup in the Organizations management account. The company creates a new AWS account in the organization and configures an AWS Backup backup vault in the new account. The company creates a KMS key in the new account to encrypt the backups. Finally, the company configures a new backup plan in the primary account. The destination for the new backup plan is the backup vault in the new account.

When the AWS Backup job in the primary account is invoked, the job creates backups in the primary account. However, the backups are not copied to the new account's backup vault.

Which combination of steps must the company take so that backups can be copied to the new account's backup vault? (Select TWO.)

- A. Edit the backup vault access policy in the new account to allow access to the primary account.
- B. Edit the backup vault access policy in the primary account to allow access to the new account.
- C. Edit the backup vault access policy in the primary account to allow access to the KMS key in the new account.
- D. Edit the key policy of the KMS key in the primary account to share the key with the new account.
- E. Edit the key policy of the KMS key in the new account to share the key with the primary account.

Answer: AE

Explanation:

To enable cross-account backup, the company needs to grant permissions to both the backup vault and the KMS key in the destination account. The backup vault access policy in the destination account must allow the primary account to copy backups into the vault. The key policy of the KMS key in the destination account

must allow the primary account to use the key to encrypt and decrypt the backups. These steps are described in the AWS documentation¹². Therefore, the correct answer is A and E.

References:

? 1: Creating backup copies across AWS accounts - AWS Backup

? 2: Using AWS Backup with AWS Organizations - AWS Backup

NEW QUESTION 114

A company manages an application that stores logs in Amazon CloudWatch Logs. The company wants to archive the logs to an Amazon S3 bucket. Logs are rarely accessed after 90 days and must be retained for 10 years.

Which combination of steps should a DevOps engineer take to meet these requirements? (Select TWO.)

- A. Configure a CloudWatch Logs subscription filter to use AWS Glue to transfer all logs to an S3 bucket.
- B. Configure a CloudWatch Logs subscription filter to use Amazon Kinesis Data Firehose to stream all logs to an S3 bucket.
- C. Configure a CloudWatch Logs subscription filter to stream all logs to an S3 bucket.
- D. Configure the S3 bucket lifecycle policy to transition logs to S3 Glacier after 90 days and to expire logs after 3,650 days.
- E. Configure the S3 bucket lifecycle policy to transition logs to Reduced Redundancy after 90 days and to expire logs after 3,650 days.

Answer: BD

Explanation:

<https://docs.aws.amazon.com/AmazonCloudWatch/latest/logs/SubscriptionFilters.html>

NEW QUESTION 115

An application running on a set of Amazon EC2 instances in an Auto Scaling group requires a configuration file to operate. The instances are created and maintained with AWS CloudFormation. A DevOps engineer wants the instances to have the latest configuration file when launched and wants changes to the configuration file to be reflected on all the instances with a minimal delay when the CloudFormation template is updated. Company policy requires that application configuration files be maintained along with AWS infrastructure configuration files in source control.

Which solution will accomplish this?

- A. In the CloudFormation template add an AWS Config rule
- B. Place the configuration file content in the rule's InputParameters property and set the Scope property to the EC2 Auto Scaling group
- C. Add an AWS Systems Manager Resource Data Sync resource to the template to poll for updates to the configuration.
- D. In the CloudFormation template add an EC2 launch template resource
- E. Place the configuration file content in the launch template
- F. Configure the cfn-init script to run when the instance is launched and configure the cfn-hup script to poll for updates to the configuration.
- G. In the CloudFormation template add an EC2 launch template resource
- H. Place the configuration file content in the launch template
- I. Add an AWS Systems Manager Resource Data Sync resource to the template to poll for updates to the configuration.
- J. In the CloudFormation template add CloudFormation intrinsic metadata
- K. Place the configuration file content in the metadata
- L. Configure the cfn-init script to run when the instance is launched and configure the cfn-hup script to poll for updates to the configuration.

Answer: D

Explanation:

Use the `AWS::CloudFormation::Init` type to include metadata on an Amazon EC2 instance for the cfn-init helper script. If your template calls the cfn-init script, the script looks for resource metadata rooted in the `AWS::CloudFormation::Init` metadata key. Reference:

<https://docs.aws.amazon.com/AWSCloudFormation/latest/UserGuide/aws-resource-init.html>

NEW QUESTION 118

A development team wants to use AWS CloudFormation stacks to deploy an application. However, the developer IAM role does not have the required permissions to provision the resources that are specified in the AWS CloudFormation template. A DevOps engineer needs to implement a solution that allows the developers to deploy the stacks. The solution must follow the principle of least privilege.

Which solution will meet these requirements?

- A. Create an IAM policy that allows the developers to provision the required resource
- B. Attach the policy to the developer IAM role.
- C. Create an IAM policy that allows full access to AWS CloudFormation
- D. Attach the policy to the developer IAM role.
- E. Create an AWS CloudFormation service role that has the required permission
- F. Grant the developer IAM role a `cloudformation:*` action
- G. Use the new service role during stack deployments.
- H. Create an AWS CloudFormation service role that has the required permission
- I. Grant the developer IAM role the `iam:PassRole` permission
- J. Use the new service role during stack deployments.

Answer: D

Explanation:

<https://docs.aws.amazon.com/AWSCloudFormation/latest/UserGuide/using-iam-servicerole.html>

NEW QUESTION 120

AnyCompany is using AWS Organizations to create and manage multiple AWS accounts. AnyCompany recently acquired a smaller company, Example Corp. During the acquisition process, Example Corp's single AWS account joined AnyCompany's management account through an Organizations invitation.

AnyCompany moved the new member account under an OU that is dedicated to Example Corp.

AnyCompany's DevOps engineer has an IAM user that assumes a role that is named `OrganizationAccountAccessRole` to access member accounts. This role is configured with a full access policy. When the DevOps engineer tries to use the AWS Management Console to assume the role in Example Corp's new member account, the DevOps engineer receives the following error message: "Invalid information in one or more fields. Check your information or contact your administrator."

Which solution will give the DevOps engineer access to the new member account?

- A. In the management account, grant the DevOps engineer's IAM user permission to assume the OrganizationAccountAccessRole IAM role in the new member account.
- B. In the management account, create a new SCP. In the SCP, grant the DevOps engineer's IAM user full access to all resources in the new member account.
- C. Attach the SCP to the OU that contains the new member account.
- D. In the new member account, create a new IAM role that is named OrganizationAccountAccessRole.
- E. Attach the AdministratorAccess AWS managed policy to the role.
- F. In the role's trust policy, grant the management account permission to assume the role.
- G. In the new member account edit the trust policy for the OrganizationAccountAccessRole IAM role.
- H. Grant the management account permission to assume the role.

Answer: C

Explanation:

The problem is that the DevOps engineer cannot assume the OrganizationAccountAccessRole IAM role in the new member account that joined AnyCompany's management account through an Organizations invitation. The solution is to create a new IAM role with the same name and trust policy in the new member account.

? Option A is incorrect, as it does not address the root cause of the error. The DevOps engineer's IAM user already has permission to assume the OrganizationAccountAccessRole IAM role in any member account, as this is the default role name that AWS Organizations creates when a new account joins an organization. The error occurs because the new member account does not have this role, as it was not created by AWS Organizations.

? Option B is incorrect, as it does not address the root cause of the error. An SCP is a policy that defines the maximum permissions for account members of an organization or organizational unit (OU). An SCP does not grant permissions to IAM users or roles, but rather limits the permissions that identity-based policies or resource-based policies grant to them. An SCP also does not affect how IAM roles are assumed by other principals.

? Option C is correct, as it addresses the root cause of the error. By creating a new IAM role with the same name and trust policy as the OrganizationAccountAccessRole IAM role in the new member account, the DevOps engineer can assume this role and access the account. The new role should have the AdministratorAccess AWS managed policy attached, which grants full access to all AWS resources in the account. The trust policy should allow the management account to assume the role, which can be done by specifying the management account ID as a principal in the policy statement.

? Option D is incorrect, as it assumes that the new member account already has the OrganizationAccountAccessRole IAM role, which is not true. The new member account does not have this role, as it was not created by AWS Organizations. Editing the trust policy of a non-existent role will not solve the problem.

NEW QUESTION 121

A company must encrypt all AMIs that the company shares across accounts. A DevOps engineer has access to a source account where an unencrypted custom AMI has been built. The DevOps engineer also has access to a target account where an Amazon EC2 Auto Scaling group will launch EC2 instances from the AMI. The DevOps engineer must share the AMI with the target account.

The company has created an AWS Key Management Service (AWS KMS) key in the source account.

Which additional steps should the DevOps engineer perform to meet the requirements? (Choose three.)

- A. In the source account, copy the unencrypted AMI to an encrypted AMI.
- B. Specify the KMS key in the copy action.
- C. In the source account, copy the unencrypted AMI to an encrypted AMI.
- D. Specify the default Amazon Elastic Block Store (Amazon EBS) encryption key in the copy action.
- E. In the source account, create a KMS grant that delegates permissions to the Auto Scaling group service-linked role in the target account.
- F. In the source account, modify the key policy to give the target account permissions to create a grant.
- G. In the target account, create a KMS grant that delegates permissions to the Auto Scaling group service-linked role.
- H. In the source account, share the unencrypted AMI with the target account.
- I. In the source account, share the encrypted AMI with the target account.

Answer: ADF

Explanation:

The Auto Scaling group service-linked role must have a specific grant in the source account in order to decrypt the encrypted AMI. This is because the service-linked role does not have permissions to assume the default IAM role in the source account. The following steps are required to meet the requirements:

? In the source account, copy the unencrypted AMI to an encrypted AMI. Specify the KMS key in the copy action.

? In the source account, create a KMS grant that delegates permissions to the Auto Scaling group service-linked role in the target account.

? In the source account, share the encrypted AMI with the target account.

? In the target account, attach the KMS grant to the Auto Scaling group service-linked role.

The first three steps are the same as the steps that I described earlier. The fourth step is required to grant the Auto Scaling group service-linked role permissions to decrypt the AMI in the target account.

NEW QUESTION 125

A DevOps engineer is architecting a continuous development strategy for a company's software as a service (SaaS) web application running on AWS. For application and security reasons users subscribing to this application are distributed across multiple Application Load Balancers (ALBs) each of which has a dedicated Auto Scaling group and fleet of Amazon EC2 instances. The application does not require a build stage and when it is committed to AWS CodeCommit, the application must trigger a simultaneous deployment to all ALBs Auto Scaling groups and EC2 fleets.

Which architecture will meet these requirements with the LEAST amount of configuration?

- A. Create a single AWS CodePipeline pipeline that deploys the application in parallel using unique AWS CodeDeploy applications and deployment groups created for each ALB-Auto Scaling group pair.
- B. Create a single AWS CodePipeline pipeline that deploys the application using a single AWS CodeDeploy application and single deployment group.
- C. Create a single AWS CodePipeline pipeline that deploys the application in parallel using a single AWS CodeDeploy application and unique deployment group for each ALB-Auto Scaling group pair.
- D. Create an AWS CodePipeline pipeline for each ALB-Auto Scaling group pair that deploys the application using an AWS CodeDeploy application and deployment group created for the same ALB-Auto Scaling group pair.

Answer: C

Explanation:

<https://docs.aws.amazon.com/codedeploy/latest/userguide/deployment-groups.html>

NEW QUESTION 127

A developer is maintaining a fleet of 50 Amazon EC2 Linux servers. The servers are part of an Amazon EC2 Auto Scaling group, and also use Elastic Load Balancing for load balancing.

Occasionally, some application servers are being terminated after failing ELB HTTP health checks. The developer would like to perform a root cause analysis on the issue, but before being able to access application logs, the server is terminated.

How can log collection be automated?

- A. Use Auto Scaling lifecycle hooks to put instances in a Pending:Wait stat
- B. Create an Amazon CloudWatch alarm for EC2 Instance Terminate Successful and trigger an AWS Lambda function that invokes an SSM Run Command script to collect logs, push them to Amazon S3, and complete the lifecycle action once logs are collected.
- C. Use Auto Scaling lifecycle hooks to put instances in a Terminating:Wait stat
- D. Create an AWS Config rule for EC2 Instance-terminate Lifecycle Action and trigger a step function that invokes a script to collect logs, push them to Amazon S3, and complete the lifecycle action once logs are collected.
- E. Use Auto Scaling lifecycle hooks to put instances in a Terminating:Wait stat
- F. Create an Amazon CloudWatch subscription filter for EC2 Instance Terminate Successful and trigger a CloudWatch agent that invokes a script to collect logs, push them to Amazon S3, and complete the lifecycle action once logs are collected.
- G. Use Auto Scaling lifecycle hooks to put instances in a Terminating:Wait stat
- H. Create an Amazon EventBridge rule for EC2 Instance-terminate Lifecycle Action and trigger an AWS Lambda function that invokes an SSM Run Command script to collect logs, push them to Amazon S3, and complete the lifecycle action once logs are collected.

Answer: D

Explanation:

<https://blog.fourninecloud.com/auto-scaling-lifecycle-hooks-to-export-server-logs-when-instance-terminating-58e06d7c0d6a>

NEW QUESTION 129

A DevOps engineer manages a web application that runs on Amazon EC2 instances behind an Application Load Balancer (ALB). The instances run in an EC2 Auto Scaling group across multiple Availability Zones. The engineer needs to implement a deployment strategy that:

Launches a second fleet of instances with the same capacity as the original fleet. Maintains the original fleet unchanged while the second fleet is launched.

Transitions traffic to the second fleet when the second fleet is fully deployed. Terminates the original fleet automatically 1 hour after transition.

Which solution will satisfy these requirements?

- A. Use an AWS CloudFormation template with a retention policy for the ALB set to 1 hou
- B. Update the Amazon Route 53 record to reflect the new ALB.
- C. Use two AWS Elastic Beanstalk environments to perform a blue/green deployment from the original environment to the new on
- D. Create an application version lifecycle policy to terminate the original environment in 1 hour.
- E. Use AWS CodeDeploy with a deployment group configured with a blue/green deployment configuration Select the option Terminate the original instances in the deployment group with a waiting period of 1 hour.
- F. Use AWS Elastic Beanstalk with the configuration set to Immutabl
- G. Create an.ebextension using the Resources key that sets the deletion policy of the ALB to 1 hour, and deploy the application.

Answer: C

Explanation:

https://docs.aws.amazon.com/codedeploy/latest/APIReference/API_BlueInstanceTerminationOption.html

The original revision termination settings are configured to wait 1 hour after traffic has been rerouted before terminating the blue task set.

<https://docs.aws.amazon.com/AmazonECS/latest/developerguide/deployment-type-bluegreen.html>

NEW QUESTION 131

A business has an application that consists of five independent AWS Lambda functions.

The DevOps engineer has built a CI/CD pipeline using AWS CodePipeline and AWS CodeBuild that builds tests packages and deploys each Lambda function in sequence. The pipeline uses an Amazon EventBridge rule to ensure the pipeline starts as quickly as possible after a change is made to the application source code.

After working with the pipeline for a few months the DevOps engineer has noticed the pipeline takes too long to complete.

What should the DevOps engineer implement to BEST improve the speed of the pipeline?

- A. Modify the CodeBuild projects within the pipeline to use a compute type with more available network throughput.
- B. Create a custom CodeBuild execution environment that includes a symmetricmultiprocessing configuration to run the builds in parallel.
- C. Modify the CodePipeline configuration to run actions for each Lambda function in parallel by specifying the same runorder.
- D. Modify each CodeBuild protect to run within a VPC and use dedicated instances to increase throughput.

Answer: C

Explanation:

<https://docs.aws.amazon.com/codepipeline/latest/userguide/reference-pipeline-structure.html>

AWS doc: "To specify parallel actions, use the same integer for each action you want to run in parallel. For example, if you want three actions to run in sequence in a stage, you would give the first action the runOrder value of 1, the second action the runOrder value of 2, and the third the runOrder value of 3. However, if you want the second and third actions to run in parallel, you would give the first action the runOrder value of 1 and both the second and third actions the runOrder value of 2."

NEW QUESTION 136

A company is divided into teams Each team has an AWS account and all the accounts are in an organization in AWS Organizations. Each team must retain full administrative rights to its AWS account. Each team also must be allowed to access only AWS services that the company approves for use AWS services must gain approval through a request and approval process.

How should a DevOps engineer configure the accounts to meet these requirements?

- A. Use AWS CloudFormation StackSets to provision IAM policies in each account to deny access to restricted AWS service
- B. In each account configure AWS Config rules that ensure that the policies are attached to IAM principals in the account.
- C. Use AWS Control Tower to provision the accounts into OUs within the organization Configure AWS Control Tower to enable AWS IAM identity Center (AWS Single Sign-On). Configure IAM Identity Center to provide administrative access Include deny policies on user roles for restricted AWS services.

- D. Place all the accounts under a new top-level OU within the organization Create an SCP that denies access to restricted AWS services Attach the SCP to the OU.
- E. Create an SCP that allows access to only approved AWS service
- F. Attach the SCP to the root OU of the organization
- G. Remove the FullAWSAccess SCP from the root OU of the organization.

Answer: C

Explanation:

<https://docs.aws.amazon.com/vpc/latest/userguide/managed-prefix-lists.html> A managed prefix list is a set of one or more CIDR blocks. You can use prefix lists to make it easier to configure and maintain your security groups and route tables. <https://docs.aws.amazon.com/vpc/latest/userguide/sharing-managed-prefix-lists.html> With AWS Resource Access Manager (AWS RAM), the owner of a prefix list can share a prefix list with the following: Specific AWS accounts inside or outside of its organization in AWS Organizations An organizational unit inside its organization in AWS Organizations An entire organization in AWS Organizations

NEW QUESTION 139

.....

Relate Links

100% Pass Your DOP-C02 Exam with Exam Bible Prep Materials

<https://www.exambible.com/DOP-C02-exam/>

Contact us

We are proud of our high-quality customer service, which serves you around the clock 24/7.

Viste - <https://www.exambible.com/>