

Exam Questions MS-203

Microsoft 365 Messaging

<https://www.2passeasy.com/dumps/MS-203/>



NEW QUESTION 1

- (Topic 5)

You have a Microsoft Exchange Online tenant that uses a third-party email gateway device. You discover that inbound email messages are delayed. The gateway device receives the following error message when sending email to the tenant.

* 4.7.500 Server busy, please try again later. You need to prevent inbound email delays. What should you configure?

- A. Organization Sharing
- B. an MX record for the domain
- C. a transport rule
- D. a connector

Answer: D

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/mail-flow-best-practices/use-connectors-to-configure-mail-flow/use-connectors-to-configure-mail-flow>

NEW QUESTION 2

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Online subscription that uses a namespace of litwareinc.com.

You create a connector in Exchange Online that is configured as shown in the following exhibit.

Name	: Contoso
Enabled	: True
UseMXRecord	: True
ConnectorType	: Partner
RecipientDomains	: {Contoso.com}
SmartHosts	: {}
TlsDomain	: Contoso.com
TlsSettings	: DomainValidation
IsTransportRuleScoped	: False
RouteAllMessagesViaOnPremises	: False
CloudServiceMailEnabled	: False
AllAcceptedDomains	: False

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

If an email message is sent to info@contoso.com, the message [answer choice].

▼

will always be delivered by using TLS

will never be delivered by using TLS

will sometimes be delivered by using TLS

If a user attempts to send an email message to info@contoso.com, and the receiving server does not have a certificate that contains the name contoso.com, [answer choice].

▼

the message will be delivered unencrypted

the messages will not be delivered

the message will be delivered by using TLS

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

If an email message is sent to info@contoso.com, the message [answer choice].

▼

will always be delivered by using TLS

will never be delivered by using TLS

will sometimes be delivered by using TLS

If a user attempts to send an email message to info@contoso.com, and the receiving server does not have a certificate that contains the name contoso.com, [answer choice].

▼

the message will be delivered unencrypted

the messages will not be delivered

the message will be delivered by using TLS

NEW QUESTION 3

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company has a Microsoft Exchange Server 2019 hybrid deployment that contains two Mailbox servers named MBX1 and MBX2.

The company has the departments shown in the following table.

Name	Mailbox location	Number of recipients
Sales	MBX1	300
Production	MBX2	500
Administration	MBX1	200
IT	Exchange Online	50
Managers	Exchange Online	100
Marketing	Exchange Online	350

From the on-premises organization, outbound email is sent directly to the Internet by using DNS lookups.

You are informed that some sales department users send email messages that are identified as spam.

You need to automatically block the sales department users from repeatedly sending spam.

Solution: You modify the outbound spam filter policy in Exchange Online. Does this meet the goal?

A. Yes

B. No

Answer: B

Explanation:

From the on-premises organization, outbound email is sent directly to the Internet by using DNS lookups. Therefore, the Exchange Online outbound spam filter will not scan the emails sent from the on-premises mailboxes.

NEW QUESTION 4

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company has a Microsoft 365 subscription.

Several users in the finance department of the company recently accessed unsafe websites by clicking on links in email messages.

Users in the marketing department of the company report that they must be able to access all the links embedded in email messages.

You need to reduce the likelihood of the finance department users accessing unsafe websites. The solution must affect only the finance department users.

Solution: You modify the Global Settings Safe Links policy.

Does this meet the goal?

A. Yes

B. No

Answer: B

Explanation:

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/security/office-365-security/configure-global-settings-for-safe-links?view=o365-worldwide>

NEW QUESTION 5

- (Topic 5)

Your company has a partnership with another company named contoso.com.

You need to ensure that all email messages containing the word sensitive and sent to the users at contoso.com are encrypted automatically. You enable Azure Information Protection.

What should you do next?

A. Create a data loss prevention (DLP) policy.

B. Create a mail flow rule.

C. Configure a remote domain.

D. Configure an Outbound connector.

Answer: B

Explanation:

Reference:

<https://thevaliantway.com/2019/01/encrypting-email-office-365-azure-information-protection/>

NEW QUESTION 6

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Server 2019 hybrid deployment. All user mailboxes are hosted in Microsoft 365. All outbound SMTP email is routed through the on-premises Exchange organization.
A corporate security policy requires that you must prevent credit card numbers from being sent to internet recipients by using email.
You need to configure the deployment to meet the security policy requirement. Solution: From Microsoft 365, you create a supervision policy.
Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:
You should create a Data Loss Prevention (DLP) policy.

NEW QUESTION 7

DRAG DROP - (Topic 5)
You have a Microsoft Exchange Server 2019 organization.
You plan to implement a hybrid deployment between Exchange Online and Exchange Server.
You need to install the Exchange Online Hybrid Agent. The solution must use the principle of least privilege.
To which roles should you be assigned to perform the installation? To answer, drag the appropriate roles to the correct products. Each role may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.
NOTE: Each correct selection is worth one point.

Answer Area

Global Admin

Exchange Administrator

Service Administrator

Organization Management

Server Management

Microsoft Office 365

Exchange Server 2019

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Global Admin

Exchange Administrator

Service Administrator

Organization Management

Server Management

Microsoft Office 365


Exchange Server 2019

Global Admin

Organization Management

NEW QUESTION 8

SIMULATION - (Topic 5)
Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.
When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.
Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.
Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.
Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.



Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@abc.com

Microsoft 365 Password: xxxxxx

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only.

Lab Instance: XXXXXX

You need to prevent users in your company from sending out-of-office replies to users who use an email address suffix of @contoso.com. The solution must NOT use mail flow rules.

To complete this task, sign in to the Exchange admin center.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

? In the Exchange admin center, go to Mail flow > Remote domains.

? Click + Add a remote domain. The Name the domain screen appears.

? In the Name text box, enter a descriptive name for the domain.

? In the Remote Domain text box, enter the full domain name. Use the wildcard character (*) for all subdomains of a specified domain, for example, *.contoso.com.

? Click Next. The Email reply types screen appears.

? Define the following settings:

- In the Out of Office reply types section, specify which type of out-of-office replies should be sent to people at this domain.

- In the Automatic replies section, specify whether you want to allow automatic replies, automatic forwarding, or both.

? Click Next. The Message reporting screen appears.

? Specify whether you want to allow delivery reports and non-delivery reports by checking the respective check boxes.

? Click Next. The Text and character set screen appears.

? Define the following settings:

- In the Use Rich-text format pane, specify whether to follow each user's message settings, or whether to always or never preserve RTF formatting. Selecting Never means that RTF messages are sent as plain text or HTML.

- In the Supported Character Set pane, specify which character set to use (if the message doesn't specify the character set) by choosing from the MIME character set or on-MIME character set drop-down list.

? Click Next. The Review screen appears.

? Review the remote domain settings, and click Save.

NEW QUESTION 9

DRAG DROP - (Topic 5)

You have a Microsoft Exchange Online tenant.

You need to create a new public folder. The solution must ensure that users can create new posts by sending emails to the folder.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order

Actions	Answer Area
Create a mail flow rule.	
Edit the properties of the public folder mailbox.	
Create a Microsoft 365 group.	
Create a public folder mailbox.	
Create a public folder.	
Edit the properties of the public folder.	

- A. Mastered
 B. Not Mastered

Answer: A

Explanation:

Actions	Answer Area
Create a mail flow rule.	Create a public folder mailbox.
Edit the properties of the public folder mailbox.	Create a public folder.
Create a Microsoft 365 group.	
Create a public folder mailbox.	
Create a public folder.	
Edit the properties of the public folder.	

NEW QUESTION 10

- (Topic 5)

You have a hybrid deployment between a Microsoft Exchange Online tenant and an Exchange Server 2019 organization. You need to enable journaling for outbound email. Where can you store the journal reports?

- A. a mail-enabled public folder
 B. an Exchange Server 2019 mailbox
 C. a Microsoft SharePoint Online document library
 D. an Exchange Online mailbox

Answer: A

NEW QUESTION 10

DRAG DROP - (Topic 5)

You have a Microsoft Exchange Online tenant that contains the users shown in the following table.

Name	Type	Assigned license
User1	Member	Microsoft 365 E3
User2	Member	Microsoft 365 E5
User3	Guest	None

You need to create audit retention policies to retain the mailbox activity of all the users. What is the maximum duration that you can set for each user? To answer, drag the appropriate duration values to the correct users. Each duration value may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Durations	Answer Area
30 Days	User1: <input type="text"/>
90 Days	User2: <input type="text"/>
6 Months	User3: <input type="text"/>
1 Year	
10 Years	

- A. Mastered
 B. Not Mastered

Answer: A

Explanation:

Durations	Answer Area
30 Days	User1: 1 Year
90 Days	User2: 10 Years
6 Months	User3: 30 Days
1 Year	
10 Years	

NEW QUESTION 12

HOTSPOT - (Topic 5)

You have a hybrid deployment of Microsoft Exchange Server 2019. You need to configure modern attachments for Outlook on the web.

From Exchange Management Shell, which cmdlet should you run? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

▼	-Name Default	▼	Https://Contoso-
Set-CASMailbox		-Identity	
Set-OutlookProvider		-internalSPMySiteHostURL	
Set-ClientAccessRule		-WacExternalServicesEnabled	
Set-OwaMailboxPolicy		-ThirdPartyAttachmentsEnabled	

my.sharepoint.com -ExternalSPMySiteHostURL Htps://Contoso-my.Contoso.com

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

▼	-Name Default	▼	Https://Contoso-
Set-CASMailbox		-Identity	
Set-OutlookProvider		-internalSPMySiteHostURL	
Set-ClientAccessRule		-WacExternalServicesEnabled	
Set-OwaMailboxPolicy		-ThirdPartyAttachmentsEnabled	

my.sharepoint.com -ExternalSPMySiteHostURL Htps://Contoso-my.Contoso.com

NEW QUESTION 15

DRAG DROP - (Topic 5)

You have a Microsoft Exchange Server 2019 hybrid deployment. All user mailboxes are migrated to Exchange Online.

You need to migrate the public folders from the on-premises organizations to Exchange Online.

Which three actions should you perform in sequence before you create the migration batch? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions	Answer Area
From Exchange Online, create the target public folder mailboxes.	
From Exchange Online, run the Set-organizationConfig -RemotePublicFolderMailboxes \$Null -PublicFoldersEnabled Local command	
From Exchange on-premises, run the SetmailPublicFolderExternalAddress.ps1 script	
From Exchange on-premises, run the Export-ModernPublicFolderStatistics.ps1 script	
From Exchange on-premises, run the Set-OrganizationConfig -RemotePublicFolderMailboxes \$Null -PublicFoldersEnabled Local command	
From Exchange on-premises, run the ModernPublicFolderToMailboxMapgenerator.ps1 script.	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

References:

<https://docs.microsoft.com/en-us/Exchange/collaboration/public-folders/migrate-to-exchange-online?view=exchserver-2019>

<https://docs.microsoft.com/en-us/Exchange/collaboration/public-folders/migrate-to-exchange-online?view=exchserver-2019#step-3-generate-the-csv-files> <https://docs.microsoft.com/en-us/Exchange/collaboration/public-folders/migrate-to-exchange-online?view=exchserver-2019#step-4-create-the-public-folder-mailboxes-in-exchange-online>

NEW QUESTION 18

- (Topic 5)

You have a Microsoft 365 subscription that contains a user named User1.

You need to ensure that User1 can only manage eDiscovery cases that she creates and export the search results. The solution must use the principle of least privilege.

To which role should you add User1?

- A. eDiscovery Manager
- B. eDiscovery Administrator
- C. Communications Compliance
- D. Compliance Administrator

Answer: A

NEW QUESTION 22

- (Topic 5)

Your network contains an Active Directory domain named fabrikam.com.

You have a Microsoft Exchange Server 2019 organization that contains two Mailbox servers. The servers are members of a database availability group (DAG).

You plan to implement an Exchange hybrid deployment.

You are evaluating the use of the Exchange Modern Hybrid connection option during the hybrid deployment.

What are two benefits of using Exchange Modern Hybrid instead of Exchange Classic Hybrid? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. allows the use of Microsoft Azure Multi-Factor Authentication (MFA) for on-premises users
- B. eliminates the need to purchase publicly trusted certificates for communication between the on-premises organization and Exchange Online
- C. preserves mailbox quotas when mailboxes are moved between the on-premises organization and Exchange Online
- D. uses Organization Configuration Transfer to configure Exchange Online
- E. allows federated sharing between the on-premises organization and Exchange Online

Answer: BD

Explanation:

Reference:

<https://practical365.com/exchange-online/hybrid-exchange-making-it-easier-and-faster-to-move-to-the-cloud/>

NEW QUESTION 25

- (Topic 5)

You have a Microsoft Exchange Online tenant.

You plan to place a hold on all email messages stored in the mailbox of a user named User1.

What should you create first?

- A. an eDiscovery case
- B. sensitive info type
- C. a data loss prevention (DLP) policy
- D. an information barrier segment

Answer: A

Explanation:

You can use an eDiscovery case to create and manage eDiscovery holds that can be applied to user mailboxes and other content locations in Microsoft Purview1.

You can also use an eDiscovery case to search for and export content from mailboxes and other locations1.

An eDiscovery case is different from a Litigation Hold, which is a hold that is applied to user mailboxes in Exchange Online1. A Litigation Hold isn't identified by a GUID1.

A sensitive info type is a predefined or custom entity that can be used to identify and protect sensitive data in Microsoft Purview2. It is not related to placing a hold on email messages.

A data loss prevention (DLP) policy is a policy that helps prevent the accidental or intentional sharing of sensitive information outside your organization2. It is not related to placing a hold on email messages.

An information barrier segment is a group of users who are allowed or blocked from communicating with each other in Microsoft Teams or SharePoint Online2. It is not related to placing a hold on email messages.

NEW QUESTION 29

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Server 2019 organization.

The recovery options for a user named User1 are configured as shown in the following exhibit.

```
[PS] C:\Windows\system32>Get-Mailbox User1 | fl RetainDeletedItemsFor,
RetainDeletedItemsUntilBackup, SingleItemRecoveryEnabled, Database

RetainDeletedItemsFor           : 14.00:00:00
RetainDeletedItemsUntilBackup   : False
SingleItemRecoveryEnabled       : False
Database                        : MD001

[PS] C:\Windows\system32>Get-MailboxDatabase MD001 | fl
DeletedItemRetention, RetainDeletedItemsUntilBackup

DeletedItemRetention            : 30.00:00:00
RetainDeletedItemsUntilBackup   : False
```

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

Email messages that are soft deleted by User1 will be available for the user to recover [answer choice].

for 14 days
for 30 days
until a backup occurs 14 days after the deletion
until a backup occurs 30 days after the deletion

When email messages are hard deleted by User1, [answer choice] restoring from a backup.

only an administrator can recover the messages without
an administrator or User1 can recover the messages without
the messages can be recovered only by

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Email messages that are soft deleted by User1 will be available for the user to recover [answer choice].

for 14 days
for 30 days
until a backup occurs 14 days after the deletion
until a backup occurs 30 days after the deletion

When email messages are hard deleted by User1, [answer choice] restoring from a backup.

only an administrator can recover the messages without
an administrator or User1 can recover the messages without
the messages can be recovered only by

NEW QUESTION 34

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company has an Exchange Online tenant that contains 2,000 mailboxes.

A partner company named Fabrikam, Inc. uses a third-party messaging solution. The outbound SMTP server for Fabrikam uses an IP address of 131.107.2.22.

You discover that several email messages from the fabrikam.com domain are erroneously marked as spam.

You need to ensure that all the email messages sent from the fabrikam.com domain are delivered successfully to the user mailboxes of your company.

Solution: You create a connection filter. Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

You can allow the server IP address in the Connection Filter. This would achieve the objective of ensuring all email from Fabrikam.com is delivered. However, it would also allow any other company that uses the thirdparty email server to bypass the spam filter.

The fact that the question specifies that Fabrikam uses a “third-party messaging solution” suggests that the

answer to this question should be No although technically it would work. Reference:

<https://docs.microsoft.com/en-us/microsoft-365/security/office-365-security/create-safe-sender-lists-in-office-365?view=o365-worldwide>

NEW QUESTION 35

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company has a Microsoft Exchange Server 2019 hybrid deployment that contains two Mailbox servers named MBX1 and MBX2.

The company has the departments shown in the following table.

Name	Mailbox location	Number of recipients
Sales	MBX1	300
Production	MBX2	500
Administration	MBX1	200
IT	Exchange Online	50
Managers	Exchange Online	100
Marketing	Exchange Online	350

From the on-premises organization, outbound email is sent directly to the Internet by using DNS lookups.

You are informed that some sales department users send email messages that are identified as spam.

You need to automatically block the sales department users from repeatedly sending spam.

Solution: You run the Install-AntispamAgents.ps1 PowerShell script on the MBX1 Mailbox server.

Does this meet the goal?

A. yes

B. No

Answer: B

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/antispam-and-antimalware/antispam-protection/antispam-on-mailbox-servers?view=exchserver-2019>

NEW QUESTION 37

SIMULATION - (Topic 5)


Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.



Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@abc.com

Microsoft 365 Password: xxxxxx

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only.

Lab Instance: XXXXXX

You need to ensure that all email messages in the mailbox of a user named Pradeep Gupta are retained for 90 days.

To complete this task, sign in to the Microsoft 365 admin center.

- A. Mastered
- B. Not Mastered


Answer: A

Explanation:

? Go to the Microsoft 365 admin center and then click Users > Active users.

? Select Pradeep Gupta.

? On the properties flyout page, click the Mail tab, and then under More actions, click Manage litigation hold.



? On the Manage litigation hold flyout page, select the Turn on litigation hold checkbox and then enter the following optional information:

_ Hold duration (days): Use this box to create a time-based hold and specify how long mailbox items are held when the mailbox is placed on Litigation hold. The duration is calculated from the date a mailbox item is received or created. When the hold duration expires for a specific item, that item will no longer be preserved. If you leave this box blank, items are preserved indefinitely or until the hold is removed. Configure 90 days.

_ Note visible to the user: Use this box to inform the user their mailbox is on Litigation hold. The note will appear on the Account Information page in the user's mailbox if they're using Outlook 2010 or later. To access this page, users can click File in Outlook.

_ Web page with more information for the user: Use this box to direct the user to a website for more information about Litigation hold. This URL appears on the Account Information page in the user's mailbox if they are using Outlook 2010 or later. To access this page, users can click File in Outlook.

Click Save changes on the Litigation hold flyout page to create the hold.

The system displays a banner saying it might take up to 240 minutes for the change to take effect.

NEW QUESTION 40

- (Topic 5)

You have a Microsoft Exchange Server 2019 organization that uses an Edge Server.

You plan to implement a hybrid deployment between Exchange Online and Exchange Server.

You need to ensure that all the email between Exchange Online and Exchange Server 2019 is sent by using the Edge Server.

Which two hybrid configuration topologies could you deploy to meet the requirements? Each correct answer presents a complete solution.

- A. Modern Minimal
- B. Classic Minimal
- C. Classic Full
- D. Classic Express
- E. Modern Full

Answer: CE

Explanation:

Reference:

<https://www.enowsoftware.com/solutions-engine/what-are-your-exchange-hybrid-options>

NEW QUESTION 42

- (Topic 5)

You have a Microsoft Exchange Server 2019 hybrid deployment.

You are migrating public folder data to Exchange Online by using a migration batch of the PublicFolder type. You need to identify the sync status of each move request in the batch. Which cmdlet should you run?

- A. Gec-PublicFolderMailboxMigrationRequest
- B. Get-PublicFolderMigrationRequest
- C. Gec-PublicFolderMoveRequest
- D. Gee-MoveRequest

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/powershell/module/exchange/get-publicfoldermailboxmigrationrequest?view=exchange-ps>

NEW QUESTION 45

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Online tenant that contains a mail-enabled public folder named CustomerSupport

You need to create a group for the customer support team at your company. The solution must ensure that email sent to the group is also posted to the CustomerSupport public folder

How should you configure the group? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Group type:

<input type="text"/>
Distribution list
Microsoft 365
Security

Configuration:

<input type="text"/>
Add CustomerSupport as a member of the group.
Assign the group the Contributor role for CustomerSupport.
Configure the Send As settings.
Configure the Send on Behalf settings.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Group type:

<input type="text"/>
Distribution list
Microsoft 365
Security

Configuration:

<input type="text"/>
Add CustomerSupport as a member of the group.
Assign the group the Contributor role for CustomerSupport.
Configure the Send As settings.
Configure the Send on Behalf settings.

NEW QUESTION 50

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Online tenant.

You need to configure Outlook on the web to meet the following requirements:

- Prevent users from requesting a remote wipe of their devices.
- Prevent users from accessing voice mails.

You create a new Outlook Web App mailbox policy named Policy1.

Policy1

Select the features that you want to enable for this Outlook Web App mailbox policy.

Communication management

<input checked="" type="checkbox"/>	Instant messaging
<input checked="" type="checkbox"/>	Text messaging
<input checked="" type="checkbox"/>	Unified Messaging

- A. Mastered
B. Not Mastered

Answer: A

Explanation:
Unified Messaging

NEW QUESTION 54

HOTSPOT - (Topic 5)

You are evaluating the email hygiene configuration of a Microsoft Exchange Server 2019 organization.
You run the command shown in the following exhibit.

```
[PS] C:\>Get-ContentFilterConfig | fl *SCL*

SCLRejectThreshold      : 7
SCLRejectEnabled        : True
SCLDeleteThreshold     : 9
SCLDeleteEnabled       : False
SCLQuarantineThreshold  : 9
SCLQuarantineEnabled   : False
```

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.
NOTE: Each correct selection is worth one point.

Email messages that have a spam confidence level (SCL) of 8 will be [answer choice].

deleted silently
rejected with a response
sent to the spam quarantine mailbox

Email messages that have a spam confidence level (SCL) of 7 will be [answer choice].

deleted silently
rejected with a response
sent to the spam quarantine mailbox

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Email messages that have a spam confidence level (SCL) of 8 will be [answer choice].

deleted silently
rejected with a response
sent to the spam quarantine mailbox

Email messages that have a spam confidence level (SCL) of 7 will be [answer choice].

deleted silently
rejected with a response
sent to the spam quarantine mailbox

NEW QUESTION 55

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company has an Exchange Online tenant that contains 2,000 mailboxes.

A partner company named Fabrikam, Inc. uses a third-party messaging solution. The outbound SMTP server for Fabrikam uses an IP address of 131.107.2.22.

You discover that several email messages from the fabrikam.com domain are erroneously marked as spam.

You need to ensure that all the email messages sent from the fabrikam.com domain are delivered successfully to the user mailboxes of your company.

Solution: You create a remote domain. Does this meet the goal?

A. Yes

B. No

Answer: B

NEW QUESTION 60

- (Topic 5)

You have a Microsoft Exchange Online subscription.

You need to generate a CSV file containing all the email messages that failed to send from the user1@contoso.com email address during the last 30 days.

What are two possible ways to achieve the goal? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

A. From Exchange Online PowerShell, run the Get-MessageTrace cmdlet.

B. From the Exchange admin center, run a message trace.

C. From the Security & Compliance admin center, export the mailbox audit logs.

D. From Exchange Online PowerShell, run the Get-MessagetraceDetail cmdlet.

E. From the Security & Compliance admin center, run a message trace.

Answer: BD

Explanation:

References:

<https://docs.microsoft.com/en-us/exchange/monitoring/trace-an-email-message/run-a-message-trace-andview-results>

<https://docs.microsoft.com/en-us/powershell/module/exchange/mail-flow/get-messagetracedetail?view=exchange-ps>

NEW QUESTION 65

- (Topic 5)

You have a Microsoft Exchange Online tenant that has an email domain named contoso.com.

You collaborate with a partner company that has an email domain named adatum.com. You need to ensure that all the email messages sent to and received from adatum.com are encrypted in transit.

Which two actions should you perform? Each correct answer presents part of the solution. NOTE: Each correct answer is worth one point.

A. Create a connector from adatum.com to Microsoft Office 365 and configure the connector to use SMTP relay.

B. Create a connector from adatum.com to Microsoft Office 365 and configure the connector to require TLS.

C. Create a connector from Microsoft Office 365 to adatum.com and configure the connector to require TLS.

D. Issue S/MIME certificates to all the users in contoso.com.

E. Configure Exchange Online to use direct send to adatum.com.

Answer: BC

NEW QUESTION 70

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Server 2019 organization.

You have the Address Book Policies (ABP) and address lists in the following table.

Name	Global address list	Offline address book	Address list
ABP1	GAL_1	OAB_1	List 1
ABP2	GAL_2	Default Offline Address Book	List 2

You have the users in the following table.

Name	Global address list	Address List
User1	GAL_1	List 1
User2	GAL_2	List 2
User3	GAL_2	none

You assign ABP1 to User1 and User2.

User3 is NOT assigned to an Address Book Policy.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
User1 can view the membership of List 2	<input type="radio"/>	<input type="radio"/>
User2 can only view the membership of GAL_2	<input type="radio"/>	<input type="radio"/>
User3 can view the membership of List 1	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

References:

<https://docs.microsoft.com/en-us/exchange/email-addresses-and-address-books/address-book-policies/address-book-policies?view=exchserver-2019>

NEW QUESTION 74

- (Topic 5)

You have a Microsoft 365 tenant that contains a user named User1.

Automatic email forwarding to mailboxes outside your company is blocked for the tenant. You need to ensure that User1 can automatically forward email to an external recipient.

What should you do?

- A. Create an anti-malware policy.
- B. Modify the Tenant Allow/Block List
- C. Create an anti-spam policy.
- D. Create an anti-phishing policy.

Answer: C

NEW QUESTION 79

- (Topic 5)

You have a Microsoft Exchange Online tenant.

All users are assigned only an Office 365 Enterprise E3 license.

You need to ensure that the users can use only Microsoft Outlook to connect to their Microsoft 365 mailbox when they connect from an Android device.

What should you create?

- A. a conditional access policy in Azure Active Directory (Azure AD)
- B. a connection filter policy in Exchange Online Protection (EOP)
- C. an Outlook Web App policy in Exchange Online
- D. an app protection policy in Microsoft Endpoint Manager

Answer: A

Explanation:

Office 365 Enterprise E3 includes Azure Active Directory Premium P1 which is required for Azure conditional access policies.

NEW QUESTION 80

- (Topic 4)

Lynne Robbins and the users in the sales department plan to collaborate on a project with a partner company named Contoso, Ltd. that has an email domain named contoso.com.

You need to ensure that only the sales department users can share all their calendar free/busy information with the users in contoso.com.

How should you configure the organization relationship?

- A. Select Calendar free/busy information with time only and enter Group1B Select Calendar free/busy information with time, subject, and location and enter Groups
- C Select Calendar free/busy information with time, subject, and location and enter Group3
- B. Select Calendar free/busy information with time only and enter Group3
- C. Select Calendar free/busy information with time only and enter Group2

Answer: C

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/sharing/organization-relationships/create-an-organization-relationship>

NEW QUESTION 85

- (Topic 5)

You have a Microsoft Exchange Server 2019 organization. You plan to migrate all mailboxes to Exchange Online.

You need to provide a user with the ability to perform the mailbox migrations. The solution must use the principle of least privilege.

Which role should you assign to the user?

- A. Recipient Management
- B. Server Management
- C. Help Desk
- D. Organization Management

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/permissions/feature-permissions/recipient-permissions?view=exchserver-2019>

NEW QUESTION 87

- (Topic 4)

Which contacts can sign in to and access resources in the adatum.com tenant?

- A. Contact1 only
- B. Contact2 only
- C. Contact1 and Contact3 only
- D. Contact2 and Contact3 only
- E. Contact1, Contact2. and Contact3

Answer: D

NEW QUESTION 90

- (Topic 3)

You need to identify the contents of the FabrikamProject public folder to meet the technical requirements.

Which PowerShell cmdlet should you run?

- A. Get-PublicFolderScaciscics
- B. Get-PublicFolderItemStatistics
- C. Get-PublicFolderMailboxDiagnoscics
- D. Get-PublicFolder

Answer: B

Explanation:

Reference:

<https://docs.microsoft.com/en-us/powershell/module/exchange/get-publicfolderitemstatistics?view=exchange-ps>

NEW QUESTION 94

- (Topic 2)

You need to resolve the issue for the transport department users.

What is the best way to achieve the goal? More than one answer choice may achieve the goal. Select the BEST answer.

- A. Move the public folder mailbox that contains TransportPF to a server in the main office.
- B. Move TransportPF to a public folder mailbox hosted in the main office.
- C. Modify the default public folder mailbox for all the transport department users.
- D. Instruct the transport department users to add TransportPF to their Favorites list in Outlook.

Answer: B

Explanation:

References:

<https://docs.microsoft.com/en-us/exchange/recipients/mailbox-moves?view=exchserver-2019>

NEW QUESTION 96

HOTSPOT - (Topic 3)

How many default policy tags (DPTs), retention policy tags (RPTs), and personal tags should you create to meet the retention requirements? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

DPTs:

0
1
2
3
4

RPTs:

0
1
2
3
4
5
6
7

Personal tags:

0
1
2
3
4
5
6
7

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Box 1: 1

Default Policy Tags apply to any item that doesn't have another tag applied to it. We need one to meet the following requirement:

? Ensure that any items without a retention tag are moved to the Archive mailbox two years after they were created and permanently deleted seven years after they were created.

Box 2: 2

Retention Policy Tags apply to default mailbox folders (Inbox, Sent Items etc). We need two to meet the following requirements:

? Automatically delete items in the Junk Email folder after 30 days.
? Automatically delete items in the Sent Items folder after 300 days.

Box 3: 3

Personal tags can be applied by users to custom folders or individual emails. We need three to meet the following requirements:

? Enable users to tag items for deletion after one year.
? Enable users to tag items for deletion after two years.
? Enable users to tag items to be archived after one year.

NEW QUESTION 98

HOTSPOT - (Topic 2)

You need to implement a solution that meets the technical requirements for the retention of junk email, sent items, and deleted items.

What is the minimum number of retention policies and retention tags you should use? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Retention tags:

	▼
1	
2	
3	
14	
30	

Retention policies:

	▼
1	
2	
3	
14	
30	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Retention tags:

	▼
1	
2	
3	
14	
30	

Retention policies:

	▼
1	
2	
3	
14	
30	

NEW QUESTION 102

- (Topic 5)

You have hybrid deployment between a Microsoft Exchange Online tenant and an on- premises Exchange Server 2019 organization. The deployment uses Azure AD Connect. All incoming email is delivered to Exchange Online. You have 10 mail-enabled public folders hosted on an on-premises Mailbox server.

Customers receive an error when an email message is sent to a public folder.

You need to ensure that all the mail-enabled public folders can receive email messages from the internet. The solution must ensure that messages can be delivered only to valid recipients.

Solution: From Azure AD Connect, select Exchange Mail Public Folders. Does this meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

From Azure AD Connect, selecting Exchange Mail Public Folders will ensure that all the mail-enabled public folders can receive email messages from the internet and that messages can be delivered only to valid recipients. This is according to the Microsoft 365 Messaging documentation (<https://docs.microsoft.com/en-us/exchange/hybrid-deployment/hybrid-mail-flow>).

NEW QUESTION 106

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Online tenant.

You need to create a new policy to retain mailbox items for five years before the items are deleted. The policy must be assigned to any user that has a job title attribute of Manager.

Which type of policy should you create, and what should you create first? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Policy type:

First create:

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Policy type:

First create:

NEW QUESTION 111

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft 365 E5 subscription.

You need to ensure that a user named User1 can review audit reports from the Microsoft 365 security center. User1 must be prevented from tracing messages from the Security admin center.

Solution: You assign the Reports reader role to User1. Does this meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 113

- (Topic 5)

You have a Microsoft Exchange Online tenant that has a domain named contoso.com.

From the Exchange admin center, you create an organization relationship that has the following settings:

- Domain to share with: fabhkam.com
- Share calendar free/busy information for: Everyone in your organization

The users in contoso.com report that they cannot view the calendar free/busy information of the users in fabrikam.com. You need to ensure that the users in both tenants can view the calendar free/busy information of all users.

What should you do?

- A. Configure a sharing policy for fabrikam.com.
- B. Request fabrikam.com to configure an organization relationship with contoso.com.
- C. Add a remote domain to fabnkam.com.
- D. Request fabrikam.com to add contoso.com as an accepted domain.

Answer: B

NEW QUESTION 114

- (Topic 5)

You have a Microsoft Exchange Online tenant that contains a group named Group1.

The members of Group1 need to create user mailboxes. The solution must use the principle of least privilege.

To which role group should you add Group1?

- A. Recipient Management
- B. Security Operator
- C. Help Desk

D. Organization Management

Answer: A

NEW QUESTION 116

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Online tenant that contains the users shown in the following table.

Name	Mobile device	Mail client
User1	iOS	Native mail client
User2	Android	Microsoft Outlook for Android

From the Exchange admin center, you issue a Wipe Data command for User1 and User2. What occurs on the device of each user? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

User1: ▼

All the data in the email client is wiped.

Only email messages and calendar items are wiped.

The mobile device is wiped.

User2: ▼

All the data in the email client is wiped.

Only email messages and calendar items are wiped.

The mobile device is wiped.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

User1: ▼

All the data in the email client is wiped.

Only email messages and calendar items are wiped.

The mobile device is wiped.

User2: ▼

All the data in the email client is wiped.

Only email messages and calendar items are wiped.

The mobile device is wiped.

NEW QUESTION 118

- (Topic 5)

You have a Microsoft Exchange Online tenant.

Users report that legitimate email messages are delivered to their Junk Email folder. You plan to use the Microsoft Remote Connectivity Analyzer to identify the cause of the issue.

Which test should you run?

- A. Outlook Connectivity
- B. Inbound SMTP Email
- C. Outbound SMTP Email
- D. Message Analyzer

Answer: D

NEW QUESTION 119

- (Topic 5)

You have a Microsoft Exchange Online tenant that uses Microsoft Defender for Office 365. You create a new anti-phishing policy named Policy1.

You need to ensure that users are notified every five days about all the email messages quarantined by Policy1.

Which two actions should you perform? Each correct answer presents part of the solution. NOTE: Each correct selection is worth one point.

- A. Modify the AdminOnlyAccessPolicy quarantine policy and assign the policy to Policy1.
- B. Modify the DefaultFullAccessPolicy quarantine policy and assign the policy to Policy1.

- C. Modify the global settings for quarantine policies.
- D. Add a custom quarantine policy and assign the policy to Policy1.
- E. Configure the User reported messages settings.

Answer: CD

NEW QUESTION 121

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Online tenant.

You need to create a report to display messages that have a delivery status of Quarantined.

From the modern Exchange admin center, you create a new message trace.

How should you configure the message trace? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Time range:

▼

Last 7 days

Last 15 days

Last 30 days

Last 90 days

Report type:

▼

Extended report

Summary report

Enhanced summary report

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Time range:

▼

Last 7 days

Last 15 days

Last 30 days

Last 90 days

Report type:

▼

Extended report

Summary report

Enhanced summary report

NEW QUESTION 125

- (Topic 5)

You have two mailboxes named Mailbox1 and Mailbox2 that have the ProhibitSendReceiveQuota parameter set to 50 GB.

From a Microsoft Exchange Online tenant, you run the following PowerShell command.

```
PS C:\> Get-Mailbox | Select-Object Alias, RecipientTypeDetails | FT -AutoSize
```

Alias	RecipientTypeDetails
-----	-----
Mailbox1	SharedMailbox
Mailbox2	RoomMailbox

You receive the license status of each mailbox and discover the configurations shown in the following table.

Alias	SKUAssigned
Mailbox1	False
Mailbox2	False

You need to increase the quota for Mailbox1 and Mailbox2. What should you do first?

- A. Assign a license to each mailbox.
- B. Convert each mailbox into an equipment mailbox.
- C. Enable an archive for each mailbox.
- D. Place both mailboxes on retention hold.

Answer: A

Explanation:

Shared and resource mailboxes don't require a license. However, without a license, these mailboxes are limited to 50 GB. To increase the mailbox size, an E3 or E5 license must be assigned. This will increase the mailbox to 100 GB.

Reference:

<https://docs.microsoft.com/en-us/office365/servicedescriptions/exchange-online-service-description/exchange-online-limits>

NEW QUESTION 126

- (Topic 5)

You have a Microsoft Exchange Server hybrid deployment that contains Exchange 2013, Exchange 2016, and Exchange 2019 servers. All the servers have the latest Cumulative Updates (CUs) applied.

You need to implement Hybrid Modern Authentication (HMA). The solution must minimize costs.

What should you do first?

- A. Upgrade the Exchange 2013 servers to Exchange 2016 CU7.
- B. Add the on-premises web service URLs as Azure Active Directory (Azure AD) service principal names (SPNs).
- C. Upgrade all the servers to Exchange 2019.
- D. Create an Azure Active Directory (Azure AD) conditional access policy for Exchange Online.

Answer: B

Explanation:

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/enterprise/configure-exchange-server-for-hybrid-modern-authentication?view=o365-worldwide#make-sure-you-meet-all-the-prerequisites>

<https://docs.microsoft.com/en-us/microsoft-365/enterprise/hybrid-modern-auth-overview?view=o365-worldwide#do-you-meet-modern-authentication-prerequisites>

NEW QUESTION 130

HOTSPOT - (Topic 5)

You run several PowerShell commands as shown in the following exhibit.

```
PS C:\> Get-AddressListPolicy | Format-Table

Name                GlobalAddressList    AddressLists                OfflineAddressBook    RoomList
-----                -
Fabrikam-ABP        \Fabrikam              \Fabrikam                   \Fabrikam-OAB         \All Rooms
Contoso-ABP         \Contoso               \Contoso-IT, \Contoso-Marketing \Contoso-OAB          \All Rooms

PS C:\> Get-GlobalAddressList | Format-Table

Name                RecipientFilter
-----                -
Contoso              ((Company -eq 'Contoso'))
Fabrikam             ((Company -eq 'Fabrikam'))

PS C:\> Get-AddressList | Format-Table

Name                DisplayName            RecipientFilter
-----                -
Contoso-Marketing    Contoso-Marketing      ((Company -eq 'Contoso') -and (Department -eq 'Marketing'))
Fabrikam             Fabrikam               ((Company -eq 'Fabrikam'))

PS C:\> Get-ADUser | Where Name -eq "James Smith" | Select Name, UserPrincipalName, Company, Department

Name                UserPrincipalName    Company    Department
-----                -
James Smith         jsmith@contoso.com    Contoso    Marketing

PS C:\> Get-Mailbox | Where Name -eq "Executive Conference Room" | Select Name, Alias, Office, Database

Name                Alias                Office    Database
-----                -
Executive Conference Room executiveconferenceroom Contoso    DB1
```

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

James Smith will appear on the [answer choice] address list.

	▼
Contoso-IT	
Contoso-Marketing	
Fabrikam	

The Executive Conference Room will appear in [answer choice].

	▼
Contoso-ABP only	
Fabrikam-ABP only	
Contoso-ABP and Fabrikam-ABP	
none of the policies	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

James Smith will appear on the [answer choice] address list.

	▼
Contoso-IT	
Contoso-Marketing	
Fabrikam	

The Executive Conference Room will appear in [answer choice].

	▼
Contoso-ABP only	
Fabrikam-ABP only	
Contoso-ABP and Fabrikam-ABP	
none of the policies	

NEW QUESTION 135

- (Topic 5)

You have two servers named EXCH1 and EXCH2 that run Windows Server 2012 R2 and have Microsoft Exchange 2016 installed. You purchase a Microsoft 365 subscription. You plan to configure a hybrid deployment between an Exchange Online tenant and the on- premises Exchange Server Organization. You need to identify the prerequisites to installing the Microsoft Hybrid Agent on EXCH1 and EXCH2. Which two prerequisites should you identify? Each correct answer presents part of the solution.

- A. All outbound HTTPS connections to Microsoft Online Services
- B. Enable Hybrid Modern Authentication (HMA).
- C. Upgrade the operating system of EXCH1 and EXCH2 to Windows Server 2019.
- D. Enable TLS 1.2.

Answer: AD

Explanation:

To perform a hybrid deployment between an Exchange Online tenant and an on-premises Exchange Server organization, you must ensure that all outbound HTTPS connections to Microsoft Online Services are allowed. This is a prerequisite for installing the Microsoft Hybrid Agent.

* D. Enable TLS 1.2. Reference: <https://docs.microsoft.com/en-us/exchange/hybrid-deployment/prepare-for-hybrid-deployment> explanation: To perform a hybrid deployment between an Exchange Online tenant and an on-premises Exchange Server organization, you must ensure that Transport Layer Security (TLS) 1.2 is enabled on your on-premises Exchange servers. This is a prerequisite for installing the Microsoft Hybrid Agent.

NEW QUESTION 138

- (Topic 5)

Your on-premises network contains a proxy server and a firewall. The proxy server is configured to inspect the contents of HTTP and HTTPS sessions to identify disallowed content. Only the proxy server can connect to the internet through the firewall.

You implement Microsoft Exchange Online.

Users report that they receive an error message when they attempt to connect to their mailbox by using Microsoft Outlook.

From the internal network, you connect to <https://outlookoffice.com/mail> and discover a certificate error.

You discover that the certificate error contains information about a certificate issued by your company's internal certification authority (CA).

You need to ensure that all the users can connect successfully to their mailbox. What should you do?

- A. Install a new root CA certificate on the client computer of each user.
- B. Configure client computers to bypass the proxy server when they access https://*.microsoft.com.
- C. Disable HTTPS content inspection on the proxy server.
- D. Install a new root CA certificate on the proxy server.

Answer: D

Explanation:

Reference:

<https://docs.microsoft.com/en-us/outlook/troubleshoot/connectivity/error-when-outlook-uses-rpc-https-connectserver>

NEW QUESTION 139

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Online tenant named contoso.com.

Email messages from a remote domain named fabrikam.com are received from a server that uses a wildcard certificate for fabrikam.com and are encrypted by using TLS.

Fabrikam.com is switching to a third-party cloud filtering service for inbound and outbound email. The IP address used by the third-party service is 131.107.200.10.

You need to reconfigure the connector to only accept messages from fabrikam.com that are encrypted and received from the third-party service.

Which two settings should you modify for the connector? To answer, select the appropriate settings in the answer area.

NOTE: Each correct selection is worth one point.

Edit Connector

What security restrictions do you want to apply?

☒ Reject email messages if they aren't sent over TLS.

☒ And require that the subject name on the certificate that the partner uses to authenticate with Office 365 matches this domain name

*.fabrikam.com

☒ Reject email messages if they aren't sent from within this IP address range

+ -

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Edit Connector

What security restrictions do you want to apply?

☒ Reject email messages if they aren't sent over TLS.

☒ And require that the subject name on the certificate that the partner uses to authenticate with Office 365 matches this domain name

*.fabrikam.com

☒ Reject email messages if they aren't sent from within this IP address range

+ -

NEW QUESTION 141

- (Topic 5)

Your company has a Microsoft Exchange Server 2019 organization that contains two servers in a database availability group (DAG).

The customer service department at the company uses public folders to receive customer communications.

Only users in the customer service department can read items in the folders.

For a new customer, you create a mail-enabled public folder that has the default settings. The customer reports that when she sends an email message to the email address of the

public folder, she receives a non-delivery report (NDR). You need to ensure that the public folder can receive email.

Which public permissions should you configure in Microsoft Outlook?

- A. Grant the Author permission to the Default group
- B. Grant the Author permission to the Anonymous group
- C. Grant the Create items permission to the Anonymous group

D. Grant the Create items permission to the Default group

Answer: C

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/collaboration/public-folders/mail-enable-or-disable?view=exchserver-2019>

NEW QUESTION 145

DRAG DROP - (Topic 5)

You purchase a Microsoft 365 subscription.

You create mailboxes for 10 users. Each user has a PST file stored in a network share. You need to migrate the PST files to the mailboxes.

In which order should you perform the actions? To answer, move all actions from the list of actions to the answer area and arrange them in the correct order.

NOTE: More than one order of answer choices is correct. You will receive credit for any of the correct orders you select.

Actions

Create a PST Import mapping file

Upload the PST files to Microsoft Office 365

Install AzCopy

Start the PST Import job

Create a PST Import job

Answer Area

>

<

&u2191

⇊

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Actions

Create a PST Import mapping file

Upload the PST files to Microsoft Office 365

Install AzCopy

Start the PST Import job

Create a PST Import job

Answer Area

Install AzCopy

Upload the PST files to Microsoft Office 365

Create a PST Import mapping file

Create a PST Import job

Start the PST Import job

NEW QUESTION 147

DRAG DROP - (Topic 5)

You have a Microsoft Exchange Online tenant that does NOT contain any public folders.

You need to create a new public folder. The solution must ensure that users can create a post by sending an email to the folder.

Which three actions should you perform in sequence? To answer, move the appropriate cmdlets from the list of cmdlets to the answer area and arrange them in the correct order.

Actions

Assign an Exchange Online license.

Create a public folder mailbox.

Create a public folder.

Create a Microsoft 365 group.

Create a shared mailbox.

Mail-enable the public folder.

Set an email address on a pubic folder.

Answer Area

>

<

⬆

⬇

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Actions

Assign an Exchange Online license.

Create a public folder mailbox.

Create a public folder.

Create a Microsoft 365 group.

Create a shared mailbox.

Mail-enable the public folder.

Set an email address on a pubic folder.

Answer Area

>

<

⬆

⬇

Create a public folder mailbox.

Create a public folder.

Mail-enable the public folder.

NEW QUESTION 149

- (Topic 5)

You have a Microsoft Exchange Online tenant that contains a user named User1. User1 reports that an email message marked as high priority was undelivered. You need to trace the email messages sent by User1 during the last 15 days. The solution must include the Delivery Priority property of the messages. Which report should you use?

- A. Enhanced summary
B. Summary
C. Extended
D. Outbound messages

Answer: A

NEW QUESTION 154

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Online tenant.

You need to add a custom domain named contoso.com that meets the following requirements:

- « All email messages from the internet must first be filtered by a third-party cloud service before being delivered to Exchange Online.
« Recipient email systems must validate the messaging server for contoso.com)

Which type of DNS record should you use for each requirement? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

All email messages from the internet must first be filtered by a third-party cloud service before being delivered to Exchange Online:

 CNAME
 MX
 SPF TXT
 SRV

Recipient email systems must validate the messaging server for contoso.com:

 CNAME
 MX
 SPF TXT
 SRV

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

? For the requirement that all email messages from the internet must first be filtered by a third-party cloud service before being delivered to Exchange Online, you should use an MX record1. An MX record specifies the mail server that is responsible for accepting email messages on behalf of your domain1. You need to configure your MX record to point to the third-party cloud service's mail server, and then configure the third-party cloud service to forward email messages to Exchange Online1.

? For the requirement that recipient email systems must validate the messaging server for contoso.com, you should use an SPF TXT record2. An SPF TXT record is a type of DNS record that identifies which mail servers are authorized to send email on behalf of your domain2. It helps prevent spoofing and phishing by verifying the sender's IP address against the list of authorized IP addresses in your SPF TXT record2. You need to configure your SPF TXT record to include both the third-party cloud service and Exchange Online as authorized senders for your domain2.

NEW QUESTION 155

HOTSPOT - (Topic 5)

HOTSPOT

You have a Microsoft Exchange Online tenant.

The Exchange organization has the following configurations.


```
PS C:\> Get-OrganizationConfig | Format-list Name,Oauth*,Activity*,Basic*,Is*
```

```
Name: M365x643293.onmicrosoft.com
OAuth2ClientProfileEnabled           : False
ActivityBasedAuthenticationTimeoutEnabled : True
ActivityBasedAuthenticationTimeoutInterval : 06:00:00
ActivityBasedAuthenticationTimeoutWithSingleSignOnEnabled : True
BasicAuthBlockedApps                 : None
IsProcessEhaMigratedMessagesEnabled : False
IsAgendaMailEnabled                  : True
IsMixedMode                          : True
IsAddressListPagingEnabled           : True
IsLicensingEnforced                  : True
IsTenantAccessBlocked                 : False
IsDualWriteEnabled                   : True
IsTenantInGracePeriod                 : False
IsDehydrated                         : True
IsValid                             : True
```

The Azure Active Directory (Azure AD) Sign-ins report is shown in the following table.

User	Application	Status	Client app	Conditional access	Authentication requirement
User1	Microsoft Office	Success	Mobile Apps and Desktop clients	Not Applied	Single-factor authentication
User1	Office 365 Exchange Online	Success	Offline Address Book	Not Applied	Single-factor authentication
User1	Office 365 Exchange Online	Success	MAPI Over Http	Not Applied	Single-factor authentication
User3	Microsoft Office	Success	Mobile Apps and Desktop clients	Not Applied	Single-factor authentication
User3	Office 365 Exchange Online	Success	Offline Address Book	Not Applied	Single-factor authentication
User3	Office 365 Exchange Online	Success	Autodiscover	Not Applied	Single-factor authentication
User2	Microsoft Office	Success	Mobile Apps and Desktop clients	Not Applied	Single-factor authentication

The Outlook Connection Status for User1 is shown in the following exhibit.



For each of the following statements, select Yes if the statement is true. Otherwise, select No.
NOTE: Each correct selection is worth one point.

Statements	Yes	No
Microsoft Outlook connection of User1 uses Basic authentication	<input type="radio"/>	<input type="radio"/>
Modern Authentication is enabled	<input type="radio"/>	<input type="radio"/>
User3 uses the Microsoft Authenticator App to authenticate the Exchange Online	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered


Answer: A

Explanation:

Box 1: Yes
The authentication in the Outlook Connection Status exhibit is “Clear”. This means that Basic authentication is being used.
Box 2: No
In the first exhibit, the OAuth2ClientProfileEnabled parameter is False. This means that Modern Authentication is not enabled. A value of True means that Modern Authentication is enabled.
Box 3: No
The Authentication Requirement for User3 in the second exhibit is Single-factor authentication. This means that the Microsoft Authenticator App is not being used.

NEW QUESTION 158

SIMULATION - (Topic 5)
Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.
When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.
Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.
Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.
Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.



Use the following login credentials as needed:
To enter your username, place your cursor in the Sign in box and click on the username below.
To enter your password, place your cursor in the Enter password box and click on the password below.
Microsoft 365 Username: admin@abc.com

Microsoft 365 Password: xxxxxx
If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.
The following information is for technical support purposes only.
Lab Instance: XXXXXX
You need to ensure that a user named Miriam Graham has the required rights to create new recipients by using the Exchange Online admin center. Miriam must be prevented from managing recipients. The solution must use the principle of least privilege. To complete this task, sign in to the Microsoft 365 admin center.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:
? From the Microsoft 365 admin center dashboard, go to Admin > Exchange.
? In the Exchange admin center, go to Roles > Admin roles, select the Recipient Management role group.
? In Assigned section, add Miriam Graham to the role group.
? When you're finished, click Save.

NEW QUESTION 163

DRAG DROP - (Topic 5)
You have a Microsoft Exchange Online tenant that uses Exchange Online Protection (EOP) with the default settings. You plan to configure quarantine settings to meet the following requirements:

- Specify the language of notifications.
- Specify the notification interval.
- Enable notifications.

What should you configure for each requirement? To answer, drag the appropriate configurations to the correct requirements. Each configuration may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.
NOTE: Each correct selection is worth one point.

Configurations

Custom quarantine policy

Default anti-spam policy

Global quarantine policy settings

Mail flow rule

Answer Area

Specify the language of notifications:

Specify the notification interval:

Enable notifications:

- A. Mastered
- B. Not Mastered

Answer: A

Configurations

Custom quarantine policy

Default anti-spam policy

Global quarantine policy settings

Mail flow rule

Answer Area

Specify the language of notifications: Global quarantine policy settings

Specify the notification interval: Default anti-spam policy

Enable notifications: Custom quarantine policy

NEW QUESTION 166

- (Topic 5)
You have a Microsoft Exchange Online tenant that contains a mailbox named Sales.
You need to create a copy of all the external email sent from the Sales mailbox to an alternate location.
What should you create?


- A. a data loss prevention (DLP) policy
- B. a records management file plan
- C. a journaling rule
- D. a retention policy

Answer: C

NEW QUESTION 170

SIMULATION - (Topic 5)
SIMULATION
Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.
When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design. Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided. Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.



Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@abc.com

Microsoft 365 Password: xxxxxx

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only.

Lab Instance: XXXXXX

You need to ensure that a user named Lee Gu can view all the Exchange Online configurations of your organization. The solution must use the principle of least privilege.

To complete this task, sign in to the Microsoft 365 admin center.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

* 1. Open the Microsoft 365 administration centre This can be done at: <https://admin.microsoft.com>

* 2. Create a new user Please enter a first name Last name

Display name Username

* 3. Add the necessary licence

For admin roles you sometimes need a licence. Especially in the security stack within Microsoft 365.

* 4. Add the Global Reader role via Roles

You can give multiple roles to the person you want.

NEW QUESTION 171

- (Topic 5)

You have a Microsoft Exchange Server 2019 organization.

You need to ensure that a user named User1 can prevent mailbox content from being deleted if the content contains the words Fabrikam and Confidential. What should you do?

- A. Add User1 to the Organization Management management role group.
- B. Add User1 to the Records Management management role group.
- C. Assign the mailbox Search and Mailbox Import Export
- D. Assign the Mailbox Search and Legal Hold management roles to User1.

Answer: D

Explanation:


References:

<https://docs.microsoft.com/en-us/exchange/policy-and-compliance/holds/holds?view=exchserver-2019>

NEW QUESTION 174

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Online tenant as shown in the following exhibit.



All email recipients have an email address that uses an SMTP suffix of @contoso.com.

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

131.107.100.200 will route

- all email messages from Exchange Online to any contoso.com recipients.
- all email from Exchange Online to any external recipients
- all email messages from Exchange Online to recipients hosted on Server1 only

The Exchange Online tenant

- cannot receive email messages from the internet
- can receive email messages from server1.contoso.com only
- can receive email messages from any email host on the internet

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1:

Under “When to use this connector”, it says “Use only for email sent to these domains: *” The asterisk means all domains so any external email will use the connector.

Box 2:

With Exchange Online, you don’t need to configure a receive connector as you would with on-premises Exchange. Therefore, the server by default will be able to receive emails from any email host.

NEW QUESTION 177

- (Topic 5)

You have a Microsoft Exchange Server 2019 organization.

A compliance manager plans to create retention policies for the mailboxes of executive users. The policies will move specific emails to an archive mailbox.

You need to create an archive mailbox for each executive user. What should you do?

- A. Run the New-Mailbox cmdlet.
- B. Enable mailbox journaling.
- C. Enable In-Place Archiving for each mailbox.
- D. Run the set-Mailbox cmdlet.

Answer: C

Explanation:

https://docs.microsoft.com/en-us/exchange/policy-and-compliance/in-place-archiving/in-place-archiving?view=exchserver-2019

NEW QUESTION 181

HOTSPOT - (Topic 5)

You run the following PowerShell command in a Microsoft 365 environment.

```
PS C:\WINDOWS\system32> Get-OrganizationConfig | fl *group*
```

```
DistributionGroupDefaultOU      :
DistributionGroupNameBlockedWordsList : {}
DistributionGroupNamingPolicy    :
MailTipsGroupMetricsEnabled     : True
DirectReportsGroupAutoCreationEnabled : False
GroupsCreationEnabled           : False
HiddenMembershipGroupsCreationEnabled : False
GroupsUsageGuidelinesLink       :
DefaultGroupAccessType          : Private
IsMIPLabelForGroupsEnabled      : False
OcmGroupId                     :
```

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the command.

NOTE: Each correct selection is worth one point.

[Answer choice] can view the list of members in a group

	▼
Only administrators	
Only administrators and group owners	
All users	

[Answer choice] can view the contents of a group mailbox

	▼
Only administrators	
Only administrators and group owners	
All users	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

[Answer choice] can view the list of members in a group

	▼
Only administrators	
Only administrators and group owners	
All users	

[Answer choice] can view the contents of a group mailbox

	▼
Only administrators	
Only administrators and group owners	
All users	

NEW QUESTION 185

- (Topic 5)

You have a Microsoft Exchange Online tenant that contains 1,000 users.

A user recently sent an email message that was never received by a recipient on the internet. From the Exchange admin center, you successfully run a message trace but cannot see the message in the trace.

What is the most likely reason why the message fails to appear in the message trace?

- A. The user addressed the message to multiple internal and external receipts
- B. The user encrypted the email message.
- C. Your administrative user account requires additional rights.
- D. The message is in the user's Outbox folder.

Answer: D

NEW QUESTION 186

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Online tenant.

Users report that they cannot view attachments from Outlook on the web from their home computer.

The Outlook Web App policy has the following settings.

```
ClassicAttachmentsEnabled           : True
ReferenceAttachmentsEnabled         : True
SaveAttachmentsToCloudEnabled       : True
MessagePreviewDisabled              : False
ForceWebReadyDocumentViewingFirstOnPublicComputers : False
ForceWebReadyDocumentViewingFirstOnPrivateComputers : False
ActionForUnknownFileAndMIMETypes   : Block
OWALightEnabled                     : False
ForceSaveAttachmentFilteringEnabled : False
ConditionalAccessPolicy             : ReadOnlyPlusAttachmentsBlocked
```

You need to ensure that the users can view attachments when they access Outlook on the web from their home computer. How should you complete the command? To answer, select the appropriate options in the answer area.
NOTE: Each correct selection is worth one point.

Set-OWAMailboxPolicy -identity OwaMailboxPolicy-Default

-ActionForUnknownFileAndMIMETypes	Allow
-ConditionalAccessPolicy	False
-ForceWebReadyDocumentViewingFirstOnPublicComputers	ForceSave
-MessagePreviewsDisabled	ReadOnly
-OWALightEnabled	True

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:
Table Description automatically generated with medium confidence

NEW QUESTION 190

- (Topic 5)
You have a Microsoft Exchange Server 2019 hybrid deployment.
You migrate public folders from on-premises to Exchange Online by using the batch migration process.
After the batch migration completes, additional public folders are created on-premises. You need to migrate the new on-premises public folders to Exchange Online.
What should you do?

- A. Export the contents of the folders to a PST file, and then import the PST files by using Outlook PST export.
- B. Create a new public folder migration batch that contains only the new folders.
- C. Repeat the original batch migration process and add the new folders to the migration batch.

Answer: A

Explanation:
Reference:
<https://docs.microsoft.com/en-us/exchange/collaboration/public-folders/migrate-to-exchange-online?view=exchserver-2019>

NEW QUESTION 195

- (Topic 5)
You have a hybrid deployment that contains a Microsoft Exchange Online tenant and an on-premises Exchange Server 2019 server named Server1. Server1 uses a certificate from a third-party certification authority (CA). The certificate is enabled for the SMTP service.
You replace the certificate with a new certificate.
You discover that delivery fails for all email messages sent from Server1 to your Microsoft 365 tenant.
You receive the following error message for all the queued email messages: “450 4.4.101 Proxy session setup failed on Frontend with 451 4.4.0 Primary target IP address responded with 451 5.7.3 STARTTLS is required to send mail.”
You need to ensure that the messages are delivered successfully from Server1 to the Microsoft 365 tenant.
What should you do?



- A. From the Exchange admin center, update the certificate thumbprint in the properties of a connector
- B. From Server1, regenerate the certificate and select Make private keys exportable
- C. From the firewall, disable SMTP content inspection
- D. From Server1, enable the new certificate for the IMAP4 service

Answer: C

NEW QUESTION 196

HOTSPOT - (Topic 5)
You have a Microsoft 365 ES subscription that contains a Microsoft Exchange Online tenant.
You plan to use a mailbox named Mailbox1 to store user-reported malicious email messages.
You need to configure Microsoft Defender for Office 365 to meet the following requirements:
+ Configure Mailbox1 as a SecOps mailbox.
+ Create a policy that has zero-hour auto purge (ZAP) for infected email disabled for Mailbox1.
Which two settings should you configure? To answer, select the appropriate settings in the answer area.



Policies

	Anti-phishing
	Anti-spam
	Anti-malware
	Safe Attachments
	Safe Links

Rules

	Tenant Allow/Block Lists
	DKIM
	Advanced delivery
	Enhanced filtering
	Quarantine policies

Others


	User reported message settings
	Evaluation mode

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:


Policies



Rules



Others



NEW QUESTION 200

SIMULATION - (Topic 5)

SIMULATION


Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.



Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@abc.com

Microsoft 365 Password: xxxxxx

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only.

Lab Instance: XXXXXX

You need to create a public folder named Finance. The solution must ensure that only the members of a group named Finance Team can send email messages to the Finance folder.

To complete this task, sign in to the Microsoft 365 admin center.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

? In the EAC, go to Public folders > Public folder mailboxes, and then click Add +.

? In the New public folder mailbox page that opens, enter the following information:

- Name: Enter the name for the public folder mailbox.
- Organizational unit: Click Browse to select the location in Active Directory where the mailbox object is created.
- Mailbox database: Click Browse to select the mailbox database where the mailbox is created.

When you're finished, click Save.

Use the EAC to create a public folder

When using the EAC to create a public folder, you'll only be able to set the name and the path of the public folder. To configure additional settings, you'll need to edit the public folder after it's created.

? Navigate to Public folders > Public folders.

? If you want to create this public folder as a child of an existing public folder, click the existing public folder in the list view. If you want to create a top-level public folder, skip this step.

? Click Add +.

? In Public Folder, type the name of the public folder.

? In the Path box, verify the path to the public folder. If this isn't the desired path, click Cancel and follow Step 2 of this procedure.

? Click Save.

? Navigate back to Public folders > Public folders.

? In the list view, select the public folder that you want to mail-enable or mail-disable.

? In the details pane, under Mail settings, click Enable or Disable.

? A warning box displays asking if you're sure you want to enable or disable email for the public folder. Click Yes to continue.

You can then run the Set-MailPublicFolder PowerShell cmdlet, and include the AcceptMessagesOnlyFromDLMembers parameter to specify who is allowed to send messages to this recipient.

NEW QUESTION 202

HOTSPOT - (Topic 5)

You have an on-premises Microsoft Exchange Server 2019 organization that contains a server named Server1 and uses an email address of contoso.com. You purchase a Microsoft 365 subscription.

You plan to use the Hybrid Configuration wizard to configure a hybrid deployment between Exchange Online and the on-premises Exchange organization. You need to configure a certificate request from a public certification authority (CA).

How should you configure the values of the subject name and the subject alternative name (SAN) for the certificate? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Subject name:

- contoso.com
- server1.contoso.com
- autodiscover.contoso.com
- contoso-com.mail.protection.outlook.com

SAN:

- contoso.com
- server1.contoso.com
- autodiscover.contoso.com
- contoso-com.mail.protection.outlook.com

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Subject name:

- contoso.com
- server1.contoso.com
- autodiscover.contoso.com
- contoso-com.mail.protection.outlook.com

SAN:

- contoso.com
- server1.contoso.com
- autodiscover.contoso.com
- contoso-com.mail.protection.outlook.com

NEW QUESTION 203

- (Topic 5)

You have a Microsoft 365 subscription that contains two users named User1 and User2.

User1 reports to have received a suspicious email message that appears to have come from User2.

You identify that the message was sent by an external user impersonating User2. You need to block email that contains the email address of an impersonated sender. What should you configure?

- A. an anti-phishing policy
- B. a Tenant Allow/Block Lists rule
- C. an anti-spam policy
- D. an Enhanced filtering rule

Answer: B

NEW QUESTION 204

- (Topic 5)

You have a Microsoft Exchange Server 2019 hybrid deployment.

You need to change the free/busy data access sharing level between the on-premises organization and Exchange Online.

What should you do?

- A. Run the Hybrid Configuration wizard.
- B. Modify the organization relationship.
- C. Create an organization sharing policy.
- D. Create an individual sharing policy.

Answer: B

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/shared-free-busy>

NEW QUESTION 206

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Server 2019 organization that contains the Mailbox servers shown in the following table.

Name	Member of	Database
EX1	Site1	Mail1
EX2	Site2	Mail2
EX3	Site3	Mail3

The organization contains the mailboxes shown in the following table.

Name	Database
User1	Mail1
User2	Mail2
User3	Mail3

You create the public folder mailboxes shown in the following table.

Mailbox	Database	Hierarchy
PF1	Mail1	Primary
PF2	Mail2	Secondary
PF3	Mail3	Secondary

You set the DefaultPublicFolderMailbox property of each user mailbox to the public folder mailbox closest to the user. For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
If User3 creates a public folder, the folder hierarchy will be updated first on EX3.	<input type="radio"/>	<input type="radio"/>
When User2 views the folder hierarchy, the user will use EX2.	<input type="radio"/>	<input type="radio"/>
If User3 accesses a public folder from PF1, and then EX1 goes offline, User3 can still access the content in the public folder.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Statements	Yes	No
If User3 creates a public folder, the folder hierarchy will be updated first on EX3.	<input type="radio"/>	<input checked="" type="radio"/>
When User2 views the folder hierarchy, the user will use EX2.	<input checked="" type="radio"/>	<input type="radio"/>
If User3 accesses a public folder from PF1, and then EX1 goes offline, User3 can still access the content in the public folder.	<input checked="" type="radio"/>	<input type="radio"/>

NEW QUESTION 211

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario.

Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Server 2019 organization that contains 200 mailboxes. You need to add a second email address to each mailbox. The address must have a

syntax that uses the first letter of each user's last name, followed by the user's first name,

and then @fabrikam.com.

Solution: You convert all the mailboxes to shared mailboxes, and then you run the Set-Mailbox cmdlet and specify the -EmailAddressPolicyEnabled \$true parameter.

Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Reference:
https://docs.microsoft.com/en-us/exchange/email-addresses-and-address-books/email-address-policies/email-address-policies?view=exchserver-2019

NEW QUESTION 214

DRAG DROP - (Topic 5)
You have a hybrid deployment between a Microsoft Exchange Online tenant and an on- premises Exchange Server 2019 organization. The certificate for the hybrid deployment expires in two days. You need to replace the certificate. Which three cmdlets should you run in sequence? To answer, move the appropriate cmdlets from the list of cmdlets to the answer area and arrange them in the correct order.

Cmdlets

Export-ExchangeCertificate

New-ExchangeCertificate

Switch-Certificate

Import-PfxCertificate

Import-ExchangeCertificate

Enable-ExchangeCertificate

Answer Area

⬅

➡

⬆

⬆

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

New-ExchangeCertificate: Create the certificate renewal request. Import-ExchangeCertificate: Install the new certificate. Enable-ExchangeCertificate: Assign the new certificate to Exchange services.

NEW QUESTION 216

HOTSPOT - (Topic 5)
HOTSPOT
You have a Microsoft Exchange Online subscription. You run the following command.
Set-ActiveSyncOrganizationSettings –DefaultAccessLevel Block
You run Get-ActiveSyncDeviceAccessRule | f1 Identity, AccessLevel, Characteristic, QueryString and you receive the following output.

Identity	: Outlook-Android/2.0 (UserAgent)
AccessLevel	: allow
Characteristic	: UserAgent
QueryString	: Outlook-Android/2.0
Identity	: Outlook-iOS/2.0 (UserAgent)
AccessLevel	: Allow
Characteristic	: UserAgent
QueryString	: Outlook-iOS/2.0

For each of the following statements, select Yes if the statement is true. Otherwise, select No.
NOTE: Each correct selection is worth one point.

Statements	Yes	No
iOS devices can use the Microsoft Outlook app to sync mailbox data.	<input type="radio"/>	<input type="radio"/>
Android devices can use the Microsoft Outlook app to sync mailbox data.	<input type="radio"/>	<input type="radio"/>
iOS devices can use the native Mail app to sync mailbox data.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Statements	Yes	No
iOS devices can use the Microsoft Outlook app to sync mailbox data.	<input checked="" type="radio"/>	<input type="radio"/>
Android devices can use the Microsoft Outlook app to sync mailbox data.	<input checked="" type="radio"/>	<input type="radio"/>
iOS devices can use the native Mail app to sync mailbox data.	<input type="radio"/>	<input checked="" type="radio"/>

NEW QUESTION 219

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Online tenant that uses an email domain named contoso.com.

You need to prevent all users from performing the following tasks:

? Sending out-of-office replies to an email domain named fabrikam.com.

? Sending automatic replies to an email domain named adatum.com.

The solution must ensure that all the users can send out-of-office replies and automatic replies to other email domains on the internet.

Solution: You create one mail flow rule. Does this meet the goal?

A. Yes

B. No

Answer: B

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/mail-flow-best-practices/remote- domains/remote-domains>

NEW QUESTION 222

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Online tenant that contains a public folder named PF1 and three users named User1, User2, and User3. Users are assigned public folder permissions to PF1 as shown in the following table.

User	Permission level
User1	Editor
User2	Author
User3	Contributor

Which users can read items in PF1, and which users can delete all the items in PF1? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Users that can read items in PF1:

User1 and User2 only
User1 only
User2 only
User3 only
User1 and User2 only
User1 and User3 only
User2 and User 3 only

Users that can delete all the items in PF1:

User1 only
User1 only
User2 only
User3 only
User1 and User2 only
User1 and User3 only
User2 and User 3 only

A. Mastered

B. Not Mastered

Answer: A

Explanation:

Answer Area

Users that can read items in PF1:

Users that can delete all the items in PF1:

NEW QUESTION 227

- (Topic 5)

You have a hybrid deployment between a Microsoft Exchange Online tenant and on- premises Exchange Server 2019 organization. The on-premises organization contains several Exchange Server 2019 servers.

You discover that delivery fails for all email messages sent from the on-premises organization to Microsoft 365.

You discover that the certificate for an on-premises Exchange server expired. You need to resolve the issue as quickly possible. The solution must minimize administrative effort.

What should you do on the on-premises Exchange server?

- A. Create a new self-signed certificate.
- B. Generate a certificate renewal request.
- C. Generate a certificate request.
- D. Add the certificate for a new root certification authority (CA).

Answer: B

Explanation:

Reference:

<https://practical365.com/exchange-server/how-to-generate-ssl-certificate-request- exchange-2016/>

NEW QUESTION 230

DRAG DROP - (Topic 5)

You have a Microsoft Exchange Server 2019 organization.

You need to identify which accounts in Active Directory are assigned permissions to dismount mailbox databases.

How should you complete the command? To answer, drag the appropriate values to the correct targets. Each value may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Values	Answer Area
<input type="text" value="Get-ManagementRole"/>	\$Perms = <input type="text" value=""/> -Cmdlet Dismount-Database
<input type="text" value="Get-ManagementRoleAssignment"/>	\$Perms foreach { <input type="text" value=""/> -Role \$_.Name -Delegating \$false
<input type="text" value="Get-ManagementRoleEntry"/>	Format-Table -Auto Role,RoleAssigneeType,RoleAssigneeName}
<input type="text" value="Get-ManagementScope"/>	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Values	Answer Area
<input type="text" value="Get-ManagementRole"/>	\$Perms = <input type="text" value="Get-ManagementRoleEntry"/> -Cmdlet Dismount-Database
<input type="text" value="Get-ManagementRoleAssignment"/>	\$Perms foreach { <input type="text" value="Get-ManagementRoleAssignment"/> -Role \$_.Name -Delegating \$false
<input type="text" value="Get-ManagementRoleEntry"/>	Format-Table -Auto Role,RoleAssigneeType,RoleAssigneeName}
<input type="text" value="Get-ManagementScope"/>	

NEW QUESTION 231

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Online tenant that uses an email domain named contoso.com.

You need to prevent all users from performing the following tasks:

? Sending out-of-office replies to an email domain named fabrikam.com.

? Sending automatic replies to an email domain named adatum.com.

The solution must ensure that all the users can send out-of-office replies and automatic replies to other email domains on the internet.

Solution: You modify the default remote domain.

Does this meet the goal?

- A. Yes
B. No

Answer: B

Explanation:

Reference:

https://docs.microsoft.com/en-us/exchange/mail-flow-best-practices/remote- domains/remote-domains

NEW QUESTION 234

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Online tenant that contains two users named Admin1 and Admin2. The users are assigned the roles shown in the following table.

Admin1 performs the following actions:

Name	Role
Admin1	Recipient Management
Admin2	Organization Management, Mailbox Import Export

- From the Microsoft 365 admin center, adds a new user named User1 who is assigned a Microsoft 365 Enterprise E5 license
- From Exchange Online PowerShell, runs the New-Mailbox cmdlet Admin2 performs the following actions:
- From Exchange Online PowerShell, runs the Search-Mailbox cmdlet and specifies the - DeleteContent switch
- From Exchange Online PowerShell, runs the Test-ApplicationAccessPolicy cmdlet Which actions are recorded in the administrator audit log? To answer, select the

appropriate options in the answer area.

Answer Area

Admin1:

Admin2:

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Answer Area

Admin1:

Admin2:

NEW QUESTION 239

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Online tenant.

A user reports that an expected email message from an internet recipient was never delivered, and the sender never received a non-delivery report (NDR).

You need to troubleshoot inbound message delivery to meet the following requirements:

- Verify DNS and MX connectivity for the target domain.
- Verify whether the message was quarantined.

What should you use for each requirement? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

Verify DNS and MX connectivity for the target domain:

Microsoft Remote Connectivity Analyzer
 Message trace
 Microsoft Remote Connectivity Analyzer
 The Inbound messages mail flow report

Verify whether the message was quarantined:

Message trace
 Message trace
 Microsoft Remote Connectivity Analyzer
 The Inbound messages mail flow report

- A. Mastered
 B. Not Mastered

Answer: A

Explanation:

Answer Area

Verify DNS and MX connectivity for the target domain:

Microsoft Remote Connectivity Analyzer
 Message trace
 Microsoft Remote Connectivity Analyzer
 The Inbound messages mail flow report

Verify whether the message was quarantined:

Message trace
 Message trace
 Microsoft Remote Connectivity Analyzer
 The Inbound messages mail flow report

NEW QUESTION 240

- (Topic 5)

You have a Microsoft Exchange Online tenant that contains a retention policy named Policy1 and a user named User1. Policy1 is assigned to all users and contains the retention tags shown in the following table.

Name	Type	Retention period	Retention action
Tag1	Default mailbox	1826 days	Permanently Delete
Tag2	Default folder	365 days	Move to Archive
Tag3	Personal	730 days	Move to Archive

Tag3 is applied to an email message in the inbox of User1. You remove Tag3 from Policy1. What will occur to the message?

- A. The existing retention tag will be retained.
 B. The existing retention tag will be removed.
 C. The default mailbox retention tag will apply.
 D. The default folder retention tag will apply.

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/security-and-compliance/messaging-records-management/retention-tags-and-policies>

NEW QUESTION 245

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company has a Microsoft 365 subscription.

Several users in the finance department of the company recently accessed unsafe websites by clicking on links in email messages.

Users in the marketing department of the company report that they must be able to access all the links embedded in email messages.

You need to reduce the likelihood of the finance department users accessing unsafe websites. The solution must affect only the finance department users.

Solution: You create a new safe links policy and apply the policy to finance department users.

Does this meet the goal?

- A. Yes
 B. No

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/security/office-365-security/set-up-safe-links-policies?view=o365-worldwide>

NEW QUESTION 246

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Online tenant that uses an email domain named contoso.com.

You need to prevent all users from performing the following tasks:

? Sending out-of-office replies to an email domain named fabrikam.com.

? Sending automatic replies to an email domain named adatum.com.

The solution must ensure that all the users can send out-of-office replies and automatic replies to other email domains on the internet.

Solution: You create two new remote domains. Does this meet the goal?

A. Yes

B. No

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/mail-flow-best-practices/remote-domains/remote-domains>

NEW QUESTION 249

- (Topic 5)

You have a Microsoft Exchange Online tenant that contains two SMTP domains named contoso.com and litwareinc.com.

You need to ensure that users who have a contoso.com email address are prevented from seeing users who have a litwareinc.com email address in the global address list (GAL). The litwareinc.com users must be able to see the contoso.com users in the GAL.

Which three actions should you perform? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

A. Modify the Default Address book policy to exclude the litwareinc.com users

B. Create an offline address book (OAB) that contains the contoso.com users

C. Create a separate GAL that contains the contoso.com users

D. Modify the default GAL to exclude the litwareinc.com users

E. Create a new email address policy for the contoso.com users

F. Create a new address book policy (ABP) and assign the ABP to the contoso.com mailboxes

Answer: BCF

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/address-books/address-book-policies/address-book-policies>

NEW QUESTION 250

- (Topic 5)

You recently implemented a hybrid deployment that contains a Microsoft Exchange Online tenant and an on-premises Exchange Server 2019 server named Server1. The public IP address of Server1 is 131.107.1.100.

The deployment is configured as shown in the following table.

Object type	Configuration	Location
Accepted domain	Contoso.com	Microsoft 365
Remote domain	*	Microsoft 365
Outbound connector	Use DNS routing	Microsoft 365
Inbound connector	Default settings	Microsoft 365
Mail exchanger (MX) record	Contoso-com.mail.protection.outlook.com	Public DNS
Send connector	Use DNS routing	Exchange Server 2019

Users hosted in Microsoft 365 report that they receive non-delivery reports (NDRs) when they attempt to send email messages to mailboxes hosted in Exchange Server 2019.

You need to ensure that the email is delivered successfully. The solution must ensure that email delivery is successful for all the users at your company.

What should you do?

A. Configure the remote domain to use a value of contoso.com.

B. Modify the MX record to point to the internal Exchange servers.

C. Configure the Outbound connector to use a smart host of 131.107.1.100.

D. Configure the accepted domain to use a value of *.

Answer: C

NEW QUESTION 254

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Online tenant that contains the following email domains:

? Adatum.com

? Contoso.com

? Fabrikam.com

When external recipients receive email messages from the users in the tenant, all the messages are delivered by using the @contoso.com email domain.

You need to ensure that the users send email by using the @fabrikam.com email domain. Solution: You create an email address policy.

Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

This would work in Exchange on-premise but you cannot create email address policies for user mailboxes in Exchange Online.

NEW QUESTION 255

HOTSPOT - (Topic 5)

HOTSPOT

Your company named Contoso, Ltd. has a Microsoft Exchange Online subscription that uses a domain named contoso.com.

Contoso works with a partner company named A.Datum Corporation. A.Datum has an Exchange Server 2016 organization that uses a domain named adatum.com.

You need to ensure that users at Contoso can share their free/busy information with the users at A.Datum.

What should you do for each company? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

A.Datum:		▼
	Configure Microsoft Azure Active Directory Connect	
	Create a federation trust between Exchange and Microsoft Office 365	
	Establish identity federation by using Active Directory Federation Services	
	Create a sharing policy	
Contoso:		▼
	Establish identity federation by using Active Directory Federation Services	
	Configure Microsoft Azure Active Directory Connect	
	Create an organization relationship	
	Create a federation trust between Exchange and Microsoft Office 365	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

References:

<https://docs.microsoft.com/en-us/exchange/sharing/organization-relationships/organization-relationships>

NEW QUESTION 257

- (Topic 5)

You have a Microsoft Exchange Server 2016 hybrid deployment.

You plan to migrate mailboxes from the on-premises Exchange organization to Exchange Online.

You have the appropriate permissions to perform the mailbox migrations. You need to prepare the environment for the planned migration.

What should you do?

- A. Disable Microsoft Outlook for the web.
- B. Install the Hybrid Agent.
- C. Run Get-MigrationBatch -Identity "MyMigrationBatch".
- D. Enable the MRSPProxy service on an on-premises Exchange server.

Answer: D

Explanation:

Mailbox replication service (MRS) proxy is used for cross forest mailbox move and remote move migration between on premise exchange and exchange online (Office 365)

Reference:

<https://docs.microsoft.com/en-us/Exchange/hybrid-deployment/move-mailboxes>

NEW QUESTION 259

- (Topic 5)

You manage an Exchange Online tenant.

You plan to migrate on-premises Microsoft Exchange Server mailboxes by using a cutover migration.

You need to grant the required permissions to the migration administrator account to complete the migration. The solution must use the principle of least privilege.

Which three permissions should you grant? Each correct answer presents a complete solution

NOTE: Each correct selection is worth one point.

- A. the FullAccess permission on each on-premises mailbox and the WriteProperty permission to modify the TargetAddress property of the on-premises user account
- B. the Receive As permission on the on-premises mailbox database that stores the user mailboxes and the WriteProperty permission to modify the TargetAddress property of the on-premises user account
- C. Domain Admins group member in Active Directory Domain Services (AD DS) of the on-premises Exchange organization
- D. the FullAccess permission on each on-premises mailbox

E. the Receive As permission on the on-premises mailbox database that stores the usermailboxes

Answer: CDE

Explanation:

<https://docs.microsoft.com/en-us/exchange/mailbox-migration/assign-permissions-for-migration>

NEW QUESTION 261

- (Topic 5)

You have a Microsoft Exchange Server 2019 organization.

You need to ensure that a user named User1 can prevent mailbox content from being deleted if the content contains the words Fabrikam and Confidential.

What should you do?

- A. Add User1 to the Discovery Management management role group.
- B. Assign the Legal Hold and Mailbox Import Export management roles to User1.
- C. Add User1 to the Records Management management role group.
- D. Add User1 to the Compliance Management management role group.

Answer: A

Explanation:

Alternatively, assign the Mailbox Search and Legal Hold management roles to User1 Reference:

<https://docs.microsoft.com/en-us/exchange/policy-and-compliance/holds/holds?view=exchserver-2019>

NEW QUESTION 264

- (Topic 5)

You have a Microsoft Exchange Online tenant named contoso.com.

Several users report that email messages sent to the users at another company named fabrikam.com contain a Winmail.dat attachment.

You need to prevent the fabrikam.com users from receiving Winmail.dat attachments. What should you do?

- A. Configure a remote domain that has the TNEFEnabled parameter set to \$False.
- B. Create an Outbound connector that has the validationRecipients parameter set to contoso.com.
- C. Create an Outbound connector that has the validationRecipients parameter set to fabrikam.com.
- D. Configure a remote domain that has the TrustedMailoutboundEnabled parameter set to \$False.

Answer: A

Explanation:

Reference:

<https://gcits.com/knowledge-base/how-to-fix-the-winmail-dat-attachment-issue/>

NEW QUESTION 267

- (Topic 5)

You have a Microsoft Exchange Online tenant.

You need to ensure that all new mailboxes can send and receive messages that are up to a maximum of 50 MB.

What should you do in the Exchange admin center?

- A. From Manage mailboxes, configure the Message size restriction Mailflow setting.
- B. Configure a mail flow rule.
- C. From Manage mailboxes, configure the Message delivery restriction Mailflow setting.
- D. For each new mailbox, configure the recipient limit.

Answer: A

NEW QUESTION 272

- (Topic 5)

You have a Microsoft Exchange Online tenant that contains a user named User1.

You need to ensure that User1 can perform the following tasks from the Microsoft Purview compliance portal:

- Create, edit, delete, and control access to Core eDiscovery cases.
- Use Content search to bulk delete email messages.

The solution must follow the principle of least privilege. To which role group should you add User1?

- A. Compliance Administrator
- B. Compliance Data Administrator
- C. Organization Management
- D. eDiscovery Manager

Answer: D

NEW QUESTION 277

DRAG DROP - (Topic 5)

You have a Microsoft Exchange Online tenant that contains two groups named Group1 and Group2.

You need to ensure that the members of Group1 can perform In-Place eDiscovery searches only for the members of Group2.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions	Answer Area
Create an administrative unit that contains Group1.	
Configure the write scope and assign Group2 to the new role group.	
Copy the Discovery Management role group.	
Create a custom management scope that contains the membership of Group2.	
Copy the Recipient Management role group.	
Configure the write scope and assign Group1 to the new role group.	

- A. Mastered
 B. Not Mastered

Answer: A

Explanation:

Actions	Answer Area
Create an administrative unit that contains Group1.	
Configure the write scope and assign Group2 to the new role group.	
Copy the Discovery Management role group.	
Create a custom management scope that contains the membership of Group2.	
Copy the Recipient Management role group.	
Configure the write scope and assign Group1 to the new role group.	

NEW QUESTION 282

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company has a Microsoft 365 subscription.

Several users in the finance department of the company recently accessed unsafe websites by clicking on links in email messages.

Users in the marketing department of the company report that they must be able to access all the links embedded in email messages.

You need to reduce the likelihood of the finance department users accessing unsafe websites. The solution must affect only the finance department users.

Solution: You modify the content filtering settings. Does this meet the goal?

- A. Yes
 B. No

Answer: B

Explanation:

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/security/office-365-security/set-up-safe-links-policies?view=o365-worldwide>

NEW QUESTION 287

- (Topic 5)

You have a Microsoft 365 subscription.

A safe attachments policy that uses Dynamic Delivery is applied to all recipients who match your SMTP domains.

You need to prevent attachments from being scanned when internal users send email to one another.

What should you do?

- A. From the Security & and Compliance admin center, modify the safe attachments policy.
 B. From the Security & and Compliance admin center, modify the Service assurance settings.
 C. From the Exchange admin center, create a transport rule.
 D. From the Exchange admin center, modify the malware filter.

Answer: C

Explanation:

Create a transport rule (or mail flow rule as they are called nowadays) to configure the message header: X-MS-Exchange-Organization-SkipSafeAttachmentProcessing.

Reference:

<https://docs.microsoft.com/en-gb/archive/blogs/office365labs/eo-atp-considerations-reports-demonstrations>

NEW QUESTION 290

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Online tenant that contains 1,000 users.

A user named User1 receives a non-delivery report (NDR) when attempting to send an email message to an internal group named sales@contoso.com. The NDR contains the following text: "5.7.1 Delivery not authorized."

You need to ensure that User1 can send email to sales@contoso.com successfully. Solution: You modify the properties of User1.

- A. Yes
- B. No

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/mail-flow-best-practices/non-delivery-reports-in-exchange-online/fix-error-code-550-5-7-1-in-exchange-online>

NEW QUESTION 291

- (Topic 5)

You have a Microsoft Exchange Online tenant that contains a user named User1.

You need to ensure that User1 can create, manage, and remove Exchange recipient objects.

What should you assign to User1?

- A. a sharing policy
- B. a role assignment policy
- C. a role group
- D. an administrative unit

Answer: C

NEW QUESTION 296

- (Topic 5)

You have a Microsoft Exchange Server 2019 organization that contains 5,000 mailboxes.

You need to migrate 1,000 users to Exchange Online. The migrated users must support Hybrid Modern Authentication (HMA).

Which migration method should you use?

- A. cutover migration
- B. full hybrid migration
- C. minimal hybrid migration
- D. express hybrid migration

Answer: B

NEW QUESTION 299

- (Topic 5)

You have a Microsoft Exchange Server 2019 organization. Users access their email by using Microsoft Outlook 2019.

The users report that when a mailbox is provisioned for a new user, there is a delay of many hours before the new user appears in the global address list (GAL).

From Outlook on the web, the users can see the new user in the GAL immediately.

You need to reduce the amount of time it takes for new users to appear in the GAL in Outlook 2019.

What should you do?

- A. Modify the default email address policy.
- B. Create an address book policy (ABP).
- C. Create a scheduled task that runs the Update-GlobalAddressList cmdlet.
- D. Modify the offline address (OAB) schedule.

Answer: D

Explanation:

References:

<https://www.howto-outlook.com/howto/oabupdate.htm#syncschedules>

NEW QUESTION 300

- (Topic 5)

Your company has a department named Dept1. You have a Microsoft Exchange Online tenant.

You need to prevent only the users in Dept1 from using Outlook on the web to manage their mailbox settings.

Which two actions should you perform? Each correct answer presents part of the solution. NOTE: Each correct answer is worth one point.

- A. Create a new role assignment policy.
- B. Create a custom role group.
- C. Assign the Team Mailboxes role.
- D. Remove the MyBaseOptions role from the policy.
- E. Edit the Default Role Assignment Policy.

Answer: AE

NEW QUESTION 301

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Server 2019 organization that contains 200 mailboxes. You need to add a second email address to each mailbox. The address must have a

syntax that uses the first letter of each user's last name, followed by the user's first name,

and then @fabrikam.com.

Solution: You create an email address policy that uses the %1g%s@fabrikam.com email address format.

Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/email-addresses-and-address-books/email-address-policies/email-address-policies?view=exchserver-2019>

NEW QUESTION 305

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company has an Exchange Online tenant that contains 2,000 mailboxes.

A partner company named Fabrikam, Inc. uses a third-party messaging solution. The outbound SMTP server for Fabrikam uses an IP address of 131.107.2.22.

You discover that several email messages from the fabrikam.com domain are erroneously marked as spam.

You need to ensure that all the email messages sent from the fabrikam.com domain are delivered successfully to the user mailboxes of your company.

Solution: You enable a DKIM signature. Does this meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 309

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Online tenant that contains 1,000 mailboxes.

All the users in the sales department at your company are in a group named Sales.

The company is implementing a new policy to restrict the use of email attachments for the users in the Sales group.

You need to prevent all email messages that contain attachments from being delivered to the users in the Sales group.

Solution: You configure a mailbox quota.

Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Create a mail flow rule. Reference:

<https://docs.microsoft.com/en-us/exchange/security-and-compliance/mail-flow-rules/common-attachmentblocking-scenarios>

NEW QUESTION 312

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Online tenant.

You plan to create a mail flow rule that will forward email messages containing specific words to a user's manager for approval.

You need to test the rule. The solution must meet the following requirements:

- Prevent users from being notified that their message was forwarded to their manager.
- Support the tracking of messages that match the rule by using message tracing.

Which two settings should you modify? To answer, select the settings in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

new rule

Name:

*Apply this rule if...

✕ ✓

and

✕

*Do the following...

Except if...

Properties of this rule:

☐ Audit this rule with severity level

Choose a mode for this rule:

☒ Enforce

☐ Test with Policy Tips

☒ Test without Policy ✓

☐ Activate this rule on the following date:

☐ Deactivate this rule on the following date:

☐ Stop processing more rules

☐ Defer the message if rule processing doesn't complete

Match sender address in message:

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

new rule

Name:
rule1

*Apply this rule if...

✕ The sender is located... ✓

and

✕ The subject or body includes... ▼

add condition

*Do the following...

Forward to the sender's manager for approval ▼

add action

Except if...

add exception

Properties of this rule:

☐ Audit this rule with severity level
Not specified ▼

Choose a mode for this rule:

☒ Enforce

☐ Test with Policy Tips

☒ Test without Policy ✓

☐ Activate this rule on the following date:
Wed 29/09/2021 ▼ 10:30 PM ▼

☐ Deactivate this rule on the following date:
Wed 29/09/2021 ▼ 10:30 PM ▼

☐ Stop processing more rules

☐ Defer the message if rule processing doesn't complete

Match sender address in message:
Header ▼

NEW QUESTION 313

HOTSPOT - (Topic 5)

You have distribution group named Car Parking Distribution Group that is configured as shown in the following exhibit.

```
Machine: EX01.Contoso.com
[PS] C:\>Get-DistributionGroup carparking |FL
PSComputerName           : ex01, contoso.com
RunSpaceId                : a23089ce-ce35-4f3c-b1cc-fbb8c3cc44Ba
PSShowComputerName       : False
GroupType                 : Universal
SamAccountName            : Car Parking Distribution Group-11504232075
BypassNestedModerationEnabled : False
IsDirSynced              : False
ManagedBy                : {Contoso.com/Users/chrisadmin}
MemberJoinRestriction     : Closed
MemberDepartRestriction  : Closed
MigrationToUnifiedGroupInProgress : False
ExpansionServer           :
```

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

Answer Area

Users [answer choice].

can add their own user account to Car Parking Distribution Group

can only be added to Car Parking Distribution Group by a group owner

are added automatically to Car Parking Distribution Group when they sign in to their mailbox

The members of Car Parking Distribution Group [answer choice].

can remove their own user account from the group

can only be removed from the group by a group owner

can only be removed from the group by an Exchange administrator

- A. Mastered
 B. Not Mastered

Answer: A

Explanation:

References:

<https://docs.microsoft.com/en-us/powershell/module/exchange/users-and-groups/set-distributiongroup?view=exchange-ps>

NEW QUESTION 317

DRAG DROP - (Topic 5)

You have a Microsoft Exchange Server 2019 hybrid deployment that contains the users shown in the following table.

Name	Mailbox location
User1	Exchange Online
User2	Exchange on-premises

You need to provide each user with an archive mailbox that is stored in Exchange Online.

Which admin center should you use to perform the configuration for each user? To answer, drag the appropriate admin centers to the correct users. Each admin center may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Admin Centers

The Exchange admin center from an on-premises server

The Exchange admin center from Exchange Online

The Microsoft 265 admin center

The Security and Compliance admin center

Answer Area

User1: Admin Center

User2: Admin Center

- A. Mastered
 B. Not Mastered

Answer: A

Explanation:

References:

<https://docs.microsoft.com/en-us/office365/securitycompliance/enable-archive-mailboxes> <https://docs.microsoft.com/en-us/exchange/hybrid-deployment/create-cloud-based-archive>

NEW QUESTION 320

HOTSPOT - (Topic 5)

You have a Microsoft 365 E5 tenant that contains two Azure Active Directory (Azure AD) security groups named Finance and Marketing. The tenant contains the users and devices shown in the following table.

Name	Azure AD group membership	Device
User1	Finance	Device1
User2	Marketing	Device2
User3	Finance	Device3

The devices are configured as shown in the following table.

Device	Azure AD-joined	Microsoft Intune-enrolled
Device1	No	No
Device2	Yes	Yes
Device3	Yes	Yes

A conditional access policy is configured as shown in the following exhibit.

Name *

Outlook on the Web Policy

Assignments

Users and groups ⓘ

Specific users included >

Cloud apps or actions ⓘ

1 app included >

Conditions ⓘ

0 conditions selected >

Access controls

Grant ⓘ

0 controls selected >

Session ⓘ

Use app enforced restrictions >

Include

Exclude

None

All users

Select users and groups

All guest and external users ⓘ

Directory roles ⓘ

Users and groups

Select

1 group >

A

Finance

...

From Microsoft Exchange Online PowerShell, you run the following cmdlet.
Set-OwaMailboxPolicy -Identity OwaMailboxPolicy-Default
-ConditionalAccessPolicy ReadOnly
All the users connect to Exchange Online by using Outlook on the web.
For each of the following statements, select Yes if the statement is true. Otherwise, select No.
NOTE: Each correct selection is worth one point.

Statements	Yes	No
When using Outlook on the web, User1 can only view email attachments.	<input type="radio"/>	<input type="radio"/>
When using Outlook on the web, User2 can only view and print email attachments.	<input type="radio"/>	<input type="radio"/>
When using Outlook on the web, User3 can view, download, and print email attachments.	<input type="radio"/>	<input type="radio"/>

A. Mastered
B. Not Mastered

Answer: A

Explanation:


Statements	Yes	No
When using Outlook on the web, User1 can only view email attachments.	<input checked="" type="radio"/>	<input type="radio"/>
When using Outlook on the web, User2 can only view and print email attachments.	<input type="radio"/>	<input checked="" type="radio"/>
When using Outlook on the web, User3 can view, download, and print email attachments.	<input type="radio"/>	<input checked="" type="radio"/>

NEW QUESTION 324

SIMULATION - (Topic 5)
Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.
When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.
Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.
Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.
Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.

Passing Certification Exams Made Easy

visit - https://www.2PassEasy.com



Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@abc.com

Microsoft 365 Password: xxxxxx

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only.

Lab Instance: XXXXXX

You need to reduce the likelihood that malicious links contained in emails received by mailboxes in @lab.CloudCredential(1).TenantName are opened.

To complete this task, sign in to the Exchange admin center.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

? Navigate to the Exchange Admin Center, and then choose the Advanced Threats section of the EAC.

? Click the Safe Links tab to examine all existing Safe Links policies:

? After navigating to the Safe Links policy page, choose the Add button (+) to create a new policy. The New Safe Links Policy window opens.

- In the resulting window we'll be presented with the options available for creating our new Safe Links policy.

? In Name enter an appropriate, unique, name that describes this policy. In the description enter some text that provides a little more detail for anyone trying to make sense of the options selected here.

? Next we'll choose the action to take for URLs. We can leave this Off, if for example we are creating a policy to exclude a group of users that would otherwise be affected by another Safe Links policy.

? The checkbox Do not track user click can be selected if you do not wish to use the reporting functionality available at a later date. This is a key feature when understanding which users clicked a link that was later found to be a threat, so be careful about choosing to disable user click tracking.

? Our final check box provides options for click-through is a link is found to be dangerous. In some circumstances you may trust users to click-through links, or they may request the ability to do so. In most circumstances you will not want a user to click-through the malicious link.

? Some URLs, such as those for internal addresses or even trusted partners, may not require re-writing. Enter these URLs here.

? Finally, we will select the scope for the rule under the Applied to section.

? Using similar conditions to transport rules we can select who this rule applies to including:

- Individual recipients
- Recipient domains
- Members of distribution groups

? The same conditions can be used for exceptions. When you have configured your rule, choose Save.

After saving the new Safe Links rule it will be shown in the EAC list. Just like Transport Rules, you can use the Enabled column to enable or disable the Safe Links policy.

NEW QUESTION 327

- (Topic 5)

You have a Microsoft Exchange Online tenant that contains 1,000 users.

You need to prevent 100 users in the finance department at your company from using Direct file access when using Outlook on the web. The solution must ensure that all the other users in the company can continue to use Direct file access when using Outlook on the web.

What should you do?

- A. Modify the default sharing policy.
- B. Create and assign an Outlook Web App policy.
- C. Create and assign a sharing policy.
- D. Modify the default Outlook Web App policy.

Answer: B

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/clients/outlook-on-the-web/mailbox-policies?view=exchserver-2019>

NEW QUESTION 331

SIMULATION - (Topic 5)


Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.



Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@abc.com

Microsoft 365 Password: xxxxxx

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only.

Lab Instance: XXXXXX

Another administrator at contoso.com plans to deploy an SMTP smart host that uses an IP address of 131.107.2.200.

You need to prepare a solution to route all emails sent to users in the @contoso.com domain from your organization by using the SMTP host. The solution must have a status set to Off until the administrator deploys the smart host.

To complete this task, sign in to the Exchange admin center.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

? In the EAC, navigate to Mail flow > Send connectors, and then click Add +. This starts the New Send connector wizard.

? On the first page, enter the following information:

- Name: Enter a descriptive name for the Send connector, for example, Smart host to Internet.

- Type: Select a descriptive value. For example, Internet oCr ustom. When you're finished, click Next.

? On the next page, select Route mail through smart hosts, and then click Add +. In

the Add smart host dialog box that appears, identify the smart host by using one of the following values:

- IP address: For example, 192.168.3.2.

- Fully qualified domain name (FQDN): For example, securitydevice01.contoso.com. Note that the Exchange source servers for the Send connector must be able to resolve the smart host in DNS by using this FQDN.

When you're finished, click Save.

? You can enter multiple smart hosts by repeating Step 3. When you're finished, click Next.

? On the next page, in the Route mail through smart hosts section, select the authentication method that's required by the smart host. Valid values are:

TABLE 1

Authentication mechanism	Description
None	No authentication. For example, when access to the smart host is restricted by the source IP address.
Basic authentication	Basic authentication. Requires a username and password. The username and password are sent in clear text.
Offer basic authentication only after starting TLS	Basic authentication that's encrypted with TLS. This requires a server certificate on the smart host that contains the exact FQDN of the smart host that's defined on the Send connector.
Exchange Server authentication	Generic Security Services application programming interface (GSSAPI) and Mutual GSSAPI authentication.
Externally secured	The connection is presumed to be secured by using a security mechanism that's external to Exchange. The connection may be an Internet Protocol security (IPsec) association or a virtual private network (VPN). Alternatively, the servers may reside in a trusted, physically controlled network.

? When you're finished, click Next.

? On the next page, in the Address space section, click Add +. In the Add domain dialog box that appears, enter the following information:

- Type: Verify SMTP is entered.

- Fully Qualified Domain Name (FQDN): Enter an asterisk (*) to indicate the Send connector applies to messages addressed to all external domains. Alternatively, you can enter a specific external domain (for example, contoso.com), or a domain and all subdomains (for example, *.contoso.com).

- Cost: Verify 1 is entered. A lower value indicates a more preferred route for the domains you specified.

When you're finished, click Save.

? Back on the previous page, the Scoped send connector setting is important if your organization has Exchange servers installed in multiple Active Directory sites:

- If you don't select Scoped send connector, the connector is usable by all transport servers (Exchange 2013 or later Mailbox servers and Exchange 2010 Hub Transport servers) in the entire Active Directory forest. This is the default value.

- If you select Scoped send connector, the connector is only usable by other transport servers in the same Active Directory site.

When you're finished, click Next.

? On the next page, in the Source server section, click Add +. In the Select a Server dialog box that appears, select one or more Mailbox servers that you want to use to send outbound mail to the smart host. If you have multiple Mailbox servers in your environment, select the ones that can route mail to the smart host. If you have only one Mailbox server, select that one. After you've selected at least one Mailbox server, click Add, click OK, and then click Finish.

After you create the Send connector, it appears in the Send connector list.

From the Send connector list, you can turn the connector on or off.

NEW QUESTION 334

.....

THANKS FOR TRYING THE DEMO OF OUR PRODUCT

Visit Our Site to Purchase the Full Set of Actual MS-203 Exam Questions With Answers.

We Also Provide Practice Exam Software That Simulates Real Exam Environment And Has Many Self-Assessment Features. Order the MS-203 Product From:

<https://www.2passeasy.com/dumps/MS-203/>

Money Back Guarantee

MS-203 Practice Exam Features:

- * MS-203 Questions and Answers Updated Frequently
- * MS-203 Practice Questions Verified by Expert Senior Certified Staff
- * MS-203 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * MS-203 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year