



CompTIA

Exam Questions CAS-004

CompTIA Advanced Security Practitioner (CASP+) Exam

About ExamBible

Your Partner of IT Exam

Found in 1998

ExamBible is a company specialized on providing high quality IT exam practice study materials, especially Cisco CCNA, CCDA, CCNP, CCIE, Checkpoint CCSE, CompTIA A+, Network+ certification practice exams and so on. We guarantee that the candidates will not only pass any IT exam at the first attempt but also get profound understanding about the certificates they have got. There are so many alike companies in this industry, however, ExamBible has its unique advantages that other companies could not achieve.

Our Advances

* 99.9% Uptime

All examinations will be up to date.

* 24/7 Quality Support

We will provide service round the clock.

* 100% Pass Rate

Our guarantee that you will pass the exam.

* Unique Gurantee

If you do not pass the exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

NEW QUESTION 1

Which of the following are risks associated with vendor lock-in? (Choose two.)

- A. The client can seamlessly move data.
- B. The vendor can change product offerings.
- C. The client receives a sufficient level of service.
- D. The client experiences decreased quality of service.
- E. The client can leverage a multicloud approach.
- F. The client experiences increased interoperability.

Answer: BD

Explanation:

Reference: <https://www.cloudflare.com/learning/cloud/what-is-vendor-lockin/#:~:text=Vendor%20lock%2Din%20can%20become,may%20involve%20reformatting%20the%20data>

NEW QUESTION 2

A security analyst receives an alert from the SIEM regarding unusual activity on an authorized public SSH jump server. To further investigate, the analyst pulls the event logs directly from /var/log/ auth.log: graphic.ssh_auth_log.

Which of the following actions would BEST address the potential risks by the activity in the logs?

- A. Alerting the misconfigured service account password
- B. Modifying the AllowUsers configuration directive
- C. Restricting external port 22 access
- D. Implementing host-key preferences

Answer: C

Explanation:

Reference: <https://www.rapid7.com/blog/post/2017/10/04/how-to-secure-ssh-server-using-port-knocking-on-ubuntu-linux/>

NEW QUESTION 3

A security analyst is researching containerization concepts for an organization. The analyst is concerned about potential resource exhaustion scenarios on the Docker host due to a single application that is overconsuming available resources.

Which of the following core Linux concepts BEST reflects the ability to limit resource allocation to containers?

- A. Union filesystem overlay
- B. Cgroups
- C. Linux namespaces
- D. Device mapper

Answer: B

Explanation:

Reference: <https://www.ibm.com/support/pages/deep-dive-yarn-cgroups-hadoop-dev>

Soft and hard limits

The total CPU usage for all YARN containers on a node manager will not exceed the value set by the yarn.nodemanager.resource.percentage-physical-cpu-limit property, regardless of whether soft or hard limits are used.

```
<code></code> <code></code> yarn.nodemanager.resource.percentage-physical-cpu-limit <code></code> <code></code> 60 </code> </pre>

```

This property sets the CPU limit for all containers on a node manager, which means that the total CPU usage of all containers at any given time will not exceed 60%.

By default, YARN cgroups uses soft limits, which allow containers to run beyond the defined CPU limit if there is available resource on the system. If a hard limit is used, containers cannot use more CPU time than that was allocated, even if spare resource is available. The soft or hard limit switcher is controlled by the following property:

```
<code></code> <code></code> yarn.nodemanager.linux-container-executor.cgroups.strict-resource-usage <code></code> <code></code> true </pre>

```

NEW QUESTION 4

A disaster recovery team learned of several mistakes that were made during the last disaster recovery parallel test. Computational resources ran out at 70% of restoration of critical services.

Which of the following should be modified to prevent the issue from reoccurring?

- A. Recovery point objective
- B. Recovery time objective
- C. Mission-essential functions
- D. Recovery service level

Answer: B

Explanation:

Reference: <https://www.nakivo.com/blog/disaster-recovery-in-cloud-computing/>

The essential element of traditional disaster recovery is a secondary data center, which can store all redundant copies of critical data, and to which you can fail over production workloads. A traditional on-premises DR site generally includes the following:

- A dedicated facility for housing the IT infrastructure, including maintenance employees and computing equipment.
- Sufficient server capacity to ensure a high level of operational performance and allow the data center to scale up or scale out depending on your business needs.
- Internet connectivity with sufficient bandwidth to enable remote access to the secondary data center.
- Network infrastructure, including firewalls, routers, and switches, to ensure a reliable connection between the primary and secondary data centers, as well as provide data availability.

NEW QUESTION 5

A threat hunting team receives a report about possible APT activity in the network. Which of the following threat management frameworks should the team implement?

- A. NIST SP 800-53
- B. MITRE ATT&CK
- C. The Cyber Kill Chain
- D. The Diamond Model of Intrusion Analysis

Answer: A

Explanation:

Reference: <https://nvlpubs.nist.gov/nistpubs/legacy/sp/nistspecialpublication800-30r1.pdf>

NEW QUESTION 6

A company has decided to purchase a license for software that is used to operate a mission-critical process. The third-party developer is new to the industry but is delivering what the company needs at this time.

Which of the following BEST describes the reason why utilizing a source code escrow will reduce the operational risk to the company if the third party stops supporting the application?

- A. The company will have access to the latest version to continue development.
- B. The company will be able to force the third-party developer to continue support.
- C. The company will be able to manage the third-party developer's development process.
- D. The company will be paid by the third-party developer to hire a new development team.

Answer: B

NEW QUESTION 7

A security engineer estimates the company's popular web application experiences 100 attempted breaches per day. In the past four years, the company's data has been breached two times.

Which of the following should the engineer report as the ARO for successful breaches?

- A. 0.5
- B. 8
- C. 50
- D. 36,500

Answer: A

Explanation:

Reference: <https://blog.netwrix.com/2020/07/24/annual-loss-expectancy-and-quantitative-risk-analysis/>

There are two types of risk analysis — quantitative and qualitative:

- **Quantitative risk analysis** is an objective approach that uses hard numbers to assess the likelihood and impact of risks. The process involves calculating metrics, such as annual loss expectancy, to help you determine whether a given risk mitigation effort is worth the investment. The assessment requires well-developed project models and high-quality data.
- **Qualitative risk analysis** is a quicker way to gauge the likelihood of potential risks and their impact so you can prioritize them for further assessment. While quantitative risk analysis is objective, qualitative risk analysis is a subjective approach that ranks risks in broader terms, such as a scale of 1-5 or simply low, medium and

Both forms of risk analysis are valuable tools in risk management. In this article, we will focus on quantitative risk analysis and explain how to calculate annual loss expectancy (ALE).

NEW QUESTION 8

An organization recently started processing, transmitting, and storing its customers' credit card information. Within a week of doing so, the organization suffered a massive breach that resulted in the exposure of the customers' information.

Which of the following provides the BEST guidance for protecting such information while it is at rest and in transit?

- A. NIST
- B. GDPR
- C. PCI DSS
- D. ISO

Answer: C

Explanation:

Reference: https://en.wikipedia.org/wiki/Payment_Card_Industry_Data_Security_Standard

NEW QUESTION 9

During a system penetration test, a security engineer successfully gained access to a shell on a Linux host as a standard user and wants to elevate the privilege levels.

Which of the following is a valid Linux post-exploitation method to use to accomplish this goal?

- A. Spawn a shell using sudo and an escape string such as `sudo vim -c '!sh'`.
- B. Perform ASIC password cracking on the host.
- C. Read the `/etc/passwd` file to extract the usernames.
- D. Initiate unquoted service path exploits.
- E. Use the UNION operator to extract the database schema.

Answer: C

Explanation:

Reference: <https://docs.rapid7.com/insightvm/elevating-permissions/>

NEW QUESTION 10

A shipping company that is trying to eliminate entire classes of threats is developing an SELinux policy to ensure its custom Android devices are used exclusively for package tracking.

After compiling and implementing the policy, in which of the following modes must the company ensure the devices are configured to run?

- A. Protecting
- B. Permissive
- C. Enforcing
- D. Mandatory

Answer: B

Explanation:

Reference: <https://source.android.com/security/selinux/customize>

1. Use the latest Android kernel.
2. Adopt the principle of least privilege.
3. Address only your own additions to Android. The default policy works with the Android Open Source Project codebase automatically.
4. Compartmentalize software components into modules that conduct singular tasks.
5. Create SELinux policies that isolate those tasks from unrelated functions.
6. Put those policies in `*.te` files (the extension for SELinux policy source files) within the `/device/manufacturer/device-name/sepolicy` directory and use `BOARD_SEPOLICY` variables to include them in your build.
7. Make new domains permissive initially. This is done by using a permissive declaration in the domain's `.te` file.
8. Analyze results and refine your domain definitions.
9. Remove the permissive declaration when no further denials appear in userdebug builds.

NEW QUESTION 10

A security engineer needs to implement a solution to increase the security posture of user endpoints by providing more visibility and control over local administrator accounts. The endpoint security team is overwhelmed with alerts and wants a solution that has minimal operational burdens. Additionally, the solution must maintain a positive user experience after implementation.

Which of the following is the BEST solution to meet these objectives?

- A. Implement Privileged Access Management (PAM), keep users in the local administrators group, and enable local administrator account monitoring.
- B. Implement PAM, remove users from the local administrators group, and prompt users for explicit approval when elevated privileges are required.
- C. Implement EDR, remove users from the local administrators group, and enable privilege escalation monitoring.
- D. Implement EDR, keep users in the local administrators group, and enable user behavior analytics.

Answer: A

Explanation:

Reference: <https://www.cyberark.com/what-is/privileged-access-management/>

NEW QUESTION 13

Device event logs sources from MDM software as follows:

Device	Date/Time	Location	Event	Description
ANDROID_1022	01JAN21 0255	39.9072N, 77.0369W	PUSH	APPLICATION 1220 INSTALL QUEUED
ANDROID_1022	01JAN21 0301	39.9072N, 77.0369W	INVENTORY	APPLICATION 1220 ADDED
ANDROID_1022	01JAN21 0701	39.0067N, 77.4291W	CHECK-IN	NORMAL
ANDROID_1022	01JAN21 0701	25.2854N, 51.5310E	CHECK-IN	NORMAL
ANDROID_1022	01JAN21 0900	39.0067N, 77.4291W	CHECK-IN	NORMAL
ANDROID_1022	01JAN21 1030	39.0067N, 77.4291W	STATUS	LOCAL STORAGE REPORTING 85% FULL

Which of the following security concerns and response actions would BEST address the risks posed by the device in the logs?

- A. Malicious installation of an application; change the MDM configuration to remove application ID 1220.
- B. Resource leak; recover the device for analysis and clean up the local storage.
- C. Impossible travel; disable the device's account and access while investigating.
- D. Falsified status reporting; remotely wipe the device.

Answer: A

NEW QUESTION 16

A home automation company just purchased and installed tools for its SOC to enable incident identification and response on software the company develops. The company would like to prioritize defenses against the following attack scenarios:

Unauthorized insertions into application development environments

Authorized insiders making unauthorized changes to environment configurations Which of the following actions will enable the data feeds needed to detect these types of attacks on development environments? (Choose two.)

- A. Perform static code analysis of committed code and generate summary reports.
- B. Implement an XML gateway and monitor for policy violations.
- C. Monitor dependency management tools and report on susceptible third-party libraries.
- D. Install an IDS on the development subnet and passively monitor for vulnerable services.
- E. Model user behavior and monitor for deviations from normal.
- F. Continuously monitor code commits to repositories and generate summary logs.

Answer: CD

NEW QUESTION 19

Ransomware encrypted the entire human resources fileshare for a large financial institution. Security operations personnel were unaware of the activity until it was too late to stop it. The restoration will take approximately four hours, and the last backup occurred 48 hours ago. The management team has indicated that the RPO for a disaster recovery event for this data classification is 24 hours.

Based on RPO requirements, which of the following recommendations should the management team make?

- A. Leave the current backup schedule intact and pay the ransom to decrypt the data.
- B. Leave the current backup schedule intact and make the human resources fileshare read-only.
- C. Increase the frequency of backups and create SIEM alerts for IOCs.
- D. Decrease the frequency of backups and pay the ransom to decrypt the data.

Answer: C

NEW QUESTION 24

A security engineer thinks the development team has been hard-coding sensitive environment variables in its code. Which of the following would BEST secure the company's CI/CD pipeline?

- A. Utilizing a trusted secrets manager
- B. Performing DAST on a weekly basis
- C. Introducing the use of container orchestration
- D. Deploying instance tagging

Answer: A

Explanation:

Reference: <https://about.gitlab.com/blog/2021/04/09/demystifying-ci-cd-variables/>

When creating a CI/CD variable in the settings, GitLab gives the user more configuration options for the variable. Use these extra configuration options for stricter control over more sensitive variables:

1. **Environment scope:** If a variable only ever needs to be used in one specific environment, set it to only ever be available in that environment. For example, you can set a deploy token to only be available in the production environment.
2. **Protected variables:** Similar to the environment scope, you can set a variable to be available only when the pipeline runs on a protected branch, like your default branch.
3. **Masked:** Variables that contain secrets should always be masked. This lets you use the variable in job scripts without the risk of exposing the value of the variable. If someone tries to output it in a job log with a command like `echo $VARIABLE`, the job log will only show `echo [masked]`. There are limits to the types of values that can be masked.

NEW QUESTION 29

A vulnerability analyst identified a zero-day vulnerability in a company's internally developed software. Since the current vulnerability management system does not have any checks for this vulnerability, an engineer has been asked to create one.

Which of the following would be BEST suited to meet these requirements?

- A. ARF
- B. ISACs
- C. Node.js
- D. OVAL

Answer: D

NEW QUESTION 34

Which of the following terms refers to the delivery of encryption keys to a CASB or a third-party entity?

- A. Key sharing
- B. Key distribution
- C. Key recovery
- D. Key escrow

Answer: B

Explanation:

Reference: <https://www.open.edu/openlearn/ocw/mod/oucontent/view.php?id=48322&ion=1.3>

NEW QUESTION 35

A company is implementing SSL inspection. During the next six months, multiple web applications that will be separated out with subdomains will be deployed. Which of the following will allow the inspection of the data without multiple certificate deployments?

- A. Include all available cipher suites.
- B. Create a wildcard certificate.
- C. Use a third-party CA.
- D. Implement certificate pinning.

Answer: D

NEW QUESTION 38

A company wants to protect its intellectual property from theft. The company has already applied ACLs and DACs. Which of the following should the company use to prevent data theft?

- A. Watermarking
- B. DRM
- C. NDA
- D. Access logging

Answer: D

NEW QUESTION 43

A company hired a third party to develop software as part of its strategy to be quicker to market. The company's policy outlines the following requirements: The credentials used to publish production software to the container registry should be stored in a secure location. Access should be restricted to the pipeline service account, without the ability for the third-party developer to read the credentials directly. Which of the following would be the BEST recommendation for storing and monitoring access to these shared credentials?

- A. TPM
- B. Local secure password file
- C. MFA
- D. Key vault

Answer: A

Explanation:

Reference: <https://docs.microsoft.com/en-us/windows/security/information-protection/tpm/tpm-fundamentals>

NEW QUESTION 45

A customer reports being unable to connect to a website at www.test.com to consume services. The customer notices the web application has the following published cipher suite:

```
TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA384 TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA256
Signature hash algorithm:
sha256
Public key:
RSA (2048 Bits)
.htaccess config:
<VirtualHost> *:80>
ServerName www.test.com
Redirect / https://www.test.com
</VirtualHost>
<VirtualHost _default_:443>
ServerName www.test.com
DocumentRoot /usr/local/apache2/htdocs
SSLEngine On
...
</VirtualHost>
```

Which of the following is the MOST likely cause of the customer's inability to connect?

- A. Weak ciphers are being used.
- B. The public key should be using ECDSA.
- C. The default should be on port 80.
- D. The server name should be test.com.

Answer: B

Explanation:

Reference: <https://security.stackexchange.com/questions/23383/ssh-key-type-rsa-dsa-ecdsa-are-there-easy-answers-forwhich-to-choose-when>

NEW QUESTION 46

A developer wants to maintain integrity to each module of a program and ensure the code cannot be altered by malicious users. Which of the following would be BEST for the developer to perform? (Choose two.)

- A. Utilize code signing by a trusted third party.
- B. Implement certificate-based authentication.
- C. Verify MD5 hashes.
- D. Compress the program with a password.
- E. Encrypt with 3DES.
- F. Make the DACL read-only.

Answer: AB

NEW QUESTION 50

A security analyst discovered that the company's WAF was not properly configured. The main web server was breached, and the following payload was found in one of the malicious requests:

```
<!DOCTYPE doc [
<!ELEMENT doc ANY>
<ENTITY xxe SYSTEM "file:///etc/password">]>
<doc>&xxe;</doc>
```

Which of the following would BEST mitigate this vulnerability?

- A. CAPTCHA
- B. Input validation
- C. Data encoding
- D. Network intrusion prevention

Answer: B

Explanation:

Reference: <https://hdivsecurity.com/owasp-xml-external-entities-xxe>

Example #1: The attacker attempts to extract data from the server

```
<?xml version="1.0" encoding="ISO-8859-1"?><!DOCTYPE foo [
<!ELEMENT foo ANY >
<ENTITY xxe SYSTEM "file:///etc/passwd" >]> <foo>&xxe;</foo>
```

Example #2: An attacker probes the server's private network by changing the above ENTITY line to

```
<ENTITY xxe SYSTEM "https://192.168.1.1/private" >]>
```

NEW QUESTION 51

A security engineer has been asked to close all non-secure connections from the corporate network. The engineer is attempting to understand why the corporate UTM will not allow users to download email via IMAPS. The engineer formulates a theory and begins testing by creating the firewall ID 58, and users are able to download emails correctly by using IMAP instead. The network comprises three VLANs:

- VLAN 30 Guest networks 192.168.20.0/25
- VLAN 20 Corporate user network 192.168.0.0/28
- VLAN 110 Corporate server network 192.168.0.16/29

The security engineer looks at the UTM firewall rules and finds the following:

Rule active	Firewall ID	Source	Destination	Ports	Action	TLS decryption
Yes	58	VLAN 20	15.22.33.45	143	Allow and log	Enabled
Yes	33	VLAN 30	Any	80, 443,	Allow and log	Disabled
Yes	22	VLAN 110	VLAN 20	Any	Allow and log	Disabled
No	21	VLAN 20	15.22.33.45	990	Allow and log	Disabled
Yes	20	VLAN 20	VLAN 110	Any	Allow and log	Enabled
Yes	19	VLAN 20	Any	993, 587	Allow and log	Enabled

Which of the following should the security engineer do to ensure IMAPS functions properly on the corporate user network?

- A. Contact the email service provider and ask if the company IP is blocked.
- B. Confirm the email server certificate is installed on the corporate computers.
- C. Make sure the UTM certificate is imported on the corporate computers.
- D. Create an IMAPS firewall rule to ensure email is allowed.

Answer: C

NEW QUESTION 56

All staff at a company have started working remotely due to a global pandemic. To transition to remote work, the company has migrated to SaaS collaboration tools. The human resources department wants to use these tools to process sensitive information but is concerned the data could be:
 Leaked to the media via printing of the documents Sent to a personal email address
 Accessed and viewed by systems administrators Uploaded to a file storage site
 Which of the following would mitigate the department's concerns?

- A. Data loss detection, reverse proxy, EDR, and PGP
- B. VDI, proxy, CASB, and DRM
- C. Watermarking, forward proxy, DLP, and MFA
- D. Proxy, secure VPN, endpoint encryption, and AV

Answer: B

NEW QUESTION 59

A security engineer was auditing an organization's current software development practice and discovered that multiple opensource libraries were Integrated into the organization's software. The organization currently performs SAST and DAST on the software it develops.
 Which of the following should the organization incorporate into the SDLC to ensure the security of the open-source libraries?

- A. Perform additional SAST/DAST on the open-source libraries.
- B. Implement the SDLC security guidelines.
- C. Track the library versions and monitor the CVE website for related vulnerabilities.
- D. Perform unit testing of the open-source libraries.

Answer: B

Explanation:

Reference: <https://www.whitesourcesoftware.com/resources/blog/application-security-best-practices/>

NEW QUESTION 60

A company is preparing to deploy a global service.
 Which of the following must the company do to ensure GDPR compliance? (Choose two.)

- A. Inform users regarding what data is stored.
- B. Provide opt-in/out for marketing messages.
- C. Provide data deletion capabilities.
- D. Provide optional data encryption.
- E. Grant data access to third parties.
- F. Provide alternative authentication techniques.

Answer: AB

Explanation:

Reference: <https://gdpr.eu/compliance-checklist-us-companies/>

- Conduct an information audit for EU personal data

Confirm that your organization needs to comply with the GDPR. First, determine what personal data you process and whether any of it belongs to people in the EU. If you do process such data, determine whether "the processing activities are related to offering goods or services to such data subjects irrespective of whether connected to a payment." [Recital 23](#) can help you clarify whether your activities qualify as subject to the GDPR. If you are subject to the GDPR, continue to the next steps.

- Inform your customers why you're processing their data

NEW QUESTION 61

A company is looking to fortify its cybersecurity defenses and is focusing on its network infrastructure. The solution cannot affect the availability of the company's services to ensure false positives do not drop legitimate traffic.
 Which of the following would satisfy the requirement?

- A. NIDS
- B. NIPS
- C. WAF
- D. Reverse proxy

Answer: B

Explanation:

Reference: <https://subscription.packtpub.com/book/networking-and-servers/9781782174905/5/ch05lv1sec38/differentiatingbetween-nids-and-nips>

NEW QUESTION 64

While investigating a security event, an analyst finds evidence that a user opened an email attachment from an unknown source. Shortly after the user opened the attachment, a group of servers experienced a large amount of network and resource activity. Upon investigating the servers, the analyst discovers the servers were encrypted by ransomware that is demanding payment within 48 hours or all data will be destroyed. The company has no response plans for ransomware. Which of the following is the NEXT step the analyst should take after reporting the incident to the management team?

- A. Pay the ransom within 48 hours.
- B. Isolate the servers to prevent the spread.
- C. Notify law enforcement.
- D. Request that the affected servers be restored immediately.

Answer: C

NEW QUESTION 67

An organization is considering a BYOD standard to support remote working. The first iteration of the solution will utilize only approved collaboration applications and the ability to move corporate data between those applications. The security team has concerns about the following:

Unstructured data being exfiltrated after an employee leaves the organization

Data being exfiltrated as a result of compromised credentials

Sensitive information in emails being exfiltrated

Which of the following solutions should the security team implement to mitigate the risk of data loss?

- A. Mobile device management, remote wipe, and data loss detection
- B. Conditional access, DoH, and full disk encryption
- C. Mobile application management, MFA, and DRM
- D. Certificates, DLP, and geofencing

Answer: A

NEW QUESTION 68

An application server was recently upgraded to prefer TLS 1.3, and now users are unable to connect their clients to the server. Attempts to reproduce the error are confirmed, and clients are reporting the following:

ERR_SSL_VERSION_OR_CIPHER_MISMATCH


Which of the following is MOST likely the root cause?

- A. The client application is testing PFS.
- B. The client application is configured to use ECDHE.
- C. The client application is configured to use RC4.
- D. The client application is configured to use AES-256 in GCM.

Answer: C

Explanation:

Reference: https://kinsta.com/knowledgebase/err_ssl_version_or_cipher_mismatch/



NEW QUESTION 73

A satellite communications ISP frequently experiences outages and degraded modes of operation over one of its legacy satellite links due to the use of deprecated hardware and software. Three days per week, on average, a contracted company must follow a checklist of 16 different high-latency commands that must be run in serial to restore nominal performance. The ISP wants this process to be automated. Which of the following techniques would be BEST suited for this requirement?

- A. Deploy SOAR utilities and runbooks.
- B. Replace the associated hardware.
- C. Provide the contractors with direct access to satellite telemetry data.
- D. Reduce link latency on the affected ground and satellite segments.

Answer: A

NEW QUESTION 78

A company created an external application for its customers. A security researcher now reports that the application has a serious LDAP injection vulnerability that could be leveraged to bypass authentication and authorization. Which of the following actions would BEST resolve the issue? (Choose two.)

- A. Conduct input sanitization.
- B. Deploy a SIEM.
- C. Use containers.
- D. Patch the OS
- E. Deploy a WAF.
- F. Deploy a reverse proxy
- G. Deploy an IDS.

Answer: BD

NEW QUESTION 80

A network architect is designing a new SD-WAN architecture to connect all local sites to a central hub site. The hub is then responsible for redirecting traffic to public cloud and datacenter applications. The SD-WAN routers are managed through a SaaS, and the same security policy is applied to staff whether working in the office or at a remote location. The main requirements are the following:

- * 1. The network supports core applications that have 99.99% uptime.
- * 2. Configuration updates to the SD-WAN routers can only be initiated from the management service.
- * 3. Documents downloaded from websites must be scanned for malware.

Which of the following solutions should the network architect implement to meet the requirements?


- A. Reverse proxy, stateful firewalls, and VPNs at the local sites
- B. IDSs, WAFs, and forward proxy IDS
- C. DoS protection at the hub site, mutual certificate authentication, and cloud proxy
- D. IPSs at the hub, Layer 4 firewalls, and DLP

Answer: B

NEW QUESTION 81

DRAG DROP

An organization is planning for disaster recovery and continuity of operations. INSTRUCTIONS
 Review the following scenarios and instructions. Match each relevant finding to the affected host.
 After associating scenario 3 with the appropriate host(s), click the host to select the appropriate corrective action for that finding. Each finding may be used more than once.
 If at any time you would like to bring back the initial state of the simulation, please click the Reset All button. Select and Place:



- A.
- A.

Answer: A

NEW QUESTION 85

An organization is preparing to migrate its production environment systems from an on-premises environment to a cloud service. The lead security architect is concerned that the organization's current methods for addressing risk may not be possible in the cloud environment. Which of the following BEST describes the reason why traditional methods of addressing risk may not be possible in the cloud?

- A. Migrating operations assumes the acceptance of all risk.
- B. Cloud providers are unable to avoid risk.
- C. Specific risks cannot be transferred to the cloud provider.
- D. Risks to data in the cloud cannot be mitigated.

Answer: C

Explanation:

Reference: <https://arxiv.org/ftp/arxiv/papers/1303/1303.4814.pdf>

NEW QUESTION 86

An organization wants to perform a scan of all its systems against best practice security configurations. Which of the following SCAP standards, when combined, will enable the organization to view each of the configuration checks in a machine-readable checklist format for fill automation? (Choose two.)

- A. ARF
- B. XCCDF
- C. CPE
- D. CVE
- E. CVSS
- F. OVAL

Answer: BF

Explanation:

Reference: <https://www.govinfo.gov/content/pkg/GOVPUB-C13-9ecd8eae582935c93d7f410e955dabb6/pdf/GOVPUB-C13-9ecd8eae582935c93d7f410e955dabb6.pdf> (p.12)

NEW QUESTION 91

A health company has reached the physical and computing capabilities in its datacenter, but the computing demand continues to increase. The infrastructure is fully virtualized and runs custom and commercial healthcare application that process sensitive health and payment information. Which of the following should the company implement to ensure it can meet the computing demand while complying with healthcare standard for virtualization and cloud computing?

- A. Hybrid IaaS solution in a single-tenancy cloud
- B. PaaS solution in a multi-tenancy cloud
- C. SaaS solution in a community cloud
- D. Private SaaS solution in a single-tenancy cloud.

Answer: D

NEW QUESTION 96

An application developer is including third-party background security fixes in an application. The fixes seem to resolve a currently identified security issue. However, when the application is released to the public, reports come in that a previously vulnerability has returned. Which of the following should the developer integrate into the process to BEST prevent this type of behavior?

- A. Peer review
- B. Regression testing
- C. User acceptance
- D. Dynamic analysis

Answer: A

NEW QUESTION 100

A developer implemented the following code snippet.

```
catch (Exception e)
{
    if(log.isDebugEnabled())
    {
        log.debug("Caught InvalidSessionException Exception -->"
            + e.toString());
    }
}
```

Which of the following vulnerabilities does the code snippet resolve?

- A. SQL inject
- B. Buffer overflow
- C. Missing session limit
- D. Information leakage

Answer: D

NEW QUESTION 104

A security analyst is investigating a series of suspicious emails by employees to the security team. The emails appear to come from a current business partner and do not contain images or URLs. No images or URLs were stripped from the message by the security tools the company uses; instead, the emails only include the following in plain text.

```
Test email sent from bp_app01 to external_client_app01_mailing_list.
```

Which of the following should the security analyst perform?

- A. Contact the security department at the business partner and alert them to the email event.
- B. Block the IP address for the business partner at the perimeter firewall.
- C. Pull the devices of the affected employees from the network in case they are infected with a zero-day virus.
- D. Configure the email gateway to automatically quarantine all messages originating from the business partner.

Answer: A

NEW QUESTION 105

Company A is establishing a contractual with Company B. The terms of the agreement are formalized in a document covering the payment terms, limitation of liability, and intellectual property rights.

Which of the following documents will MOST likely contain these elements?

- A. Company A-B SLA v2.docx
- B. Company A OLA v1b.docx
- C. Company A MSA v3.docx
- D. Company A MOU v1.docx
- E. Company A-B NDA v03.docx

Answer: A

NEW QUESTION 107

Ann, a CIRT member, is conducting incident response activities on a network that consists of several hundred virtual servers and thousands of endpoints and users. The network generates more than 10,000 log messages per second. The enterprise belongs to a large, web-based cryptocurrency startup. Ann has distilled the relevant information into an easily digestible report for executive management. However, she still needs to collect evidence of the intrusion that caused the incident.

Which of the following should Ann use to gather the required information?

- A. Traffic interceptor log analysis
- B. Log reduction and visualization tools
- C. Proof of work analysis
- D. Ledger analysis software

Answer: B

NEW QUESTION 111

A company's claims processed department has a mobile workforce that receives a large number of email submissions from personal email addresses. An employee recently received an email that appeared to be a claim form, but it installed malicious software on the employee's laptop when it was opened.

- A. Implement application whitelisting and add only the email client to the whitelist for laptop in the claims processing department.
- B. Required all laptops to connect to the VPN before accessing email.
- C. Implement cloud-based content filtering with sandboxing capabilities.
- D. Install a mail gateway to scan incoming messages and strip attachments before they reach the mailbox.

Answer: C

NEW QUESTION 112

.....

Relate Links

100% Pass Your CAS-004 Exam with Examible Prep Materials

<https://www.exambible.com/CAS-004-exam/>

Contact us

We are proud of our high-quality customer service, which serves you around the clock 24/7.

Viste - <https://www.exambible.com/>