

AWS-Certified-Security-Specialty Dumps

Amazon AWS Certified Security - Specialty

<https://www.certleader.com/AWS-Certified-Security-Specialty-dumps.html>



NEW QUESTION 1

A company deployed IAM Organizations to help manage its increasing number of IAM accounts. A security engineer wants to ensure only principals in the Organization structure can access a specific Amazon S3 bucket. The solution must also minimize operational overhead. Which solution will meet these requirements?

- A. Put all users into an IAM group with an access policy granting access to the S3 bucket.
- B. Have the account creation trigger an IAM Lambda function that manages the bucket policy, allowing access to accounts listed in the policy only.
- C. Add an SCP to the Organizations master account, allowing all principals access to the bucket.
- D. Specify the organization ID in the global key condition element of a bucket policy, allowing all principals access.

Answer: D

NEW QUESTION 2

A company manages three separate IAM accounts for its production, development, and test environments. Each Developer is assigned a unique IAM user under the development account. A new application hosted on an Amazon EC2 instance in the developer account requires read access to the archived documents stored in an Amazon S3 bucket in the production account. How should access be granted?

- A. Create an IAM role in the production account and allow EC2 instances in the development account to assume that role using the trust policy.
- B. Provide read access for the required S3 bucket to this role.
- C. Use a custom identity broker to allow Developer IAM users to temporarily access the S3 bucket.
- D. Create a temporary IAM user for the application to use in the production account.
- E. Create a temporary IAM user in the production account and provide read access to Amazon S3. Generate the temporary IAM user's access key and secret key and store these on the EC2 instance used by the application in the development account.

Answer: A

Explanation:

<https://IAM.amazon.com/premiumsupport/knowledge-center/cross-account-access-s3/>

NEW QUESTION 3

A company discovers a billing anomaly in its AWS account. A security consultant investigates the anomaly and discovers that an employee who left the company 30 days ago still has access to the account. The company has not monitored account activity in the past. The security consultant needs to determine which resources have been deployed or reconfigured by the employee as quickly as possible. Which solution will meet these requirements?

- A. In AWS Cost Explorer, filter chart data to display results from the past 30 days.
- B. Export the results to a data table.
- C. Group the data table by resource.
- D. Use AWS Cost Anomaly Detection to create a cost monitor.
- E. Access the detection history.
- F. Set the time frame to Last 30 days.
- G. In the search area, choose the service category.
- H. In AWS CloudTrail, filter the event history to display results from the past 30 days.
- I. Create an Amazon Athena table that contains the data.
- J. Partition the table by event source.
- K. Use AWS Audit Manager to create an assessment for the past 30 days.
- L. Apply a usage-based framework to the assessment.
- M. Configure the assessment to assess by resource.

Answer: C

NEW QUESTION 4

A company deploys a set of standard IAM roles in AWS accounts. The IAM roles are based on job functions within the company. To balance operational efficiency and security, a security engineer implemented AWS Organizations SCPs to restrict access to critical security services in all company accounts. All of the company's accounts and OUs within AWS Organizations have a default FullAWSAccess SCP that is attached. The security engineer needs to ensure that no one can disable Amazon GuardDuty and AWS Security Hub. The security engineer also must not override other permissions that are granted by IAM policies that are defined in the accounts. Which SCP should the security engineer attach to the root of the organization to meet these requirements?

- A.

```
"Version": "2012-10-17",
"Statement": [
  {
    "Effect": "Deny",
    "Action": [
      "guardduty:DeleteDetector",
      "guardduty:UpdateDetector",
      "securityhub:DisableSecurityHub"
    ],
    "Resource": [
      "*"
    ]
  }
]
```

B. A screenshot of a computer code Description automatically generated {

```

"Version": "2012-10-17",
"Statement": [
  {
    "Effect": "Deny",
    "Action": "*",
    "Resource": "*"
  },
  {
    "Effect": "Allow",
    "NotAction": [
      "guardduty:DeleteDetector",
      "guardduty:UpdateDetector",
      "securityhub:DisableSecurityHub"
    ],
    "Resource": [
      "*"
    ]
  }
]
}

```

C. A screenshot of a computer code Description automatically generated {

```

"Version": "2012-10-17",
"Statement": [
  {
    "Effect": "Allow",
    "Action": "*",
    "Resource": "*"
  },
  {
    "Effect": "Deny",
    "NotAction": [
      "guardduty:DeleteDetector",
      "guardduty:UpdateDetector",
      "securityhub:DisableSecurityHub"
    ],
    "Resource": [
      "*"
    ]
  }
]
}

```

D. A screenshot of a computer code Description automatically generated {

```

"Version": "2012-10-17",
"Statement": [
  {
    "Effect": "Allow",
    "NotAction": [
      "guardduty:DeleteDetector",
      "guardduty:UpdateDetector",
      "securityhub:DisableSecurityHub"
    ],
    "Resource": [
      "*"
    ]
  }
]
}

```

Answer: A

NEW QUESTION 5

A company needs to improve its ability to identify and prevent IAM policies that grant public access or cross-account access to resources. The company has implemented AWS Organizations and has started using AWS Identity and Access Management Access Analyzer to refine overly broad access to accounts in the organization.

A security engineer must automate a response in the company's organization for any newly created policies that are overly permissive. The automation must remediate external access and must notify the company's security team.

Which combination of steps should the security engineer take to meet these requirements? (Select THREE.)

- A. Create an AWS Step Functions state machine that checks the resource type in the finding and adds an explicit Deny statement in the trust policy for the IAM role.
- B. Configure the state machine to publish a notification to an Amazon Simple Notification Service (Amazon SNS) topic.
- C. Create an AWS Batch job that forwards any resource type findings to an AWS Lambda function. Configure the Lambda function to add an explicit Deny statement in the trust policy for the IAM role.
- D. Configure the AWS Batch job to publish a notification to an Amazon Simple Notification Service (Amazon SNS) topic.

- E. In Amazon EventBridge, create an event rule that matches active IAM Access Analyzer findings and invokes AWS Step Functions for resolution.
- F. In Amazon CloudWatch, create a metric filter that matches active IAM Access Analyzer findings and invokes AWS Batch for resolution.
- G. Create an Amazon Simple Queue Service (Amazon SQS) queue
- H. Configure the queue to forward a notification to the security team that an external principal has been granted access to the specific IAM role and has been blocked.
- I. Create an Amazon Simple Notification Service (Amazon SNS) topic for external or cross-account access notice
- J. Subscribe the security team's email addresses to the topic.

Answer: ACF

Explanation:

The correct answer is A, C, and F.

To automate a response for any newly created policies that are overly permissive, the security engineer needs to use a combination of services that can monitor, analyze, remediate, and notify the security incidents.

Option A is correct because creating an AWS Step Functions state machine that checks the resource type in the finding and adds an explicit Deny statement in the trust policy for the IAM role is a valid way to remediate external access. AWS Step Functions is a service that allows you to coordinate multiple AWS services into serverless workflows. You can use Step Functions to invoke AWS Lambda functions, which can modify the IAM policies programmatically. You can also use Step Functions to publish a notification to an Amazon SNS topic, which can send messages to subscribers such as email addresses.

Option B is incorrect because creating an AWS Batch job that forwards any resource type findings to an AWS Lambda function is not a suitable way to automate a response. AWS Batch is a service that enables you to run batch computing workloads on AWS. Batch is designed for large-scale and long-running jobs that can benefit from parallelization and dynamic provisioning of compute resources. Batch is not intended for event-driven and real-time workflows that require immediate response.

Option C is correct because creating an Amazon EventBridge event rule that matches active IAM Access Analyzer findings and invokes AWS Step Functions for resolution is a valid way to monitor and analyze the security incidents. Amazon EventBridge is a serverless event bus service that allows you to connect your applications with data from various sources. EventBridge can use rules to match events and route them to targets for processing. You can use EventBridge to invoke AWS Step Functions state machines from the IAM Access Analyzer findings.

Option D is incorrect because creating an Amazon CloudWatch metric filter that matches active IAM Access Analyzer findings and invokes AWS Batch for resolution is not a suitable way to monitor and analyze the security incidents. Amazon CloudWatch is a service that provides monitoring and observability for your AWS resources and applications. CloudWatch can collect metrics, logs, and events from various sources and perform actions based on alarms or filters. However, CloudWatch cannot directly invoke AWS Batch jobs from the IAM Access Analyzer findings. You would need to use another service such as EventBridge or SNS to trigger the Batch job.

Option E is incorrect because creating an Amazon SQS queue that forwards a notification to the security team that an external principal has been granted access to the specific IAM role and has been blocked is not a valid way to notify the security incidents. Amazon SQS is a fully managed message queue service that enables you to decouple and scale microservices, distributed systems, and serverless applications. SQS can deliver messages to consumers that poll the queue for messages. However, SQS cannot directly forward a notification to the security team's email addresses. You would need to use another service such as SNS or SES to send email notifications.

Option F is correct because creating an Amazon SNS topic for external or cross-account access notices and subscribing the security team's email addresses to the topic is a valid way to notify the security incidents. Amazon SNS is a fully managed messaging service that enables you to decouple and scale microservices, distributed systems, and serverless applications. SNS can deliver messages to a variety of endpoints, such as email, SMS, or HTTP. You can use SNS to send email notifications to the security team when a critical security finding is detected.

References:

- > AWS Step Functions
- > AWS Batch
- > Amazon EventBridge
- > Amazon CloudWatch
- > Amazon SQS
- > Amazon SNS

NEW QUESTION 6

A company has two IAM accounts within IAM Organizations. In Account-1, Amazon EC2 Auto Scaling is launched using a service-linked role. In Account-2, Amazon EBS volumes are encrypted with an IAM KMS key. A Security Engineer needs to ensure that the service-linked role can launch instances with these encrypted volumes.

Which combination of steps should the Security Engineer take in both accounts? (Select TWO.)

- A. Allow Account-1 to access the KMS key in Account-2 using a key policy
- B. Attach an IAM policy to the service-linked role in Account-1 that allows these actions CreateGrant, DescribeKey, Encrypt, GenerateDataKey, Decrypt, and ReEncrypt
- C. Create a KMS grant for the service-linked role with these actions CreateGrant, DescribeKey, Encrypt, GenerateDataKey, Decrypt, and ReEncrypt
- D. Attach an IAM policy to the role attached to the EC2 instances with KMS actions and then allow Account-1 in the KMS key policy.
- E. Attach an IAM policy to the user who is launching EC2 instances and allow the user to access the KMS key policy of Account-2.

Answer: CD

Explanation:

because these are the steps that can ensure that the service-linked role can launch instances with encrypted volumes. A service-linked role is a type of IAM role that is linked to an AWS service and allows the service to perform actions on your behalf. A KMS grant is a mechanism that allows you to delegate permissions to use a customer master key (CMK) to a principal such as a service-linked role. A KMS grant specifies the actions that the principal can perform, such as encrypting and decrypting data. By creating a KMS grant for the service-linked role with the specified actions, you can allow the service-linked role to use the CMK in Account-2 to launch instances with encrypted volumes. By attaching an IAM policy to the role attached to the EC2 instances with KMS actions and then allowing Account-1 in the KMS key policy, you can also enable cross-account access to the CMK and allow the EC2 instances to use the encrypted volumes. The other options are either incorrect or unnecessary for meeting the requirement.

NEW QUESTION 7

A Security Engineer is asked to update an AWS CloudTrail log file prefix for an existing trail. When attempting to save the change in the CloudTrail console, the Security Engineer receives the following error message: `There is a problem with the bucket policy.` What will enable the Security Engineer to save the change?

- A. Create a new trail with the updated log file prefix, and then delete the original trail
- B. Update the existing bucket policy in the Amazon S3 console with the new log file prefix, and then update the log file prefix in the CloudTrail console.
- C. Update the existing bucket policy in the Amazon S3 console to allow the Security Engineer's Principal to perform PutBucketPolicy, and then update the log file

prefix in the CloudTrail console.

D. Update the existing bucket policy in the Amazon S3 console with the new log file prefix, and then update the log file prefix in the CloudTrail console.

E. Update the existing bucket policy in the Amazon S3 console to allow the Security Engineer's Principal to perform GetBucketPolicy, and then update the log file prefix in the CloudTrail console.

Answer: C

Explanation:

The correct answer is C. Update the existing bucket policy in the Amazon S3 console with the new log file prefix, and then update the log file prefix in the CloudTrail console.

According to the AWS documentation¹, a bucket policy is a resource-based policy that you can use to grant access permissions to your Amazon S3 bucket and the objects in it. Only the bucket owner can associate a policy with a bucket. The permissions attached to the bucket apply to all of the objects in the bucket that are owned by the bucket owner.

When you create a trail in CloudTrail, you can specify an existing S3 bucket or create a new one to store your log files. CloudTrail automatically creates a bucket policy for your S3 bucket that grants CloudTrail write-only access to deliver log files to your bucket. The bucket policy also grants read-only access to AWS services that you can use to view and analyze your log data, such as Amazon Athena, Amazon CloudWatch Logs, and Amazon QuickSight.

If you want to update the log file prefix for an existing trail, you must also update the existing bucket policy in the S3 console with the new log file prefix. The log file prefix is part of the resource ARN that identifies the objects in your bucket that CloudTrail can access. If you don't update the bucket policy with the new log file prefix, CloudTrail will not be able to deliver log files to your bucket, and you will receive an error message when you try to save the change in the CloudTrail console.

The other options are incorrect because:

➤ A. Creating a new trail with the updated log file prefix, and then deleting the original trail is not necessary and may cause data loss or inconsistency. You can simply update the existing trail and its associated bucket policy with the new log file prefix.

➤ B. Updating the existing bucket policy in the S3 console to allow the Security Engineer's Principal to perform PutBucketPolicy is not relevant to this issue. The PutBucketPolicy action allows you to create or replace a policy on a bucket, but it does not affect CloudTrail's ability to deliver log files to your bucket. You still need to update the existing bucket policy with the new log file prefix.

➤ D. Updating the existing bucket policy in the S3 console to allow the Security Engineer's Principal to perform GetBucketPolicy is not relevant to this issue. The GetBucketPolicy action allows you to retrieve a policy on a bucket, but it does not affect CloudTrail's ability to deliver log files to your bucket. You still need to update the existing bucket policy with the new log file prefix.

References:

1: Using bucket policies - Amazon Simple Storage Service

NEW QUESTION 8

A large corporation is creating a multi-account strategy and needs to determine how its employees should access the IAM infrastructure.

Which of the following solutions would provide the MOST scalable solution?

A. Create dedicated IAM users within each IAM account that employees can assume through federation based upon group membership in their existing identity provider

B. Use a centralized account with IAM roles that employees can assume through federation with their existing identity provider Use cross-account roles to allow the federated users to assume their target role in the resource accounts.

C. Configure the IAM Security Token Service to use Kerberos tokens so that users can use their existing corporate user names and passwords to access IAM resources directly

D. Configure the IAM trust policies within each account's role to set up a trust back to the corporation's existing identity provider allowing users to assume the role based off their SAML token

Answer: B

Explanation:

the most scalable solution for accessing the IAM infrastructure in a multi-account strategy. A multi-account strategy is a way of organizing your AWS resources into multiple IAM accounts for security, billing, and management purposes. Federation is a process that allows users to access AWS resources using credentials from an external identity provider such as Active Directory or SAML. IAM roles are sets of permissions that grant access to AWS resources. Cross-account roles are IAM roles that allow users in one account to access resources in another account. By using a centralized account with IAM roles that employees can assume through federation with their existing identity provider, you can simplify and streamline the access management process. By using cross-account roles to allow the federated users to assume their target role in the resource accounts, you can enable granular and flexible access control across multiple accounts. The other options are either less scalable or less secure for accessing the IAM infrastructure in a multi-account strategy.

NEW QUESTION 9

A company wants to migrate its static primary domain website to AWS. The company hosts the website and DNS servers internally. The company wants the website to enforce SSL/TLS encryption block IP addresses from outside the United States (US), and take advantage of managed services whenever possible.

Which solution will meet these requirements?

A. Migrate the website to Amazon S3 Import a public SSL certificate to an Application Load Balancer

B. Balancer with rules to block traffic from outside the US Migrate DNS to Amazon Route 53.

C. Migrate the website to Amazon EC2 Import a public SSL certificate that is created by AWS Certificate Manager (ACM) to an Application Load Balancer with rules to block traffic from outside the US Update DNS accordingly.

D. Migrate the website to Amazon S3. Import a public SSL certificate to Amazon CloudFront Use AWS WAF rules to block traffic from outside the US Update DNS accordingly

E. Migrate the website to Amazon S3 Import a public SSL certificate that is created by AWS Certificate Manager (ACM) to Amazon

F. CloudFront Configure CloudFront to block traffic from outside the US

G. Migrate DNS to Amazon Route 53.

Answer: D

Explanation:

To migrate the static website to AWS and meet the requirements, the following steps are required:

➤ Migrate the website to Amazon S3, which is a highly scalable and durable object storage service that can host static websites. To do this, create an S3 bucket with the same name as the domain name of the website, enable static website hosting for the bucket, upload the website files to the bucket, and configure the bucket policy to allow public read access to the objects. For more information, see [Hosting a static website on Amazon S3](#).

➤ Import a public SSL certificate that is created by AWS Certificate Manager (ACM) to Amazon CloudFront, which is a global content delivery network (CDN)

service that can improve the performance and security of web applications. To do this, request or import a public SSL certificate for the domain name of the website using ACM, create a CloudFront distribution with the S3 bucket as the origin, and associate the SSL certificate with the distribution. For more information, see Using alternate domain names and HTTPS.

➤ Configure CloudFront to block traffic from outside the US, which is one of the requirements. To do this, create a CloudFront web ACL using AWS WAF, which is a web application firewall service that lets you control access to your web applications. In the web ACL, create a rule that uses a geo match condition to block requests that originate from countries other than the US. Associate the web ACL with the CloudFront distribution. For more information, see How AWS WAF works with Amazon CloudFront features.

➤ Migrate DNS to Amazon Route 53, which is a highly available and scalable cloud DNS service that can route traffic to various AWS services. To do this, register or transfer your domain name to Route 53, create a hosted zone for your domain name, and create an alias record that points your domain name to your CloudFront distribution. For more information, see Routing traffic to an Amazon CloudFront web distribution by using your domain name.

The other options are incorrect because they either do not implement SSL/TLS encryption for the website (A), do not use managed services whenever possible (B), or do not block IP addresses from outside the US ©. Verified References:

➤ <https://docs.aws.amazon.com/AmazonS3/latest/userguide/HostingWebsiteOnS3Setup.html>

➤ <https://docs.aws.amazon.com/waf/latest/developerguide/waf-cloudfront.html>

➤ <https://docs.aws.amazon.com/Route53/latest/DeveloperGuide/routing-to-cloudfront-distribution.html>

NEW QUESTION 10

A company is using AWS Organizations to create OUs for its accounts. The company has more than 20 accounts that are all part of the OUs. A security engineer must implement a solution to ensure that no account can stop to file delivery to AWS CloudTrail.

Which solution will meet this requirement?

- A. Use the --is-multi-region-trail option while running the create-trail command to ensure that logs are configured across all AWS Regions.
- B. Create an SCP that includes a Deny rule for the cloudtrail
- C. StopLogging action Apply the SCP to all accounts in the OUs.
- D. Create an SCP that includes an Allow rule for the cloudtrail
- E. StopLogging action Apply the SCP to all accounts in the OUs.
- F. Use AWS Systems Manager to ensure that CloudTrail is always turned on.

Answer: B

Explanation:

This SCP prevents users or roles in any affected account from disabling a CloudTrail log, either directly as a command or through the console.

https://asecure.cloud/a/scp_cloudtrail/

NEW QUESTION 10

A company wants to monitor the deletion of customer managed CMKs A security engineer must create an alarm that will notify the company before a CMK is deleted The security engineer has configured the integration of IAM CloudTrail with Amazon CloudWatch

What should the security engineer do next to meet this requirement?

- A. Use inbound rule 100 to allow traffic on TCP port 443 Use inbound rule 200 to deny traffic on TCP port 3306 Use outbound rule 100 to allow traffic on TCP port 443
- B. Use inbound rule 100 to deny traffic on TCP port 3306. Use inbound rule 200 to allow traffic on TCP port range 1024-65535. Use outbound rule 100 to allow traffic on TCP port 443
- C. Use inbound rule 100 to allow traffic on TCP port range 1024-65535 Use inbound rule 200 to deny traffic on TCP port 3306 Use outbound rule 100 to allow traffic on TCP port 443
- D. Use inbound rule 100 to deny traffic on TCP port 3306 Use inbound rule 200 to allow traffic on TCP port 443 Use outbound rule 100 to allow traffic on TCP port 443

Answer: A

NEW QUESTION 11

An application team wants to use IAM Certificate Manager (ACM) to request public certificates to ensure that data is secured in transit. The domains that are being used are not currently hosted on Amazon Route 53

The application team wants to use an IAM managed distribution and caching solution to optimize requests to its systems and provide better points of presence to customers The distribution solution will use a primary domain name that is customized The distribution solution also will use several alternative domain names The certificates must renew automatically over an indefinite period of time

Which combination of steps should the application team take to deploy this architecture? (Select THREE.)

- A. Request a certificate (from ACM in the us-west-2 Region Add the domain names that the certificate will secure
- B. Send an email message to the domain administrators to request vacation of the domains for ACM
- C. Request validation of the domains for ACM through DNS Insert CNAME records into each domain's DNS zone
- D. Create an Application Load Balancer for the caching solution Select the newly requested certificate from ACM to be used for secure connections
- E. Create an Amazon CloudFront distribution for the caching solution Enter the main CNAME record as the Origin Name Enter the subdomain names or alternate names in the Alternate Domain Names Distribution Settings Select the newly requested certificate from ACM to be used for secure connections
- F. Request a certificate from ACM in the us-east-1 Region Add the domain names that the certificate will secure

Answer: CDF

NEW QUESTION 15

A System Administrator is unable to start an Amazon EC2 instance in the eu-west-1 Region using an IAM role The same System Administrator is able to start an EC2 instance in the eu-west-2 and eu-west-3 Regions. The IAMSystemAdministrator access policy attached to the System Administrator IAM role allows unconditional access to all IAM services and resources within the account

Which configuration caused this issue?

A) An SCP is attached to the account with the following permission statement:

```
{
  "Version": "2012-10-17",
  "Statement": [
    {
      "Effect": "All",
      "Action": "*",
      "Resource": "*"
    },
    {
      "Effect": "Deny",
      "NotAction": [
        "iam:*",
        "organizations:*",
        "route53:*",
        "budgets:*",
        "waf:*",
        "cloudfront:*",
        "globalaccelerator:*",
        "importexport:*",
        "support:*"
      ],
      "Resource": "*",
      "Condition": {
        "StringEquals": {
          "aws:RequestedRegion": [
            "eu-west-*"
          ]
        }
      }
    }
  ]
}
```

B)
A permission boundary policy is attached to the System Administrator role with the following permission statement:

```
{
  "Version": "2012-10-17",
  "Statement": [
    {
      "Effect": "Allow",
      "Action": [
        "ec2:*"
      ],
      "Resource": "*"
    },
    {
      "Effect": "Deny",
      "NotAction": [
        "iam:*",
        "organizations:*",
        "route53:*",
        "budgets:*",
        "waf:*",
        "cloudfront:*",
        "globalaccelerator:*",
        "importexport:*",
        "support:*",
        "ec2:*"
      ],
      "Resource": "*",
      "Condition": {
        "StringEquals": {
          "aws:RequestedRegion": [
            "eu-west-1"
          ]
        }
      }
    }
  ]
}
```

C) A permission boundary is attached to the System Administrator role with the following permission statement:

```
{
  "Version": "2012-10-17",
  "Statement": [
    {
      "Effect": "Allow",
      "Action": [
        "ec2:*"
      ],
      "Resource": "*"
    },
    {
      "Version": "2012-10-17",
      "Statement": [
        {
          "Effect": "Allow",
          "Action": "ec2:*",
          "Resource": "*",
          "Condition": {
            "StringEquals": {
              "aws:RequestedRegion": [
                "eu-west-1"
              ]
            }
          }
        }
      ]
    }
  ]
}
```

D) An SCP is attached to the account with the following statement:

```

"Version": "2012-10-17",
"Statement": [
  {
    "Effect": "Allow",
    "Action": "*",
    "Resource": "*"
  },
  {
    "Effect": "Deny",
    "NotAction": [
      "iam:*",
      "organization:*",
      "route53:*",
      "budgets:*",
      "waf:*",
      "cloudfront:*",
      "globalaccelerator:*",
      "importexport:*",
      "support:*",
      "ec2:*"
    ],
    "Resource": "*",
    "Condition": {
      "StringEquals": {
        "aws:RequestedRegion": "eu-west-1"
      }
    }
  }
]

```

- A. Option A
- B. Option B
- C. Option C
- D. Option D

Answer: B

NEW QUESTION 16

A company has an AWS Lambda function that creates image thumbnails from larger images. The Lambda function needs read and write access to an Amazon S3 bucket in the same AWS account.

Which solutions will provide the Lambda function this access? (Select TWO.)

- A. Create an IAM user that has only programmatic access
- B. Create a new access key pair
- C. Add environmental variables to the Lambda function with the access key ID and secret access key
- D. Modify the Lambda function to use the environmental variables at run time during communication with Amazon S3.
- E. Generate an Amazon EC2 key pair
- F. Store the private key in AWS Secrets Manager
- G. Modify the Lambda function to retrieve the private key from Secrets Manager and to use the private key during communication with Amazon S3.
- H. Create an IAM role for the Lambda function
- I. Attach an IAM policy that allows access to the S3 bucket.
- J. Create an IAM role for the Lambda function
- K. Attach a bucket policy to the S3 bucket to allow access. Specify the function's IAM role as the principal.
- L. Create a security group
- M. Attach the security group to the Lambda function
- N. Attach a bucket policy that allows access to the S3 bucket through the security group ID.

Answer: CD

NEW QUESTION 21

An ecommerce website was down for 1 hour following a DDoS attack. Users were unable to connect to the website during the attack period. The ecommerce company's security team is worried about future potential attacks and wants to prepare for such events. The company needs to minimize downtime in its response to similar attacks in the future.

Which steps would help achieve this? (Select TWO.)

- A. Enable Amazon GuardDuty to automatically monitor for malicious activity and block unauthorized access.
- B. Subscribe to IAM Shield Advanced and reach out to IAM Support in the event of an attack.
- C. Use VPC Flow Logs to monitor network traffic and an IAM Lambda function to automatically block an attacker's IP using security groups.
- D. Set up an Amazon CloudWatch Events rule to monitor the IAM CloudTrail events in real time, use IAM Config rules to audit the configuration, and use IAM Systems Manager for remediation.
- E. Use IAM WAF to create rules to respond to such attacks.

Answer: BE

Explanation:

To minimize downtime in response to DDoS attacks, the company should do the following:

- Subscribe to AWS Shield Advanced and reach out to AWS Support in the event of an attack. This provides access to 24x7 support from the AWS DDoS Response Team (DRT), as well as advanced detection and mitigation capabilities for network and application layer attacks.
- Use AWS WAF to create rules to respond to such attacks. This allows the company to filter web requests based on IP addresses, headers, body, or URI strings, and block malicious requests before they reach the web applications.

NEW QUESTION 22

A company has two AWS accounts. One account is for development workloads. The other account is for production workloads. For compliance reasons, the production account contains all the AWS Key Management Service (AWS KMS) keys that the company uses for encryption. The company applies an IAM role to an AWS Lambda function in the development account to allow secure access to AWS resources. The Lambda function must

access a specific KMS customer managed key that exists in the production account to encrypt the Lambda function's data. Which combination of steps should a security engineer take to meet these requirements? (Select TWO.)

- A. Configure the key policy for the customer managed key in the production account to allow access to the Lambda service.
- B. Configure the key policy for the customer managed key in the production account to allow access to the IAM role of the Lambda function in the development account.
- C. Configure a new IAM policy in the production account with permissions to use the customer managed key.
- D. Apply the IAM policy to the IAM role that the Lambda function in the development account uses.
- E. Configure a new key policy in the development account with permissions to use the customer managed key.
- F. Apply the key policy to the IAM role that the Lambda function in the development account uses.
- G. Configure the IAM role for the Lambda function in the development account by attaching an IAM policy that allows access to the customer managed key in the production account.

Answer: BE

Explanation:

To allow a Lambda function in one AWS account to access a KMS customer managed key in another AWS account, the following steps are required:

- Configure the key policy for the customer managed key in the production account to allow access to the IAM role of the Lambda function in the development account. A key policy is a resource-based policy that defines who can use or manage a KMS key. To grant cross-account access to a KMS key, you must specify the AWS account ID and the IAM role ARN of the external principal in the key policy statement. For more information, see [Allowing users in other accounts to use a KMS key](#).
- Configure the IAM role for the Lambda function in the development account by attaching an IAM policy that allows access to the customer managed key in the production account. An IAM policy is an identity-based policy that defines what actions an IAM entity can perform on which resources. To allow an IAM role to use a KMS key in another account, you must specify the KMS key ARN and the kms:Encrypt action (or any other action that requires access to the KMS key) in the IAM policy statement. For more information, see [Using IAM policies with AWS KMS](#).

This solution will meet the requirements of allowing secure access to a KMS customer managed key across AWS accounts.

The other options are incorrect because they either do not grant cross-account access to the KMS key (A, C), or do not use a valid policy type for KMS keys (D).

Verified References:

- <https://docs.aws.amazon.com/kms/latest/developerguide/iam-policies.html>

NEW QUESTION 27

A company's cloud operations team is responsible for building effective security for IAM cross-account access. The team asks a security engineer to help troubleshoot why some developers in the developer account (123456789012) in the developers group are not able to assume a cross-account role (ReadS3) into a production account (999999999999) to read the contents of an Amazon S3 bucket (productionapp). The two account policies are as follows:

Developer account 123456789012:

Developer group permissions:

```
{
  "Version": "2012-10-17",
  "Statement": [
    {
      "Effect": "Allow",
      "Action": "sts:AssumeRole",
      "Resource": "arn:aws:iam::999999999999:role/ReadS3"
    }
  ]
}
```

Production account 999999999999:

Production account ReadS3 role policy:

```
{
  "Version": "2012-10-17",
  "Statement": [
    {
      "Effect": "Allow",
      "Action": "s3:ListAllMyBuckets",
      "Resource": "*"
    },
    {
      "Effect": "Allow",
      "Action": [
        "s3:ListBucket",
        "s3:GetBucketLocation"
      ]
    }
  ]
}
```

Production account ReadS3 role policy - trust relationship:

```
{
  "Version": "2012-10-17",
  "Statement": [
    {
      "Effect": "Allow",
      "Principal": {
        "AWS": "arn:aws:iam::888888888888:root"
      },
      "Action": "sts:AssumeRole",
      "Condition": {
        "BoolIfExists": {
          "aws:MultiFactorAuthPresent": "true"
        }
      }
    }
  ]
}
```

Which recommendations should the security engineer make to resolve this issue? (Select TWO.)

- A. Ask the developers to change their password and use a different web browser.
- B. Ensure that developers are using multi-factor authentication (MFA) when they log in to their developer account as the developer role.
- C. Modify the production account ReadS3 role policy to allow the PutBucketPolicy action on the productionapp S3 bucket.
- D. Update the trust relationship policy on the production account S3 role to allow the account number of the developer account.
- E. Update the developer group permissions in the developer account to allow access to the productionapp S3 bucket.

Answer: AD

NEW QUESTION 29

A company stores images for a website in an Amazon S3 bucket. The company is using Amazon CloudFront to serve the images to end users. The company recently discovered that the images are being accessed from countries where the company does not have a distribution license.

Which actions should the company take to secure the images to limit their distribution? (Select TWO.)

- A. Update the S3 bucket policy to restrict access to a CloudFront origin access identity (OAI).
- B. Update the website DNS record to use an Amazon Route 53 geolocation record deny list of countries where the company lacks a license.
- C. Add a CloudFront geo restriction deny list of countries where the company lacks a license.
- D. Update the S3 bucket policy with a deny list of countries where the company lacks a license.
- E. Enable the Restrict Viewer Access option in CloudFront to create a deny list of countries where the company lacks a license.

Answer: AC

Explanation:

To secure the images to limit their distribution, the company should take the following actions:

- Update the S3 bucket policy to restrict access to a CloudFront origin access identity (OAI). This allows the company to use a special CloudFront user that can access objects in their S3 bucket, and prevent anyone else from accessing them directly.
- Add a CloudFront geo restriction deny list of countries where the company lacks a license. This allows the company to use a feature that controls access to their content based on the geographic location of their viewers, and block requests from countries where they do not have a distribution license.

NEW QUESTION 34

There are currently multiple applications hosted in a VPC. During monitoring it has been noticed that multiple port scans are coming in from a specific IP Address block. The internal security team has requested that all offending IP Addresses be denied for the next 24 hours. Which of the following is the best method to quickly and temporarily deny access from the specified IP Address's.

Please select:

- A. Create an AD policy to modify the Windows Firewall settings on all hosts in the VPC to deny access from the IP Address block.
- B. Modify the Network ACLs associated with all public subnets in the VPC to deny access from the IP Address block.
- C. Add a rule to all of the VPC Security Groups to deny access from the IP Address block.
- D. Modify the Windows Firewall settings on all AMI'S that your organization uses in that VPC to deny access from the IP address block.

Answer: B

Explanation:

NACL acts as a firewall at the subnet level of the VPC and we can deny the offending IP address block at the subnet level using NACL rules to block the incoming traffic to the VPC instances. Since NACL rules are applied as per the Rule numbers make sure that this rule number should take precedence over other rule numbers if there are any such rules that will allow traffic from these IP ranges. The lowest rule number has more precedence over a rule that has a higher number. The IAM Documentation mentions the following as a best practices for IAM users

For extra security, enable multi-factor authentication (MFA) for privileged IAM users (users who are allowed access to sensitive resources or APIs). With MFA, users have a device that generates a unique authentication code (a one-time password, or OTP). Users must provide both their normal credentials (like their user name and password) and the OTP. The MFA device can either be a special piece of hardware, or it can be a virtual device (for example, it can run in an app on a smartphone).

Options C is invalid because these options are not available Option D is invalid because there is not root access for users

For more information on IAM best practices, please visit the below URL: <https://docs.IAM.amazon.com/IAM/latest/UserGuide/best-practices.html>

The correct answer is: Modify the Network ACLs associated with all public subnets in the VPC to deny access from the IP Address block.

omit your Feedback/Queries to our Experts

NEW QUESTION 35

A company has a new partnership with a vendor. The vendor will process data from the company's customers. The company will upload data files as objects into an Amazon S3 bucket. The vendor will download the objects to perform data processing. The objects will contain sensitive data.

A security engineer must implement a solution that prevents objects from residing in the S3 bucket for longer than 72 hours.

Which solution will meet these requirements?

- A. Use Amazon Macie to scan the S3 bucket for sensitive data every 72 hour
- B. Configure Macie to delete the objects that contain sensitive data when they are discovered.
- C. Configure an S3 Lifecycle rule on the S3 bucket to expire objects that have been in the S3 bucket for 72 hours.
- D. Create an Amazon EventBridge scheduled rule that invokes an AWS Lambda function every day. Program the Lambda function to remove any objects that have been in the S3 bucket for 72 hours.
- E. Use the S3 Intelligent-Tiering storage class for all objects that are up-loaded to the S3 bucket
- F. Use S3 Intelligent-Tiering to expire objects that have been in the S3 bucket for 72 hours.

Answer: B

NEW QUESTION 39

A security engineer needs to develop a process to investigate and respond to potential security events on a company's Amazon EC2 instances. All the EC2 instances are backed by Amazon Elastic Block Store (Amazon EBS). The company uses AWS Systems Manager to manage all the EC2 instances and has installed Systems Manager Agent (SSM Agent) on all the EC2 instances.

The process that the security engineer is developing must comply with AWS security best practices and must meet the following requirements:

- A compromised EC2 instance's volatile memory and non-volatile memory must be preserved for forensic purposes.
- A compromised EC2 instance's metadata must be updated with corresponding incident ticket information.
- A compromised EC2 instance must remain online during the investigation but must be isolated to prevent the spread of malware.
- Any investigative activity during the collection of volatile data must be captured as part of the process. Which combination of steps should the security engineer take to meet these requirements with the LEAST operational overhead? (Select THREE.)

- A. Gather any relevant metadata for the compromised EC2 instance
- B. Enable termination protection
- C. Isolate the instance by updating the instance's security groups to restrict access
- D. Detach the instance from any Auto Scaling groups that the instance is a member of
- E. Deregister the instance from any Elastic Load Balancing (ELB) resources.
- F. Gather any relevant metadata for the compromised EC2 instance
- G. Enable termination protection
- H. Move the instance to an isolation subnet that denies all source and destination traffic
- I. Associate the instance with the subnet to restrict access
- J. Detach the instance from any Auto Scaling groups that the instance is a member of
- K. Deregister the instance from any Elastic Load Balancing (ELB) resources.
- L. Use Systems Manager Run Command to invoke scripts that collect volatile data.
- M. Establish a Linux SSH or Windows Remote Desktop Protocol (RDP) session to the compromised EC2 instance to invoke scripts that collect volatile data.
- N. Create a snapshot of the compromised EC2 instance's EBS volume for follow-up investigation
- O. Tag the instance with any relevant metadata and incident ticket information.
- P. Create a Systems Manager State Manager association to generate an EBS volume snapshot of the compromised EC2 instance
- Q. Tag the instance with any relevant metadata and incident ticket information.

Answer: ACE

NEW QUESTION 42

A company plans to use AWS Key Management Service (AWS KMS) to implement an encryption strategy to protect data at rest. The company requires client-side encryption for company projects. The company is currently conducting multiple projects to test the company's use of AWS KMS. These tests have led to a sudden increase in the company's AWS resource consumption. The test projects include applications that issue multiple requests each second to KMS endpoints for encryption activities.

The company needs to develop a solution that does not throttle the company's ability to use AWS KMS. The solution must improve key usage for client-side encryption and must be cost optimized. Which solution will meet these requirements?

- A. Use keyrings with the AWS Encryption SD
- B. Use each keyring individually or combine keyrings into a multi-keyrin
- C. Decrypt the data by using a keyring that has the primary key in the multi-keyring.
- D. Use data key cachin
- E. Use the local cache that the AWS Encryption SDK provides with a caching cryptographic materials manager.
- F. Use KMS key rotatio
- G. Use a local cache in the AWS Encryption SDK with a caching cryptographic materials manager.
- H. Use keyrings with the AWS Encryption SD
- I. Use each keyring individually or combine keyrings into a multi-keyrin
- J. Use any of the wrapping keys in the multi-keyring to decrypt the data.

Answer: B

Explanation:

The correct answer is B. Use data key caching. Use the local cache that the AWS Encryption SDK provides with a caching cryptographic materials manager. This answer is correct because data key caching can improve performance, reduce cost, and help the company stay within the service limits of AWS KMS. Data key caching stores data keys and related cryptographic material in a cache, and reuses them for encryption and decryption operations. This reduces the number of requests to AWS KMS endpoints and avoids throttling. The AWS Encryption SDK provides a local cache and a caching cryptographic materials manager (caching CMM) that interacts with the cache and enforces security thresholds that the company can set¹.

The other options are incorrect because:

- > A. Using keyrings with the AWS Encryption SDK does not address the problem of throttling or cost optimization. Keyrings are used to generate, encrypt, and decrypt data keys, but they do not cache or reuse them. Using each keyring individually or combining them into a multi-keyring does not reduce the number of requests to AWS KMS endpoints².
- > C. Using KMS key rotation does not address the problem of throttling or cost optimization. Key rotation is a security practice that creates new cryptographic material for a KMS key every year, but it does not affect the data that the KMS key protects. Key rotation does not reduce the number of requests to AWS KMS endpoints, and it might incur additional costs for storing multiple versions of key material³.
- > D. Using keyrings with the AWS Encryption SDK does not address the problem of throttling or cost optimization, as explained in option A. Moreover, using any of the wrapping keys in the multi-keyring to decrypt the data is not a valid option, because only one of the wrapping keys can decrypt a given data key. The wrapping key that encrypts a data key is stored in the encrypted data key structure, and only that wrapping key can decrypt it⁴.

References:

1: Data key caching - AWS Encryption SDK 2: Using keyrings - AWS Encryption SDK 3: Rotating AWS KMS keys - AWS Key Management Service 4: How keyrings work - AWS Encryption SDK

NEW QUESTION 47

A web application gives users the ability to log in verify their membership's validity and browse artifacts that are stored in an Amazon S3 bucket. When a user attempts to download an object, the application must verify the permission to access the object and allow the user to download the object from a custom domain name such as example.com.

What is the MOST secure way for a security engineer to implement this functionality?

- A. Configure read-only access to the object by using a bucket AC
- B. Remove the access after a set time has elapsed.
- C. Implement an IAM policy to give the user read access to the S3 bucket.
- D. Create an S3 presigned URL Provide the S3 presigned URL to the user through the application.
- E. Create an Amazon CloudFront signed UR
- F. Provide the CloudFront signed URL to the user through the application.

Answer: D

Explanation:

For this scenario you would need to set up static website hosting because a custom domain name is listed as a requirement. "Amazon S3 website endpoints do not support HTTPS or access points. If you want to use HTTPS, you can use Amazon CloudFront to serve a static website hosted on Amazon S3." This is not secure. <https://docs.aws.amazon.com/AmazonS3/latest/userguide/website-hosting-custom-domain-walkthrough.html> CloudFront signed URLs allow much more fine-grained control as well as HTTPS access with custom domain names:

<https://docs.aws.amazon.com/AmazonCloudFront/latest/DeveloperGuide/private-content-signed-urls.html>

NEW QUESTION 49

A company hosts business-critical applications on Amazon EC2 instances in a VPC. The VPC uses default DHCP options sets. A security engineer needs to log all DNS queries that internal resources make in the VPC. The security engineer also must create a list of the most common DNS queries over time. Which solution will meet these requirements?

- A. Install the Amazon CloudWatch agent on each EC2 instance in the VP
- B. Use the CloudWatch agent to stream the DNS query logs to an Amazon CloudWatch Logs log grou
- C. Use CloudWatch metric filters to automatically generate metrics that list the most common ONS queries.
- D. Install a BIND DNS server in the VP
- E. Create a bash script to list the DNS request number of common DNS queries from the BIND logs.
- F. Create VPC flow logs for all subnets in the VP
- G. Stream the flow logs to an Amazon CloudWatch Logs log grou
- H. Use CloudWatch Logs Insights to list the most common DNS queries for the log group in a custom dashboard.
- I. Configure Amazon Route 53 Resolver query loggin

- J. Add an Amazon CloudWatch Logs log group as the destination.
K. Use Amazon CloudWatch Contributor Insights to analyze the data and create time series that display the most common DNS queries.

Answer: D

Explanation:

<https://aws.amazon.com/blogs/aws/log-your-vpc-dns-queries-with-route-53-resolver-query-logs/>

NEW QUESTION 51

A company has a legacy application that runs on a single Amazon EC2 instance. A security audit shows that the application has been using an IAM access key within its code to access an Amazon S3 bucket that is named DOC-EXAMPLE-BUCKET1 in the same AWS account. This access key pair has the s3:GetObject permission to all objects in only this S3 bucket. The company takes the application offline because the application is not compliant with the company's security policies for accessing other AWS resources from Amazon EC2.

A security engineer validates that AWS CloudTrail is turned on in all AWS Regions. CloudTrail is sending logs to an S3 bucket that is named DOC-EXAMPLE-BUCKET2. This S3 bucket is in the same AWS account as DOC-EXAMPLE-BUCKET1. However, CloudTrail has not been configured to send logs to Amazon CloudWatch Logs.

The company wants to know if any objects in DOC-EXAMPLE-BUCKET1 were accessed with the IAM access key in the past 60 days. If any objects were accessed, the company wants to know if any of the objects that are text files (.txt extension) contained personally identifiable information (PII).

Which combination of steps should the security engineer take to gather this information? (Choose two.)

- A. Configure Amazon Macie to identify any objects in DOC-EXAMPLE-BUCKET1 that contain PII and that were available to the access key.
- B. Use Amazon CloudWatch Logs Insights to identify any objects in DOC-EXAMPLE-BUCKET1 that contain PII and that were available to the access key.
- C. Use Amazon OpenSearch Service (Amazon Elasticsearch Service) to query the CloudTrail logs in DOC-EXAMPLE-BUCKET2 for API calls that used the access key to access an object that contained PII.
- D. Use Amazon Athena to query the CloudTrail logs in DOC-EXAMPLE-BUCKET2 for any API calls that used the access key to access an object that contained PII.
- E. Use AWS Identity and Access Management Access Analyzer to identify any API calls that used the access key to access objects that contained PII in DOC-EXAMPLE-BUCKET1.

Answer: AD

NEW QUESTION 56

Your company is planning on using bastion hosts for administering the servers in IAM. Which of the following is the best description of a bastion host from a security perspective?

Please select:

- A. A Bastion host should be on a private subnet and never a public subnet due to security concerns
- B. A Bastion host sits on the outside of an internal network and is used as a gateway into the private network and is considered the critical strong point of the network
- C. Bastion hosts allow users to log in using RDP or SSH and use that session to SSH into internal network to access private subnet resources.
- D. A Bastion host should maintain extremely tight security and monitoring as it is available to the public

Answer: C

Explanation:

A bastion host is a special purpose computer on a network specifically designed and configured to withstand attacks. The computer generally hosts a single application, for example a proxy server, and all other services are removed or limited to reduce the threat to the computer.

In IAM, A bastion host is kept on a public subnet. Users log on to the bastion host via SSH or RDP and then use that session to manage other hosts in the private subnets.

Options A and B are invalid because the bastion host needs to sit on the public network. Option D is invalid because bastion hosts are not used for monitoring. For more information on bastion hosts, just browse to the below URL:

<https://docs.IAM.amazon.com/quickstart/latest/linux-bastion/architecture.html>

The correct answer is: Bastion hosts allow users to log in using RDP or SSH and use that session to SSH into internal network to access private subnet resources. Submit your Feedback/Queries to our Experts

NEW QUESTION 57

A security team is working on a solution that will use Amazon EventBridge (Amazon CloudWatch Events) to monitor new Amazon S3 objects. The solution will monitor for public access and for changes to any S3 bucket policy or setting that result in public access. The security team configures EventBridge to watch for specific API calls that are logged from AWS CloudTrail. EventBridge has an action to send an email notification through Amazon Simple Notification Service (Amazon SNS) to the security team immediately with details of the API call.

Specifically, the security team wants EventBridge to watch for the s3:PutObjectAcl, s3:DeleteBucketPolicy, and s3:PutBucketPolicy API invocation logs from CloudTrail. While developing the solution in a single account, the security team discovers that the s3:PutObjectAcl API call does not invoke an EventBridge event. However, the s3:DeleteBucketPolicy API call and the s3:PutBucketPolicy API call do invoke an event.

The security team has enabled CloudTrail for AWS management events with a basic configuration in the AWS Region in which EventBridge is being tested.

Verification of the EventBridge event pattern indicates that the pattern is set up correctly. The security team must implement a solution so that the s3:PutObjectAcl API call will invoke an EventBridge event. The solution must not generate false notifications.

Which solution will meet these requirements?

- A. Modify the EventBridge event pattern by selecting Amazon S3. Select All Events as the event type.
- B. Modify the EventBridge event pattern by selecting Amazon S3. Select Bucket Level Operations as the event type.
- C. Enable CloudTrail Insights to identify unusual API activity.
- D. Enable CloudTrail to monitor data events for read and write operations to S3 buckets.

Answer: D

Explanation:

The correct answer is D. Enable CloudTrail to monitor data events for read and write operations to S3 buckets. According to the AWS documentation¹, CloudTrail data events are the resource operations performed on or within a resource. These are also known as data plane operations. Data events are often high-volume activities. For example, Amazon S3 object-level API activity (such as GetObject, DeleteObject, and PutObject) is a data event.

By default, trails do not log data events. To record CloudTrail data events, you must explicitly add the

supported resources or resource types for which you want to collect activity. For more information, see Logging data events in the Amazon S3 User Guide². In this case, the security team wants EventBridge to watch for the s3:PutObjectAcl API invocation logs from CloudTrail. This API uses the acl subresource to set the access control list (ACL) permissions for a new or existing object in an S3 bucket³. This is a data event that affects the S3 object resource type. Therefore, the security team must enable CloudTrail to monitor data events for read and write operations to S3 buckets in order to invoke an EventBridge event for this API call. The other options are incorrect because:

- A. Modifying the EventBridge event pattern by selecting Amazon S3 and All Events as the event type will not capture the s3:PutObjectAcl API call, because this is a data event and not a management event. Management events provide information about management operations that are performed on resources in your AWS account. These are also known as control plane operations⁴.
- B. Modifying the EventBridge event pattern by selecting Amazon S3 and Bucket Level Operations as the event type will not capture the s3:PutObjectAcl API call, because this is a data event that affects the S3 object resource type and not the S3 bucket resource type. Bucket level operations are management events that affect the configuration or metadata of an S3 bucket⁵.
- C. Enabling CloudTrail Insights to identify unusual API activity will not help the security team monitor new S3 objects or changes to any S3 bucket policy or setting that result in public access. CloudTrail Insights helps AWS users identify and respond to unusual activity associated with API calls and API error rates by continuously analyzing CloudTrail management events⁶. It does not analyze data events or generate EventBridge events.

References:

1: CloudTrail log event reference - AWS CloudTrail 2: Logging data events - AWS CloudTrail 3: PutObjectAcl - Amazon Simple Storage Service 4: [Logging management events - AWS CloudTrail] 5: [Amazon S3 Event Types - Amazon Simple Storage Service] 6: Logging Insights events for trails - AWS CloudTrail

NEW QUESTION 62

A security engineer is troubleshooting an AWS Lambda function that is named MyLambdaFunction. The function is encountering an error when the function attempts to read the objects in an Amazon S3 bucket that is named DOC-EXAMPLE-BUCKET. The S3 bucket has the following bucket policy:

```
{
  "Effect": "Allow",
  "Principal": {
    "Service": "lambda.amazonaws.com"
  },
  "Action": "s3:GetObject",
  "Resource": "arn:aws:s3:::DOC-EXAMPLE-BUCKET",
  "Condition": {
    "ArnLike": {
      "aws:SourceArn": "arn:aws:lambda:::function:MyLambdaFunction"
    }
  }
}
```

Which change should the security engineer make to the policy to ensure that the Lambda function can read the bucket objects?

- A. Remove the Condition element
- B. Change the Principal element to the following:{"AWS": "arn "aws" ::: lambda ::: function:MyLambdaFunction"}
- C. Change the Action element to the following: " s3:GetObject*" " s3:GetBucket*"
- D. Change the Resource element to "arn:aws:s3:::DOC-EXAMPLE-BUCKET/*".
- E. Change the Resource element to "arn:aws:lambda:::function:MyLambdaFunction". Change the Principal element to the following:{"Service": "s3.amazonaws.com"}

Answer: C

Explanation:

The correct answer is C. Change the Resource element to "arn:aws:s3:::DOC-EXAMPLE-BUCKET/*".

The reason is that the Resource element in the bucket policy specifies which objects in the bucket are affected by the policy. In this case, the policy only applies to the bucket itself, not the objects inside it. Therefore, the Lambda function cannot access the objects with the s3:GetObject permission. To fix this, the Resource element should include a wildcard (*) to match all objects in the bucket. This way, the policy grants the Lambda function permission to read any object in the bucket.

The other options are incorrect for the following reasons:

- A. Removing the Condition element would not help, because it only restricts access based on the source IP address of the request. The Principal element should not be changed to the Lambda function ARN, because it specifies who is allowed or denied access by the policy. The policy should allow access to any principal ("*") and rely on IAM roles or policies to control access to the Lambda function.
- B. Changing the Action element to include s3:GetBucket* would not help, because it would grant additional permissions that are not needed by the Lambda function, such as s3:GetBucketAcl or s3:GetBucketPolicy. The s3:GetObject* permission is sufficient for reading objects in the bucket.
- D. Changing the Resource element to the Lambda function ARN would not make sense, because it would mean that the policy applies to the Lambda function itself, not the bucket or its objects. The Principal element should not be changed to s3.amazonaws.com, because it would grant access to any AWS service that uses S3, not just Lambda.

NEW QUESTION 64

A company has a single AWS account and uses an Amazon EC2 instance to test application code. The company recently discovered that the instance was compromised. The instance was serving up malware. The analysis of the instance showed that the instance was compromised 35 days ago.

A security engineer must implement a continuous monitoring solution that automatically notifies the company's security team about compromised instances through an email distribution list for high severity findings. The security engineer must implement the solution as soon as possible.

Which combination of steps should the security engineer take to meet these requirements? (Choose three.)

- A. Enable AWS Security Hub in the AWS account.
- B. Enable Amazon GuardDuty in the AWS account.
- C. Create an Amazon Simple Notification Service (Amazon SNS) topic.
- D. Subscribe the security team's email distribution list to the topic.

- E. Create an Amazon Simple Queue Service (Amazon SQS) queue.
- F. Subscribe the security team's email distribution list to the queue.
- G. Create an Amazon EventBridge (Amazon CloudWatch Events) rule for GuardDuty findings of high severity.
- H. Configure the rule to publish a message to the topic.
- I. Create an Amazon EventBridge (Amazon CloudWatch Events) rule for Security Hub findings of high severity.
- J. Configure the rule to publish a message to the queue.

Answer: BCE

NEW QUESTION 65

A company deployed Amazon GuardDuty in the us-east-1 Region. The company wants all DNS logs that relate to the company's Amazon EC2 instances to be inspected. What should a security engineer do to ensure that the EC2 instances are logged?

- A. Use IPv6 addresses that are configured for hostnames.
- B. Configure external DNS resolvers as internal resolvers that are visible only to IAM.
- C. Use IAM DNS resolvers for all EC2 instances.
- D. Configure a third-party DNS resolver with logging for all EC2 instances.

Answer: C

Explanation:

To ensure that the EC2 instances are logged, the security engineer should do the following:

- Use AWS DNS resolvers for all EC2 instances. This allows the security engineer to use Amazon-provided DNS servers that resolve public DNS hostnames to private IP addresses within their VPC, and that log DNS queries in Amazon CloudWatch Logs.

NEW QUESTION 70

A company has multiple departments. Each department has its own IAM account. All these accounts belong to the same organization in IAM Organizations. A large .csv file is stored in an Amazon S3 bucket in the sales department's IAM account. The company wants to allow users from the other accounts to access the .csv file's content through the combination of IAM Glue and Amazon Athena. However, the company does not want to allow users from the other accounts to access other files in the same folder. Which solution will meet these requirements?

- A. Apply a user policy in the other accounts to allow IAM Glue and Athena to access the .csv file.
- B. Use S3 Select to restrict access to the .csv file.
- C. In IAM Glue Data Catalog, use S3 Select as the source of the IAM Glue database.
- D. Define an IAM Glue Data Catalog resource policy in IAM Glue to grant cross-account S3 object access to the .csv file.
- E. Grant IAM Glue access to Amazon S3 in a resource-based policy that specifies the organization as the principal.

Answer: A

NEW QUESTION 75

A startup company is using a single AWS account that has resources in a single AWS Region. A security engineer configures an AWS CloudTrail trail in the same Region to deliver log files to an Amazon S3 bucket by using the AWS CLI. Because of expansion, the company adds resources in multiple Regions. The security engineer notices that the logs from the new Regions are not reaching the S3 bucket. What should the security engineer do to fix this issue with the LEAST amount of operational overhead?

- A. Create a new CloudTrail trail.
- B. Select the new Regions where the company added resources.
- C. Change the S3 bucket to receive notifications to track all actions from all Regions.
- D. Create a new CloudTrail trail that applies to all Regions.
- E. Change the existing CloudTrail trail so that it applies to all Regions.

Answer: D

Explanation:

The correct answer is D. Change the existing CloudTrail trail so that it applies to all Regions.

According to the AWS documentation¹, you can configure CloudTrail to deliver log files from multiple Regions to a single S3 bucket for a single account. To change an existing single-Region trail to log in all Regions, you must use the AWS CLI and add the `--is-multi-region-trail` option to the `update-trail` command². This will ensure that you log global service events and capture all management event activity in your account.

Option A is incorrect because creating a new CloudTrail trail for each Region will incur additional costs and increase operational overhead. Option B is incorrect because changing the S3 bucket to receive notifications will not affect the delivery of log files from other Regions. Option C is incorrect because creating a new CloudTrail trail that applies to all Regions will result in duplicate log files for the original Region and also incur additional costs.

NEW QUESTION 78

A business requires a forensic logging solution for hundreds of Docker-based apps running on Amazon EC2. The solution must analyze logs in real time, provide message replay, and persist logs.

Which Amazon Web Offerings (IAM) services should be employed to satisfy these requirements? (Select two.)

- A. Amazon Athena
- B. Amazon Kinesis
- C. Amazon SQS
- D. Amazon Elasticsearch
- E. Amazon EMR

Answer: BD

NEW QUESTION 81

What are the MOST secure ways to protect the AWS account root user of a recently opened AWS account? (Select TWO.)

- A. Use the AWS account root user access keys instead of the AWS Management Console.
- B. Enable multi-factor authentication for the AWS IAM users with the AdministratorAccess managed policy attached to them.
- C. Enable multi-factor authentication for the AWS account root user.
- D. Use AWS KMS to encrypt all AWS account root user and AWS IAM access keys and set automatic rotation to 30 days.
- E. Do not create access keys for the AWS account root user; instead, create AWS IAM users.

Answer: CE

NEW QUESTION 83

A company accidentally deleted the private key for an Amazon Elastic Block Store (Amazon EBS)-backed Amazon EC2 instance. A security engineer needs to regain access to the instance.

Which combination of steps will meet this requirement? (Choose two.)

- A. Stop the instance
- B. Detach the root volume
- C. Generate a new key pair.
- D. Keep the instance running
- E. Detach the root volume
- F. Generate a new key pair.
- G. When the volume is detached from the original instance, attach the volume to another instance as a data volume
- H. Modify the authorized_keys file with a new public key
- I. Move the volume back to the original instance
- J. Start the instance.
- K. When the volume is detached from the original instance, attach the volume to another instance as a data volume
- L. Modify the authorized_keys file with a new private key
- M. Move the volume back to the original instance
- N. Start the instance.
- O. When the volume is detached from the original instance, attach the volume to another instance as a data volume
- P. Modify the authorized_keys file with a new public key
- Q. Move the volume back to the original instance that is running.

Answer: AC

Explanation:

If you lose the private key for an EBS-backed instance, you can regain access to your instance. You must stop the instance, detach its root volume and attach it to another instance as a data volume, modify the authorized_keys file with a new public key, move the volume back to the original instance, and restart the instance.
<https://docs.aws.amazon.com/AWSEC2/latest/UserGuide/TroubleshootingInstancesConnecting.html#replacing>

NEW QUESTION 86

A company has multiple Amazon S3 buckets encrypted with customer-managed CMKs. Due to regulatory requirements the keys must be rotated every year. The company's Security Engineer has enabled automatic key rotation for the CMKs; however the company wants to verify that the rotation has occurred.

What should the Security Engineer do to accomplish this?

- A. Filter IAM CloudTrail logs for KeyRotation events
- B. Monitor Amazon CloudWatch Events for any IAM KMS CMK rotation events
- C. Using the IAM CLI
- D. run the IAM kms get-key-rotation-status operation with the --key-id parameter to check the CMK rotation date
- E. Use Amazon Athena to query IAM CloudTrail logs saved in an S3 bucket to filter Generate New Key events

Answer: C

Explanation:

the aws kms get-key-rotation-status command returns a boolean value that indicates whether automatic rotation of the customer master key (CMK) is enabled¹. This command also shows the date and time when the CMK was last rotated². The other options are not valid ways to check the CMK rotation status.

NEW QUESTION 88

A security engineer needs to configure an Amazon S3 bucket policy to restrict access to an S3 bucket that is named DOC-EXAMPLE-BUCKET. The policy must allow access to only DOC-EXAMPLE-BUCKET from only the following endpoint: vpce-1a2b3c4d. The policy must deny all access to DOC-EXAMPLE-BUCKET if the specified endpoint is not used.

Which bucket policy statement meets these requirements?

- A. A computer code with black text Description automatically generated

```

"Statement": [
  {
    "Sid": "Access-to-specific-VPCE-only",
    "Principal": "*",
    "Action": "s3:*",
    "Effect": "Allow",
    "Resource": ["arn:aws:s3:::DOC-EXAMPLE-BUCKET",
                "arn:aws:s3:::DOC-EXAMPLE-BUCKET/*"],
    "Condition": {
      "StringNotEquals": {
        "aws:sourceVpce": "vpce-1a2b3c4d"
      }
    }
  }
]

```

B. A computer code with black text Description automatically generated

```

"Statement": [
  {
    "Sid": "Access-to-specific-VPCE-only",
    "Principal": "*",
    "Action": "s3:*",
    "Effect": "Deny",
    "Resource": ["arn:aws:s3:::DOC-EXAMPLE-BUCKET",
                "arn:aws:s3:::DOC-EXAMPLE-BUCKET/*"],
    "Condition": {
      "StringNotEquals": {
        "aws:sourceVpce": "vpce-1a2b3c4d"
      }
    }
  }
]

```

C. A computer code with black text Description automatically generated

```

"Statement": [
  {
    "Sid": "Access-to-specific-VPCE-only",
    "Principal": "*",
    "Action": "s3:*",
    "Effect": "Deny",
    "Resource": ["arn:aws:s3:::DOC-EXAMPLE-BUCKET",
                "arn:aws:s3:::DOC-EXAMPLE-BUCKET/*"],
    "Condition": {
      "StringEquals": {
        "aws:sourceVpce": "vpce-1a2b3c4d"
      }
    }
  }
]

```

D. A computer code with black text Description automatically generated

```

"Statement": [
  {
    "Sid": "Access-to-specific-VPCE-only",
    "Principal": "*",
    "Action": "s3:*",
    "Effect": "Allow",
    "Resource": ["arn:aws:s3:::DOC-EXAMPLE-BUCKET",
                "arn:aws:s3:::DOC-EXAMPLE-BUCKET/*"],
    "Condition": {
      "StringEquals": {
        "aws:sourceVpce": "vpce-1a2b3c4d"
      }
    }
  }
]

```

Answer: B

Explanation:

<https://docs.aws.amazon.com/AmazonS3/latest/userguide/example-bucket-policies-vcpe-endpoint.html>

NEW QUESTION 92

A company has thousands of AWS Lambda functions. While reviewing the Lambda functions, a security engineer discovers that sensitive information is being stored in environment variables and is viewable as plaintext in the Lambda console. The values of the sensitive information are only a few characters long. What is the MOST cost-effective way to address this security issue?

- A. Set up IAM policies from the Lambda console to hide access to the environment variables.
- B. Use AWS Step Functions to store the environment variable
- C. Access the environment variables at runtime
- D. Use IAM permissions to restrict access to the environment variables to only the Lambda functions that require access.
- E. Store the environment variables in AWS Secrets Manager, and access them at runtime

- F. Use IAM permissions to restrict access to the secrets to only the Lambda functions that require access.
- G. Store the environment variables in AWS Systems Manager Parameter Store as secure string parameters, and access them at runtime.
- H. Use IAM permissions to restrict access to the parameters to only the Lambda functions that require access.

Answer: D

Explanation:

Storing sensitive information in environment variables is not a secure practice, as anyone who has access to the Lambda console or the Lambda function code can view them as plaintext. To address this security issue, the security engineer needs to use a service that can store and encrypt the environment variables, and access them at runtime using IAM permissions. The most cost-effective way to do this is to use AWS Systems Manager Parameter Store, which is a service that provides secure, hierarchical storage for configuration data management and secrets management. Parameter Store allows you to store values as standard parameters (plaintext) or secure string parameters (encrypted). Secure string parameters use a AWS Key Management Service (AWS KMS) customer master key (CMK) to encrypt the parameter value. To access the parameter value at runtime, the Lambda function needs to have IAM permissions to decrypt the parameter using the KMS CMK.

The other options are incorrect because:

- > Option A is incorrect because setting up IAM policies from the Lambda console to hide access to the environment variables will not prevent someone who has access to the Lambda function code from viewing them as plaintext. IAM policies can only control who can perform actions on AWS resources, not what they can see in the code or the console.
- > Option B is incorrect because using AWS Step Functions to store the environment variables is not a secure or cost-effective solution. AWS Step Functions is a service that lets you coordinate multiple AWS services into serverless workflows. Step Functions does not provide any encryption or secrets management capabilities, and it will incur additional charges for each state transition in the workflow. Moreover, storing environment variables in Step Functions will make them visible in the execution history of the workflow, which can be accessed by anyone who has permission to view the Step Functions console or API.
- > Option C is incorrect because storing the environment variables in AWS Secrets Manager and accessing them at runtime is not a cost-effective solution. AWS Secrets Manager is a service that helps you protect secrets needed to access your applications, services, and IT resources. Secrets Manager enables you to rotate, manage, and retrieve secrets throughout their lifecycle. While Secrets Manager can securely store and encrypt environment variables using KMS CMKs, it will incur higher charges than Parameter Store for storing and retrieving secrets. Unless the security engineer needs the advanced features of Secrets Manager, such as automatic rotation of secrets or integration with other AWS services, Parameter Store is a cheaper and simpler option.

NEW QUESTION 94

A company has launched an Amazon EC2 instance with an Amazon Elastic Block Store (Amazon EBS) volume in the us-east-1 Region. The volume is encrypted with an AWS Key Management Service (AWS KMS) customer managed key that the company's security team created. The security team has created an IAM key policy and has assigned the policy to the key. The security team has also created an IAM instance profile and has assigned the profile to the instance. The EC2 instance will not start and transitions from the pending state to the shutting-down state to the terminated state. Which combination of steps should a security engineer take to troubleshoot this issue? (Select TWO.)

- A. Verify that the KMS key policy specifies a deny statement that prevents access to the key by using the aws:SourceIP condition key. Check that the range includes the EC2 instance IP address that is associated with the EBS volume.
- B. Verify that the KMS key that is associated with the EBS volume is set to the Symmetric key type.
- C. Verify that the KMS key that is associated with the EBS volume is in the Enabled state.
- D. Verify that the EC2 role that is associated with the instance profile has the correct IAM instance policy to launch an EC2 instance with the EBS volume.
- E. Verify that the key that is associated with the EBS volume has not expired and needs to be rotated.

Answer: CD

Explanation:

To troubleshoot the issue of an EC2 instance failing to start and transitioning to a terminated state when it has an EBS volume encrypted with an AWS KMS customer managed key, a security engineer should take the following steps:

- * C. Verify that the KMS key that is associated with the EBS volume is in the Enabled state. If the key is not enabled, it will not function properly and could cause the EC2 instance to fail.
 - * D. Verify that the EC2 role that is associated with the instance profile has the correct IAM instance policy to launch an EC2 instance with the EBS volume. If the instance does not have the necessary permissions, it may not be able to mount the volume and could cause the instance to fail.
- Therefore, options C and D are the correct answers.

NEW QUESTION 99

A security engineer is working with a company to design an ecommerce application. The application will run on Amazon EC2 instances that run in an Auto Scaling group behind an Application Load Balancer (ALB). The application will use an Amazon RDS DB instance for its database. The only required connectivity from the internet is for HTTP and HTTPS traffic to the application. The application must communicate with an external payment provider that allows traffic only from a preconfigured allow list of IP addresses. The company must ensure that communications with the external payment provider are not interrupted as the environment scales. Which combination of actions should the security engineer recommend to meet these requirements? (Select THREE.)

- A. Deploy a NAT gateway in each private subnet for every Availability Zone that is in use.
- B. Place the DB instance in a public subnet.
- C. Place the DB instance in a private subnet.
- D. Configure the Auto Scaling group to place the EC2 instances in a public subnet.
- E. Configure the Auto Scaling group to place the EC2 instances in a private subnet.
- F. Deploy the ALB in a private subnet.

Answer: ACE

NEW QUESTION 100

A security engineer needs to create an IAM Key Management Service (IAM KMS) key that will be used to encrypt all data stored in a company's Amazon S3 Buckets in the us-west-1 Region. The key will use server-side encryption. Usage of the key must be limited to requests coming from Amazon S3 within the company's account. Which statement in the KMS key policy will meet these requirements?

A)

```
{
  "Effect": "Allow",
  "Principal": {
    "AWS": "*"
  },
  "Action": [
    "kms:Encrypt",
    "kms:Decrypt",
    "kms:ReEncrypt*",
    "kms:GenerateDataKey*",
    "kms:DescribeKey"
  ],
  "Resource": "*",
  "Condition": {
    "StringEquals": {
      "kms:ViaService": "s3.us-west-1.amazonaws.com",
      "kms:CallerAccount": "<CustomerAccountID>"
    }
  }
}
```

B)

```
{
  "Effect": "Allow",
  "Principal": {
    "AWS": "s3.us-west-1.amazonaws.com"
  },
  "Action": [
    "kms:Encrypt",
    "kms:Decrypt",
    "kms:ReEncrypt*",
    "kms:GenerateDataKey*",
    "kms:DescribeKey"
  ],
  "Resource": "*",
  "Condition": {
    "StringEquals": {
      "kms:CallerAccount": "<CustomerAccountID>"
    }
  }
}
```

C)

```
{
  "Effect": "Allow",
  "Principal": {
    "AWS": "*"
  },
  "Action": [
    "kms:Encrypt",
    "kms:Decrypt",
    "kms:ReEncrypt*",
    "kms:GenerateDataKey*",
    "kms:DescribeKey"
  ],
  "Resource": "*",
  "Condition": {
    "StringEquals": {
      "kms:EncryptionContext:aws:s3:arn": [
        "arn:aws:s3:::"
      ]
    }
  }
}
```

- A. Option A
- B. Option B
- C. Option C

Answer: A

NEW QUESTION 102

A company hosts multiple externally facing applications, each isolated in its own IAM account. The company's Security team has enabled IAM WAF, IAM Config, and Amazon GuardDuty on all accounts. The company's Operations team has also joined all of the accounts to IAM Organizations and established centralized logging for CloudTrail, IAM Config, and GuardDuty. The company wants the Security team to take a reactive remediation in one account, and automate implementing this remediation as proactive prevention in all the other accounts. How should the Security team accomplish this?

- A. Update the IAM WAF rules in the affected account and use IAM Firewall Manager to push updated IAM WAF rules across all other accounts.
- B. Use GuardDuty centralized logging and Amazon SNS to set up alerts to notify all application teams of security incidents.
- C. Use GuardDuty alerts to write an IAM Lambda function that updates all accounts by adding additional NACLs on the Amazon EC2 instances to block known malicious IP addresses.
- D. Use IAM Shield Advanced to identify threats in each individual account and then apply the account-based protections to all other accounts through Organizations.

Answer: C

NEW QUESTION 105

A company's security engineer is designing an isolation procedure for Amazon EC2 instances as part of an incident response plan. The security engineer needs to isolate a target instance to block any traffic to and from the target instance, except for traffic from the company's forensics team. Each of the company's EC2 instances has its own dedicated security group. The EC2 instances are deployed in subnets of a VPC. A subnet can contain multiple instances. The security engineer is testing the procedure for EC2 isolation and opens an SSH session to the target instance. The procedure starts to simulate access to the target instance by an attacker. The security engineer removes the existing security group rules and adds security group rules to give the forensics team access to the target instance on port 22.

After these changes, the security engineer notices that the SSH connection is still active and usable. When the security engineer runs a ping command to the public IP address of the target instance, the ping command is blocked.

What should the security engineer do to isolate the target instance?

- A. Add an inbound rule to the security group to allow traffic from 0.0.0.0/0 for all port
- B. Add an outbound rule to the security group to allow traffic to 0.0.0.0/0 for all port
- C. Then immediately delete these rules.
- D. Remove the port 22 security group rule
- E. Attach an instance role policy that allows AWS Systems Manager Session Manager connections so that the forensics team can access the target instance.
- F. Create a network ACL that is associated with the target instance's subnet
- G. Add a rule at the top of the inbound rule set to deny all traffic from 0.0.0.0/0. Add a rule at the top of the outbound rule set to deny all traffic to 0.0.0.0/0.
- H. Create an AWS Systems Manager document that adds a host-level firewall rule to block all inbound traffic and outbound traffic
- I. Run the document on the target instance.

Answer: C

NEW QUESTION 108

A company became aware that one of its access keys was exposed on a code sharing website 11 days ago. A Security Engineer must review all use of the exposed access keys to determine the extent of the exposure. The company enabled IAM CloudTrail in all regions when it opened the account. Which of the following will allow the Security Engineer to complete the task?

- A. Filter the event history on the exposed access key in the CloudTrail console. Examine the data from the past 11 days.
- B. Use the IAM CLI to generate an IAM credential report. Extract all the data from the past 11 days.
- C. Use Amazon Athena to query the CloudTrail logs from Amazon S3. Retrieve the rows for the exposed access key for the past 11 days.
- D. Use the Access Advisor tab in the IAM console to view all of the access key activity for the past 11 days.

Answer: C

Explanation:

Amazon Athena is a service that enables you to analyze data in Amazon S3 using standard SQL. You can use Athena to query the CloudTrail logs that are stored in S3 and filter them by the exposed access key and the date range. The other options are not effective ways to review the use of the exposed access key.

NEW QUESTION 112

A company is evaluating the use of AWS Systems Manager Session Manager to gain access to the company's Amazon EC2 instances. However, until the company implements the change, the company must protect the key file for the EC2 instances from read and write operations by any other users.

When a security administrator tries to connect to a critical EC2 Linux instance during an emergency, the security administrator receives the following error: "Error: Unprotected private key file - Permissions for 'ssh/my_private_key.pem' are too open".

Which command should the security administrator use to modify the private key file permissions to resolve this error?

- A. `chmod 0040 ssh/my_private_key.pem`
- B. `chmod 0400 ssh/my_private_key.pem`
- C. `chmod 0004 ssh/my_private_key.pem`
- D. `chmod 0777 ssh/my_private_key.pem`

Answer: B

Explanation:

The error message indicates that the private key file permissions are too open, meaning that other users can read or write to the file. This is a security risk, as the private key should be accessible only by the owner of the file. To fix this error, the security administrator should use the `chmod` command to change the permissions of the private key file to `0400`, which means that only the owner can read the file and no one else can read or write to it.

The `chmod` command takes a numeric argument that represents the permissions for the owner, group, and others in octal notation. Each digit corresponds to a set of permissions: read (4), write (2), and execute (1). The digits are added together to get the final permissions for each category. For example, `0400` means that the owner has read permission (4) and no other permissions (0), and the group and others have no permissions at all (0).

The other options are incorrect because they either do not change the permissions at all (D), or they give too much or too little permissions to the owner, group, or others (A, C).

Verified References:

- <https://superuser.com/questions/215504/permissions-on-private-key-in-ssh-folder>
- <https://www.baeldung.com/linux/ssh-key-permissions>

NEW QUESTION 117

A security engineer logs in to the AWS Lambda console with administrator permissions. The security engineer is trying to view logs in Amazon CloudWatch for a Lambda function that is named my Function.

When the security engineer chooses the option in the Lambda console to view logs in CloudWatch, an "error loading Log Streams" message appears. The IAM policy for the Lambda function's execution role contains the following:

```
{
  "Version": "2012-10-17",
  "Statement": [
    {
      "Effect": "Allow",
      "Action": "logs:CreateLogGroup",
      "Resource": "arn:aws:logs:us-east-1:111111111111:*"
    },
    {
      "Effect": "Allow",
      "Action": ["logs:PutLogEvents"],
      "Resource": ["arn:aws:logs:us-east-1:111111111111:log-
group:/aws/Lambda/myFunction:*"]
    }
  ]
}
```

How should the security engineer correct the error?

- A. Move the logs:CreateLogGroup action to the second Allow statement.
- B. Add the logs:PutDestination action to the second Allow statement.
- C. Add the logs:GetLogEvents action to the second Allow statement.
- D. Add the logs:CreateLogStream action to the second Allow statement.

Answer: D

Explanation:

CloudWatchLogsReadOnlyAccess doesn't include "logs:CreateLogStream" but it includes "logs:Get*" <https://docs.aws.amazon.com/AmazonCloudWatch/latest/logs/iam-identity-based-access-control-cwl.html#:~:te>

NEW QUESTION 122

A company's policy requires that all API keys be encrypted and stored separately from source code in a centralized security account. This security account is managed by the company's security team. However, an audit revealed that an API key is stored with the source code of an IAM Lambda function in an IAM CodeCommit repository in the DevOps account. How should the security team securely store the API key?

- A. Create a CodeCommit repository in the security account using IAM Key Management Service (IAMKMS) for encryption. Require the development team to migrate the Lambda source code to this repository.
- B. Store the API key in an Amazon S3 bucket in the security account using server-side encryption with Amazon S3 managed encryption keys (SSE-S3) to encrypt the key. Create a signed URL for the S3 key.
- C. and specify the URL in a Lambda environmental variable in the IAM CloudFormation template. Update the Lambda function code to retrieve the key using the URL and call the API.
- D. Create a secret in IAM Secrets Manager in the security account to store the API key using IAM Key Management Service (IAM KMS) for encryption. Grant access to the IAM role used by the Lambda function so that the function can retrieve the key from Secrets Manager and call the API.
- E. Create an encrypted environment variable for the Lambda function to store the API key using IAM Key Management Service (IAM KMS) for encryption. Grant access to the IAM role used by the Lambda function so that the function can decrypt the key at runtime.

Answer: C

Explanation:

To securely store the API key, the security team should do the following:

- > Create a secret in AWS Secrets Manager in the security account to store the API key using AWS Key Management Service (AWS KMS) for encryption. This allows the security team to encrypt and manage the API key centrally, and to configure automatic rotation schedules for it.
- > Grant access to the IAM role used by the Lambda function so that the function can retrieve the key from Secrets Manager and call the API. This allows the security team to avoid storing the API key with the source code, and to use IAM policies to control access to the secret.

NEW QUESTION 124

An ecommerce company is developing new architecture for an application release. The company needs to implement TLS for incoming traffic to the application. Traffic for the application will originate from the internet. TLS does not have to be implemented in an end-to-end configuration because the company is concerned about impacts on performance. The incoming traffic types will be HTTP and HTTPS. The application uses ports 80 and 443. What should a security engineer do to meet these requirements?

- A. Create a public Application Load Balance.
- B. Create two listeners: one listener on port 80 and one listener on port 443. Create one target group.
- C. Create a rule to forward traffic from port 80 to the listener on port 443. Provision a public TLS certificate in AWS Certificate Manager (ACM). Attach the certificate to the listener on port 443.
- D. Create a public Application Load Balance.
- E. Create two listeners: one listener on port 80 and one listener on port 443. Create one target group.
- F. Create a rule to forward traffic from port 80 to the listener on port 443. Provision a public TLS certificate in AWS Certificate Manager (ACM). Attach the certificate to the listener on port 80.
- G. Create a public Network Load Balance.
- H. Create two listeners: one listener on port 80 and one listener on port 443. Create one target group.
- I. Create a rule to forward traffic from port 80 to the listener on port 443. Set the protocol for the listener on port 443 to TLS.
- J. Create a public Network Load Balance.
- K. Create a listener on port 443. Create one target group.
- L. Create a rule to forward traffic from port 443 to the target group.
- M. Set the protocol for the listener on port 443 to TLS.

Answer: A

Explanation:

An Application Load Balancer (ALB) is a type of load balancer that operates at the application layer (layer 7) of the OSI model. It can distribute incoming traffic based on the content of the request, such as the host header, path, or query parameters. An ALB can also terminate TLS connections and decrypt requests from clients before sending them to the targets. To implement TLS for incoming traffic to the application, the following steps are required:

- Create a public ALB in a public subnet and register the EC2 instances as targets in a target group.
- Create two listeners for the ALB, one on port 80 for HTTP traffic and one on port 443 for HTTPS traffic.
- Create a rule for the listener on port 80 to redirect HTTP requests to HTTPS using the same host, path, and query parameters.
- Provision a public TLS certificate in AWS Certificate Manager (ACM) for the domain name of the application. ACM is a service that lets you easily provision, manage, and deploy public and private SSL/TLS certificates for use with AWS services and your internal connected resources.
- Attach the certificate to the listener on port 443 and configure the security policy to negotiate secure connections between clients and the ALB.
- Configure the security groups for the ALB and the EC2 instances to allow inbound traffic on ports 80 and 443 from the internet and outbound traffic on any port to the EC2 instances.

This solution will meet the requirements of implementing TLS for incoming traffic without impacting performance or requiring end-to-end encryption. The ALB will handle the TLS termination and decryption, while forwarding unencrypted requests to the EC2 instances.

Verified References:

- <https://docs.aws.amazon.com/elasticloadbalancing/latest/application/introduction.html>
- <https://docs.aws.amazon.com/elasticloadbalancing/latest/application/create-https-listener.html>
- <https://docs.aws.amazon.com/acm/latest/userguide/acm-overview.html>

NEW QUESTION 129

A security engineer is configuring account-based access control (ABAC) to allow only specific principals to put objects into an Amazon S3 bucket. The principals already have access to Amazon S3.

The security engineer needs to configure a bucket policy that allows principals to put objects into the S3 bucket only if the value of the Team tag on the object matches the value of the Team tag that is associated with the principal. During testing, the security engineer notices that a principal can still put objects into the S3 bucket when the tag values do not match.

Which combination of factors are causing the PutObject operation to succeed when the tag values are different? (Select TWO.)

- A. The principal's identity-based policy grants access to put objects into the S3 bucket with no conditions.
- B. The principal's identity-based policy overrides the condition because the identity-based policy contains an explicit allow.
- C. The S3 bucket's resource policy does not deny access to put objects.
- D. The S3 bucket's resource policy cannot allow actions to the principal.
- E. The bucket policy does not apply to principals in the same zone of trust.

Answer: AC

Explanation:

The correct answer is A and C.

When using ABAC, the principal's identity-based policy and the S3 bucket's resource policy are both evaluated to determine the effective permissions. If either policy grants access to the principal, the action is allowed. If either policy denies access to the principal, the action is denied. Therefore, to enforce the tag-based condition, both policies must deny access when the tag values do not match.

In this case, the principal's identity-based policy grants access to put objects into the S3 bucket with no conditions (A), which means that the policy does not check for the tag values. This policy overrides the condition in the bucket policy because an explicit allow always takes precedence over an implicit deny. The bucket policy can only allow or deny actions to the principal based on the condition, but it cannot override the identity-based policy.

The S3 bucket's resource policy does not deny access to put objects ©, which means that it also does not check for the tag values. The bucket policy can only allow or deny actions to the principal based on the condition, but it cannot override the identity-based policy.

Therefore, the combination of factors A and C are causing the PutObject operation to succeed when the tag values are different.

References:

- [Using ABAC with Amazon S3](#)
- [Bucket policy examples](#)

NEW QUESTION 131

A company needs to use HTTPS when connecting to its web applications to meet compliance requirements. These web applications run in Amazon VPC on Amazon EC2 instances behind an Application Load Balancer (ALB). A security engineer wants to ensure that the load balancer will only accept connections over port 443, even if the ALB is mistakenly configured with an HTTP listener.

Which configuration steps should the security engineer take to accomplish this task?

- A. Create a security group with a rule that denies Inbound connections from 0.0.0.0/0 on port 80. Attach this security group to the ALB to overwrite more permissive rules from the ALB's default securitygroup.
- B. Create a network ACL that denies inbound connections from 0.0.0.0/0 on port 80. Associate the network ACL with the VPC's internet gateway.
- C. Create a network ACL that allows outbound connections to the VPC IP range on port 443 only. Associate the network ACL with the VPC's internet gateway.
- D. Create a security group with a single inbound rule that allows connections from 0.0.0.0/0 on port 443. Ensure this security group is the only one associated with the ALB.

Answer: D

Explanation:

To ensure that the load balancer only accepts connections over port 443, the security engineer should do the following:

- Create a security group with a single inbound rule that allows connections from 0.0.0.0/0 on port 443. This means that the security group allows HTTPS traffic from any source IP address.
- Ensure this security group is the only one associated with the ALB. This means that the security group overrides any other rules that might allow HTTP traffic on port 80.

NEW QUESTION 136

A company uses identity federation to authenticate users into an identity account (987654321987) where the users assume an IAM role named IdentityRole. The

users then assume an IAM role named JobFunctionRole in the target IAM account (123456789123) to perform their job functions. A user is unable to assume the IAM role in the target account. The policy attached to the role in the identity account is:

```
{
  "Version": "2012-10-17",
  "Statement": [
    {
      "Action": [
        "sts:AssumeRole"
      ],
      "Resource": [
        "arn:aws:iam::*:role/JobFunctionRole"
      ],
      "Effect": "Allow"
    }
  ]
}
```

What should be done to enable the user to assume the appropriate role in the target account?

A Update the IAM policy attached to the role in the identity account to be:

```
{
  "Version": "2012-10-17",
  "Statement": [
    {
      "Action": [
        "sts:AssumeRole"
      ],
      "Resource": [
        "arn:aws:iam::123456789123:role/JobFunctionRole"
      ],
      "Effect": "Allow"
    }
  ]
}
```

B Update the trust policy on the role in the target account to be:

```
{
  "Version": "2012-10-17",
  "Statement": [
    {
      "Effect": "Allow",
      "Principal": {
        "AWS": "arn:aws:iam::987654321987:role/IdentityRole"
      },
      "Action": "sts:AssumeRole"
    }
  ]
}
```

C Update the trust policy on the role in the identity account to be:

```
{
  "Version": "2012-10-17",
  "Statement": [
    {
      "Effect": "Allow",
      "Principal": { "AWS": "arn:aws:iam::987654321987:root" },
      "Action": "sts:AssumeRole"
    }
  ]
}
```

D Update the IAM policy attached to the role in the target account to be:

```
{
  "Version": "2012-10-17",
  "Statement": [
    {
      "Sid": "Stmt1502946463000",
      "Effect": "Allow",
      "Action": "sts:AssumeRole",
      "Resource": "arn:aws:iam::123456789123:role/JobFunctionRole"
    }
  ]
}
```

- A. Option A
- B. Option B
- C. Option C
- D. Option D

Answer: B

Explanation:

<https://aws.amazon.com/blogs/security/how-to-use-trust-policies-with-iam-roles/>

NEW QUESTION 140

A company is running internal microservices on Amazon Elastic Container Service (Amazon ECS) with the Amazon EC2 launch type. The company is using Amazon Elastic Container Registry (Amazon ECR) private repositories. A security engineer needs to encrypt the private repositories by using AWS Key Management Service (AWS KMS). The security engineer also needs to analyze the container images for any common vulnerabilities and exposures (CVEs). Which solution will meet these requirements?

- A. Enable KMS encryption on the existing ECR repository
- B. Install Amazon Inspector Agent from the ECS container instances' user data
- C. Run an assessment with the CVE rules.
- D. Recreate the ECR repositories with KMS encryption and ECR scanning enable
- E. Analyze the scan report after the next push of images.
- F. Recreate the ECR repositories with KMS encryption and ECR scanning enable
- G. Install AWS Systems Manager Agent on the ECS container instance
- H. Run an inventory report.
- I. Enable KMS encryption on the existing ECR repository
- J. Use AWS Trusted Advisor to check the ECS container instances and to verify the findings against a list of current CVEs.

Answer: B

NEW QUESTION 141

An application is running on an Amazon EC2 instance that has an IAM role attached. The IAM role provides access to an AWS Key Management Service (AWS KMS) customer managed key and an Amazon S3 bucket. The key is used to access 2 TB of sensitive data that is stored in the S3 bucket. A security engineer discovers a potential vulnerability on the EC2 instance that could result in the compromise of the sensitive data. Due to other critical operations, the security engineer cannot immediately shut down the EC2 instance for vulnerability patching. What is the FASTEST way to prevent the sensitive data from being exposed?

- A. Download the data from the existing S3 bucket to a new EC2 instance
- B. Then delete the data from the S3 bucket
- C. Re-encrypt the data with a client-based key
- D. Upload the data to a new S3 bucket.
- E. Block access to the public range of S3 endpoint IP addresses by using a host-based firewall
- F. Ensure that internet-bound traffic from the affected EC2 instance is routed through the host-based firewall.
- G. Revoke the IAM role's active session permission
- H. Update the S3 bucket policy to deny access to the IAM role
- I. Remove the IAM role from the EC2 instance profile.
- J. Disable the current key
- K. Create a new KMS key that the IAM role does not have access to, and re-encrypt all the data with the new key
- L. Schedule the compromised key for deletion.

Answer: D

NEW QUESTION 145

A company has a group of Amazon EC2 instances in a single private subnet of a VPC with no internet gateway attached. A security engineer has installed the Amazon CloudWatch agent on all instances in that subnet to capture logs from a specific application. To ensure that the logs flow securely, the company's networking team has created VPC endpoints for CloudWatch monitoring and CloudWatch logs. The networking team has attached the endpoints to the VPC. The application is generating logs. However, when the security engineer queries CloudWatch, the logs do not appear. Which combination of steps should the security engineer take to troubleshoot this issue? (Choose three.)

- A. Ensure that the EC2 instance profile that is attached to the EC2 instances has permissions to create log streams and write logs.
- B. Create a metric filter on the logs so that they can be viewed in the AWS Management Console.
- C. Check the CloudWatch agent configuration file on each EC2 instance to make sure that the CloudWatch agent is collecting the proper log files.

- D. Check the VPC endpoint policies of both VPC endpoints to ensure that the EC2 instances have permissions to use them.
- E. Create a NAT gateway in the subnet so that the EC2 instances can communicate with CloudWatch.
- F. Ensure that the security groups allow all the EC2 instances to communicate with each other to aggregate logs before sending.

Answer: ACD

Explanation:

The possible steps to troubleshoot this issue are:

- A. Ensure that the EC2 instance profile that is attached to the EC2 instances has permissions to create log streams and write logs. This is a necessary step because the CloudWatch agent uses the credentials from the instance profile to communicate with CloudWatch1.
- C. Check the CloudWatch agent configuration file on each EC2 instance to make sure that the CloudWatch agent is collecting the proper log files. This is a necessary step because the CloudWatch agent needs to know which log files to monitor and send to CloudWatch2.
- D. Check the VPC endpoint policies of both VPC endpoints to ensure that the EC2 instances have permissions to use them. This is a necessary step because the VPC endpoint policies control which principals can access the AWS services through the endpoints3.

The other options are incorrect because:

- B. Creating a metric filter on the logs is not a troubleshooting step, but a way to extract metric data from the logs. Metric filters do not affect the visibility of the logs in the AWS Management Console.
- E. Creating a NAT gateway in the subnet is not a solution, because the EC2 instances do not need internet access to communicate with CloudWatch through the VPC endpoints. A NAT gateway would also incur additional costs.
- F. Ensuring that the security groups allow all the EC2 instances to communicate with each other is not a necessary step, because the CloudWatch agent does not require log aggregation before sending. Each EC2 instance can send its own logs independently to CloudWatch.

References:

1: IAM Roles for Amazon EC2 2: CloudWatch Agent Configuration File: Logs Section 3: Using Amazon VPC Endpoints : Metric Filters : NAT Gateways : CloudWatch Agent Reference: Log Aggregation

NEW QUESTION 146

Your company uses IAM to host its resources. They have the following requirements

- 1) Record all API calls and Transitions
- 2) Help in understanding what resources are there in the account
- 3) Facility to allow auditing credentials and logins

Which services would suffice the above requirements Please select:

- A. IAM Inspector, CloudTrail, IAM Credential Reports
- B. CloudTrail
- C. IAM Credential Reports, IAM SNS
- D. CloudTrail, IAM Config, IAM Credential Reports
- E. IAM SQS, IAM Credential Reports, CloudTrail

Answer: C

Explanation:

You can use IAM CloudTrail to get a history of IAM API calls and related events for your account. This history includes calls made with the IAM Management Console, IAM Command Line Interface, IAM SDKs, and other IAM services.

Options A,B and D are invalid because you need to ensure that you use the services of CloudTrail, IAM Config, IAM Credential Reports

For more information on Cloudtrail, please visit the below URL:

<http://docs.IAM.amazon.com/IAMcloudtrail/latest/userguide/cloudtrail-user-guide.html>

IAM Config is a service that enables you to assess, audit and evaluate the configurations of your IAM resources. Config continuously monitors and records your IAM resource configurations and allows you to automate the evaluation of recorded configurations against desired configurations. With Config, you can review changes in configurations and relationships between IAM resources, dive into detailed resource configuration histories, and determine your overall compliance against the configurations specified in your internal guidelines. This enables you to simplify compliance auditing, security analysis, char management and operational troubleshooting.

For more information on the config service, please visit the below URL <https://IAM.amazon.com/config/>

You can generate and download a credential report that lists all users in your account and the status of their various credentials, including passwords, access keys, and MFA devices. You can get a credential report from the IAM Management Console, the IAM SDKs and Command Line Tools, or the IAM API.

For more information on Credentials Report, please visit the below URL: http://docs.IAM.amazon.com/IAM/latest/UserGuide/id_credentials_getting-report.html

The correct answer is: CloudTrail, IAM Config, IAM Credential Reports Submit your Feedback/Queries to our Experts

NEW QUESTION 151

A security engineer is trying to use Amazon EC2 Image Builder to create an image of an EC2 instance. The security engineer has configured the pipeline to send logs to an Amazon S3 bucket. When the security engineer runs the pipeline, the build fails with the following error: "AccessDenied: Access Denied status code: 403".

The security engineer must resolve the error by implementing a solution that complies with best practices for least privilege access.

Which combination of steps will meet these requirements? (Choose two.)

- A. Ensure that the following policies are attached to the IAM role that the security engineer is using: EC2InstanceProfileForImageBuilder, EC2InstanceProfileForImageBuilderECRContainerBuilds, and AmazonSSMManagedInstanceCore.
- B. Ensure that the following policies are attached to the instance profile for the EC2 instance: EC2InstanceProfileForImageBuilder, EC2InstanceProfileForImageBuilderECRContainerBuilds, and AmazonSSMManagedInstanceCore.
- C. Ensure that the AWSImageBuilderFullAccess policy is attached to the instance profile for the EC2 instance.
- D. Ensure that the security engineer's IAM role has the s3:PutObject permission for the S3 bucket.
- E. Ensure that the instance profile for the EC2 instance has the s3:PutObject permission for the S3 bucket.

Answer: BE

Explanation:

The most likely cause of the error is that the instance profile for the EC2 instance does not have the s3:PutObject permission for the S3 bucket. This permission is needed to upload logs to the bucket. Therefore, the security engineer should ensure that the instance profile has this permission.

One possible solution is to attach the AWSImageBuilderFullAccess policy to the instance profile for the EC2 instance. This policy grants full access to Image Builder resources and related AWS services, including the s3:PutObject permission for any bucket with "imagebuilder" in its name. However, this policy may grant

more permissions than necessary, which violates the principle of least privilege.

Another possible solution is to create a custom policy that only grants the s3:PutObject permission for the specific S3 bucket that is used for logging. This policy can be attached to the instance profile along with the other policies that are required for Image Builder functionality: EC2InstanceProfileForImageBuilder, EC2InstanceProfileForImageBuilderECRContainerBuilds, and AmazonSSMManagedInstanceCore. This solution follows the principle of least privilege more closely than the previous one.

➤ Ensure that the following policies are attached to the instance profile for the EC2 instance: EC2InstanceProfileForImageBuilder, EC2InstanceProfileForImageBuilderECRContainerBuilds, and AmazonSSMManagedInstanceCore.

➤ Ensure that the instance profile for the EC2 instance has the s3:PutObject permission for the S3 bucket.

This can be done by either attaching the AWSImageBuilderFullAccess policy or creating a custom policy with this permission.

1: Using managed policies for EC2 Image Builder - EC2 Image Builder 2: PutObject - Amazon Simple Storage Service 3: AWSImageBuilderFullAccess - AWS Managed Policy

NEW QUESTION 153

A company is using AWS to run a long-running analysis process on data that is stored in Amazon S3 buckets. The process runs on a fleet of Amazon EC2 instances that are in an Auto Scaling group. The EC2 instances are deployed in a private subnet of a VPC that does not have internet access. The EC2 instances and the S3 buckets are in the same AWS account.

The EC2 instances access the S3 buckets through an S3 gateway endpoint that has the default access policy. Each EC2 instance is associated with an instance profile role that has a policy that explicitly allows the s3:GetObject action and the s3:PutObject action for only the required S3 buckets.

The company learns that one or more of the EC2 instances are compromised and are exfiltrating data to an S3 bucket that is outside the company's organization in AWS Organizations. A security engineer must implement a solution to stop this exfiltration of data and to keep the EC2 processing job functional.

Which solution will meet these requirements?

- A. Update the policy on the S3 gateway endpoint to allow the S3 actions only if the values of the aws:ResourceOrgID and aws:PrincipalOrgID condition keys match the company's values.
- B. Update the policy on the instance profile role to allow the S3 actions only if the value of the aws:ResourceOrgID condition key matches the company's value.
- C. Add a network ACL rule to the subnet of the EC2 instances to block outgoing connections on port 443.
- D. Apply an SCP on the AWS account to allow the S3 actions only if the values of the aws:ResourceOrgID and aws:PrincipalOrgID condition keys match the company's values.

Answer: D

Explanation:

The correct answer is D.

To stop the data exfiltration from the compromised EC2 instances, the security engineer needs to implement a solution that can deny access to any S3 bucket that is outside the company's organization. The solution should also allow the EC2 instances to access the required S3 buckets within the company's organization for the analysis process.

Option A is incorrect because updating the policy on the S3 gateway endpoint will not affect the access to S3 buckets that are outside the company's organization. The S3 gateway endpoint only applies to S3 buckets that are in the same AWS Region as the VPC. The compromised EC2 instances can still access S3 buckets in other Regions or other AWS accounts through the internet gateway or NAT device.

Option B is incorrect because updating the policy on the instance profile role will not prevent the compromised EC2 instances from using other credentials or methods to access S3 buckets outside the company's organization. The instance profile role only applies to requests that are made using the credentials of that role. The compromised EC2 instances can still use other IAM users, roles, or access keys to access S3 buckets outside the company's organization.

Option C is incorrect because adding a network ACL rule to block outgoing connections on port 443 will also block legitimate connections to S3 buckets within the company's organization. The network ACL rule will prevent the EC2 instances from accessing any S3 bucket through HTTPS, regardless of whether it is inside or outside the company's organization.

Option D is correct because applying an SCP on the AWS account will effectively deny access to any S3 bucket that is outside the company's organization. The SCP will apply to all IAM users, roles, and resources in the AWS account, regardless of how they access S3. The SCP will use the aws:ResourceOrgID and aws:PrincipalOrgID condition keys to check whether the S3 bucket and the principal belong to the same organization as the AWS account. If they do not match, the SCP will deny the S3 actions.

References:

- Using service control policies
- AWS Organizations service control policy examples

NEW QUESTION 156

You work at a company that makes use of IAM resources. One of the key security policies is to ensure that all data is encrypted both at rest and in transit. Which of the following is one of the right ways to implement this.

Please select:

- A. Use S3 SSE and use SSL for data in transit
- B. SSL termination on the ELB
- C. Enabling Proxy Protocol
- D. Enabling sticky sessions on your load balancer

Answer: A

Explanation:

By disabling SSL termination, you are leaving an unsecure connection from the ELB to the back end instances. Hence this means that part of the data transit is not being encrypted.

Option B is incorrect because this would not guarantee complete encryption of data in transit. Option C and D are incorrect because these would not guarantee encryption.

For more information on SSL Listeners for your load balancer, please visit the below URL: <http://docs.IAM.amazon.com/elasticloadbalancing/latest/classic/elb-https-load-balancers.html>. The correct answer is: Use S3 SSE and use SSL for data in transit.

Submit your Feedback/Queries to our Experts

NEW QUESTION 158

A company's on-premises networks are connected to VPCs using an IAM Direct Connect gateway. The company's on-premises application needs to stream data using an existing Amazon Kinesis Data Firehose delivery stream. The company's security policy requires that data be encrypted in transit using a private network. How should the company meet these requirements?

- A. Create a VPC endpoint for Kinesis Data Firehose.
- B. Configure the application to connect to the VPC endpoint.
- C. Configure an IAM policy to restrict access to Kinesis Data Firehose using a source IP condition. Configure the application to connect to the existing Firehose delivery stream.
- D. Create a new TLS certificate in IAM Certificate Manager (ACM). Create a public-facing Network Load Balancer (NLB) and select the newly created TLS certificate.
- E. Configure the NLB to forward all traffic to Kinesis Data Firehose.
- F. Configure the application to connect to the NLB.
- G. Peer the on-premises network with the Kinesis Data Firehose VPC using Direct Connect.
- H. Configure the application to connect to the existing Firehose delivery stream.

Answer: A

Explanation:

To stream data using an existing Amazon Kinesis Data Firehose delivery stream and encrypt it in transit using a private network, the company should do the following:

- Create a VPC endpoint for Kinesis Data Firehose. This allows the company to use a private connection between their VPC and Kinesis Data Firehose without requiring an internet gateway or NAT device.
- Configure the application to connect to the VPC endpoint. This allows the application to stream data using Kinesis Data Firehose over AWS PrivateLink, which encrypts all traffic with TLS.

NEW QUESTION 161

.....

Thank You for Trying Our Product

* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

* One year free update

You can enjoy free update one year. 24x7 online support.

* Trusted by Millions

We currently serve more than 30,000,000 customers.

* Shop Securely

All transactions are protected by VeriSign!

100% Pass Your AWS-Certified-Security-Specialty Exam with Our Prep Materials Via below:

<https://www.certleader.com/AWS-Certified-Security-Specialty-dumps.html>