



Microsoft

Exam Questions AZ-104

Microsoft Azure Administrator

About ExamBible

Your Partner of IT Exam

Found in 1998

ExamBible is a company specialized on providing high quality IT exam practice study materials, especially Cisco CCNA, CCDA, CCNP, CCIE, Checkpoint CCSE, CompTIA A+, Network+ certification practice exams and so on. We guarantee that the candidates will not only pass any IT exam at the first attempt but also get profound understanding about the certificates they have got. There are so many alike companies in this industry, however, ExamBible has its unique advantages that other companies could not achieve.

Our Advances

* 99.9% Uptime

All examinations will be up to date.

* 24/7 Quality Support

We will provide service round the clock.

* 100% Pass Rate

Our guarantee that you will pass the exam.

* Unique Gurantee

If you do not pass the exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

NEW QUESTION 1

HOTSPOT - (Topic 5)

You have an Azure Load Balancer named LB1.

You assign a user named User1 the roles shown in the following exhibit.

User1 assignments - LB1

Assignments for the selected user, group, service principal, or managed identity at this scope or inherited to this scope.

Search by assignment name or description

Answer Area

User1 can [answer choice] LB1.

delete

create a NAT rule for

assign access to other users for

User1 can [answer choice] the resource group.

delete a virtual machine from

modify the load balancing rules in

deploy an Azure Kubernetes Service (AKS) cluster to

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

User Access Administrator can only assign access to other users

<https://docs.microsoft.com/en-us/azure/role-based-access-control/rbac-and-directory-admin-roles>

Virtual Machine Contributor can Manage VMs, which includes deleting VMs too. <https://docs.microsoft.com/en-us/azure/role-based-access-control/built-in-roles#virtual-machine-contributor>

<https://docs.microsoft.com/en-us/answers/questions/350635/can-virtual-machine-contributor-create-vm.html>

NEW QUESTION 2

- (Topic 5)

You deploy an Azure Kubernetes Service (AKS) cluster named Cluster1 that uses the IP addresses shown in the following table.

IP address	Assigned to
131.107.2.1	Load balancer front end
192.168.10.2	Kubernetes DNS service
172.17.7.1	Docker bridge address
10.0.10.11	Kubernetes cluster node

You need to provide internet users with access to the applications that run in Cluster1. Which IP address should you include in the DNS record for Ousted?

- A. 172.17.7.1
- B. 131.107.2.1
- C. 192.168.10.2
- D. 10.0.10.11

Answer: B

Explanation:

When any internet user will try to access the cluster which is behind a load balancer, traffic

will first hit to load balancer front end IP. So in the DNS configuration you have to provide the IP address of the load balancer.

Reference:

<https://stackoverflow.com/questions/43660490/giving-a-dns-name-to-azure-load-balancer>

NEW QUESTION 3

HOTSPOT - (Topic 5)

You have an Azure subscription that contains an Azure Storage account named storage1 and the users shown in the following table.

Name	Member of
User1	Group1
User2	Group2
User3	Group1

You plan to monitor storage1 and to configure email notifications for the signals shown in the following table.

Name	Type	Users to notify
Ingress	Metric	User1 and User3 only
Egress	Metric	User1 only
Delete storage account	Activity log	User1, User2, and User3
Restore blob ranges	Activity log	User1 and User3 only

You need to identify the minimum number of alert rules and action groups required for the planned monitoring.
 How many alert rules and action groups should you identify? To answer, select the appropriate options in the answer area.
 NOTE: Each correct selection is worth one point.

Alert rules:

▼

1

2

3

4

Action groups:

▼

1

2

3

4

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1 : 4

As there are 4 distinct set of resource types (Ingress, Egress, Delete storage account, Restore blob ranges), so you need 4 alert rules. In one alert rule you can't specify different type of resources to monitor. So you need 4 alert rules.

Box 2 : 3

There are 3 distinct set of "Users to notify" as (User 1 and User 3), (User1 only), and (User1, User2, and User3). You can't set the action group based on existing group (Group1 and Group2) as there is no specific group for User1 only. So you need to create 3 action group.

NEW QUESTION 4

HOTSPOT - (Topic 5)

You have an Azure subscription that contains the container images shown in the following table.

Name	Operating system
Image1	Windows Server
Image2	Linux

You plan to use the following services:

- Azure Container Instances
- Azure Container Apps
- Azure App Service

In which services can you run the images? To answer, select the options in the answer area.

NOTE: Each correct answer is worth one point.

Answer Area

Image1:

Azure Container Instances only
 Azure Container Apps only
 Azure Container Instances and App Services only
 Azure Container Apps and App Services only
 Azure Container Instances, Azure Container Apps, and App Services

Image2:

Azure Container Instances only
 Azure Container Apps only
 Azure Container Instances and App Services only
 Azure Container Apps and App Services only
 Azure Container Instances, Azure Container Apps, and App Services

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Image 1: Azure Container Apps only.image 2: Azure Container Instances, Azure Container Apps, and App Services.

The images you have in your Azure subscription are different types of container images that can run on different Azure services. A container image is a package of software that includes everything needed to run an application, such as code, libraries, dependencies, and configuration files. Container images are portable and consistent across different environments, such as development, testing, and production.

Azure Container Instances is a service that allows you to run containers directly on the Azure cloud, without having to manage any infrastructure or orchestrators. You can use Azure Container Instances to run any container image that is compatible with the Docker image format and follows the Open Container Initiative (OCI) specification. You can also run Windows or Linux containers on Azure Container Instances.

Azure Container Apps is a service that allows you to build and deploy cloud-native applications and microservices using serverless containers. You can use Azure Container Apps to run any container image that is compatible with the Docker image format and follows the Open Container Initiative (OCI) specification. You can also run Windows or Linux containers on Azure Container Apps.

Azure App Service is a service that allows you to build and host web applications, mobile backends, and RESTful APIs using various languages and frameworks. You can use Azure App Service to run custom container images that are compatible with the Docker image format and follow the App Service Docker image contract. You can also run Windows or Linux containers on Azure App Service.

NEW QUESTION 5

DRAG DROP - (Topic 5)

You have an Azure Active Directory (Azure AD) tenant that has the initial domain name. You have a domain name of contoso.com registered at a third-party registrar.

You need to ensure that you can create Azure AD users that have names containing a suffix of @contoso.com.

Which three actions should you perform in sequence? To answer, move the appropriate cmdlets from the list of cmdlets to the answer area and arrange them in the correct order.

Actions

Configure company branding.

Add an Azure AD tenant.

Verify the domain.

Create an Azure DNS zone.

Add a custom domain name.

Add a record to the public contoso.com DNS zone.

Answer Area

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

The process is simple:

- ? Add the custom domain name to your directory
- ? Add a DNS entry for the domain name at the domain name registrar
- ? Verify the custom domain name in Azure AD

References: <https://docs.microsoft.com/en-us/azure/dns/dns-web-sites-custom-domain>

NEW QUESTION 6

HOTSPOT - (Topic 5)

Your company purchases a new Azure subscription.

You create a file named Deploy.json as shown in the following exhibit


```
1 {
2   "$schema": "https://schema.management.azure.com/schemas/2015-01-01/deploymentTemplate.json#",
3   "contentVersion": "1.0.0.0",
4   "parameters": {},
5   "variables": {},
6   "resources": [
7     {
8       "type": "Microsoft.Resources/resourceGroups",
9       "apiVersion": "2018-05-01",
10      "location": "eastus",
11      "name": "[concat('RG', copyIndex())]",
12      "copy": {
13        "name": "copy",
14        "count": 3
15      }
16    },
17    {
18      "type": "Microsoft.Resources/deployments",
19      "apiVersion": "2021-04-01",
20      "name": "lockDeployment",
21      "resourceGroup": "RG1",
22      "dependsOn": ["[resourceId('Microsoft.Resources/resourceGroups/', 'RG1')]"],
23      "properties": {
24        "mode": "Incremental",
25        "template": {
26          "$schema": "https://schema.management.azure.com/schemas/2019-04-01/deploymentTemplate.json#",
27          "contentVersion": "1.0.0.0",
28          "parameters": {},
29          "variables": {},
30          "resources": [
31            {
32              "type": "Microsoft.Authorization/locks",
33              "apiVersion": "2016-09-01",
34              "name": "rglock",
35              "properties": {
36                "level": "CanNotDelete"
37              }
38            }
39          ]
40        }
41      }
42    },
43    {
44      "type": "Microsoft.Resources/deployments",
45      "apiVersion": "2021-04-01",
46      "name": "lockDeployment",
47      "resourceGroup": "RG2",
48      "dependsOn": ["[resourceId('Microsoft.Resources/resourceGroups/', 'RG2')]"],
49      "properties": {
50        "mode": "Incremental",
51        "template": {
52          "$schema": "https://schema.management.azure.com/schemas/2019-04-01/deploymentTemplate.json#",
53          "contentVersion": "1.0.0.0",
54          "parameters": {},
55          "variables": {},
56          "resources": [
57            {
58              "type": "Microsoft.Authorization/locks",
59              "apiVersion": "2016-09-01",
60              "name": "rgLock",
61              "properties": {
62                "level": "ReadOnly"
63              }
64            }
65          ]
66        }
67      }
68    }
69  ],
70  "outputs": {}
71 }
```

You connect to the subscription and run the following cmdlet:
New-AzDeployment -Location westus -TemplateFile "deploy.json"
For each of the following statements, select Yes if the statement is true. Otherwise, select No.

Answer Area			
Statements		Yes	No
You can deploy a virtual machine to RG1.		<input type="radio"/>	<input type="radio"/>
You can deploy a virtual machine to RG2.		<input type="radio"/>	<input type="radio"/>
You can manually create a resource group named RG3.		<input type="radio"/>	<input type="radio"/>

A. Mastered
B. Not Mastered

Answer: A

Explanation:

Based on the file named Deploy.json and the cmdlet you ran, here are the answers to your statements:

? You can deploy a virtual machine to RG1. = No

? You can deploy a virtual machine to RG2. = No

? You can manually create a resource group named RG3. = Yes Let me explain why:

? The Deploy.json file defines a template for creating a resource group and a virtual machine in Azure. The template has two parameters: resourceGroupName and vmName. The template also has two resources: one for the resource group and one for the virtual machine. The resource group resource has a property called name, which is set to the value of the resourceGroupName parameter. The virtual machine resource has a property called location, which is set to the value of the location parameter of the deployment cmdlet.

? The cmdlet you ran specifies the location as westus and the template file as Deploy.json. However, it does not specify any values for the resourceGroupName and vmName parameters. Therefore, the cmdlet will prompt you to enter those values interactively before creating the deployment.

? If you enter RG1 as the value for the resourceGroupName parameter and VM1 as the value for the vmName parameter, then the cmdlet will create a resource group named RG1 and a virtual machine named VM1 in the westus location. Therefore, you can deploy a virtual machine to RG1.

? However, if you enter RG2 as the value for the resourceGroupName parameter, then the cmdlet will fail with an error. This is because RG2 already exists in your subscription and you cannot create a resource group with the same name as an existing one. Therefore, you cannot deploy a virtual machine to RG2 using this template and cmdlet.

? You can manually create a resource group named RG3 by using another cmdlet: New-AzResourceGroup. This cmdlet takes two parameters: Name and Location. For example, you can run the following cmdlet to create a resource group named RG3 in westus:

New-AzResourceGroup -Name RG3 -Location westus

NEW QUESTION 7

- (Topic 5)

You have two Azure virtual machines named VM1 and VM2 that run Windows Server. The virtual machines are in a subnet named Subnet1. Subnet1 is in a virtual network named VNet1. You need to prevent VM1 from accessing VM2 on port 3389. What should you do?


- A. Create a network security group (NSG) that has an outbound security rule to deny destination port 3389 and apply the NSG to the network interface of VM1.
- B. Create a network security group (NSG) that has an inbound security rule to deny source port 3389 and apply the NSG to Subnet1.
- C. Create a network security group (NSG) that has an outbound security rule to deny source port 3389 and apply the NSG to Subnet1.
- D. Configure Azure Bastion in VNet1.

Answer: A

NEW QUESTION 8

- (Topic 5)

You plan to create an Azure virtual machine named VM1 that will be configured as shown in the following exhibit. The planned disk configurations for VM1 are shown in the following exhibit.



Instance details

Virtual machine name *

Region *

Availability options

Image *
[Browse all public and private images](#)

Azure Spot instance ☐ Yes ☒ No

Size * **Standard DS1 v2**
 1 vcpu, 3.5 GiB memory (ZAR 632.47/month)
[Change size](#)

The planned disk configurations for VM1 are shown in the following exhibit.

[Basics](#) [Disks](#) [Networking](#) [Management](#) [Advanced](#) [Tags](#) [Review + create](#)

Azure VMs have one operating system disk and a temporary disk for short-term storage. You can attach additional data disks. The size of the VM determines the type of storage you can use and the number of data disks allowed. [Learn more](#)

Disk options

OS disk type *
 The selected VM size supports premium disks. We recommend Premium SSD for high IOPS workloads. Virtual machines with Premium SSD disks qualify for the 99.9% connectivity SLA.

Enable Ultra Disk compatibility ☐ Yes ☒ No
 Ultra Disks are only available when using Managed Disks.

Data disks

You can add and configure additional data disks for your virtual machine or attach existing disks. This VM also comes with a temporary disk.

i Adding unmanaged data disks is currently not supported at the time of VM creation. You can add them after the VM is created.

Advanced

Use managed disks ☒ No ☐ Yes

Storage account *
[Create new](#)

You need to ensure that VM1 can be created in an Availability Zone.
 Which two settings should you modify? Each correct answer presents part of the solution. NOTE: Each correct selection is worth one point.

- A. Use managed disks
- B. Availability options
- C. OS disk type
- D. Size
- E. Image

Answer: AB

Explanation:

<https://docs.microsoft.com/en-us/azure/site-recovery/move-azure-vms-avset-azone> <https://docs.microsoft.com/en-us/azure/virtual-machines/windows/create-portal-availability-zone> <https://docs.microsoft.com/en-us/azure/virtual-machines/manage-availability> <https://docs.microsoft.com/en-us/azure/availability-zones/az-overview#availability-zones>

NEW QUESTION 9

- (Topic 5)

You have an Azure Active Directory (Azure AD) tenant named contoso.com.

You have a CSV file that contains the names and email addresses of 500 external users. You need to create a guest user account in contoso.com for each of the 500 external users.

Solution: You create a Power Shell script that runs the New-MgUser cmdlet for each user. Does this meet the goal?

- A. Yes
- B. NO

Answer: B

Explanation:

<https://learn.microsoft.com/en-us/azure/active-directory/external-identities/tutorial-bulk-invite?source=recommendations>

NEW QUESTION 10

HOTSPOT - (Topic 5)

You have an Azure Active Directory (Azure AD) tenant named adatum.com. Adatum.com contains the groups in the following table.

Name	Group type	Membership type	Membership rule
Group1	Security	Dynamic user	(user.city -startsWith "m")
Group2	Microsoft Office 365	Dynamic user	(user.department -notIn ["HR"])
Group3	Microsoft Office 365	Assigned	<i>Not applicable</i>

You create two user accounts that are configured as shown in the following table.

Name	City	Department	Office 365 license assigned
User1	Montreal	Human resources	Yes
User2	Melbourne	Marketing	No

To which groups do User1 and User2 belong? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

User1:

<div>▼</div> <div>Group1 only</div> <div>Group2 only</div> <div>Group3 only</div> <div>Group1 and Group2 only</div> <div>Group1 and Group3 only</div> <div>Group2 and Group3 only</div> <div>Group1, Group2, and Group3</div>

User2:

<div>▼</div> <div>Group1 only</div> <div>Group2 only</div> <div>Group3 only</div> <div>Group1 and Group2 only</div> <div>Group1 and Group3 only</div> <div>Group2 and Group3 only</div> <div>Group1, Group2, and Group3</div>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Group 1 only First rule applies

Box 2: Group1 and Group2 only Both membership rules apply.

References: <https://docs.microsoft.com/en-us/sccm/core/clients/manage/collections/create-collections>

NEW QUESTION 10

- (Topic 5)

You have an Azure subscription that contains the resources shown in the following table.

Name	Type	Description
VNET1	Virtual network	Azure region: East US Contains the following subnets: <ul style="list-style-type: none"> Subnet1: 172.16.1.0/24 Subnet2: 172.16.2.0/24 Subnet3: 172.16.3.0/24
VNET2	Virtual network	Azure region: West US Contains the following subnets: <ul style="list-style-type: none"> DemoSubnet1: 172.16.1.0/24 RecoverySubnetA: 172.16.5.0/24 RecoverySubnetB: 172.16.3.0/24 TestSubnet1: 172.16.2.0/24
VM1	Virtual machine	Connected to Subnet2

You configure Azure Site Recovery to replicate VM1 between the East US and West US regions.

You perform a test failover of VM1 and specify VNET2 as the target virtual network. When the test version of VM1 is created, to which subnet will the virtual machine be connected?

- A. Testsubnet1
- B. RecoverySubnetB
- C. DemoSubnet1
- D. RecoverySubnetA

Answer: A

Explanation:

<https://learn.microsoft.com/en-us/azure/site-recovery/azure-to-azure-network-mapping>

The subnet of the target VM is selected based on the name of the subnet of the source VM.

- If a subnet with the same name as the source VM subnet is available in the target network, that subnet is set for the target VM.
- If a subnet with the same name doesn't exist in the target network, the first subnet in the alphabetical order is set as the target subnet.

NEW QUESTION 11

HOTSPOT - (Topic 5)

You have an Azure subscription named Sub1 that contains the Azure resources shown in the following table.

Name	Type
RG1	Resource group
storage1	Storage account
VNET1	Virtual network

You assign an Azure policy that has the following settings:

? Scope: Sub1

? Exclusions: Sub1/RG1/VNET1

? Policy definition: Append a tag and its value to resources

? Policy enforcement: Enabled

? Tag name: Tag4

? Tag value: value4

You assign tags to the resources as shown in the following table.

Resource	Tag
Sub1	Tag1:subscription
RG1	Tag2:IT
storage1	Tag3:value1
VNET1	Tag3:value2

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
RG1 has the Tag2:IT tag assigned only	<input type="radio"/>	<input type="radio"/>
Storage1 has the Tag1:subscription, Tag2:IT, Tag3:value1, and Tag4:value4 tags assigned.	<input type="radio"/>	<input type="radio"/>
VNET1 has the Tag2:IT and Tag3:value2 tags assigned only	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

? RG1 has the Tag2:IT tag assigned only. No, this is not correct. According to the tables, RG1 has two tags assigned: Tag2:IT and Tag3:value2. The Azure policy does not affect RG1, because it is excluded from the scope of the policy. Therefore, RG1 does not have the Tag4:value4 tag appended by the policy.

? Storage1 has the Tag1:subscription, Tag2:IT, Tag3:value1, and Tag4:value4 tags assigned. Yes, this is correct. According to the tables, Storage1 has three tags assigned: Tag1:subscription, Tag2:IT, and Tag3:value1. The Azure policy affects Storage1, because it is within the scope of the policy and not excluded. Therefore, Storage1 has the Tag4:value4 tag appended by the policy.

? VNET1 has the Tag2:IT and Tag3:value2 tags assigned only. Yes, this is correct.

According to the tables, VNET1 has two tags assigned: Tag2:IT and Tag3:value2. The Azure policy does not affect VNET1, because it is excluded from the scope of the policy. Therefore, VNET1 does not have the Tag4:value4 tag appended by the policy.

NEW QUESTION 12

- (Topic 5)

You have an Azure virtual machine named VM1.

You use Azure Backup to create a backup of VM1 named Backup1. After creating Backup1, you perform the following changes to VM1:

? Modify the size of VM1.

? Copy a file named Budget.xls to a folder named Data.

? Reset the password for the built-in administrator account.

? Add a data disk to VM1.

An administrator uses the Replace existing option to restore VM1 from Backup1. You need to ensure that all the changes to VM1 are restored.

Which change should you perform again?

A. Modify the size of VM1.

B. Add a data disk.

C. Reset the password for the built-in administrator account.

D. Copy Budget.xls to Data.

Answer: D

Explanation:

The scenario mentioned in the question, we are using the replace option. So in this case we would lose the existing data written to the disk after the backup was taken. The file was copied to the disk after the backup was taken. Hence, we would need to copy the file once again.

References:

<https://docs.microsoft.com/en-us/azure/backup/backup-azure-arm-restore-vms#replace-existing-disks>

NEW QUESTION 17

- (Topic 5)

You create an Azure Storage account.

You plan to add 10 blob containers to the storage account.

For one of the containers, you need to use a different key to encrypt data at rest. What should you do before you create the container?

A. Modify the minimum TLS version.

B. Create an encryption scope.

C. Generate a shared access signature (SAS).

D. Rotate the access keys.

Answer: B

Explanation:

<https://learn.microsoft.com/en-us/azure/storage/blobs/encryption-scope-overview#how-encryption-scopes-work>

NEW QUESTION 18

DRAG DROP - (Topic 5)

You have a windows 11 device named Device1 and an Azure subscription that contains the resources shown in the following table.

Name	Description
VNET1	Virtual network
VM1	Virtual machine that runs Windows Server 2022 and does NOT have a public IP address Connected to VNET1
Bastion1	Azure Bastion Basic SKU host connected to VNET1

Device 1 has Azure PowerShell and Azure Command-Line Interface (CLI) installed. From Device1, you need to establish a Remote Desktop connection to VM1.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

From Azure CLI on Device1, run `az network bastion rdp`.

From Bastion1, enable Kerberos authentication.

From VM1, enable just-in-time (JIT) VM access.

From Bastion1, select **Native Client Support**.

On Device1, run `mstsc.exe`.

Upgrade Bastion1 to the Standard SKU.

Answer Area



A. Mastered

B. Not Mastered

Answer: A

Explanation:

<https://learn.microsoft.com/en-us/azure/bastion/connect-native-client-windows>

NEW QUESTION 23

HOTSPOT - (Topic 4)

You implement the planned changes for NSG1 and NSG2.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.
NOTE: Each correct selection is worth one point.

Answer Area

Statements	Yes	No
From VM1, you can establish a Remote Desktop session to VM2.	<input type="radio"/>	<input type="radio"/>
From VM2, you can ping VM3.	<input type="radio"/>	<input type="radio"/>
From VM2, you can establish a Remote Desktop session to VM3.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Answer Area

Statements	Yes	No
From VM1, you can establish a Remote Desktop session to VM2.	<input checked="" type="radio"/>	<input type="radio"/>
From VM2, you can ping VM3.	<input checked="" type="radio"/>	<input type="radio"/>
From VM2, you can establish a Remote Desktop session to VM3.	<input type="radio"/>	<input checked="" type="radio"/>

NEW QUESTION 26

- (Topic 4)
You need to add VM1 and VM2 to the backend pool of LB1. What should you do first?

- A. Create a new NSG and associate the NSG to VNET1/Subnet1.
B. Connect VM2 to VNET1/Subnet1.
C. Redeploy VM1 and VM2 to the same availability zone.
D. Redeploy VM1 and VM2 to the same availability set.

Answer: B

NEW QUESTION 31

- (Topic 4)
You need to identify which storage account to use for the flow logging of IP traffic from VM5. The solution must meet the retention requirements.
Which storage account should you identify?

- A. storage4
B. storage1
C. storage2
D. storage3

Answer: D

NEW QUESTION 32

- (Topic 4)
You need to ensure that you can grant Group4 Azure RBAC read-only permissions to all the Azure file shares. What should you do?

- A. On storage1 and storage4, change the Account kind type to StorageV2 (general purpose v2).
B. Recreate storage2 and set Hierarchical namespace to Enabled.
C. On storage2, enable identity-based access for the file shares.
D. Create a shared access signature (SAS) for storage1, storage2, and storage4.

Answer: A

NEW QUESTION 37

DRAG DROP - (Topic 4)
You need to configure the alerts for VM1 and VM2 to meet the technical requirements.
Which three actions should you perform in sequence? To answer, move all actions from the list of actions to the answer area and arrange them in the correct order.

Actions

Configure the Diagnostic settings.

Collect Windows performance counters from the Log Analytics agents.

Create an alert rule.

Create an Azure SQL database.

Create a Log Analytics workspace.

Answer Area

Answer:

Actions

Configure the Diagnostic settings.

Collect Windows performance counters from the Log Analytics agents.

Create an alert rule.

Create an Azure SQL database.

Create a Log Analytics workspace.

Answer Area

Create an alert rule.

Create an Azure SQL database.

Create a Log Analytics workspace.

- A. Mastered
- B. Not Mastered



Answer: A

NEW QUESTION 39

HOTSPOT - (Topic 3)

You need to configure the Device settings to meet the technical requirements and the user requirements.
Which two settings should you modify? To answer, select the appropriate settings in the answer area.

Answer Area

 Save  Discard

Users may join devices to Azure AD ⓘ

AllSelectedNone

Selected
No member selected

Additional local administrators on Azure AD joined devices ⓘ

SelectedNone

Selected
No member selected

Users may register their devices with Azure AD ⓘ

AllNone

Require Multi-Factor Auth to join devices ⓘ

YesNo

Maximum number of devices per user ⓘ

50

Users may sync settings and app data across devices ⓘ

AllSelectedNone

Selected
No member selected

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Additional local administrators on Azure AD joined devices ⓘ

SelectedNone

Selected
No member selected

Users may register their devices with Azure AD ⓘ

AllNone

Require Multi-Factor Auth to join devices ⓘ

YesNo

Maximum number of devices per user ⓘ

50

Users may sync settings and app data across devices ⓘ

AllSelectedNone

Box 1: Selected

Only selected users should be able to join devices

Box 2: Yes

Require Multi-Factor Auth to join devices.

From scenario:

? Ensure that only users who are part of a group named Pilot can join devices to Azure AD

? Ensure that when users join devices to Azure Active Directory (Azure AD), the users use a mobile phone to verify their identity.

NEW QUESTION 40

- (Topic 3)

You need to implement a backup solution for App1 after the application is moved. What should you create first?

- A. a recovery plan
- B. an Azure Backup Server
- C. a backup policy
- D. a Recovery Services vault

Answer: D

Explanation:

A Recovery Services vault is a logical container that stores the backup data for each

protected resource, such as Azure VMs. When the backup job for a protected resource runs, it creates a recovery point inside the Recovery Services vault.

Scenario:

There are three application tiers, each with five virtual machines. Move all the virtual machines for App1 to Azure.

Ensure that all the virtual machines for App1 are protected by backups. References: <https://docs.microsoft.com/en-us/azure/backup/quick-backup-vm-portal>

NEW QUESTION 43

- (Topic 3)

You need to meet the user requirement for Admin1. What should you do?

- A. From the Subscriptions blade, select the subscription, and then modify the Properties.
- B. From the Subscriptions blade, select the subscription, and then modify the Access control (IAM) settings.
- C. From the Azure Active Directory blade, modify the Properties.
- D. From the Azure Active Directory blade, modify the Groups.

Answer: A

Explanation:

Change the Service administrator for an Azure subscription

? Sign in to Account Center as the Account administrator.

? Select a subscription.

? On the right side, select Edit subscription details.

Scenario: Designate a new user named Admin1 as the service administrator of the Azure subscription.

References: <https://docs.microsoft.com/en-us/azure/billing/billing-add-change-azure-subscription-administrator>

NEW QUESTION 46

- (Topic 3)

You are planning the move of App1 to Azure. You create a network security group (NSG).

You need to recommend a solution to provide users with access to App1. What should you recommend?

- A. Create an outgoing security rule for port 443 from the Internet to the web servers.
- B. Associate the NSG to all the subnets.
- C. Create an incoming security rule for port 443 from the Internet to the web servers.
- D. Associate the NSG to all the subnets.
- E. Create an incoming security rule for port 443 from the Internet to the web servers.
- F. Associate the NSG to the subnet that contains the web servers.
- G. Create an outgoing security rule for port 443 from the Internet to the web servers.
- H. Associate the NSG to the subnet that contains the web servers.

Answer: C

Explanation:

As App1 is public-facing we need an incoming security rule, related to the access of the web servers.

Scenario: You have a public-facing application named App1. App1 is comprised of the following three tiers: a SQL database, a web front end, and a processing middle tier. Each tier is comprised of five virtual machines. Users access the web front end by using HTTPS only.

NEW QUESTION 48

HOTSPOT - (Topic 3)

You need to identify the storage requirements for Contoso.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
Contoso requires a storage account that supports Blob storage.	<input type="radio"/>	<input type="radio"/>
Contoso requires a storage account that supports Azure Table storage.	<input type="radio"/>	<input type="radio"/>
Contoso requires a storage account that supports Azure File Storage.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Statement 1: Yes

Contoso is moving the existing product blueprint files to Azure Blob storage which will ensure that the blueprint files are stored in the archive storage tier. Use unmanaged standard storage for the hard disks of the virtual machines. We use Page Blobs for these.

Statement 2: No

Azure Table storage stores large amounts of structured data. The service is a NoSQL datastore which accepts authenticated calls from inside and outside the Azure cloud. Azure tables are ideal for storing structured, non-relational data. Common uses of Table storage include:

- * 1. Storing TBs of structured data capable of serving web scale applications
 - * 2. Storing datasets that don't require complex joins, foreign keys, or stored procedures and can be denormalized for fast access
 - * 3. Quickly querying data using a clustered index
 - * 4. Accessing data using the OData protocol and LINQ queries with WCF Data Service.NET Libraries
- Statement 3: No

File Storage can be used if your business use case needs to deal mostly with standard File extensions like *.docx, *.png and *.bak then you should probably go with this storage option.

NEW QUESTION 52

- (Topic 2)

You need to resolve the Active Directory issue. What should you do?

- A. From Active Directory Users and Computers, select the user accounts, and then modify the User Principal Name value.
- B. Run idfix.exe, and then use the Edit action.
- C. From Active Directory Domains and Trusts, modify the list of UPN suffixes.
- D. From Azure AD Connect, modify the outbound synchronization rule.

Answer: B

Explanation:

IdFix is used to perform discovery and remediation of identity objects and their attributes in an on-premises Active Directory environment in preparation for migration to Azure Active Directory. IdFix is intended for the Active Directory administrators responsible for directory

synchronization

with Azure Active Directory.

Scenario: Active Directory Issue

Several users in humongousinsurance.com have UPNs that contain special characters. You suspect that some of the characters are unsupported in Azure AD.

References: <https://www.microsoft.com/en-us/download/details.aspx?id=36832>

NEW QUESTION 53

- (Topic 2)

Which blade should you instruct the finance department auditors to use?

- A. invoices
- B. partner information
- C. cost analysis
- D. External services

Answer: C


Explanation:

Cost analysis: Correct Option

In cost analysis blade of Azure, you can see all the detail for custom time span. You can use this to determine expenditure of last few day, weeks, and month.

Below options are available in Cost analysis blade for filtering information by time span: last 7 days, last 30 days, and custom date range. Choosing the first option (last 7 days) auditors can view the costs by time span.

Cost analysis shows data for the current month by default. Use the date selector to switch to common date ranges quickly. Examples include the last seven days, the last month, the current year, or a custom date range. Pay-as-you-go subscriptions also include date ranges based on your billing period, which isn't bound to the calendar month, like the current billing period or last invoice. Use the <PREVIOUS andNEXT> links at the top of the menu to jump to the previous or next period, respectively. For example, <PREVIOUS will switch from the Last 7 days to8-14 days ago o1r 5-21 days ago.



Invoice: Incorrect Option

Invoices can only be used for past billing periods not for current billing period, i.e. if your requirement is to know the last week's cost then that also not filled by invoices because Azure generates invoice at the end of the month. Even though Invoices have custom timespan, but when you put in dates for a week, the pane would be empty. Below is from Microsoft document:

Why don't I see an invoice for the last billing period?

There could be several reasons that you don't see an invoice:

- It's less than 30 days from the day you subscribed to Azure.
- The invoice isn't generated yet Wait until the end of the billing period.
- You don't have permission to view invoices. If you have a Microsoft Customer Agreement, you must be the billing profile Owner, Contributor, Reader, or Invoice manager. For other subscriptions, you might not see old invoices if you aren't the Account Administrator. To learn more about getting access to billing information, see [Manage access to Azure billing using roles](#).
- If you have a Free Trial or a monthly credit amount with your subscription that you didn't exceed, you won't get an invoice unless you have a Microsoft Customer Agreement.

Resource Provider: Incorrect Option

When deploying resources, you frequently need to retrieve information about the resource providers and types. For example, if you want to store keys and secrets, you work with the Microsoft.KeyVault resource provider. This resource provider offers a resource type called vaults for creating the key vault. This is not useful for reviewing all Azure costs from the past week which is required for audit.

Payment method: Incorrect Option

Payment methods is not useful for reviewing all Azure costs from the past week which is required for audit.

Reference:

<https://docs.microsoft.com/en-us/azure/cost-management-billing/costs/quick-acm-cost-analysis>

<https://docs.microsoft.com/en-us/azure/cost-management-billing/manage/download-azure-invoice-daily-usage-date>

NEW QUESTION 55

- (Topic 2)

Which blade should you instruct the finance department auditors to use?

- A. Partner information
- B. Overview
- C. Payment methods
- D. Invoices

Answer: D

Explanation:

You can opt in and configure additional recipients to receive your Azure invoice in an email. This feature may not be available for certain subscriptions such as support offers, Enterprise Agreements, or Azure in Open.

? Select your subscription from the Subscriptions page. Opt-in for each subscription you own. Click Invoices then Email my invoice. A screenshot of a computer

Description automatically generated

? Click Opt in and accept the terms.

Scenario: During the testing phase, auditors in the finance department must be able to review all Azure costs from the past week.

References: <https://docs.microsoft.com/en-us/azure/billing/billing-download-azure-invoice-daily-usage-date>

NEW QUESTION 60

- (Topic 2)

You need to prepare the environment to meet the authentication requirements.

Which two actions should you perform? Each correct answer presents part of the solution. NOTE Each correct selection is worth one point.

- A. Azure Active Directory (AD) Identity Protection and an Azure policy
- B. a Recovery Services vault and a backup policy
- C. an Azure Key Vault and an access policy
- D. an Azure Storage account and an access policy

Answer: C

Explanation:

D: Seamless SSO works with any method of cloud authentication - Password Hash Synchronization or Pass-through Authentication, and can be enabled via Azure AD Connect.

B: You can gradually roll out Seamless SSO to your users. You start by adding the following Azure AD URL to all or selected users' Intranet zone settings by using Group Policy in Active Directory: <https://autologon.microsoftazuread-ssso.com>

NEW QUESTION 65

HOTSPOT - (Topic 1)

You need to the appropriate sizes for the Azure virtual for Server2.

What should you do? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

From the Azure portal:

	▼
Create an Azure Migrate project.	
Create a Recovery Services vault.	
Upload a management certificate.	
Create an Azure Import/Export job.	

On Server2:

	▼
Enable Hyper-V Replica.	
Install the Azure File Sync agent.	
Create a collector virtual machine.	
Configure Hyper-V storage migration.	
Install the Azure Site Recovery Provider.	

Answer:

From the Azure portal:

	▼
Create an Azure Migrate project.	
Create a Recovery Services vault.	
Upload a management certificate.	
Create an Azure Import/Export job.	

On Server2:

	▼
Enable Hyper-V Replica.	
Install the Azure File Sync agent.	
Create a collector virtual machine.	
Configure Hyper-V storage migration.	
Install the Azure Site Recovery Provider.	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Create a Recovery Services vault

Create a Recovery Services vault on the Azure Portal.

Box 2: Install the Azure Site Recovery Provider

Azure Site Recovery can be used to manage migration of on-premises machines to Azure.

Scenario: Migrate the virtual machines hosted on Server1 and Server2 to Azure. Server2 has the Hyper-V host role.

References:

<https://docs.microsoft.com/en-us/azure/site-recovery/migrate-tutorial-on-premises-azure>

NEW QUESTION 68

- (Topic 2)

You need to prepare the environment to meet the authentication requirements.

Which two actions should you perform? Each correct answer presents part of the solution. NOTE: Each correct selection is worth one point.

A. Allow inbound TCP port 8080 to the domain controllers in the Miami office.

B. Add <http://autogon.microsoftazuread-sso.com> to the intranet zone of each client computer in the Miami

office.

C. Join the client computers in the Miami office to Azure AD.

D. Install the Active Directory Federation Services (AD FS) role on a domain controller in the Miami office.

E. Install Azure AD Connect on a server in the Miami office and enable Pass-through Authentication.

Answer: BE

Explanation:

B: You can gradually roll out Seamless SSO to your users. You start by adding the following Azure AD URL to all or selected users' Intranet zone settings by using Group Policy in Active Directory: <https://autologon.microsoftazuread-sso.com>

E: Seamless SSO works with any method of cloud authentication - Password Hash Synchronization or Pass-through Authentication, and can be enabled via Azure AD Connect.

References:

<https://docs.microsoft.com/en-us/azure/active-directory/hybrid/how-to-connect-sso-quick-start>

NEW QUESTION 69

HOTSPOT - (Topic 5)

You have an Azure virtual machine named VM1 and a Recovery Services vault named Vault1.

You create a backup Policy1 as shown in the exhibit. (Click the Exhibit tab.)

Policy1

 Associated items  Delete  Save  Discard

Backup schedule

* Frequency * Time * Timezone

Retention range

☒ Retention of daily backup point.

* At For Day(s)

☒ Retention of weekly backup point.

* On * At For Week(s)

☒ Retention of monthly backup point.

☒ Week Based ☐ Day Based

* On * At For Month(s)

☒ Retention of yearly backup point.

☒ Week Based ☐ Day Based

* In * On * At For Year(s)

You configure the backup of VM1 to use Policy1 on Thursday, January 1.

You need to identify the number of available recovery points for VM1.

How many recovery points are available on January 8 and on January 15? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

January 8 at 14:00:

<input type="text"/>	<input type="text"/>
5	
6	
8	
9	

January 15 at 14:00:

<input type="text"/>	<input type="text"/>
5	
8	
17	
19	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: 6

4 daily + 1 weekly + monthly

Box 2: 8

4 daily + 2 weekly + monthly + yearly

NEW QUESTION 70

HOTSPOT - (Topic 5)

You have an Azure subscription.

You plan to create a role definition to meet the following requirements:

- Users must be able to view the configuration data of a storage account.
- Users must be able to perform all actions on a virtual network.
- The solution must use the principle of least privilege.

What should you include in the role definition for each requirement? To answer, select the appropriate options in the answer area.

Answer Area

Perform all actions on a virtual network:

"Microsoft.Network/virtualNetworks/*"
"Microsoft.Network/virtualNetworks/delete"
"Microsoft.Network/virtualNetworks/write"

View the configuration data of a storage account:

"Microsoft.Storage/StorageAccounts/*"
"Microsoft.Storage/StorageAccounts/read"
"Microsoft.Storage/StorageAccounts/blobServices/containers/blob/read"

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Perform all actions on a virtual network: "Microsoft.Network/virtualNetworks/*"

View the configuration data of a storage account: "Microsoft.Storage/StorageAccounts/read"

To perform all actions on a virtual network, you need to use the wildcard (*) character in the action string, which grants access to all actions that match the string.

The action string for virtual networks is "Microsoft.Network/virtualNetworks/". To view the configuration data of a storage account, you need to use the read action substring in the action string, which enables read actions (GET). The action string for storage accounts is "Microsoft.Storage/StorageAccounts/read". References:

? <https://learn.microsoft.com/en-us/azure/role-based-access-control/role-definitions>

? <https://learn.microsoft.com/en-us/azure/role-based-access-control/built-in-roles>

NEW QUESTION 71

HOTSPOT - (Topic 5)

You plan to deploy five virtual machines to a virtual network subnet.

Each virtual machine will have a public IP address and a private IP address. Each virtual machine requires the same inbound and outbound security rules.

What is the minimum number of network interfaces and network security groups that you require? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Minimum number of network interfaces:

	▼
5	
10	
15	
20	

Minimum number of network security groups:

	▼
1	
2	
5	
10	

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Box 1: 5

A public and a private IP address can be assigned to a single network interface. Box 2: 1

You can associate zero, or one, network security group to each virtual network subnet and network interface in a virtual machine. The same network security group can be associated to as many subnets and network interfaces as you choose.

NEW QUESTION 74

HOTSPOT - (Topic 5)

You have an Azure Active Directory tenant named Contoso.com that includes following users:

Name	Role
User1	Cloud device administrator
User2	User administrator

Contoso.com includes following Windows 10 devices:

Name	Join type
Device1	Azure AD registered
Device2	Azure AD joined

You create following security groups in Contoso.com:

Name	Join type	Owner
Group1	Assigned	User1
Group2	Dynamic Device	User2

For each of the following statements, select Yes if the statement is true. Otherwise, select No.
 NOTE: Each correct selection is worth one point.

Statements	Yes	No
User1 can add Device2 to Group1	<input type="radio"/>	<input type="radio"/>
User2 can add Device1 to Group1	<input type="radio"/>	<input type="radio"/>
User2 can add Device2 to Group2	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Yes

User1 is a Cloud Device Administrator. Device2 is Azure AD joined.

Group1 has the assigned join type. User1 is the owner of Group1.

Note: Assigned groups - Manually add users or devices into a static group.

Azure AD joined or hybrid Azure AD joined devices utilize an organizational account in Azure AD

Box 2: No

User2 is a User Administrator. Device1 is Azure AD registered.

Group1 has the assigned join type, and the owner is User1.

Note: Azure AD registered devices utilize an account managed by the end user, this account is either a Microsoft account or another locally managed credential.

Box 3: Yes

User2 is a User Administrator. Device2 is Azure AD joined.

Group2 has the Dynamic Device join type, and the owner is User2.

References:

<https://docs.microsoft.com/en-us/azure/active-directory/devices/overview>

NEW QUESTION 79

- (Topic 5)

You have an Azure Kubernetes Service (AKS) cluster named AKS1. You need to configure cluster autoscaler for AKS1.

Which two tools should you use? Each correct answer presents a complete solution, NOTE: Each correct selection is worth one point

- A. the set-AzAKs cmdlet
- B. the Azure portal
- C. The az aks command
- D. the kubect1 command
- E. the set Azure cmdlet

Answer: BC

Explanation:

AKS clusters can scale in one of two ways: - The cluster autoscaler watches for pods that can't be scheduled on nodes because of resource constraints. The cluster then automatically increases the number of nodes. - The horizontal pod autoscaler uses the Metrics Server in a Kubernetes cluster to monitor the resource demand of pods. If an application needs more resources, the number of pods is automatically increased to meet the demand. Reference:


<https://docs.microsoft.com/en-us/azure/aks/cluster-autoscaler>

NEW QUESTION 80

HOTSPOT - (Topic 5)

You have an Azure subscription that contains two storage accounts named contoso101 and contoso102. The subscription contains the virtual machines shown in the following table.

VNet1 has service endpoints configured as shown in the Service endpoints exhibit. (Click the Service endpoints tab.)

 **VNet1 | Service endpoints** ☆ ... ×

Virtual network

»

+

 Add

↺

 Refresh

🔍

 Filter service endpoints

Service	Subnet	Status	Locations
▼ Microsoft.AzureActiveDirectory	1		...
	Subnet2	Succeeded	* ...
▼ Microsoft.Storage	1		...
	Subnet1	Succeeded	* ...

The Microsoft. Storage service endpoint has the service endpoint policy shown in the Microsoft. Storage exhibit. (Click the Microsoft. Storage tab.)

Create a service endpoint policy

Validation passed

Basics

Policy definitions

Tags

Review + create

Basics

Subscription

Resource group

Region

Name

Resources

Tags

Azure Pass - Sponsorship

RG1

East US

Policy1

contoso101 (Storage account)

None

For this policy to take effect, you will need to associate it to one or more subnets that have virtual network service endpoints. Please visit a virtual network in East US region and then select the subnets to which you would like to associate this policy.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Answer Area

Statements	Yes	No
VM1 can access contoso102.	<input type="radio"/>	<input type="radio"/>
VM2 can access contoso101.	<input type="radio"/>	<input type="radio"/>
VM2 uses a private IP address to access Azure AD.	<input type="radio"/>	<input type="radio"/>

Answer:

Answer Area

Statements	Yes	No
VM1 can access contoso102.	<input type="radio"/>	<input checked="" type="radio"/>
VM2 can access contoso101.	<input type="radio"/>	<input checked="" type="radio"/>
VM2 uses a private IP address to access Azure AD.	<input type="radio"/>	<input checked="" type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

NEW QUESTION 84

- (Topic 5)
You plan to create the Azure web apps shown in the following Table.

Name	Runtime stack
WebApp1	.NET 6 (LTS)
WebApp2	ASP.NET V4.8
WebApp3	PHP 8.1
WebApp4	Python 3.11

What is the minimum number of App Service plans you should create for the web apps?

- A. 1
- B. 2
- C. 3
- D. 4

Answer: B

Explanation:

NET Core 3.0: Windows and Linux ASP .NET V4.7: Windows only PHP 7.3: Windows and Linux Ruby 2.6: Linux only Also, you can't use Windows and Linux Apps in the same App Service Plan, because when you create a new App Service plan you have to choose the OS type. You can't mix Windows and Linux apps in the same App Service plan. So, you need 2 ASPs. Reference: <https://docs.microsoft.com/en-us/azure/app-service/overview>

NEW QUESTION 89

- (Topic 5)
You have an Azure subscription that contains a storage account. The account stores website data.
You need to ensure that inbound user traffic uses the Microsoft point-of-presence (POP) closest to the user's location.
What should you configure?

- A. load balancing
- B. private endpoints
- C. Azure Firewall rules
- D. Routing preference

Answer: D

Explanation:

Routing preference is a feature that allows you to configure how network traffic is routed to your storage account from clients over the internet. By default, traffic from the internet is routed to the public endpoint of your storage account over the Microsoft global network, which is optimized for low-latency path selection and high reliability. Both inbound and outbound traffic are routed through the point of presence (POP) that is closest to the client. This ensures that traffic to and from your storage account traverses over the Microsoft global network for the bulk of its path, maximizing network performance. You can also change the routing preference to use internet routing, which minimizes the traversal of your traffic over the Microsoft global network, handing it off to the transit ISP at the earliest opportunity. This lowers networking costs, but may compromise network performance. Therefore, to ensure that inbound user traffic uses the Microsoft POP closest to the user's location, you should configure routing preference to use the Microsoft global network as the default routing option for your storage account. References:

- ? Network routing preference for Azure Storage
- ? Configure network routing preference for Azure Storage

NEW QUESTION 90

- (Topic 5)
You have an Azure subscription that contains the resources shown in the following table.

Name	Type
LB1	Load balancer
VM1	Virtual machine
VM2	Virtual machine

LB1 is configured as shown in the following table.

Name	Type	Value
bepool1	Backend pool	VM1, VM2
LoadBalancerFrontEnd	Frontend IP configuration	Public IP address
hprobe1	Health probe	Protocol: TCP Port:80 Interval: 5 seconds Unhealthy threshold: 2
rule1	Load balancing rule	IP version: IPv4 Frontend IP address: LoadBalancerFrontEnd Port: 80 Backend Port: 80 Backend pool: bepool1 Health probe: hprobe1

You plan to create new inbound NAT rules that meet the following requirements: Provide Remote Desktop access to VM2 from the internet by using port 3389.

- A. A frontend IP address
- B. A health probe
- C. A load balancing rule
- D. A backend pool

Answer: A

Explanation:

To create an inbound NAT rule, you need to specify a frontend IP address and a frontend port for the load balancer to receive the traffic, and a backend IP address and a backend port for the load balancer to forward the traffic to1. According to the first table, LB1 has only one frontend IP address, which is 40.121.183.105. However, this frontend IP address is already used by the existing inbound NAT rule named rule1, which forwards port 80 to VM1 on port 802. Therefore, you cannot use the same frontend IP address and port for another inbound NAT rule.

To solve this problem, you need to create a new frontend IP address for LB1 before you can create the new inbound NAT rules. You can do this by using the Azure portal, PowerShell, or CLI3. After you create a new frontend IP address, you can use it to create the new inbound NAT rules that meet your requirements.

NEW QUESTION 95

- (Topic 5)

You have an Azure subscription named Subscription1 that is used be several departments at your company. Subscription1 contains the resources in the following table:

Name	Type
Storage1	Storage account
RG1	Resource group
Container1	Blob container
Share1	File share

Another administrator deploys a virtual machine named VM1 and an Azure Storage account named Storage2 by using a single Azure Resource Manager template. You need to view the template used for the deployment.

From which blade can you view the template that was used for the deployment?


- A. RG1
- B. VM1
- C. Storage1
- D. Container1

Answer: A


Explanation:

* 1. View template from deployment history

Go to the resource group for your new resource group. Notice that the portal shows the result of the last deployment. Select this link.



* 2. You see a history of deployments for the group. In your case, the portal probably lists only one deployment. Select this deployment.




The portal displays a summary of the deployment. The summary includes the status of the deployment and its operations and the values that you provided for parameters. To see the template that you used for the deployment, select View template.

References: <https://docs.microsoft.com/en-us/azure/azure-resource-manager/resource-manager-export-template>

NEW QUESTION 98

- (Topic 5)

You have an Azure subscription that contains a storage account named storageacct1234 and two users named User1 and User2. You assign User1 the roles shown in the following exhibit.



Which two actions can User1 perform? Each correct answer presents a complete solution. NOTE: Each correct selection is worth one point.

- A. View file shares in storageacct1234.
- B. Upload blob data to storageacct1234.
- C. Assign roles to User2 for storageacct1234.
- D. View blob data in storageacct1234.
- E. Modify the firewall of storageacct1234.

Answer: AC

NEW QUESTION 102

- (Topic 5)

You have an Azure subscription that contains a virtual machine named VM1 and an Azure key vault named KV1.

You need to configure encryption for VM1. The solution must meet the following requirements:

- Store and use the encryption key in KV1.
- Maintain encryption if VM1 is downloaded from Azure.
- Encrypt both the operating system disk and the data disks. Which encryption method should you use?

- A. encryption at host
- B. customer-managed keys
- C. Azure Disk Encryption
- D. Confidential disk encryption

Answer: C

Explanation:

Azure Disk Encryption is a service that helps you encrypt your Windows and Linux IaaS virtual machine disks¹. It uses BitLocker for Windows and DM-Crypt for Linux to provide volume encryption for the OS and data disks². Azure Disk Encryption requires that you use a key encryption key in Azure Key Vault to encrypt the volume encryption key, which is then stored on the disk. You can use either a service-managed key or a customer-managed key in Azure Key Vault³. Azure Disk Encryption also supports encrypting virtual machine disks that are downloaded from Azure⁴.

NEW QUESTION 106

HOTSPOT - (Topic 5)

You have an Azure subscription. The subscription contains a storage account named storage1 that has the lifecycle management rules shown in the following table.

Name	Blob prefix	If base blobs were last modified more than (days ago)	Then
Rule1	container1/	3 days	Move to archive storage
Rule2	<i>Not applicable</i>	5 days	Move to cool storage
Rule3	container2/	10 days	Delete the blob
Rule4	container2/	15 days	Move to archive storage

On June 1, you store two blobs in storage1 as shown in the following table.

Name	Location	Access tier
File1	container1	Hot
File2	container2	Hot

For each of the following statements, select Yes if the statement is true. Otherwise, select No.
NOTE: Each correct selection is worth one point.

Answer Area

Statements	Yes	No
On June 6, File1 will be stored in the Cool access tier.	<input type="radio"/>	<input type="radio"/>
On June 7, File2 will be stored in the Cool access tier.	<input type="radio"/>	<input type="radio"/>
On June 16, File2 will be stored in the Archive access tier.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Statements	Yes	No
On June 6, File1 will be stored in the Cool access tier.	<input type="radio"/>	<input checked="" type="radio"/>
On June 7, File2 will be stored in the Cool access tier.	<input type="radio"/>	<input checked="" type="radio"/>
On June 16, File2 will be stored in the Archive access tier.	<input type="radio"/>	<input checked="" type="radio"/>

NEW QUESTION 109
HOTSPOT - (Topic 5)

You have the following custom role-based access control (RBAC) role.

```
{
  "id": "b988327b-7dae-4d00-8925-1cc14fd68be4",
  "properties": {
    "roleName": "Role1",
    "description": "",
    "assignableScopes": [
      "/subscriptions/c691ad84-99f2-42fd-949b-58afd7ef6ab3"
    ],
    "permissions": [
      {
        "actions": [
          "Microsoft.Resources/subscription/resourceGroups/resources/read",
          "Microsoft.Resources/subscription/resourceGroups/read",
          "Microsoft.Resourcehealth/*",
          "Microsoft.Authorization/*/read",
          "Microsoft.Compute/*/read",
          "Microsoft.Support/*",
          "Microsoft.Authorization/*/read",
          "Microsoft.Network/virtualNetworks/read",
          "Microsoft.Resources/deployments/*",
          "Microsoft.Resources/subscription/resourceGroups/read",
          "Microsoft.Storage/storageAccounts/read",
          "Microsoft.Compute/virtualMachines/start/action",
          "Microsoft.Compute/virtualMachines/powerOff/action",
          "Microsoft.Compute/virtualMachines/deallocate/action",
          "Microsoft.Compute/virtualMachines/restart/action",
          "Microsoft.Compute/virtualMachines/*",
          "Microsoft.Compute/disks/*",
          "Microsoft.Compute/availabilitySets/*",
          "Microsoft.Network/virtualNetworks/subnets/join/action",
          "Microsoft.Network/virtualNetworks/subnets/read",
          "Microsoft.Network/virtualNetworks/subnets/virtualMachines/read",
          "Microsoft.Network/networkInterfaces/*",
          "Microsoft.Compute/snapshots/*"
        ],
        "notAction": [
          "Microsoft.Authorization/*/Delete",
          "Microsoft.Authorization/*/Write",
          "Microsoft.Authorization/elevateAccess/action"
        ]
      }
    ]
  }
}
```

For each of the following statements, select Yes if the statement is true. Otherwise, select No.
NOTE: Each correct selection is worth one point.

Statements	Yes	No
Users that are assigned Role1 can assign Role1 to users.	<input type="radio"/>	<input type="radio"/>
Users that are assigned Role1 can deploy new virtual machines.	<input type="radio"/>	<input type="radio"/>
Users that are assigned Role1 can set a static IP address on a virtual machine.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: N
Because doesn't have:
Microsoft.Authorization/*/Write - Create roles, role assignments, policy assignments, policy definitions and policy set definitions
Box 2; Yes
Has been assigned;
Microsoft.Compute/virtualMachines/* - Perform all virtual machine actions including create, update, delete, start, restart, and power off virtual machines. Execute scripts on virtual machines.
Box 3: Y
Has been assigned;
Microsoft.Network/networkInterfaces/* - Create and manage network interfaces
See;
<https://learn.microsoft.com/en-us/azure/role-based-access-control/built-in-roles>

NEW QUESTION 114

- (Topic 5)
You have two subscriptions named Subscription1 and Subscription2. Each subscription is associated to a different Azure AD tenant. Subscription1 contains a virtual network named VNet1. VNet1 contains an Azure virtual machine named VM1 and has an IP address space of 10.0.0.0/16. Subscription2 contains a virtual network named VNet2. VNet2 contains an Azure virtual machine named VM2 and has an IP address space of 10.10.0.0/24. You need to connect VNet1 to VNet2. What should you do first?

A. Move VM1 to Subscription2.

B. Modify the IP address space of VNet2.

C. Provision virtual network gateways.

D. Move VNet1 to Subscription2.

Answer: C

Explanation:

<https://docs.microsoft.com/en-us/azure/virtual-network/tutorial-connect-virtual-networks-portal>

NEW QUESTION 115

HOTSPOT - (Topic 5)

You have an Azure subscription that contains the resources shown in the following table.

Name	Type
VM1	Virtual machine
storage1	Storage account
Workspace1	Log Analytics workspace
DB1	Azure SQL database

You plan to create a data collection rule named DCRI in Azure Monitor.

Which resources can you set as data sources in DCRI, and which resources can you set as destinations in DCRI? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Data sources:

▼

VM1 only

VM1 and storage1 only

VM1, storage1, and DB1 only

VM1, storage1, Workspace1, and DB1

Destinations:

▼

storage1 only

Workspace1 only

Workspace1 and storage1 only

Workspace1, storage1, and DB1 only1

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Data Sources: VM1 only Destination: Workspace1 Only

NEW QUESTION 119

HOTSPOT - (Topic 5)

You have the App Service plans shown in the following table.

Name	Operating system	Location
ASP1	Windows	West US
ASP2	Windows	Central US
ASP3	Linux	West US

You plan to create the Azure web apps shown in the following table.

Name	Runtime stack	Location
WebApp1	.NET Core 3.0	West US
WebApp2	ASP.NET 4.7	West US

You need to identify which App Service plans can be used for the web apps.

What should you identify? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

WebApp1:

▼

ASP1 only

ASP3 only

ASP1 and ASP2 only

ASP1 and ASP3 only

ASP1, ASP2, and ASP3

WebApp2:

▼

ASP1 only

ASP3 only

ASP1 and ASP2 only

ASP1 and ASP3 only

ASP1, ASP2, and ASP3

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: ASP1 ASP3

Asp1, ASP3: ASP.NET Core apps can be hosted both on Windows or Linux.

Not ASP2: The region in which your app runs is the region of the App Service plan it's in.

Box 2: ASP1

ASP.NET apps can be hosted on Windows only.

NEW QUESTION 121

- (Topic 5)

You have an Azure Active Directory (Azure AD) tenant named contoso.com.

You have a CSV file that contains the names and email addresses of 500 external users. You need to create a guest user account in contoso.com for each of the 500 external users.

Solution: You create a Power Shell script that runs the New-MgUser cmdlet for each user.

Does this meet the goal?

- A. Yes
- B. NO

Answer: B

Explanation:

The New-MgUser cmdlet is part of the Microsoft Graph PowerShell SDK, which is a module that allows you to interact with the Microsoft Graph API. The Microsoft Graph API is a service that provides access to data and insights across Microsoft 365, such as users, groups, mail, calendar, contacts, files, and more¹.

The New-MgUser cmdlet can be used to create new users in your Azure AD tenant, but it has some limitations and requirements. For example, you need to have the Global Administrator or User Administrator role in your tenant, you need to authenticate with the Microsoft Graph API using a certificate or a client secret, and you need to specify the required parameters for the new user, such as userPrincipalName, accountEnabled, displayName, mailNickname, and passwordProfile². However, the New-MgUser cmdlet does not support creating guest user accounts in your Azure AD tenant. Guest user accounts are accounts that belong to external users from other organizations or domains. Guest user accounts have limited access and permissions in your tenant, and they are typically used for collaboration or sharing purposes³.

To create guest user accounts in your Azure AD tenant, you need to use a different cmdlet: New-AzureADMSInvitation. This cmdlet is part of the Azure AD PowerShell module, which is a module that allows you to manage your Azure AD resources and objects. The New- AzureADMSInvitation cmdlet can be used to create and send an invitation email to an external user, which contains a link to join your Azure AD tenant as a guest user. You can also specify some optional parameters for the invitation, such as the invited user display name, message info, redirect URL, or send invitation message.

Therefore, to meet the goal of creating guest user accounts for 500 external users from a CSV file, you need to use a PowerShell script that runs the New-AzureADMSInvitation cmdlet for each user, not the New-MgUser cmdlet.

NEW QUESTION 125

HOTSPOT - (Topic 5)

You have an Azure subscription that contains the resources shown in the following table:

Name	Type	Resource group	Tag
RG6	Resource group	<i>Not applicable</i>	<i>None</i>
VNET1	Virtual network	RG6	Department: D1

You assign a policy to RG6 as shown in the following table:

Section	Setting	Value
Scope	Scope	Subscription1/RG6
	Exclusions	None
Basics	Policy definition	Apply tag and its default value
	Assignment name	Apply tag and its default value
Parameters	Tag name	Label
	Tag value	Value1

To RG6, you apply the tag: RGroup: RG6.
You deploy a virtual network named VNET2 to RG6.
Which tags apply to VNET1 and VNET2? To answer, select the appropriate options in the answer area.
NOTE: Each correct selection is worth one point.

VNET1:

▼

None

Department: D1 only

Department: D1, and RGroup: RG6 only

Department: D1, and Label: Value1 only

Department: D1, RGroup: RG6, and Label: Value1

VNET2:

▼

None

RGroup: RG6 only

Label: Value1 only

RGroup: RG6, and Label: Value1

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:
<https://learn.microsoft.com/en-us/azure/azure-resource-manager/management/tag-policies>

NEW QUESTION 130

- (Topic 5)
Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.
After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.
You have an Azure virtual machine named VM1. VM1 was deployed by using a custom Azure Resource Manager template named ARM1.json.
You receive a notification that VM1 will be affected by maintenance. You need to move VM1 to a different host immediately.
Solution: From the Update management blade, you click Enable. Does this meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 135

- (Topic 5)
You have an Azure subscription that contains a virtual network named VNET1. VNET1 contains the subnets shown in the following table.

Name	Connected virtual machines
Subnet1	VM1, VM2
Subnet2	VM3, VM4
Subnet3	VM5, VM6

Each virtual machine uses a static IP address.
You need to create network security groups (NSGs) to meet following requirements:
? Allow web requests from the internet to VM3, VM4, VM5, and VM6.
? Allow all connections between VM1 and VM2.
? Allow Remote Desktop connections to VM1.
? Prevent all other network traffic to VNET1.
What is the minimum number of NSGs you should create?

- A. 1
B. 3
C. 4
D. 12

Answer: C

Explanation:

Note: A network security group (NSG) contains a list of security rules that allow or deny network traffic to resources connected to Azure Virtual Networks (VNet). NSGs can be associated to subnets, individual VMs (classic), or individual network interfaces (NIC) attached to VMs (Resource Manager).

Each network security group also contains default security rules.

References:

<https://docs.microsoft.com/en-us/azure/virtual-network/security-overview#default-security-rules>

NEW QUESTION 136

- (Topic 5)

You have an Azure subscription that has the public IP addresses shown in the following table.

Name	IP version	SKU	Tier	IP address assignment
IP1	IPv4	Standard	Regional	Static
IP2	IPv4	Standard	Global	Static
IP3	IPv4	Basic	Regional	Dynamic
IP4	IPv4	Basic	Regional	Static
IP5	IPv6	Standard	Regional	Static

You plan to deploy an instance of Azure Firewall Premium named FW1. Which IP addresses can you use?

- A. IP2 Only
B. IP1 and IP2 only
C. IP1, IP2, and IP5 only
D. IP1, IP2, IP4, and IP5 only

Answer: B

Explanation:

<https://learn.microsoft.com/en-us/azure/virtual-network/ip-services/public-ip-addresses#at-a-glance>

Azure Firewall

- Dynamic IPv4: No

- Static IPv4: Yes

Dynamic IPv6: No

- Static IPv6: No

<https://learn.microsoft.com/en-us/azure/virtual-network/ip-services/configure-public-ip-firewall>

Azure Firewall is a cloud-based network security service that protects your Azure Virtual Network resources. Azure Firewall requires at least one public static IP address to be configured. This IP or set of IPs are used as the external connection point to the firewall. Azure Firewall supports standard SKU public IP addresses. Basic SKU public IP address and public IP prefixes aren't supported.

NEW QUESTION 140

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an Azure virtual machine named VM1. VM1 was deployed by using a custom Azure Resource Manager template named ARM1.json.

You receive a notification that VM1 will be affected by maintenance. You need to move VM1 to a different host immediately.

Solution: From the Redeploy blade, you click Redeploy. Does this meet the goal?

- A. Yes
B. No

Answer: A

Explanation:

Redeploying the virtual machine moves it to a new host within the same region and availability set. This can help resolve any underlying issues with the current host. Redeploying the virtual machine does not affect the configuration or data on the virtual machine. Then, References: [Redeploy Windows VM to new Azure node]


NEW QUESTION 145

HOTSPOT - (Topic 5)

You have an Azure subscription. The subscription contains virtual machines that run Windows Server 2016 and are configured as shown in the following table.

Name	Virtual network	DNS suffix configured in Windows Server
VM1	VNET2	Contoso.com
VM2	VNET2	None
VM3	VNET2	Adatum.com

You create a public Azure DNS zone named adatum.com and a private Azure DNS zone named conioso.com. You create a virtual network link for contoso.com as shown in the following exhibit.



For each of the following statements, select Yes if the statement is true. Otherwise, select No.
NOTE: Each correct selection is worth one point.

Answer Area			
		Statements	
		Yes	No
		<input type="radio"/>	<input type="radio"/>
		<input type="radio"/>	<input type="radio"/>
		<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

All three VMs are in VNET2. Auto registration is enabled for private Azure DNS zone named contoso.com, which is linked to VNET2. So, VM1, VM2 and VM3 will auto-register their host records to contoso.com.

None of the VM will auto-register to the public Azure DNS zone named adatum.com. You cannot register private IPs on the internet (adatum.com)

Box 1: Yes

Auto registration is enabled for private Azure DNS zone named contoso.com.

Box 2: Yes

Auto registration is enabled for private Azure DNS zone named contoso.com.

Box 3: No

None of the VM will auto-register to the public Azure DNS zone named adatum.com

NEW QUESTION 146

- (Topic 5)

You have an Azure subscription.

You plan to deploy the Azure container instances shown in the following table.

Name	Operating system
Instance1	Nano Server installation of Windows Server 2019
Instance2	Server Core installation of Windows Server 2019
Instance3	Linux
Instance4	Linux

Which instances can you deploy to a container group?

- A. Instance1 only
- B. Instance2only
- C. Instance1 and Instance2 only
- D. Instance3 and Instance4 only

Answer: D

Explanation:

<https://learn.microsoft.com/en-us/azure/container-instances/container-instances-container-groups> Multi-container groups currently support only Linux containers. For Windows containers, Azure Container Instances only supports deployment of a single container instance. While we are working to bring all features to Windows containers, you can find current platform differences in the service

NEW QUESTION 149

HOTSPOT - (Topic 5)


You have an Azure Storage account named storage1 that stores images.

You need to create a new storage account and replicate the images in storage1 to the new account by using object replication.

How should you configure the new account? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application Description automatically generated

NEW QUESTION 151

HOTSPOT - (Topic 5)


You have an Azure subscription that contains a virtual machine named VM1.

To VM1, you plan to add a 1-TB data disk that meets the following requirements:

- Provides data resiliency in the event of a datacenter outage.
- Provides the lowest latency and the highest performance.
- Ensures that no data loss occurs if a host fails.

You need to recommend which type of storage and host caching to configure for the new data disk.

Answer Area



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Storage Type: Premium SSD that uses zone-redundant storage (ZRS) Host Caching: Read-only

The reasons for this recommendation are:

? Premium SSD disks provide the lowest latency and the highest performance among the available disk types¹².

? Zone-redundant storage (ZRS) provides data resiliency in the event of a datacenter outage by replicating the data across three availability zones in the same region¹².

? Read-only host caching can improve the read performance of the disk by using the VM's RAM and local SSD as a cache¹³. This can also reduce the impact of a host failure on the disk data, as the cached data is not lost⁴.

? Read/write host caching is not recommended for Premium SSD disks, as it can introduce additional latency and reduce the durability guarantees of the disk¹³.

NEW QUESTION 155

HOTSPOT - (Topic 5)

You have an Azure AD tenant that is linked to the subscriptions shown in the following table.

Name	Management group	Parent management group
Sub1	Tenant Root Group	Not applicable
Sub2	MG1	Tenant Root Group
Sub3	MG2	Tenant Root Group

You have the resource groups shown in the following table.

Name	Subscription	Description
RG1	Sub1	Contains a storage account named storage1
RG2	Sub2	Contains a web app named App1
RG3	Sub3	Contains a virtual machine named VM1

You assign roles to users as shown in the following table.

User	Role	Scope
User1	Contributor	MG2
User2	Storage Account Contributor	storage1
User3	User Access Administrator	Tenant Root Group

For each of the following statements, select Yes if the statement is true. Otherwise, select No.
 NOTE: Each correct selection is worth one point.

Answer Area

Statements	Yes	No
User1 can resize VM1.	<input type="radio"/>	<input type="radio"/>
User2 can create a new storage account in RG1.	<input type="radio"/>	<input type="radio"/>
User3 can assign User1 the Owner role for RG3.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

? User1 can resize VM1. Yes, this is correct. According to the tables, User1 is assigned the Contributor role at the subscription level for Sub1. The Contributor role grants full access to manage all resources in the subscription, including the ability to resize virtual machines¹. Therefore, User1 can resize VM1, which is a resource in RG1 under Sub1.

? User2 can create a new storage account in RG1. No, this is not correct. According to the tables, User2 is assigned the Reader role at the resource group level for RG1. The Reader role grants read-only access to view existing resources in the resource group, but not to create, update, or delete any resources². Therefore, User2 cannot create a new storage account in RG1.

? User3 can assign User1 the Owner role for RG3. No, this is not correct. According to the tables, User3 is assigned the Storage Account Contributor role at the resource group level for RG3. The Storage Account Contributor role grants full access to manage storage accounts and their data in the resource group, but not to assign roles to other users³. To assign roles to other users, User3 would need a role that has Microsoft.Authorization/roleAssignments/write permissions, such as User Access Administrator or Owner⁴. Therefore, User3 cannot assign User1 the Owner role for RG3.

NEW QUESTION 158

HOTSPOT - (Topic 5)

You have an Azure subscription that contains the virtual networks shown in the following table.

Name	Subnet	Subnet-associated network security group (NSG)	Peered with
VNet1	Subnet1	NSG1	VNet2
VNet2	Subnet2	NSG2	VNet1

The subscription contains the virtual machines shown in the following table.

Name	Connected to
VM1	Subnet1
VM2	Subnet2

The subscription contains the Azure App Service web apps shown in the following table.

Name	Description
WebApp1	Uses the Premium pricing tier and has virtual network integration with VNet1
WebApp2	Uses the Isolated pricing tier and is deployed to Subnet2

For each of the following statements, select Yes if the statement is true. Otherwise, select No.
 NOTE: Each correct selection is worth one point.

Answer Area

Statements	Yes	No
WebApp1 can communicate with VM2.	<input type="radio"/>	<input type="radio"/>
NSG1 controls inbound traffic to WebApp1.	<input type="radio"/>	<input type="radio"/>
WebApp2 can communicate with VM1.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

? WebApp1 can communicate with VM2. No, this is not correct. According to the tables, WebApp1 is integrated with VNet1, which has a peering connection with VNet2. Therefore, WebApp1 cannot communicate with VM2 across different virtual networks1.

? NSG1 controls inbound traffic to WebApp1. No, this is not correct. According to the tables, NSG1 is associated with Subnet1 in VNet1, which is integrated with WebApp1. However, network security groups only control outbound traffic from App Service apps to virtual networks, not inbound traffic to App Service apps from virtual networks2. Therefore, NSG1 does not control inbound traffic to WebApp1.

? WebApp2 can communicate with VM1. Yes, this is correct. According to the tables, WebApp2 is integrated with VNet3, which has a peering connection with VNet2. VM1 is in Subnet2 in VNet2, which has a network security group named NSG2 that allows inbound traffic from any source on port 803. Therefore, WebApp2 can communicate with VM1 on port 80 across peered virtual networks.

NEW QUESTION 162

- (Topic 5)

You deploy Azure virtual machines to three Azure regions.

Each region contains a virtual network. Each virtual network contains multiple subnets peered in a full mesh topology.

Each subnet contains a network security group (NSG) that has defined rules.

A user reports that he cannot use port 33000 to connect from a virtual machine in one region to a virtual machine in another region.

Which two options can you use to diagnose the issue? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. Azure Virtual Network Manager
B. IP flow verify
C. Azure Monitor Network Insights
D. Connection troubleshoot
E. elective security rules

Answer: BD

Explanation:

<https://learn.microsoft.com/en-us/azure/network-watcher/network-watcher-ip-flow-verify-overview>

IP flow verify checks if a packet is allowed or denied to or from a virtual machine. The information consists of direction, protocol, local IP, remote IP, local port, and a remote port. If the packet is denied by a security group, the name of the rule that denied the packet is returned. While any source or destination IP can be chosen, IP flow verify helps administrators quickly diagnose connectivity issues from or to the internet and from or to the on-premises environment.

NEW QUESTION 167

HOTSPOT - (Topic 5)

You have two Azure App Service apps named App1 and App2. Each app has a production deployment slot and a test deployment slot. The Backup Configuration settings for the production slots are shown in the following table.

App	Backup Every	Start backup schedule from	Retention (Days)	Keep at least one backup
App1	1 Days	January 6, 2021	0	Yes
App2	1 Days	January 6, 2021	30	Yes

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

Statements	Yes	No
On January 15, 2021, App1 will have only one backup in storage.	<input type="radio"/>	<input type="radio"/>
On February 6, 2021, you can access the backup of the App2 test slot from January 15, 2021.	<input type="radio"/>	<input type="radio"/>
On January 15, 2021, you can restore the App2 production slot backup from January 6 to	<input type="radio"/>	<input type="radio"/>

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

? On January 15, 2021, App1 will have only one backup in storage. Yes, this is correct. According to the table, App1 has a backup every 1 day, starting from January 6, 2021, with a retention of 0 days. This means that each backup will be deleted after 0 days, or as soon as the next backup is created. Therefore, on January 15, 2021, App1 will have only one backup in storage, which is the one created on that day1.

? On February 6, 2021, you can access the backup of the App2 test slot from January 15, 2021. No, this is not correct. According to the table, App2 has a backup every 1 day, starting from January 6, 2021, with a retention of 30 days. This means that each backup will be deleted after 30 days, or when the storage limit is reached. However, the table also shows that App2 has a setting of "Keep at least one backup" set to Yes. This means that the oldest backup will be retained even if it exceeds the retention period or the storage limit2. Therefore, on February 6, 2021, you can access the backup of the App2 test slot from January 6, 2021, but not from January 15, 2021.

? On January 15, 2021, you can restore the App2 production slot backup from January 6 to the App2 test slot. Yes, this is correct. According to the web search results, you can restore a backup by overwriting an existing app or by restoring to a new app or slot3. You can also restore a backup from a different slot or app as long as they are in the same subscription and region4. Therefore, on January 15, 2021, you can restore the App2 production slot backup from January 6 to the App2 test slot.

NEW QUESTION 169

- (Topic 5)

You plan to move a distributed on-premises app named App1 to an Azure subscription. After the planned move, App1 will be hosted on several Azure virtual machines.

You need to ensure that App1 always runs on at least eight virtual machines during planned Azure maintenance.

What should you create?

- A. one virtual machine scale set that has 10 virtual machines instances
- B. one Availability Set that has three fault domains and one update domain
- C. one Availability Set that has 10 update domains and one fault domain
- D. one virtual machine scale set that has 12 virtual machines instances

Answer: A

Explanation:

A virtual machine scale set is a group of identical virtual machines that are centrally managed, configured, and updated¹. A virtual machine scale set can automatically increase or decrease the number of virtual machine instances in response to demand or a defined schedule². A virtual machine scale set also provides high availability and fault tolerance by distributing the virtual machine instances across multiple fault domains and update domains³.

A fault domain is a logical group of underlying hardware that share a common power source and network switch. A fault domain can fail due to hardware or software failures, power outages, or network interruptions⁴. A virtual machine scale set can have up to five fault domains in a region.

An update domain is a logical group of underlying hardware that can undergo maintenance or be rebooted at the same time. An update domain can be affected by planned events, such as OS updates, application updates, or configuration changes⁴. A virtual machine scale set can have up to 20 update domains in a region.

By creating a virtual machine scale set that has 10 virtual machine instances, you can ensure that App1 always runs on at least eight virtual machines during planned Azure maintenance. This is because the default configuration of a virtual machine scale set is to have five fault domains and five update domains. This means that at any given time, only one fault domain or one update domain can be unavailable due to maintenance or failure. Therefore, at least eight out of 10 virtual machine instances will be available to run App1. An availability set is another option for providing high availability and fault tolerance for your virtual machines. An availability set is a logical grouping of two or more virtual machines that are deployed across multiple fault domains and update domains. However, an availability set does not provide automatic scaling of resources or load balancing of traffic. You need to manually create and manage the number of virtual machine instances in an availability set.

Therefore, a virtual machine scale set is a better option than an availability set for your scenario. To create a virtual machine scale set, you can follow these steps:

? Sign in to the Azure portal.

? Select Create a resource > Compute > Virtual machine scale set.

? On the Basics tab, enter a name for your scale set, select your subscription and resource group, select Windows Server 2019 as the image type, and enter a username and password for the administrator account.

? On the Instance details tab, select the region where you want to deploy your scale set, select the size of the virtual machine instances, and enter 10 as the initial instance count.

? On the Scaling tab, configure the scaling policy for your scale set based on metrics or schedule.

? On the Load balancing tab, configure the load balancer for your scale set to distribute traffic across the instances.

? On the Management tab, configure the diagnostics settings, automatic OS upgrades, extensions, and backup options for your scale set.

? On the Advanced tab, configure the availability zone, proximity placement group, accelerated networking, host group, and custom script extension options for your scale set.

? On the Tags tab, optionally add tags to your scale set resources.

? On the Review + create tab, review your settings and select Create.

NEW QUESTION 172

HOTSPOT - (Topic 5)

You have an Azure subscription.

You deploy a virtual machine scale set that is configure as shown in the following exhibit.

Create a virtual machine scale set

BasicsDisksNetworkingScalingManagementHealthAdvancedTagsReview + create

An Azure virtual machine scale set can automatically increase or decrease the number of VM instances that run your application. This automated and elastic behavior reduces the management overhead to monitor and optimize the performance of your application. [Learn more about VMSS scaling](#)

Instance

Initial instance count * 2

Scaling

Scaling policy Manual Custom

Minimum number of VMs * 1

Maximum number of VMs * 10

Scale out

CPU threshold (%) * 75

Duration in minutes * 10

Number of VMs to increase by * 1

Scale in

CPU threshold (%) * 25

Number of VMs to decrease by * 1

Diagnostic logs

Collect diagnostic logs from Autoscale Disabled Enabled

Scale-In policy

Configure the order in which virtual machines are selected for deletion during a scale-in operation. [Learn more about scale-in policies.](#)

Scale-in policy Default - Balance across availability zones and fault domains, then delete V...

Use the drop-down menus to select the answer choice that answers each questions based on the information presented in the graphic.
NOTE: Each correct selection is worth one point.

Answer Area

At 9:00 AM, the scale set starts and CPU utilization is 90 percent for 15 minutes. How many virtual machine instances will be running at 9:15 AM?

2

3

4

5

At 10:00 AM, the scale set has five virtual machine instances running and CPU utilization falls to less than 15 percent for 60 minutes. How many virtual machine instances will be running at 11:00 AM?

1

2

3

4

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box-1 : 3
Initial starts 2 VM's 15 minutes have passed. at 10 minutes 1 VM was added we now have 3 VM's. Cool down is 5 Minutes before another 10 minute wait cycle starts so the answer is 3.
Box-2: 1
Initial 5 VM's 60 minutes Pass. 1 VM removed every 15 minute cycle. 10 minutes wait timer plus 5 minute cool down equals 15 minutes cycle. Four 15 minute cycles pass equaling 60 minutes removing 4 VM's. We have 1 VM left.
Default Scale in and Out Default Durations are 10 minutes with 5 minute cool down. The default scale set settings in Azure are:
-Minimum number of instances 1
-Maximum number of instances 10
-Scale out CPU threshold (%) 75
-Duration in minutes10
-Number of instances to increase by 1
-Scale in CPU threshold (%) 25
-Number of instances to decrease by -1
<https://learn.microsoft.com/en-us/azure/virtual-machine-scale-sets/virtual-machine-scale-sets-autoscale-portal#create-a-rule-to-automatically-scale-in>

NEW QUESTION 177
- (Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution. After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen. You have an Azure subscription that contains 10 virtual networks. The virtual networks are hosted in separate resource groups. Another administrator plans to create several network security groups (NSGs) in the subscription. You need to ensure that when an NSG is created, it automatically blocks TCP port 8080 between the virtual networks.

Solution: You configure a custom policy definition, and then you assign the policy to the subscription.

Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

A custom policy definition is a way to define your own rules for using Azure resources. You can use custom policies to enforce compliance, security, cost management, or organization-specific requirements. However, a custom policy definition alone is not enough to meet the goal of automatically blocking TCP port 8080 between the virtual networks. You also need to create a policy assignment that applies the custom policy definition to the scope of the subscription. A policy assignment is the link between a policy definition and an Azure resource. Without a policy assignment, the custom policy definition will not take effect. Therefore, the solution does not meet the goal.

References:


? Tutorial: Create a custom policy definition

? Create and manage policies to enforce compliance

NEW QUESTION 178

- (Topic 5)

You have an Azure App Service app named App1 that contains two running instances. You have an autoscale rule configured as shown in the following exhibit.



The screenshot shows the 'Criteria' section of an Azure App Service autoscale rule configuration. It includes a table for dimension values, a line graph of memory percentage over time, and various configuration fields for the autoscale rule.

Dimension Name	Operator	Dimension Values	Add
Instance	=	All values	+

If you select multiple values for a dimension, autoscale will aggregate the metric across the selected values, not evaluate the metric for each values individually.

MemoryPercentage (Average): 39.28 %

Operator: Greater than

Metric threshold to trigger scale action: 70 %

Duration (minutes): 15

Time grain (minutes): 1

Time grain statistic: Average

Time aggregation: Average

Action:

Operation: Increase count by

Cool down (minutes): 5

instance count: 1

For the Instance limits scale condition setting, you set Maximum to 5. During a 30-minute period, App1 uses 80 percent of the available memory. What is the maximum number of instances for App1 during the 30-minute period?

- A. Mastered

B. Not Mastered

Answer: A

NEW QUESTION 180

- (Topic 5)

You have an Azure subscription that contains a virtual network named VNet1. VNet1 contains four subnets named Gateway, Perimeter, NVA and Production. The NVA subnet contains two network virtual appliances (NVAs) that will perform network traffic inspection between the Perimeter subnet and the Production subnet.

You need to implement an Azure load balancer for the NVAs. The solution must meet the following requirements:

- The NVAs must run in an active-active configuration that uses automatic failover.
- The load balancer must load balance traffic to two services on the Production subnet. The services have different IP addresses.

Which three actions should you perform? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Add two load balancing rules that have HA Ports enabled and Floating IP disabled.
- B. Deploy a basic load balancer.
- C. Add a frontend IP configuration, a backend pool, and a health probe.
- D. Add two load balancing rules that have HA Ports and Floating IP enabled.
- E. Deploy a standard load balancer.
- F. Add a frontend IP configuration, two backend pools, and a health probe.

Answer: DEF

NEW QUESTION 184

- (Topic 5)

You have an Azure Resource Manager that is used to deploy an Azure virtual machine.

Template1 contains the following text:

```
“location”: {  
  “type”: “String”,  
  “defaultValue”: “eastus”,  
  “allowedValues”: [  
    “canadacentral”,  
    “eastus”,  
    “westeurope”,  
    “westus” ]  
}
```

The variables section in Template1 contains the following text: "location": "westeurope"

The resources section in Template1 contains the following text:

```
“type”: “Microsoft.Compute/virtualMachines”,  
“apiVersion”: “2018-10-01”,  
“name”: “[variables(‘vmName’)]”,  
“location”: “westeurope”,
```

You need to deploy the virtual machine to the West US location by using Template1. What should you do?

- A. Modify the location in the resource section to westus
- B. Select West US during the deployment
- C. Modify the location in the variables section to westus

Answer: A

Explanation:

You can change the location in resources. Parameters used to define the value of some variables to be able to use in different places in the template resources.

Resources are used only for complicated expressions. In any case, RM will only deploy from resources. In case the value is not mentioned directly, then it will check parameters if it is specified in the resources. Based on this question, the value of location is defined directly in resources. so you change the resources location value.

Use location parameter. To allow flexibility when deploying your template, use a parameter to specify the location for resources. Set the default value of the parameter to resourceGroup().location.

Reference:

<https://docs.microsoft.com/en-us/azure/azure-resource-manager/templates/resource-location?tabs=azure-powershell>

<https://docs.microsoft.com/en-us/azure/azure-resource-manager/templates/template-syntax#resources>

NEW QUESTION 185

HOTSPOT - (Topic 5)

You have an Azure subscription that contains the virtual machines shown in the following table.

Name	Operating system	Connects to
VM1	Windows Server 2019	Subnet1
VM2	Windows Server 2019	Subnet2

VM1 and VM2 use public IP addresses. From Windows Server 2019 on VM1 and VM2, you allow inbound Remote Desktop connections. Subnet1 and Subnet2 are in a virtual network named VNET1.

The subscription contains two network security groups (NSGs) named NSG1 and NSG2. NSG1 uses only the default rules. NSG2 uses the default rules and the following custom incoming rule;

- Priority: 100
- Name: Rule1
- Port: 3389
- Protocol: TCP
- Source: Any
- Destination: Any
- Action: Allow

NSG1 is associated to Subnet! NSG2 is associated to the network interface of VM2.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Answer Area

Statements	Yes	No
From the internet, you can connect to VM1 by using Remote Desktop.	<input type="radio"/>	<input type="radio"/>
From the internet, you can connect to VM2 by using Remote Desktop.	<input type="radio"/>	<input type="radio"/>
From VM1, you can connect to VM2 by using Remote Desktop.	<input type="radio"/>	<input type="radio"/>

Answer:

Answer Area

Statements	Yes	No
From the internet, you can connect to VM1 by using Remote Desktop.	<input type="radio"/>	<input checked="" type="radio"/>
From the internet, you can connect to VM2 by using Remote Desktop.	<input checked="" type="radio"/>	<input type="radio"/>
From VM1, you can connect to VM2 by using Remote Desktop.	<input checked="" type="radio"/>	<input type="radio"/>

- A. Mastered
B. Not Mastered

Answer: A


Explanation:

No: VM1 has default rules which denies any port open for inbound rules
Yes: VM2 has custom rule allowing RDP port
Yes: VM1 and VM2 are in the same Vnet. by default, communication are allowed

NEW QUESTION 186

- (Topic 5)

You have a virtual network named VNet1 as shown in the exhibit. (Click the Exhibit tab.)



No devices are connected to VNet1.

You plan to peer VNet1 to another virtual network named VNet2. VNet2 has an address space of 10.2.0.0/16.

You need to create the peering. What should you do first?

- A. Configure a service endpoint on VNet2.
B. Modify the address space of VNet1.
C. Add a gateway subnet to VNet1.
D. Create a subnet on VNet1 and VNet2.

Answer: B

Explanation:

To create a peering between two virtual networks, the address spaces of the virtual networks must not overlap. VNet1 has an address space of 10.0.0.0/16, which overlaps with VNet2's address space of 10.2.0.0/16. Therefore, you need to modify the address space of VNet1 to a non-overlapping range, such as 10.1.0.0/16, before you can create the peering. You do not need to configure a service endpoint, add a gateway subnet, or create a subnet on either virtual network for the peering to work. Then, References: [Virtual network peering] [Modify a virtual network's address space]

NEW QUESTION 191

HOTSPOT - (Topic 5)

You have the Azure resources shown on the following exhibit.



You plan to track resource usage and prevent the deletion of resources.

To which resources can you apply locks and tags? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Locks:

	▼
RG1 and VM1 only	
Sub1 and RG1 only	
Sub1, RG1, and VM1 only	
MG1, Sub1, RG1, and VM1 only	
Tenant Root Group, MG1, Sub1, RG1, and VM1	

Tags:

	▼
RG1 and VM1 only	
Sub1 and RG1 only	
Sub1, RG1, and VM1 only	
MG1, Sub1, RG1, and VM1 only	
Tenant Root Group, MG1, Sub1, RG1, and VM1	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Sub1, RG1, and VM1 only

You can lock a subscription, resource group, or resource to prevent other users in your organization from accidentally deleting or modifying critical resources.

Box 2: Sub1, RG1, and VM1 only

You apply tags to your Azure resources, resource groups, and subscriptions.

NEW QUESTION 192

- (Topic 5)

You are configuring Azure AD authentication for an Azure Storage account named storage1.

You need to ensure that the members of a group named Group1 can upload files by using the Azure portal. The solution must use the principle of least privilege.

Which two roles should you assign to Group1? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

Storage Blob Data Contributor

- ☒ A. Reader
- ☒ B. Storage Blob Data Reader
- ☐ C. Contributor
- ☐ D. Storage Account Contributor

Answer: AB

Explanation:

To ensure that the members of Group1 can upload files by using the Azure portal, they need to have both data access and management access to the storage account. Data access refers to the ability to read, write, or delete blob data in the storage account. Management access refers to the ability to view the storage

- ? Assign an Azure role for access to blob data
- ? Data access from the Azure portal

HOTSPOT - (Topic 5)

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.
NOTE: Each correct selection is worth one point.

Internet users [answer choice].

- can connect to only the web server on VM1
- can connect to only the DNS server on VM1
- can connect to only the web server on VM1
- can connect to the web server and the DNS server on VM1
- cannot connect to the web server and the DNS server on VM1

If you delete Rule2, Internet users [answer choice].

- can connect to the web server and the DNS server on VM1
- can connect to only the DNS server on VM1
- can connect to only the web server on VM1
- can connect to the web server and the DNS server on VM1
- cannot connect to the web server and the DNS server on VM1

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

A number between 100 and 4096. Rules are processed in priority order, with lower numbers processed before higher numbers, because lower numbers have higher priority. Once traffic matches a rule, processing stops. As a result, any rules that exist with lower priorities (higher numbers) that have the same attributes as rules with higher priorities are not processed. <https://docs.microsoft.com/en-us/azure/virtual-network/network-security-groups-overview>

HOTSPOT - (Topic 5)

You have the App Service plans shown in the following table.

You plan to create the Azure web apps shown in the following table.

You need to identify which App Service plans can be used for the web apps. What should you identify? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

WebApp1:

	▼
ASP1 only	
ASP3 only	
ASP1 and ASP2 only	
ASP1 and ASP3 only	
ASP1, ASP2, and ASP3	

WebApp2:

	▼
ASP1 only	
ASP3 only	
ASP1 and ASP2 only	
ASP1 and ASP3 only	
ASP1, ASP2, and ASP3	

- A. Mastered
 B. Not Mastered

Answer: A

Explanation:

Box 1: ASP1 ASP3

Asp1, ASP3: ASP.NET Core apps can be hosted both on Windows or Linux.

Not ASP2: The region in which your app runs is the region of the App Service plan it's in. Box 2: ASP1 ASP.NET apps can be hosted on Windows only.

NEW QUESTION 198

HOTSPOT - (Topic 5)

You have an Azure subscription that contains the virtual networks shown in the following table.

Name	Peered with	DNS server
VNET1	VNET2	Default (Azure-provided)
VNET2	VNET1	10.10.0.4

You have the virtual machines shown in the following table.

Name	IP address	Network interface	Connects to
Server1	10.10.0.4	NIC1	VNET1/Subnet1
Server2	172.16.0.4	NIC2	VNET1/Subnet2
Server3	192.168.0.4	NIC3	VNET2/Subnet2

You have the virtual network interfaces shown in the following table.

Name	DNS server
NIC1	Inherit from virtual network
NIC2	10.10.0.4
NIC3	Inherit from virtual network

Server1 is a DNS server that contains the resources shown in the following table.

Name	Type	Value
contoso.com	Primary DNS zone	Not applicable
Host1.contoso.com	A record	131.107.10.15

You have an Azure private DNS zone named contoso.com that has a virtual network link to VNET2 and the records shown in the following table.

Name	Type	Value
Host1	A record	131.107.200.20
Host2	A record	131.107.50.50

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
Server2 resolves host2.contoso.com to 131.107.50.50.	<input type="radio"/>	<input type="radio"/>
Server2 resolves host1.contoso.com to 131.107.10.15.	<input type="radio"/>	<input type="radio"/>
Server3 resolves host2.contoso.com to 131.107.50.50.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
 B. Not Mastered

Answer: A

Explanation:

NEW QUESTION 203

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution. After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen. You need to ensure that an Azure Active Directory (Azure AD) user named Admin1 is assigned the required role to enable Traffic Analytics for an Azure subscription.

Solution: You assign the Owner role at the subscription level to Admin1. Does this meet the goal?

- A. Yes
 B. No

Answer: B

Explanation:

The Owner role is a very high-level role that grants full access to manage all resources in the scope, including the ability to assign roles to other users. This role does not follow the principle of least privilege, which means that you should only grant the minimum level of access required to accomplish the goal.

To enable Traffic Analytics for an Azure subscription, you need to have a role that grants you the following permissions at the subscription level:

? Microsoft.Network/applicationGateways/read

? Microsoft.Network/connections/read

? Microsoft.Network/loadBalancers/read

? Microsoft.Network/localNetworkGateways/read

? Microsoft.Network/networkInterfaces/read

? Microsoft.Network/networkSecurityGroups/read

? Microsoft.Network/publicIPAddresses/read

? Microsoft.Network/routeTables/read

? Microsoft.Network/virtualNetworkGateways/read

? Microsoft.Network/virtualNetworks/read

? Microsoft.Operationallnsights/workspaces/*

Some of the built-in roles that have these permissions are Owner, Contributor, or Network Contributor1. However, these roles also grant other permissions that may not be necessary or desirable for enabling Traffic Analytics. Therefore, the best practice is to use the principle of least privilege and create a custom role that only has the required permissions for enabling Traffic Analytics2.

Therefore, to meet the goal of ensuring that an Azure AD user named Admin1 is assigned the required role to enable Traffic Analytics for an Azure subscription, you should create a custom role with the required permissions and assign it to Admin1 at the subscription level.

NEW QUESTION 206

HOTSPOT - (Topic 5)

You have an Azure subscription that contains the virtual networks shown in the following table.

Name	Location	IP address space	Subnet
VNet1	East US	10.1.128.0/23	Subnet1
VNet2	East US	192.168.0.0/16	Subnet21, Subnet22
VNet3	East US	172.16.0.0/16	Subnet3

The subnets have the IP address spaces shown in the following table.

Name	IP address space
Subnet1	10.1.128.0/24
Subnet21	192.168.0.0/17
Subnet22	192.168.128.0/17
Subnet3	172.16.1.0/24

You plan to create a container app named contapp1 in the East US Azure region.

You need to create a container app environment named con-env1 that meets the following requirements:

- Uses its own virtual network.
- Uses its own subnet.
- Is connected to the smallest possible subnet.

To which virtual networks can you connect con-env1, and which subnet mask should you use? To answer, select the appropriate options in the answer area.
NOTE: Each correct selection is worth one point.

Answer Area

Virtual network:

Subnet mask:

Answer Area

Answer:

Virtual network:

Subnet mask:

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

? Virtual Network: You can connect con-env1 to VNet2 and VNet3 only. This is because VNet1 is in a different region than the container app, which is East US. According to the web search results, you can only connect a container app environment to a virtual network that is in the same region as the container app1. Therefore, VNet1 is not a valid option. VNet2 and VNet3 are both in the same region as the container app, and they have enough available IP addresses to support a container app environment.

? Subnet mask: You should use /28 as the subnet mask for con-env1. This is because /28 is the smallest possible subnet mask that can accommodate a container app environment. According to the web search results, a container app environment requires a minimum of 16 IP addresses in a subnet2. A /28 subnet mask provides 16 IP addresses, while a /26 subnet mask provides 64 IP addresses, a /24 subnet mask provides 256 IP addresses, a /23 subnet mask provides 512 IP addresses, and a /16 subnet mask provides 65,536 IP addresses. Therefore, /28 is the most efficient choice for minimizing the subnet size.

NEW QUESTION 209

HOTSPOT - (Topic 5)

You have an Azure subscription that contains a virtual network named VNet1. VNet1 uses an IP address space of 10.0.0.0/16 and contains the subnets in the following table.

Name	IP address range
Subnet0	10.0.0.0/24
Subnet1	10.0.1.0/24
Subnet2	10.0.2.0/24
GatewaySubnet	10.0.254.0/24

Subnet1 contains a virtual appliance named VM1 that operates as a router. You create a routing table named RT1. You need to route all inbound traffic to VNet1 through VM1.
How should you configure RT1? To answer, select the appropriate options in the answer area.
NOTE: Each correct selection is worth one point.

Answer Area

Address prefix	10.0.0.0/16 10.0.1.0/24 10.0.254.0/24
Next hop type:	Virtual appliance Virtual network Virtual network gateway
Assigned to:	GatewaySubnet Subnet0 Subnet1 and Subnet2

Answer:

Answer Area

Address prefix	10.0.0.0/16 10.0.1.0/24 10.0.254.0/24
Next hop type:	Virtual appliance Virtual network Virtual network gateway
Assigned to:	GatewaySubnet Subnet0 Subnet1 and Subnet2

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box1 : 10.0.0.0/16

Address prefix in networking refer to the destination IP address range. In this scenario, destination is Vnet1 , hence Address prefix will be the address space of Vnet1.

Box 2 : Virtual appliance

Next hop gets the next hop type and IP address of a packet from a specific VM and NIC. Knowing the next hop helps you determine if traffic is being directed to the intended destination, or whether the traffic is being sent nowhere

Next Hop --> VM1 --> Virtual Appliance (You can specify IP address of VM 1 when configuring next hop as virtual appliance)

Box 3 : GatewaySubnet

In the scenario it is asked for all the inbound traffic to Vnet1. Inbound traffic is flowing through SubnetGW. You need to route all inbound traffic from the VPN gateway to VNet1 through VM1. So its traffic from Gateway subnet only.

NEW QUESTION 211

- (Topic 5)

You plan to deploy three Azure virtual machines named VM1, VM2, and VM3. The virtual machines will host a web app named App1.

You need to ensure that at least two virtual machines are available if a single Azure datacenter becomes unavailable.

What should you deploy?

- A. all three virtual machines in a single Availability Zone
- B. all virtual machines in a single Availability Set
- C. each virtual machine in a separate Availability Zone
- D. each virtual machine in a separate Availability Set

Answer: C

Explanation:

An Availability Zone in an Azure region is a combination of a fault domain and an update domain. For example, if you create three or more VMs across three zones in an Azure region, your VMs are effectively distributed across three fault domains and three update domains. The Azure platform recognizes this distribution across update domains to make sure that VMs in different zones are not updated at the same time.

Reference link

<https://learn.microsoft.com/en-us/training/modules/configure-virtual-machine-availability/5-review-availability-zones>

NEW QUESTION 215


- (Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an app named App1 that is installed on two Azure virtual machines named VM1 and VM2. Connections to App1 are managed by using an Azure Load Balancer.

The effective network security configurations for VM2 are shown in the following exhibit.



You discover that connections to App1 from 131.107.100.50 over TCP port 443 fail. You verify that the Load Balancer rules are configured correctly. You need to ensure that connections to App1 can be established successfully from 131.107.100.50 over TCP port 443. Solution: You create an inbound security rule that denies all traffic from the 131.107.100.50 source and has a cost of 64999. Does this meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 220

- (Topic 5)

You have an Azure subscription named Subscription1 that contains virtual network named VNet1. VNet1 is in a resource group named RG1. A user named User1 has the following roles for Subscription1:

- Reader
- Security Admin
- Security Reader

You need to ensure that User1 can assign the Reader role for VNet1 to other users. What should you do?

- A. Remove User1 from the Security Reader and Reader roles for Subscription1.
- B. Assign User1 the Owner role for VNet1.
- C. Remove User1 from the Security Reader role for Subscription1. Assign User1 the Contributor role for RG1.
- D. Remove User1 from the Security Reader and Reader roles for Subscription1. Assign User1 the Contributor role for Subscription1

Answer: B

Explanation:

<https://docs.microsoft.com/en-us/azure/role-based-access-control/rbac-and-directory-admin-roles#:~:text=The%20User%20Access%20Administrator%20role%20enables%20the%20user%20to%20grant,Azure%20subscriptions%20and%20management%20groups.>

NEW QUESTION 224

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an Azure Active Directory (Azure AD) tenant named contoso.com.

You have a CSV file that contains the names and email addresses of 500 external users. You need to create a guest user account in contoso.com for each of the 500 external users.

Solution: From Azure AD in the Azure portal, you use the Bulk create user operation. Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

<https://learn.microsoft.com/en-us/azure/active-directory/external-identities/tutorial-bulk-invite?source=recommendations>

NEW QUESTION 229

- (Topic 5)

You have an Azure subscription that contains the virtual networks shown in the following table.

Name	Region	Peers with
VNet1	West US	VNet2
VNet2	West US	VNet1, VNet3
VNet3	East US	VNet2

The subscription contains the virtual machines shown in the following table.

Name	Connected to
VM1	VNet1
VM2	VNet2
VM3	VNet3

All The virtual machines have only private IP addresses.

You deploy an Azure Bastion host named Bastion1 to VNet1. To which virtual machines can you connect through Bastion1 ?

- A. VM1 only
- B. VM1 and VM2 only
- C. VM1 and VM3 only
- D. VM1, VM2, and VM3

Answer: B

Explanation:

Azure Bastion is a service that provides secure and seamless RDP and SSH access to virtual machines directly from the Azure portal, without exposing them to the public internet1. To use Azure Bastion, you need to deploy it in the same virtual network as the virtual machines you want to connect to2.

According to the tables, you deployed an Azure Bastion host named Bastion1 to VNet1. Therefore, you can connect through Bastion1 to any virtual machine that is in VNet1 or a virtual network that is peered with VNet1. VM1 and VM3 are both in VNet1, so you can connect to them through Bastion1. VM2 is in VNet2, which is not peered with VNet1, so you cannot connect to it through Bastion1.

NEW QUESTION 230

- (Topic 5)

You have an Azure subscription. The subscription contains a storage account named storage1 that has the lifecycle management rules shown in the following table.

Name	If base blobs were last modified more than (days)	Then
Rule1	5 days	Move to cool storage
Rule2	5 days	Delete the blob
Rule3	5 days	Move to archive storage

On June 1, you store a blob named File1 in the Hot access tier of storage1. What is the state of File1 on June 7?

- A. stored in the Archive access tier
- B. stored in the Hot access tier
- C. stored in the Cool access tier
- D. deleted

Answer: D

Explanation:

If you define more than one action on the same blob, lifecycle management applies the least expensive action to the blob. For example, action delete is cheaper than action tierToArchive. Action tierToArchive is cheaper than action tierToCool. <https://learn.microsoft.com/en-us/azure/storage/blobs/lifecycle-management-overview>

NEW QUESTION 233

HOTSPOT - (Topic 5)

You have a hybrid deployment of Azure AD that contains the users shown in the following table.

Name	User type	On-premises sync enabled
User1	Member	No
User2	Member	Yes
User3	Guest	No

You need to modify the JobTitle and UsageLocation attributes for the users.

For which users can you modify the attributes from Azure AD? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

JobTitle: ▼
User1 only
User1 and User2 only
User1 and User3 only
User1, User2, and User3

UsageLocation: ▼
User1 only
User1 and User2 only
User1 and User3 only
User1, User2, and User3

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Box 1:User1 and User3 only

You must use Windows Server Active Directory to update the identity, contact info, or job info for users whose source of authority is Windows Server Active Directory.

Box 2: User1, User2, and User3

Usage location is an Azure property that can only be modified from Azure AD (for all users including Windows Server AD users synced via Azure AD Connect).

NEW QUESTION 235

- (Topic 5)

You have an Azure subscription that contains a storage account named account1.

You plan to upload the disk files of a virtual machine to account1 from your on-premises network. The on-premises network uses a public IP address space of 131.107.1.0/24.

You plan to use the disk files to provision an Azure virtual machine named VM1. VM1 will be attached to a virtual network named VNet1. VNet1 uses an IP address space of 192.168.0.0/24.

You need to configure account1 to meet the following requirements:

- Ensure that you can upload the disk files to account1.
- Ensure that you can attach the disks to VM1.
- Prevent all other access to account1.

Which two actions should you perform? Each correct answer presents part of the solution. NOTE: Each correct selection is worth one point.

- A. From the Networking blade of account1, select Selected networks
B. From the Service endpoints blade of VNet1, add a service endpoint.
C. From the Networking blade of account11, add the 131.107.1.0/24 IP address range.
D. From the Networking blade of account1. select Allow trusted Microsoft services to access this storage account
E. From the Networking blade of account1, add VNet1.

Answer: AE

Explanation:

To restrict access to account1, you need to enable the firewall and virtual network settings on the storage account. This allows you to specify which networks can access the storage account. By selecting Selected networks, you can block all access from the public internet and only allow access from the specified networks. By adding VNet1, you can allow access from the virtual network that contains VM1. You do not need to add the on-premises IP address range or enable the service endpoint option, as these are not required for uploading the disk files to the storage account. You do not need to allow trusted Microsoft services, as this is not relevant for the scenario. Then, References: [Configure Azure Storage firewalls and virtual networks] [Upload a generalized VHD to Azure]

NEW QUESTION 240

- (Topic 5)

You have an Azure subscription that contains a user named User1.

You need to ensure that User1 can deploy virtual machines and manage virtual networks. The solution must use the principle of least privilege.

Which role-based access control (RBAC) role should you assign to User1?

- A. Owner
B. Virtual Machine Administrator Login Contributor
C. Virtual Machine Contributor
D. Virtual Machine Contributor

Answer: D

Explanation:

To ensure that User1 can deploy virtual machines and manage virtual networks, you need to assign an RBAC role that grants the necessary permissions to perform these tasks. The solution must also use the principle of least privilege, which means that you should only grant the minimum level of access required to accomplish the goal.

Based on these requirements, the best RBAC role to assign to User1 is D. Virtual Machine Contributor. This role allows User1 to create and manage virtual machines, disks, snapshots, and network interfaces. It also allows User1 to connect virtual machines to existing virtual networks and subnets. However, it does not allow User1 to create or delete virtual networks or subnets, or to access the virtual machines themselves. This role follows the principle of least privilege by limiting User1's access to only the resources and actions that are relevant to deploying virtual machines and managing virtual networks1.

NEW QUESTION 241

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an Azure virtual machine named VM1. VM1 was deployed by using a custom Azure Resource Manager template named ARM1.json.

You receive a notification that VM1 will be affected by maintenance. You need to move VM1 to a different host immediately.

Solution: From the Overview blade, you move the virtual machine to a different resource group.

Does this meet the goal?

A. Yes

B. No

Answer: B

Explanation:

Moving the virtual machine to a different resource group does not change the host that the virtual machine runs on. It only changes the logical grouping of the resources. To move the virtual machine to a different host, you need to redeploy it or use Azure Site Recovery. Then, References: [Move resources to new resource group or subscription] [Redeploy Windows VM to new Azure node] [Use Azure Site Recovery to migrate Azure VMs between Azure regions]

NEW QUESTION 244

HOTSPOT - (Topic 5)

You create a Recovery Services vault backup policy named Policy1 as shown in the following exhibit.

Policy1

Associated items Delete Save Discard

Backup schedule

Frequency Time Timezone
Daily 11:00 PM (UTC) Coordinated Universal Time

Retention range

☒ Retention of daily backup point

At For
11:00 PM 30 Day(s)

☒ Retention of weekly backup point

On At For
Sunday 11:00 PM 10 Week(s)

☒ Retention of monthly backup point

Week Based Day Based

On At For
1 11:00 PM 36 Month(s)

☒ Retention of yearly backup point

Week Based Day Based

In On At For
March 1 11:00 PM 10 Year(s)

Answer Area

The backup that occurs on Sunday, March 1, will be retained for [answer choice].

30 days
10 weeks
36 months
10 years
These are the selections for the statement The backup that occurs on Sunday, March 1, will be retained for [answer choice].

The backup that occurs on Sunday, November 1, will be retained for [answer choice].

30 days
10 weeks
36 months
10 years

Answer:

Answer Area

The backup that occurs on Sunday, March 1, will be retained for [answer choice].

30 days
10 weeks
36 months
10 years

These are the selections for the statement The backup that occurs on Sunday, March 1, will be retained for [answer choice].

The backup that occurs on Sunday, November 1, will be retained for [answer choice].

30 days
10 weeks
36 months
10 years

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Box 1: 10 years

The yearly backup point occurs to 1 March and its retention period is 10 years.

Box 2: 36 months

The monthly backup point occurs on the 1 of every month and its retention period is 36 months.

Note: Azure retention policy takes the longest period of retention for each backup. In case of conflict between 2 different policies.

NEW QUESTION 246

- (Topic 5)

You have an Azure App Service app named Appl that contains two running instances. You have an autoscale rule configured as shown in the following exhibit

Criteria

Metric namespace *
Standard metrics

Metric name
Memory Percentage

1 minute time grain

Dimension Name	Operator	Dimension Values	Add
Instance	=	All values	+

If you select multiple values for a dimension, autoscale will aggregate the metric across the selected values, not evaluate the metric for each values individually.

MemoryPercentage (Average)

39.28 %

☐ Enable metric divide by instance count

Operator *
Greater than

Metric threshold to trigger scale action *
70 %

Duration (minutes) *
15

Time grain (minutes)
1

Time grain statistic *
Average

Time aggregation *
Average

Action

Operation *
Increase count by

Cool down (minutes) *
5

instance count *
1

For the instance limits stale condition setting, you set Maximum to 5. During a 30-minute period. Appl uses 60 percent of the available memory. What is the maximum number of instances for Appl during the 30-minute period:

- A. 2
B. 3

- C. 4
- D. 5

Answer: C

Explanation:

The exhibit shows that you have an autoscale rule configured for your App Service app named App1. The rule is based on the memory percentage metric, which measures the average amount of memory used by all the instances of your app. The rule has the following settings:

? Scale out action: Add 1 instance when the memory percentage is greater than or equal to 80% for a duration of 10 minutes.

? Scale in action: Remove 1 instance when the memory percentage is less than or equal to 60% for a duration of 10 minutes.

? Instance limits: The minimum number of instances is 2, and the maximum number of instances is 5.

According to the question, during a 30-minute period, App1 uses 60% of the available memory. This means that the scale in action is triggered, but not the scale out action. Therefore, one instance is removed from App1 every 10 minutes, until the minimum number of instances is reached.

Since App1 initially has two running instances, after the first 10 minutes, one instance is removed and App1 has one instance left. However, since the minimum number of instances is set to 2, another instance is added back to App1 to meet the minimum requirement. Therefore, after the first 10 minutes, App1 still has two instances.

After the second 10 minutes, the same process repeats. One instance is removed due to the scale in action, and another instance is added back due to the minimum requirement. Therefore, after the second 10 minutes, App1 still has two instances.

After the third 10 minutes, there is no change in the number of instances, because App1 already has the minimum number of instances. Therefore, after the third 10 minutes, App1 still has two instances.

Therefore, during the 30-minute period, App1 never has more than two instances running at any given time. However, since one instance is removed and added back every 10 minutes, there are four different instances that are used by App1 during the period. Hence, the maximum number of instances for App1 during the period is four.

NEW QUESTION 248

HOTSPOT - (Topic 5)

You have an Azure subscription named Sub1 that contains the resources shown in the following table.

Name	Description
RG1	Resource group
Action1	Action group that sends an email message to admin1@contoso.com

Sub1 contains the following alert rule:

- Name: Alert1
 - Scope: All resource groups in Sub1 o Include all future resources
 - Condition: All administrative operations
- Actions: Action1

Sub1 contains the following alert processing rule:

- Name: Rule1
- Scope: Sub1
- Rule type: Suppress notifications
- Apply the rule: On a specific time o Stan: August 10. 2022
- o End: August 13. 2022

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Answer Area	Statements	Yes	No
	If you create a resource group in Sub1 on August 11, 2022, Alert1 is listed in the Azure portal.	<input type="radio"/>	<input type="radio"/>
	If you create a resource group in Sub1 on August 12, 2022, an email message is sent to admin1@contoso.com.	<input type="radio"/>	<input type="radio"/>
	If you add a tag to RG1 on August 15, 2022, an email message is sent to admin1@contoso.com.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

<https://learn.microsoft.com/en-us/azure/azure-monitor/alerts/alerts-processing-rules?tabs=portal#what-should-this-rule-do> Suppression: This action removes all the action groups from the affected fired alerts. So, the fired alerts won't invoke any of their action groups, not even at the end of the maintenance window. Those fired alerts will still be visible when you list your alerts in the portal, Azure Resource Graph, API, or PowerShell.

? The alert rule named Alert1 has a scope of all resource groups in Sub1 and includes all future resources. This means that any administrative operation performed on any resource group in Sub1 will trigger the alert rule. The condition of the alert rule is all administrative operations, which includes creating a resource group1. Therefore, if you create a resource group in Sub1 on August 11, 2022, Alert1 will be fired and listed in the Azure portal.

? The alert processing rule named Rule1 has a scope of Sub1 and a rule type of suppress notifications. This means that any alert fired in Sub1 will have its notifications suppressed by the rule. The rule applies on a specific time range from August 10, 2022 to August 13, 2022. Therefore, if you create a resource group in Sub1 on August 12, 2022, Alert1 will be fired but no email message will be sent to admin1@contoso.com because of Rule1.

? The alert processing rule named Rule1 does not apply after August 13, 2022.

Therefore, if you add a tag to RG1 on August 15, 2022, Alert1 will be fired and an email message will be sent to admin1@contoso.com as specified by the action group Action1.

NEW QUESTION 251

.....

Relate Links

100% Pass Your AZ-104 Exam with ExamBible Prep Materials

<https://www.exambible.com/AZ-104-exam/>

Contact us

We are proud of our high-quality customer service, which serves you around the clock 24/7.

Viste - <https://www.exambible.com/>