

Exam Questions 1Y0-204

Citrix Virtual Apps and Desktops 7 Administration

<https://www.2passeasy.com/dumps/1Y0-204/>



NEW QUESTION 1

Scenario: A Citrix Administrator has given permissions to team members to access their own admin partition, so they can add resources for different departments and manage them without making changes to the default Citrix ADC partition and configuration.

One team member was trying to use the command-line interface to troubleshoot an authentication issue and could NOT use `aaad.debug`. However, the team member has full permissions on the admin partition.

What can be the cause of this issue?

- A. The team member does NOT have permission to use the CLI.
- B. The team member does NOT have Shell access by design.
- C. The team member needs to troubleshoot the issue from the GUI.
- D. The team member is NOT using the CLI correctly.

Answer: B

NEW QUESTION 2

Scenario: Users report that they are receiving new sessions instead of reconnecting to their disconnected sessions. A Citrix Administrator investigates the issues and finds the sessions are in a disconnected state when the users leave work.

What should the administrator configure to allow the users to reconnect to their disconnected sessions while roaming?

- A. Session Pre-launch
- B. Workspace Control
- C. Session Linger
- D. Session Timeout

Answer: B

NEW QUESTION 3

Which tool should a Citrix Administrator use to monitor the overall daily performance of a Citrix Virtual Apps and Desktops Site?

- A. Citrix Studio
- B. HDX Monitor
- C. Citrix Director
- D. CDF Traces

Answer: C

NEW QUESTION 4

Scenario: A Citrix Administrator manages a Citrix Gateway with a Standard Platform License, with remote employees in the environment. The administrator wants to increase employee access by 300 users through the Citrix Gateway, using VPN access.

Which license should the administrator recommend purchasing for this environment?

- A. Citrix ADC Burst Packs License
- B. Citrix ADC Upgrade License
- C. Citrix Gateway Universal License
- D. Citrix Gateway Express License

Answer: C

NEW QUESTION 5

Scenario: A Citrix Administrator has executed the following command:

What will be the outcome of this configuration?

- A. The users trying to access `HTTP://SERVER.CITRIX.LAB` will NOT be connected to the Vserver `MYVPN_http`.
- B. The users trying to access `HTTP://SERVER.CITRIX.LAB` will be connected to the Vserver `MYVPN_http`.
- C. The users trying to access `http://server.citrix.lab` will be connected to CS Vserver `Vserver-CS-1`.
- D. The users trying to access `HTTP://SERVER.CITRIX.LAB` will be connected to CS Vserver `Vserver-CS-1`.

Answer: B

NEW QUESTION 6

Which two options would provide an end-to-end encryption of data, while allowing the Citrix ADC to optimize the responses? (Choose two.)

- A. SSL Bridge protocol for the services
- B. SSL Bridge protocol for the virtual server
- C. HTTP protocol for the services
- D. HTTP protocol for the virtual server
- E. SSL protocol for the services
- F. SSL protocol for the virtual server

Answer: CF

NEW QUESTION 7

A Citrix Administrator complains that between the two rewrite policies bound to the vserver, only one policy, whichever has lower priority, works. The other policy is never used.

Click the 'Exhibit' button to view the screenshot of the relevant policy binding.

What is the cause of the issue?

- A. The Invoke label is NOT configured.
- B. GotoExpression value for Policy RP_remove_srv_header is configured as 'END'.
- C. The Policy expression of the no_chunk_pol is 'true' and 'NOT HTTP.REQ.IS_VALID'.
- D. The Priority of the no_chunk_pol is a higher numeric value than 100.

Answer: C

NEW QUESTION 8

What are three valid ways to configure Virtual Delivery Agent (VDA) registration? (Choose three.)

- A. CONFIG.XML file
- B. Group Policy Object (GPO)
- C. Organizational Unit (OU) based Controller discovery
- D. DHCP Options
- E. MCS-based PERSONALITY.INI

Answer: BCE

NEW QUESTION 9

After creating a new machine catalog using the Machine Creation Services (MCS) wizard in Citrix Studio, a Citrix Administrator determines that Windows activation fails for all new machines in that catalog.

Which two conditions can cause this to happen? (Choose two.)

- A. The base image rearm count has been exceeded.
- B. The Microsoft License Server is unreachable.
- C. The version of Windows installed uses Multiple Activation Key (MAK) licensing.
- D. The version of Windows installed is Windows Server 2012 R2.

Answer: BC

NEW QUESTION 10

Scenario: A Citrix Administrator wants to add machines to a Delivery Group. The administrator has two machine catalogs containing unallocated machines. On the screen to choose machines from machine catalogs, the administrator can see that only one machine catalog is available.

A possible cause of this issue is that the machines in the unavailable machine catalog are . (Choose the correct option to complete the sentence.)

- A. different OS types

- B. provisioned with another provisioning method
- C. unregistered
- D. turned off

Answer: A

NEW QUESTION 10

A Citrix Administrator needs to match the host name 'www.example.com' in all HTTP requests. Which expression, when used, meets this requirement?

- A. HTTP.REQ.HOSTNAME.EQ("www.example.com")
- B. HTTP.REQ.HOSTNAME("example.com")
- C. HTTP.RES.HOSTNAME.CONTAINS("www.example.com")
- D. HTTP.RES.HOSTNAME.EQ("www.example.com")

Answer: A

NEW QUESTION 12

Scenario: A Citrix Administrator needs to reduce costs by limiting users' printing sources. The administrator needs to stop automatic creation of all client printers in a session and map printers based on the floor of the building from which the user's session connects.

Which two policies should the administrator configure to complete this task? (Choose two.)

- A. Printer properties retention
- B. Auto-create client printers
- C. Direct connections to print servers
- D. Session printers

Answer: CD

NEW QUESTION 17

Which log records detailed information such as statistics, metrics and debug information on the Citrix ADC in a proprietary binary format?

- A. Syslog
- B. Nstrace
- C. Nsconfig
- D. Nslog

Answer: D

NEW QUESTION 20

Scenario: A Citrix Administrator is performing a disaster recovery test and decided to fail over the Citrix ADC high availability (HA) pair appliances. The administrator noticed that the failover is NOT working as expected in item text, and the Secondary Citrix ADC is NOT taking over as Primary. The administrator suspects that networking issues may be causing the failure.

What could be the cause of this issue with the Citrix ADCs?

- A. HA hertbeats are only seen on some enabled interfaces of the Secondary Node.
- B. HA monitoring is enabled on an interface of the Secondary Node that shows as ENABLED, DOWN.
- C. The Independent network configuration (INC) mode is enabled on the Primary Node.
- D. HA monitoring is enabled on a disabled interface of the Primary Node.

Answer: D

NEW QUESTION 21

When creating a new Delegated Administrator with a custom scope, a Citrix Administrator notices that the Full Administrator role is NOT available. The administrator is experiencing this behavior because the custom scope . (Choose the correct option to complete the sentence.)

- A. created did NOT contain all the required objects
- B. must use the Read Only role
- C. was created with the hosting object selected
- D. cannot use the Full Administrator role

Answer: D

NEW QUESTION 26

Which PowerShell command should a Citrix Administrator run to obtain the name of a deployment, the local host cache configuration and the license level?

- A. Get-BrokerCatalog
- B. Get-BrokerController
- C. Get-BrokerResource
- D. Get-BrokerSite

Answer: D

NEW QUESTION 30

Scenario: A Citrix Administrator has deployed machines using Machine Creation Services (MCS). A user logs on to a desktop from a random/non-persistent pool of Windows 10 desktops. During the session, the user installs Microsoft Office 2016.

To which disk is the Microsoft Office installation data written during the session?

- A. Differencing
- B. Identity
- C. Temporary
- D. Personal

Answer: A

NEW QUESTION 31

Scenario: A Citrix Administrator maintains a Citrix Virtual Apps and Desktops Site with a large number of Windows users running various locally attached client printers. No network printers are being used. The administrator has enabled the HDX printer mapping policy to 'Auto-create all client printers', which has resulted in a large number of drivers being loaded onto the Virtual Delivery Agent (VDA) machines. New standards are requiring the administrator to limit these Windows drivers on the VDA machines.

Which printing feature can the administrator enable to meet the new standards?

- A. The Auto-create PDF universal printer policy
- B. The Auto-create local (non-network) client printers only policy
- C. The Citrix Universal Print Server
- D. The Citrix Universal Printer Driver

Answer: C

NEW QUESTION 33

Scenario: A Citrix Administrator configured Citrix ADC with multiple admin partitions, with different resources running one each. The administrator receives an SNMP alert stating 'a Load Balanced Virtual Server is down'. When the administrator checks the Citrix ADC, the resource on the partition that was usually managed is NOT there.

Now, the administrator has to check each partition to find the load balanced virtual server that is down.

What can the administrator do to add the partition information to the SNMP traps to avoid this from happening in the future?

- A. Configure additional SNMP trap listeners.
- B. Change SNMP trap options.
- C. Add the partition information to the SNMP traps.
- D. Configure the SNMP Manager to send the partition information.

Answer: C

NEW QUESTION 36

Which PowerShell command can be used to display all the Citrix services installed on the Delivery Controller?

- A. `Get-Service -DisplayName *site*`
- B. `Get-Service -DisplayName *citrix*`
- C. `Get-Service -DisplayName *controller*`
- D. `Get-Service -DisplayName *broker*`

Answer: B

NEW QUESTION 37

Which two statements are valid when using Citrix Profile Streaming? (Choose two.)

- A. Registry entries and files in the pending area are fetched when accessed.
- B. Profile Streaming is disabled by default.
- C. The files and folders are fetched on demand.
- D. Profile Streaming will delay the logon process.

Answer: AC

Explanation:

Citrix profile streaming enables and disables the Citrix streamed user profiles feature. When enabled, files and folders contained in a profile are fetched from the user store to the local computer only when they are accessed by users after they have logged on. Registry entries and files in the pending area are fetched immediately.

NEW QUESTION 39

When users log on to Citrix Receiver, they are NOT able to see their line-of-business application by default and are frequently calling the help desk to locate the application.

Which phrase can a Citrix Administrator add to the application properties, so that line-of-business application is added to Favorites and users cannot remove the application from Favorites?

- A. "KEYWORDS: Prefer"
- B. "KEYWORDS: Mandatory"
- C. "KEYWORDS: Auto"
- D. "KEYWORDS: Featured"

Answer: B

NEW QUESTION 43

Which qualifier is used to configure the Content filter action to modify the HTTP header of an HTTP Request?

- A. Corrupt
- B. Forward
- C. Add
- D. Error Code

Answer: A

NEW QUESTION 46

Scenario: A Citrix Administrator needs to power-manage a group of Server OS Virtual Delivery Agent (VDA) machines that are all in the same Delivery Group. The administrator needs all the machines to be restarted once a week during the weekend. Additionally, a subset of the machines should be restarted every day during non-peak hours.

Which feature must the administrator change from the default values in order to fulfill the requirements?

- A. Restart duration
- B. Weekday and weekend hours
- C. Peak and non-peak hours
- D. Tag restrictions

Answer: D

NEW QUESTION 51

Which port does a Citrix Administrator need to open for Cloud Connector to communicate with the internet?

- A. 80
- B. 3389
- C. 8080
- D. 443

Answer: D

NEW QUESTION 52

Which console can a Citrix Administrator use to provide customized permissions to a junior administrator for adding applications?

- A. Citrix Studio
- B. StoreFront
- C. Citrix Director
- D. Citrix Application Delivery Management

Answer: A

NEW QUESTION 57

Scenario: A Citrix Administrator is in the process of migrating the existing 7.15 LTSR Virtual Delivery Agent (VDA) machines used on premises to Citrix Cloud. The administrator has created a new manual machine catalog and Delivery Group in Citrix Cloud and pointed to the existing Device Collection in Citrix Provisioning. The administrator also restarted the VDA machines.

What could prevent the VDA machines from registering in Citrix Cloud?

- A. The VDA master image was NOT updated to communicate with the Cloud Connectors.
- B. One of the two Cloud Connectors is down and unresponsive.
- C. The Citrix policies have NOT been migrated to Citrix Cloud.
- D. The VDA on the master image has NOT been updated to a later version.

Answer: A

NEW QUESTION 59

Scenario: A Citrix ADC receives packets that are destined for a MAC address owned by the Citrix ADC. The destination IP address of the packets does NOT belong to the Citrix ADC. Layer 3 Mode is enabled by default on the Citrix ADC.

What will the Citrix ADC do with the packets in this scenario?

- A. Drop the packets
- B. Bridge the packets.
- C. Route the packets.
- D. Process the packets.

Answer: C

NEW QUESTION 64

A user calls the help desk and states that launching a pooled random desktop takes as long as five minutes. Which Citrix Director report can a Citrix Administrator review to find out what might be causing the delay?

- A. Resource Utilization
- B. Connection Failures
- C. Logon Performance
- D. Load Evaluators

Answer: C

NEW QUESTION 69

A Citrix Administrator needs to block access to multiple URLs for security reasons. Which configuration should the administrator use to accomplish this requirement?

- A. Option A
- B. Option B
- C. Option C
- D. Option D

Answer: B

NEW QUESTION 73

Scenario: The Director of network security in a financial organization wants to protect the enterprise network from any external malware threats. To do this, the director needs to gain visibility into otherwise-bypassed traffic and control access to malicious web sites. The director is required to do the following:

Intercept and examine all the traffic, including SSL/TLS (encrypted traffic), coming in, and going out of the enterprise network.

Block access to URLs identified as serving harmful or insecure content.

Identify users (employees) in the enterprise who are accessing malicious websites.

Which Citrix ADC deployment mode should a Citrix Administrator use to achieve this requirement?

- A. Default Gateway
- B. Citrix Secure Web Gateway
- C. Citrix Gateway
- D. Access Gateway

Answer: B

NEW QUESTION 75

Scenario: A Citrix Administrator is enabling TLS Secure connections between the Cloud Connectors and on-premises StoreFront. After configuring the TLS certificate on all Cloud Connectors and disabling HTTP connections, the administrator finds that no resources are being enumerated.

Which extra step does the administrator need to take to allow enumeration to work between on-premises StoreFront and Citrix Cloud?

- A. Configure Internet Information Services (IIS) on the StoreFront server to use HTTPS.
- B. Change transport type to HTTPS in the StoreFront store DDC list.
- C. Configure Cloud Connectors to allow unsecured connections.
- D. Install Internet Information Services (IIS) on the Cloud Connector.

Answer: B

NEW QUESTION 78

Which Citrix Profile Management feature maintains a backup of the NTUSER.DAT file?

- A. Active Write Back
- B. Profile Caching
- C. Profile Streaming
- D. Profile Protection

Answer: D

NEW QUESTION 79

What is the effect of the “set cs vserver vserver-CS-1 –redirectURL http://www.newdomain.com/mysite/” command?

- A. All the requests without url path /mysite/ will be redirected to http://www.newdomain.com/mysite/.
- B. All the requests to vserver-CS-1 will be redirected to http://www.newdomain.com/mysite/.
- C. If the vserver-CS-1 encounters high connection rate, then users will be redirected to http://www.newdomain.com/mysite/.
- D. If the status of vserver-CS-1 is DOWN, then users will be redirected to http://www.newdomain.com/mysite/.

Answer: D

NEW QUESTION 82

Scenario: A Citrix Administrator has deployed a Citrix Cloud-managed Citrix Virtual Apps and Desktops Site with one on-premises resource location and two Cloud Connectors. An on-premises StoreFront server group is used to access published resources. During user acceptance testing, due to adverse weather conditions, network connectivity between the on-premises location and Citrix Cloud was broken for several hours.

Which statement describes what will occur in this scenario?

- A. One of the Citrix Cloud Connectors at the resource location is elected to be the primary broker and uses its Local Host Cache to broker new sessions and manage existing HDX connections.
- B. Users will NOT be able to access published resources, and existing sessions will be disconnected until network connectivity to Citrix Cloud is restored.
- C. The Citrix Cloud Connectors at the resource location will continue to manage existing sessions, but no new sessions can be initiated until network connectivity to Citrix Cloud is restored.
- D. Each Citrix Cloud Connector at the resource location will continue to broker new connections, for certain FlexCast models, using Connection Leasing and existing HDX connections will NOT be impacted.

Answer: A

NEW QUESTION 85

How can a Citrix Administrator configure a rewrite policy to change the version of HTTP from HTTP 1.1 to HTTP 1.0 in every request?

- A. Option A
- B. Option B
- C. Option C
- D. Option D

Answer: D

NEW QUESTION 87

Which three database high availability features are supported for on-premises deployments of Citrix Virtual Apps and Desktops? (Choose three.)

- A. Always On Availability Groups
- B. Automatic Storage Management
- C. Mirroring
- D. Clustered Instances
- E. Flashback

Answer: ACD

NEW QUESTION 88

Scenario: A Citrix Administrator is configuring the Workspace Experience to provide users with access to their applications and desktops. The administrator deployed Microsoft Azure Active Directory (AD) already and wants to leverage it to support user access to the Workspace Experience.

Which two steps does the administrator need to take to enable users to authenticate using Azure AD to the Workspace Experience? (Choose two.)

- A. Add Cloud Connector information to the Azure AD console.
- B. Enable Azure AD authentication under Workspace Configuration in Citrix Cloud.
- C. Add Azure AD Account under Identity Providers in Citrix Cloud.
- D. Deploy Cloud Connectors to support Azure AD authentication.

Answer: BC

NEW QUESTION 92

Scenario: A Citrix Administrator has enabled an HDX Session printers policy within a Citrix Virtual Apps and Desktops Site. The administrator added a printer to a print server and assigned the printer to all users through a session printer policy. In addition, several local client printers are auto-created within HDX sessions. No other printing policies are configured.

How will print jobs be routed when users send print jobs to a printer managed by the print server?

- A. Directly to the network print server and then to the specified printer.

- B. Over the HDX virtual channel to the specified printer attached to the print server.
- C. Directly from the session Virtual Delivery Agent (VDA) machine to the printer.
- D. Over the HDX virtual channel, through the endpoint, and then to the print server.

Answer: A

NEW QUESTION 96

Scenario: A Citrix Administrator is configuring load balancing on a Citrix ADC appliance for the company web servers. The administrator needs to create a custom monitor that will look for a specific keyword response from the website and will be used to keep the services in an UP state. Which type of monitor can the administrator create to accomplish this scenario?

- A. HTTP-ECV monitor with the keyword in the Special Parameters – Receive String field.
- B. A HTTP monitor with the keyword in the Special Parameters – Response Codes field.
- C. A TCP monitor with the keyword in the Special Parameters – Response Code field.
- D. An UDP-ECV monitor with the keyword in the Special Parameters – Receive String field.

Answer: A

NEW QUESTION 100

What must a Citrix Administrator do to encrypt XML traffic between StoreFront and the Delivery Controllers?

- A. Install a private server certificate on each StoreFront server and then add a new Internet Information Services (IIS) binding for HTTPS.
- B. Install a private server certificate on each Delivery Controller and bind the certificates to port 443.
- C. Install a private certificate on each Delivery Controller and StoreFront server.
- D. Restart each server to force XML communication to be encrypted.
- E. Install a private server certificate on each StoreFront server.
- F. Open the StoreFront console and use the https:// prefix with the base URL.

Answer: A

NEW QUESTION 101

Scenario: A Citrix Administrator has received complaints from published application users. They report that it takes a long time to relaunch an application after they close it by mistake.

The administrator needs a solution that will reduce application launch times in these situations. Which feature should the administrator enable?

- A. Session Sharing
- B. Session Reliability
- C. Application Lingering
- D. Application Prelaunch

Answer: D

NEW QUESTION 105

Scenario: A Citrix Administrator is managing a Citrix ADC SDX running eight Citrix ADC instances. The administrator first needs to upgrade the firmware on the instances. However, the administrator is concerned that it needs to be done all at once.

What upgrading flexibility does SDX provide in this scenario?

- A. The Citrix ADC instances have to be upgraded at the same time.
- B. It is NOT possible to upgrade the Citrix ADC instances to different firmware versions.
- C. The Citrix ADC instance can be upgraded at the SDX management level, allowing all instances to be upgraded at once.
- D. The Citrix ADC instance can be upgraded on an individual basis, allowing all instances to run different firmware versions.

Answer: A

NEW QUESTION 108

For which three components can Citrix Director capture utilization statistics? (Choose three.)

- A. CPU
- B. IOPS
- C. Disk space
- D. Network
- E. Memory

Answer: ABE

NEW QUESTION 110

A Citrix Administrator needs to confirm that all the client certificates presented to the authentication vServer are valid until year 2020.

Which expression can the administrator use to meet this requirement?

- A. CLIENT.SSL.CLIENT_CERT.VALID_NOT_AFTER.EQ(GMT2020)
- B. CLIENT.SSL.CLIENT_CERT.DAYS_TO_EXPIRE.EQ(2020)
- C. CLIENT.SSL.ORIGIN_SERVER_CERT.VALID_NOT_AFTER.EQ(GMT2020)
- D. CLIENT.SSL.CLIENT_CERT.VALID_NOT_BEFORE.EQ(GMT2020)

Answer: A

NEW QUESTION 114

How can a Citrix Administrator guarantee the availability of resource locations in a Citrix Cloud deployment?

- A. Deploy at least two Cloud Connectors for each resource location and load-balance them using Citrix ADC.
- B. Deploy at least two Cloud Connectors for each resource location.
- C. Convert one Cloud Connector to a template and deploy it when another Cloud Connector goes down.
- D. Deploy one Cloud Connector in each resource location.

Answer: B

NEW QUESTION 117

Scenario: A Citrix ADC is configured with Interface 1/1 and bound to VLAN 40. A Citrix Administrator has executed the following command: bind vlan 20 –ifnum 1/1
What is the result of executing the command on the Citrix ADC?

- A. Interface 1/1 is bound to VLAN 20, and native VLAN is 1.
- B. Interface 1/1 is bound to VLAN 20, and native VLAN is 40.
- C. Interface 1/1 is bound to VLAN 20, and native VLAN is NOT changed.
- D. Interface 1/1 is bound to VLAN 20, and native VLAN is 20.

Answer: B

NEW QUESTION 122

Which two features within Citrix Director can a Citrix Administrator use to view historical resource utilization for a machine running the Virtual Delivery Agent (VDA)? (Choose two.)

- A. Alerts
- B. Dashboard
- C. Applications
- D. Search
- E. Trends

Answer: CE

NEW QUESTION 126

Scenario: A Citrix Administrator has a Citrix ADC SDX with four VPX instances configured. The SDX has a 10GB bandwidth license that has been configured with dedicated bandwidth of 2GB for each instance. However, the administrator found that three instances do NOT ever reach the bandwidth limit, while one instance reaches the limit and needs 1GB more bandwidth to accommodate increased traffic requests.

What can the administrator change on the instance that requires more bandwidth, to meet traffic requirements?

- A. Configure burst capacity on the instance adding 1 GB of bandwidth with burst priority 0.
- B. Purchase an SDX license to increase the bandwidth on the instances.
- C. Configure burst capacity of 1GB with priority 10.
- D. Configure LA channel to increase the bandwidth.

Answer: C

NEW QUESTION 127

Which scenario will cause automatic high availability (HA) synchronization to fail?

- A. Manually forced synchronization
- B. A configuration change to the primary Citrix ADC
- C. Different build versions
- D. A force failover

Answer: C

NEW QUESTION 129

Scenario: A Citrix Administrator configured the HTTP_Callout feature on the Citrix ADC using the command-line interface. After configuring the commands, the device is facing the HTTP callout recursion issue.

Click on the 'Exhibit' button to view the screenshot of the command-line interface.

How will the administrator rectify the issue?

- A. Change the expression of the Responder policy to "HTTP.REQ.HEADER(\\"Request\\").EQ(\\"Callout Request\\").NOT && SYS.HTTP_CALLOUT(myCallout).CONTAINS(\\"IP Matched\\")"
- B. Change the expression of the Responder policy to "HTTP.REQ.HEADER(\\"Request\\").EQ(\\"Callout Request\\").NOT && SYS.HTTP_CALLOUT(myCallout).CONTAINS(\\"IP Matched\\").NOT"
- C. In the HTTP Callout policy, change the –parameters to "cip(CLIENT.IP.SRC)&&HTTP.REQ.HEADER(\\"Request\\").EQ(\\"Callout Request\\")"
- D. In the HTTP Callout policy, change the –parameters to "cip(CLIENT.IP.DST)&&HTTP.REQ.HEADER(\\"Request\\").EQ(\\"Callout Request\\")"

Answer: B

NEW QUESTION 134

How can a Citrix Administrator enable the ability to monitor application failures for Desktop OS machines running the Virtual Delivery Agent (VDA)?

- A. By installing an Application Probe Agent on the Desktop OS VDA machines

- B. By entering a PowerShell command on a Delivery Controller
- C. By upgrading to premium licenses
- D. By configuring a Citrix policy

Answer: B

NEW QUESTION 138

.....

THANKS FOR TRYING THE DEMO OF OUR PRODUCT

Visit Our Site to Purchase the Full Set of Actual 1Y0-204 Exam Questions With Answers.

We Also Provide Practice Exam Software That Simulates Real Exam Environment And Has Many Self-Assessment Features. Order the 1Y0-204 Product From:

<https://www.2passeasy.com/dumps/1Y0-204/>

Money Back Guarantee

1Y0-204 Practice Exam Features:

- * 1Y0-204 Questions and Answers Updated Frequently
- * 1Y0-204 Practice Questions Verified by Expert Senior Certified Staff
- * 1Y0-204 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * 1Y0-204 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year