

Exam Questions CAS-004

CompTIA Advanced Security Practitioner (CASP+) Exam

<https://www.2passeasy.com/dumps/CAS-004/>



NEW QUESTION 1

An enterprise is deploying APIs that utilize a private key and a public key to ensure the connection string is protected. To connect to the API, customers must use the private key.

Which of the following would BEST secure the REST API connection to the database while preventing the use of a hardcoded string in the request string?

- A. Implement a VPN for all APIs.
- B. Sign the key with DSA.
- C. Deploy MFA for the service accounts.
- D. Utilize HMAC for the keys.

Answer: D

Explanation:

Reference: <https://eclipsesource.com/blogs/2016/07/06/keyed-hash-message-authentication-code-in-rest-apis/>

NEW QUESTION 2

A security architect works for a manufacturing organization that has many different branch offices. The architect is looking for a way to reduce traffic and ensure the branch offices receive the latest copy of revoked certificates issued by the CA at the organization's headquarters location. The solution must also have the lowest power requirement on the CA.

Which of the following is the BEST solution?

- A. Deploy an RA on each branch office.
- B. Use Delta CRLs at the branches.
- C. Configure clients to use OCSP.
- D. Send the new CRLs by using GPO.

Answer: C

Explanation:

Reference: <https://www.sciencedirect.com/topics/computer-science/revoke-certificate>

NEW QUESTION 3

A security architect is implementing a web application that uses a database back end. Prior to the production, the architect is concerned about the possibility of XSS attacks and wants to identify security controls that could be put in place to prevent these attacks.

Which of the following sources could the architect consult to address this security concern?

- A. SDLC
- B. OVAL
- C. IEEE
- D. OWASP

Answer: B

Explanation:

Reference: <https://dzone.com/articles/what-is-oval-a-community-driven-vulnerability-mana>

NEW QUESTION 4

A company has decided to purchase a license for software that is used to operate a mission-critical process. The third-party developer is new to the industry but is delivering what the company needs at this time.

Which of the following BEST describes the reason why utilizing a source code escrow will reduce the operational risk to the company if the third party stops supporting the application?

- A. The company will have access to the latest version to continue development.
- B. The company will be able to force the third-party developer to continue support.
- C. The company will be able to manage the third-party developer's development process.
- D. The company will be paid by the third-party developer to hire a new development team.

Answer: B

NEW QUESTION 5

A SOC analyst is reviewing malicious activity on an external, exposed web server. During the investigation, the analyst determines specific traffic is not being logged, and there is no visibility from the WAF for the web application. Which of the following is the MOST likely cause?

- A. The user agent client is not compatible with the WAF.
- B. A certificate on the WAF is expired.
- C. HTTP traffic is not forwarding to HTTPS to decrypt.
- D. Old, vulnerable cipher suites are still being used.

Answer: B

Explanation:

Reference: <https://aws.amazon.com/premiumsupport/knowledge-center/waf-block-http-requests-no-user-agent/>

NEW QUESTION 6

A security engineer estimates the company's popular web application experiences 100 attempted breaches per day. In the past four years, the company's data has been breached two times. Which of the following should the engineer report as the ARO for successful breaches?

- A. 0.5
- B. 8
- C. 50
- D. 36,500

Answer: A

Explanation:

Reference: <https://blog.netwrix.com/2020/07/24/annual-loss-expectancy-and-quantitative-risk-analysis/>

NEW QUESTION 7

A shipping company that is trying to eliminate entire classes of threats is developing an SELinux policy to ensure its custom Android devices are used exclusively for package tracking. After compiling and implementing the policy, in which of the following modes must the company ensure the devices are configured to run?

- A. Protecting
- B. Permissive
- C. Enforcing
- D. Mandatory

Answer: B

Explanation:

Reference: <https://source.android.com/security/selinux/customize>

NEW QUESTION 8

A company is moving most of its customer-facing production systems to the cloud-facing production systems to the cloud. IaaS is the service model being used. The Chief Executive Officer is concerned about the type of encryption available and requires the solution must have the highest level of security.

Which of the following encryption methods should the cloud security engineer select during the implementation phase?

- A. Instance-based
- B. Storage-based
- C. Proxy-based
- D. Array controller-based

Answer: A

NEW QUESTION 9

Device event logs sources from MDM software as follows:

Which of the following security concerns and response actions would BEST address the risks posed by the device in the logs?

- A. Malicious installation of an application; change the MDM configuration to remove application ID 1220.
- B. Resource leak; recover the device for analysis and clean up the local storage.
- C. Impossible travel; disable the device's account and access while investigating.
- D. Falsified status reporting; remotely wipe the device.

Answer: A

NEW QUESTION 10

A technician is reviewing the logs and notices a large number of files were transferred to remote sites over the course of three months. This activity then stopped. The files were transferred via TLS-protected HTTP sessions from systems that do not send traffic to those sites. The technician will define this threat as:

- A. a decrypting RSA using obsolete and weakened encryption attack.
- B. a zero-day attack.
- C. an advanced persistent threat.
- D. an on-path attack.

Answer: A

Explanation:

Reference: <https://www.internetsociety.org/deploy360/tls/basics/>

NEW QUESTION 10

A security analyst notices a number of SIEM events that show the following activity:

Which of the following response actions should the analyst take FIRST?

- A. Disable powershell.exe on all Microsoft Windows endpoints.
- B. Restart Microsoft Windows Defender.
- C. Configure the forward proxy to block 40.90.23.154.
- D. Disable local administrator privileges on the endpoints.

Answer: A

NEW QUESTION 11

During a remodel, a company's computer equipment was moved to a secure storage room with cameras positioned on both sides of the door. The door is locked using a card reader issued by the security team, and only the security team and department managers have access to the room. The company wants to be able to identify any unauthorized individuals who enter the storage room by following an authorized employee.

Which of the following processes would BEST satisfy this requirement?

- A. Monitor camera footage corresponding to a valid access request.
- B. Require both security and management to open the door.
- C. Require department managers to review denied-access requests.
- D. Issue new entry badges on a weekly basis.

Answer: A

Explanation:

Reference: <https://www.getkisi.com/access-control>

NEW QUESTION 16

A vulnerability analyst identified a zero-day vulnerability in a company's internally developed software. Since the current vulnerability management system does not have any checks for this vulnerability, an engineer has been asked to create one.

Which of the following would be BEST suited to meet these requirements?

- A. ARF
- B. ISACs
- C. Node.js
- D. OVAL

Answer: D

NEW QUESTION 21

A company is implementing SSL inspection. During the next six months, multiple web applications that will be separated out with subdomains will be deployed. Which of the following will allow the inspection of the data without multiple certificate deployments?

- A. Include all available cipher suites.
- B. Create a wildcard certificate.
- C. Use a third-party CA.
- D. Implement certificate pinning.

Answer: D

NEW QUESTION 24

A company hired a third party to develop software as part of its strategy to be quicker to market. The company's policy outlines the following requirements: The credentials used to publish production software to the container registry should be stored in a secure location. Access should be restricted to the pipeline service account, without the ability for the third-party developer to read the credentials directly. Which of the following would be the BEST recommendation for storing and monitoring access to these shared credentials?

- A. TPM
- B. Local secure password file
- C. MFA
- D. Key vault

Answer: A

Explanation:

Reference: <https://docs.microsoft.com/en-us/windows/security/information-protection/tpm/tpm-fundamentals>

NEW QUESTION 25

A developer wants to maintain integrity to each module of a program and ensure the code cannot be altered by malicious users. Which of the following would be BEST for the developer to perform? (Choose two.)

- A. Utilize code signing by a trusted third party.
- B. Implement certificate-based authentication.
- C. Verify MD5 hashes.
- D. Compress the program with a password.
- E. Encrypt with 3DES.
- F. Make the DACL read-only.

Answer: AB

NEW QUESTION 29

A new web server must comply with new secure-by-design principles and PCI DSS. This includes mitigating the risk of an on-path attack. A security analyst is reviewing the following web server configuration:

Which of the following ciphers should the security analyst remove to support the business requirements?

- A. TLS_AES_128_CCM_8_SHA256
- B. TLS_DHE_DSS_WITH_RC4_128_SHA
- C. TLS_CHACHA20_POLY1305_SHA256
- D. TLS_AES_128_GCM_SHA256

Answer: C

NEW QUESTION 30

An organization's hunt team thinks a persistent threats exists and already has a foothold in the enterprise network. Which of the following techniques would be BEST for the hunt team to use to entice the adversary to uncover malicious activity?

- A. Deploy a SOAR tool.
- B. Modify user password history and length requirements.
- C. Apply new isolation and segmentation schemes.
- D. Implement decoy files on adjacent hosts.

Answer: C

Explanation:

Reference: <https://www.cynet.com/network-attacks/network-attacks-and-network-security-threats/>

NEW QUESTION 34

A security analyst is concerned that a malicious piece of code was downloaded on a Linux system. After some research, the analyst determines that the suspected piece of code is performing a lot of input/ output (I/O) on the disk drive.

Based on the output above, from which of the following process IDs can the analyst begin an investigation?

- A. 65
- B. 77
- C. 83
- D. 87

Answer: D

NEW QUESTION 35

A security analyst is reviewing network connectivity on a Linux workstation and examining the active TCP connections using the command line. Which of the following commands would be the BEST to run to view only active Internet connections?

- A. `sudo netstat -antu | grep "LISTEN" | awk '{print$5}'`
- B. `sudo netstat -nlt -p | grep "ESTABLISHED"`
- C. `sudo netstat -plntu | grep -v "Foreign Address"`
- D. `sudo netstat -pnut -w | column -t -s '$\w'`
- E. `sudo netstat -pnut | grep -P ^tcp`

Answer: B

Explanation:

Reference: <https://www.codegrepper.com/code-examples/shell/netstat+find+port>

NEW QUESTION 40

A small company recently developed prototype technology for a military program. The company's security engineer is concerned about potential theft of the newly developed, proprietary information.

Which of the following should the security engineer do to BEST manage the threats proactively?

- A. Join an information-sharing community that is relevant to the company.
- B. Leverage the MITRE ATT&CK framework to map the TTR.
- C. Use OSINT techniques to evaluate and analyze the threats.
- D. Update security awareness training to address new threats, such as best practices for data security.

Answer: D

NEW QUESTION 42

A security engineer was auditing an organization's current software development practice and discovered that multiple opensource libraries were Integrated into the organization's software. The organization currently performs SAST and DAST on the software it develops.

Which of the following should the organization incorporate into the SDLC to ensure the security of the open-source libraries?

- A. Perform additional SAST/DAST on the open-source libraries.
- B. Implement the SDLC security guidelines.
- C. Track the library versions and monitor the CVE website for related vulnerabilities.
- D. Perform unit testing of the open-source libraries.

Answer: B

Explanation:

Reference: <https://www.whitesourcesoftware.com/resources/blog/application-security-best-practices/>

NEW QUESTION 45

A company is preparing to deploy a global service.

Which of the following must the company do to ensure GDPR compliance? (Choose two.)

- A. Inform users regarding what data is stored.
- B. Provide opt-in/out for marketing messages.
- C. Provide data deletion capabilities.
- D. Provide optional data encryption.
- E. Grant data access to third parties.
- F. Provide alternative authentication techniques.

Answer: AB

Explanation:

Reference: <https://gdpr.eu/compliance-checklist-us-companies/>

NEW QUESTION 47

Which of the following is the MOST important security objective when applying cryptography to control messages that tell an ICS how much electrical power to output?

- A. Importing the availability of messages
- B. Ensuring non-repudiation of messages
- C. Enforcing protocol conformance for messages
- D. Assuring the integrity of messages

Answer: D

NEW QUESTION 52

An energy company is required to report the average pressure of natural gas used over the past quarter. A PLC sends data to a historian server that creates the required reports.

Which of the following historian server locations will allow the business to get the required reports in an ?? and IT environment?

- A. In the ?? environment, use a VPN from the IT environment into the ?? environment.
- B. In the ?? environment, allow IT traffic into the ?? environment.
- C. In the IT environment, allow PLCs to send data from the ?? environment to the IT environment.
- D. Use a screened subnet between the ?? and IT environments.

Answer: A

NEW QUESTION 55

A security analyst is investigating a possible buffer overflow attack. The following output was found on a user's workstation: `graphic.linux_randomization.prg`

Which of the following technologies would mitigate the manipulation of memory segments?

- A. NX bit
- B. ASLR
- C. DEP
- D. HSM

Answer: B

Explanation:

Reference: <http://webpages.eng.wayne.edu/~fy8421/19sp-csc5290/labs/lab2-instruction.pdf> (3)

NEW QUESTION 56

Which of the following is a benefit of using steganalysis techniques in forensic response?

- A. Breaking a symmetric cipher used in secure voice communications
- B. Determining the frequency of unique attacks against DRM-protected media
- C. Maintaining chain of custody for acquired evidence
- D. Identifying least significant bit encoding of data in a .wav file

Answer: D

Explanation:

Reference: https://www.garykessler.net/library/fsc_stego.html

NEW QUESTION 58

An application server was recently upgraded to prefer TLS 1.3, and now users are unable to connect their clients to the server. Attempts to reproduce the error are confirmed, and clients are reporting the following:

`ERR_SSL_VERSION_OR_CIPHER_MISMATCH`

Which of the following is MOST likely the root cause?

- A. The client application is testing PFS.
- B. The client application is configured to use ECDHE.
- C. The client application is configured to use RC4.
- D. The client application is configured to use AES-256 in GCM.

Answer: C

Explanation:

Reference: https://kinsta.com/knowledgebase/err_ssl_version_or_cipher_mismatch/

NEW QUESTION 59

A company publishes several APIs for customers and is required to use keys to segregate customer data sets. Which of the following would be BEST to use to store customer keys?

- A. A trusted platform module
- B. A hardware security module
- C. A localized key store
- D. A public key infrastructure

Answer: C

Explanation:

Reference: <https://developer.android.com/studio/publish/app-signing>

NEW QUESTION 61

A satellite communications ISP frequently experiences outages and degraded modes of operation over one of its legacy satellite links due to the use of deprecated hardware and software. Three days per week, on average, a contracted company must follow a checklist of 16 different high-latency commands that must be run in serial to restore nominal performance. The ISP wants this process to be automated.

Which of the following techniques would be BEST suited for this requirement?

- A. Deploy SOAR utilities and runbooks.

- B. Replace the associated hardware.
- C. Provide the contractors with direct access to satellite telemetry data.
- D. Reduce link latency on the affected ground and satellite segments.

Answer: A

NEW QUESTION 65

A network architect is designing a new SD-WAN architecture to connect all local sites to a central hub site. The hub is then responsible for redirecting traffic to public cloud and datacenter applications. The SD-WAN routers are managed through a SaaS, and the same security policy is applied to staff whether working in the office or at a remote location. The main requirements are the following:

- * 1. The network supports core applications that have 99.99% uptime.
- * 2. Configuration updates to the SD-WAN routers can only be initiated from the management service.
- * 3. Documents downloaded from websites must be scanned for malware.

Which of the following solutions should the network architect implement to meet the requirements?

- A. Reverse proxy, stateful firewalls, and VPNs at the local sites
- B. IDSs, WAFs, and forward proxy IDS
- C. DoS protection at the hub site, mutual certificate authentication, and cloud proxy
- D. IPSs at the hub, Layer 4 firewalls, and DLP

Answer: B

NEW QUESTION 69

An organization is preparing to migrate its production environment systems from an on-premises environment to a cloud service. The lead security architect is concerned that the organization's current methods for addressing risk may not be possible in the cloud environment.

Which of the following BEST describes the reason why traditional methods of addressing risk may not be possible in the cloud?

- A. Migrating operations assumes the acceptance of all risk.
- B. Cloud providers are unable to avoid risk.
- C. Specific risks cannot be transferred to the cloud provider.
- D. Risks to data in the cloud cannot be mitigated.

Answer: C

Explanation:

Reference: <https://arxiv.org/ftp/arxiv/papers/1303/1303.4814.pdf>

NEW QUESTION 72

An organization wants to perform a scan of all its systems against best practice security configurations.

Which of the following SCAP standards, when combined, will enable the organization to view each of the configuration checks in a machine-readable checklist format for fill automation? (Choose two.)

- A. ARF
- B. XCCDF
- C. CPE
- D. CVE
- E. CVSS
- F. OVAL

Answer: BF

Explanation:

Reference: <https://www.govinfo.gov/content/pkg/GOVPUB-C13-9ecd8eae582935c93d7f410e955dabb6/pdf/GOVPUB-C13-9ecd8eae582935c93d7f410e955dabb6.pdf> (p.12)

NEW QUESTION 73

A security engineer needs to recommend a solution that will meet the following requirements: Identify sensitive data in the provider's network

Maintain compliance with company and regulatory guidelines

Detect and respond to insider threats, privileged user threats, and compromised accounts Enforce datacentric security, such as encryption, tokenization, and access control Which of the following solutions should the security engineer recommend to address these requirements?

- A. WAF
- B. CASB
- C. SWG
- D. DLP

Answer: A

NEW QUESTION 76

A small business requires a low-cost approach to theft detection for the audio recordings it produces and sells. Which of the following techniques will MOST likely meet the business's needs?

- A. Performing deep-packet inspection of all digital audio files
- B. Adding identifying filesystem metadata to the digital audio files
- C. Implementing steganography
- D. Purchasing and installing a DRM suite

Answer: C

Explanation:

Reference: <https://portswigger.net/daily-swig/what-is-steganography-a-complete-guide-to-the-ancient-art-of-concealing-messages>

NEW QUESTION 79

An application developer is including third-party background security fixes in an application. The fixes seem to resolve a currently identified security issue. However, when the application is released to the public, reports come in that a previously vulnerability has returned. Which of the following should the developer integrate into the process to BEST prevent this type of behavior?

- A. Peer review
- B. Regression testing
- C. User acceptance
- D. Dynamic analysis

Answer: A

NEW QUESTION 83

The Chief Information Officer (CIO) wants to establish a non-binding agreement with a third party that outlines the objectives of the mutual arrangement dealing with data transfers between both organizations before establishing a formal partnership. Which of the following would MOST likely be used?

- A. MOU
- B. OLA
- C. NDA
- D. SLA

Answer: A

NEW QUESTION 88

Company A is establishing a contractual with Company B. The terms of the agreement are formalized in a document covering the payment terms, limitation of liability, and intellectual property rights. Which of the following documents will MOST likely contain these elements?

- A. Company A-B SLA v2.docx
- B. Company A OLA v1b.docx
- C. Company A MSA v3.docx
- D. Company A MOU v1.docx
- E. Company A-B NDA v03.docx

Answer: A

NEW QUESTION 92

Ann, a CIRT member, is conducting incident response activities on a network that consists of several hundred virtual servers and thousands of endpoints and users. The network generates more than 10,000 log messages per second. The enterprise belong to a large, web-based cryptocurrency startup, Ann has distilled the relevant information into an easily digestible report for executive management. However, she still needs to collect evidence of the intrusion that caused the incident .

Which of the following should Ann use to gather the required information?

- A. Traffic interceptor log analysis
- B. Log reduction and visualization tools
- C. Proof of work analysis
- D. Ledger analysis software

Answer: B

NEW QUESTION 95

A small company needs to reduce its operating costs. vendors have proposed solutions, which all focus on management of the company's website and services. The Chief information Security Officer (CISO) insist all available resources in the proposal must be dedicated, but managing a private cloud is not an option .

Which of the following is the BEST solution for this company?

- A. Community cloud service model
- B. Multitenancy SaaS
- C. Single-tenancy SaaS
- D. On-premises cloud service model

Answer: A

NEW QUESTION 100

A company is repeatedly being breached by hackers who valid credentials. The company's Chief information Security Officer (CISO) has installed multiple controls for authenticating users, including biometric and token-based factors. Each successive control has increased overhead and complexity but has failed to stop further breaches. An external consultant is evaluating the process currently in place to support the authentication controls .

Which of the following recommendation would MOST likely reduce the risk of unauthorized access?

- A. Implement strict three-factor authentication.
- B. Implement least privilege policies
- C. Switch to one-time or all user authorizations.
- D. Strengthen identify-proofing procedures

Answer: A

NEW QUESTION 105

.....

THANKS FOR TRYING THE DEMO OF OUR PRODUCT

Visit Our Site to Purchase the Full Set of Actual CAS-004 Exam Questions With Answers.

We Also Provide Practice Exam Software That Simulates Real Exam Environment And Has Many Self-Assessment Features. Order the CAS-004 Product From:

<https://www.2passeasy.com/dumps/CAS-004/>

Money Back Guarantee

CAS-004 Practice Exam Features:

- * CAS-004 Questions and Answers Updated Frequently
- * CAS-004 Practice Questions Verified by Expert Senior Certified Staff
- * CAS-004 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * CAS-004 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year