



Microsoft

Exam Questions PL-300

Microsoft Power BI Data Analyst

NEW QUESTION 1

- (Topic 1)

You need to create a relationship between the Weekly_Returns table and the Date table to meet the reporting requirements of the regional managers. What should you do?

- A. In the Weekly_Returns table, create a new calculated column named date-id in a format of yyyyymmdd and use the calculated column to create a relationship to the Date table.
- B. Add the Weekly_Returns data to the Sales table by using related DAX functions.
- C. Create a new table based on the Date table where date-id is unique, and then create a many-to-many relationship to Weekly_Return.

Answer: A

Explanation:

Scenario: Region managers require a visual to analyze weekly sales and returns. To relate the two tables we need a common column.

NEW QUESTION 2

- (Topic 1)

You need to create a calculated column to display the month based on the reporting requirements. Which DAX expression should you use?

- A. `FORMAT('Date'[date], "MMM YYYY")`
- B. `FORMAT('Date' [date], "M YY")`
- C. `FORMAT('Date'[date_id], "MMM") & "" & FORMAT('Date'[year], "#")`
- D. `FORMAT('Date' [date_id], "MMM YYYY")`

Answer: A

NEW QUESTION 3

- (Topic 2)

You need to ensure that the data is updated to meet the report requirements. The solution must minimize configuration effort. What should you do?

- A. From each report in powerbi.co
- B. select Refresh visuals
- C. From Power BI Desktop, download the PBIX file and refresh the data.
- D. Configure a scheduled refresh without using an on-premises data gateway.
- E. Configure a scheduled refresh by using an on-premises data gateway

Answer: C

NEW QUESTION 4

HOTSPOT - (Topic 2)

You need to calculate the last day of the month in the balance sheet data to ensure that you can relate the balance sheet data to the Date table. Which type of calculation and which formula should you use? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

Type of calculation:	<div><div>A DAX calculated column</div><div>A DAX calculated measure</div><div>An M custom column</div></div>
Formula:	<div><div>Date.EndOfMonth(#date([Year], [Month], 1))</div><div>Date.EndOfQuarter(#date([Year], [Month], 1))</div><div>ENDOFQUARTER(DATE('BalanceSheet'[Year], BalanceSheet[Month], 1), 0)</div></div>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: A DAX Calculated measure

Box 2: `Date.EndOfQuarter(#date([Year],[Mont],1))`

ENDOFQUARTER returns the last date of the quarter in the current context for the specified column of dates.

The following sample formula creates a measure that returns the end of the quarter, for the current context.

`= ENDOFQUARTER(DateTime[DateKey])`

NEW QUESTION 5

HOTSPOT - (Topic 3)

You need to create the Top Customers report.

Which type of filter should you use, and at which level should you apply the filter? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Filter type:

Level:

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Top N

Scenario: The Top Customers report will show the top 20 customers based on the highest sales amounts in a selected order month or quarter, product category, and sales region.

Once you drag to SKU to Visual level filter you should get Top N option Note: The two most common filter types: automatic and manual. Then there are more advanced filters.

Box 2: Visual

Once you drag to SKU to Visual level filter you should get Top N option.

NEW QUESTION 6

- (Topic 3)

You need to design the data model to meet the report requirements. What should you do in Power BI Desktop?

- A. From Power Query, use a DAX expression to add columns to the Orders table to calculate the calendar quarter of the OrderDate column, the calendar month of the OrderDate column, the calendar quarter of the ShippedDate column, and the calendar month of the ShippedDate column.
- B. From Power Query, add columns to the Orders table to calculate the calendar quarter and the calendar month of the OrderDate column.
- C. From Power BI Desktop, use the Auto date/time option when creating the reports.
- D. From Power Query, add a date table
- E. Create an active relationship to the OrderDate column in the Orders table and an inactive relationship to the ShippedDate column in the Orders table.

Answer: B

Explanation:

Use Power Query to calculate calendar quarter and calendar month.

Scenario:

? A single dataset must support all three reports:

- The Top Customers report will show the top 20 customers based on the highest sales amounts in a selected order month or quarter, product category, and sales region.
- The Top Products report will show the top 20 products based on the highest sales amounts sold in a selected order month or quarter, sales region, and product category.

? The data model must minimize the size of the dataset as much as possible, while meeting the report requirements and the technical requirements.

NEW QUESTION 7

- (Topic 3)

You need to minimize the size of the dataset. The solution must meet the report requirements What should you do?

- A. Change the OrderID column in the Orders table to the text data type.
- B. Filter out discontinued products while importing the Product table.
- C. Remove the QuantityPerUnit column from the Products table
- D. Group the Categories table by the CategoryID column.

Answer: C

NEW QUESTION 8

HOTSPOT - (Topic 3)

You need to design the data model and the relationships for the Customer Details worksheet and the Orders table by using Power BI. The solution must meet the report requirements.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Answer Area

Statements	Yes	No
A relationship must be created between the CustomerID column in the Customer Details worksheet and the CustomerID column in the Orders table.	<input type="radio"/>	<input type="radio"/>
The Data Type of the columns in the relationship between the Customer Details worksheet and the Orders table must be set to Text .	<input type="radio"/>	<input type="radio"/>
The Region field used to filter the Top Customers report must come from the Orders table.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Statements	Yes	No
A relationship must be created between the CustomerID column in the Customer Details worksheet and the CustomerID column in the Orders table.	<input checked="" type="radio"/>	<input type="radio"/>
The Data Type of the columns in the relationship between the Customer Details worksheet and the Orders table must be set to Text .	<input type="radio"/>	<input checked="" type="radio"/>
The Region field used to filter the Top Customers report must come from the Orders table.	<input checked="" type="radio"/>	<input type="radio"/>

NEW QUESTION 9

- (Topic 3)

You need to configure access for the sales department users. The solution must me meet the security requirements. What should you do?

- A. Add the sales department as a member of the reports workspace
- B. Add the Azure Active Directory group of the sales department as an Admin of the reports workspace.
- C. Distribute an app to the users in the Azure Active Directory group of the sales department.
- D. Share each report to the Azure Active Directory group of the sales department.

Answer: B

NEW QUESTION 10

FILL IN THE BLANK - (Topic 4)

You have a Power BI report that contains a measure named Total Sales.

You need to create a new measure that will return the sum of Total Sates for a year up to a selected date. How should you complete the DAX expression? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer as selected.

Answer Area

Measure =

TOTALYTD (

[Total Sales],

Date[Date]

)

NEW QUESTION 10

- (Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You create a parameter named DataSourceExcel that holds the file name and location of a Microsoft Excel data source.

You need to update the query to reference the parameter instead of multiple hard-coded copies of the location within each query definition.

Solution: You create a new query that references DataSourceExcel. Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Instead modify the source step of the queries to use DataSourceExcel as the file path.

Note: Parameterising a Data Source could be used in many different use cases. From connecting to different data sources defined in Query Parameters to load different combinations of columns.

Reference:

<https://www.biinsight.com/power-bi-desktop-query-parameters-part-1/>

NEW QUESTION 14

- (Topic 4)

You are creating a Power BI report by using Power Bi Desktop.

You need to include a visual that shows trends and other useful information automatically. The visual must update based on selections in other visuals.

Which type of visual should you use?

- A. key influencers
- B. decomposition tree
- C. Q&A
- D. smart narrative

Answer: D

NEW QUESTION 17

FILL IN THE BLANK - (Topic 4)

You have the Power Bi dashboard shown in the Dashboard exhibit (Click the Dashboard tab.)

You need to ensure that when users view the dashboard on a mobile device, the dashboard appears as shown in the Mobile exhibit. (Click the Mobile tab.)


What should you do? To answer, select the appropriate options m the answer area NOTE: Each correct selection is worth one point.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer as selected




NEW QUESTION 21

- (Topic 4)

You maintain a Power BI workspace that contains a supplier quality dashboard. The dashboard contains 10 card visuals, two map visuals and five bar chart visuals.

The dashboard mobile layout is shown in the exhibit. (Click the Exhibit tab.)



You need to modify the dashboard mobile layout to meet the following requirements:

- Only show single-value visuals.
- Minimize scrolling.

What should you do?

- Remove the card visual, increase the size of the map and bar chart visuals
- Decrease the size of the map and bar chart visuals Move all the card visuals to the top of the layout.
- Move the bar chart visuals to the top of the layout Remove the map visual
- Decrease the size of the card visuals.
- Decrease the size of the card visual
- Remove the map and bar chart visuals.

Answer: D

NEW QUESTION 23

- (Topic 4)

You have a collection of reports for the HR department of your company.

You need to create a visualization for the HR department that shows historical employee counts and predicts trends during the next six months.

Which type of visualization should you use?

- key influences
- ribbon chart
- line chart
- scatter chart

Answer: C

NEW QUESTION 27

- (Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You create a parameter named DataSourceExcel that holds the file name and location of a Microsoft Excel data source.

You need to update the query to reference the parameter instead of multiple hard-coded copies of the location within each query definition.

Solution: You add a Power Apps custom visual to the report. Does this meet the goal?


- Yes
- No

Answer: A

NEW QUESTION 30

- (Topic 4)

You have a Q&A visual that displays information from a table named Carriers as shown in the following exhibit.



You need to ensure that users can ask questions by using the term airline or carrier. The solution must minimize changes to the data model. What should you do?

- A. Add a duplicate query named Airline.
- B. Add airline as a synonym of carrier.
- C. Rename the carrier column as airline in the Carriers query.
- D. Rename the query from Carriers to airlines.

Answer: B

Explanation:

Add synonyms to tables and columns: This step applies specifically to Q&A (and not to Power BI reports in general). Users often have a variety of terms they use to refer to the same thing, such as total sales, net sales, total net sales. You can add these synonyms to tables and columns in the Power BI model. This step can be important. Even with straightforward table and column names, users of Q&A ask questions using the vocabulary that first comes to them. They're not choosing from a predefined list of columns. The more sensible synonyms you add, the better your users' experience is with your report. Reference: <https://docs.microsoft.com/en-us/power-bi/natural-language/q-and-a-best-practices>

NEW QUESTION 31

- (Topic 4)

You have a BI dataset and a connected report. You need to ensure that users can analyze data in Microsoft Excel by connecting directly to the dataset. You grant the users the Build permission for dataset What Should do next?

- A. Change default visual interaction for the report
- B. For the report change the Export data setting to Summarized data, data with current layout and underlying data
- C. For the report, change the Export data setting to None
- D. Certify the dataset used by the report.

Answer: B

NEW QUESTION 32

HOTSPOT - (Topic 4)

You need to create a Power BI report. The first page or the report must contain the following two views:

- * Sales By Postal Code
- * Sales by Month

Both views must display a slicer to select a value for a field named Chain. The Sales By Postal Code view must display a map visual as shown in the following exhibit.



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Minimum number of bookmarks:

Property:

NEW QUESTION 33

- (Topic 4)

You have data in a Microsoft Excel worksheet as shown in the following table.

	A	B	C
1	SKU	price	discount
2	P00001	100	0.08
3	P00002	150	0.03
4	P00003	130	#DIV/0!
5	P00004	200	0.06
6	P00005	80	#NAME?
7	P00006	350	#N/A
8	P00007	100	#NULL!
9	P00008	200	0.05
10	P00009	135	#NUM!
11	P00010	90	#REF!
12	P00011	120	#VALUE!

You need to use Power Query to clean and transform the dataset. The solution must meet the following requirements:

- If the discount column returns an error, a discount of 0.05 must be used.
- All the rows of data must be maintained.
- Administrative effort must be minimized. What should you do in Power Query Editor?

- A. Select Keep Errors
- B. Edit the query in the Query Errors group.
- C. Select Replace Errors
- D. Select Remove Errors.

Answer: C

NEW QUESTION 36

- (Topic 4)

Your company has training videos that are published to Microsoft Stream. You need to surface the videos directly in a Microsoft Power BI dashboard. Which type of tile should you add?

- A. video
- B. custom streaming data
- C. text box
- D. web content

Answer: D

Explanation:

<https://docs.microsoft.com/en-us/stream/portal-embed-video> [https://docs.microsoft.com/en-us/power-bi/create-reports/service-dashboard-add- widget#add-web-content](https://docs.microsoft.com/en-us/power-bi/create-reports/service-dashboard-add-widget#add-web-content)

NEW QUESTION 39

- (Topic 4)

You have multiple dashboards.

You need to ensure that when users browse the available dashboards from powerbi.com. they can see which dashboards contain Personally Identifiable Information (PII). The solution must minimize configuration effort and impact on the dashboard design.

What should you use?

- A. Active Directory groups
- B. tiles
- C. data classifications
- D. comments

Answer: A

NEW QUESTION 41

- (Topic 4)

You have an Azure SQL database that contains sales transactions. The database is updated frequently.

You need to generate reports from the data to detect fraudulent transactions. The data must be visible within five minutes of an update.

How should you configure the data connection?

- A. Add a SQL statement.
- B. Set Data Connectivity mode to DirectQuery.
- C. Set the Command timeout in minutes setting.
- D. Set Data Connectivity mode to Import.

Answer: B

Explanation:

With Power BI Desktop, when you connect to your data source, it's always possible to

import a copy of the data into the Power BI Desktop. For some data sources, an alternative approach is available: connect directly to the data source using DirectQuery.

DirectQuery: No data is imported or copied into Power BI Desktop. For relational sources, the selected tables and columns appear in the Fields list. For multi-dimensional sources like SAP Business Warehouse, the dimensions and measures of the selected cube appear in the Fields list. As you create or interact with a visualization, Power BI Desktop queries the underlying data source, so you're always viewing current data.

Reference:

<https://docs.microsoft.com/en-us/power-bi/connect-data/desktop-use-directquery>

NEW QUESTION 43

- (Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

From Power Query Editor, you profile the data shown in the following exhibit.

	IoT GUID	IoT DateTime	IoT ID
	Valid 100% Error 0% Empty 0%	Valid 100% Error 0% Empty 0%	Valid 100% Error 0% Empty 0%
1	48196321-38D9-EC11-883D-0022489A2...	21/05/2022 18:59:25	100001000
2	49196321-38D9-EC11-883D-0022489A2...	21/05/2022 18:59:26	100001001
3	0300C742-38D9-EC11-883D-0022489A2...	21/05/2022 19:00:21	100001002
4	0400C742-38D9-EC11-883D-0022489A2...	21/05/2022 19:00:21	100001003
5	0500C742-38D9-EC11-883D-0022489A2...	21/05/2022 19:00:21	100001004
6	0600C742-38D9-EC11-883D-0022489A2...	21/05/2022 19:00:21	100001005

The IOT ID columns are unique to each row in query.

You need to analyze 10T events by the hour and day of the year. The solution must improve dataset performance.

Solution: You create a custom column that concatenates the 10T GUID column and the IoT ID column and then delete the IoT GUID and IoT ID columns.

Does this meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 47

HOTSPOT - (Topic 4)

You have a folder of monthly transaction extracts.

You plan to create a report to analyze the transaction data.

You receive the following email message: "Hi. I've put 24 files of monthly transaction data onto the shared drive. File Transactions201901.csv through

Transactions201912.csv have the latest set of columns, but files Transactions201801.csv to Transactions201812.csv have an older layout without the extra fields needed for analysis. Each file contains 10 to 50 transactions."

You get data from the folder and select Combine & Load. The Combine Files dialog box is shown in the exhibit. (Click the Exhibit tab.)

Combine Files

Specify the settings for each file. [Learn more](#)

Sample File:

First file

File Origin

1252: Western European (Windows)

Delimiter

Comma

Data Type Detection

Based on entire dataset

ID	Date	CustomerID	Amount
1	01/01/2018 08:00:00	5	28.99
2	01/01/2018 18:00:00	10	31.88
3	02/01/2018 08:00:00	15	22.99
4	02/01/2018 18:00:00	25	14.25
5	03/01/2018 08:00:00	35	85
6	03/01/2018 18:00:00	45	47.74
7	04/01/2018 08:00:00	55	76.66
8	04/01/2018 18:00:00	51	99.99
9	05/01/2018 08:00:00	52	10.99
10	05/01/2018 18:00:00	58	85

☒ Skip files with errors

OK

Cancel

For each of the following statements, select Yes if the statement is true. Otherwise, select No.
NOTE: Each correct selection is worth one point.

Answer Area

Statements	Yes	No
The resulting query will contain all the columns from the 2018 transactions.	<input type="radio"/>	<input type="radio"/>
The resulting query will contain all the columns from the 2019 transactions.	<input type="radio"/>	<input type="radio"/>
Setting Data Type Detection to Based on first 200 rows will improve import times.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application
Description automatically generated

Box 1: Yes

The four columns used in the 2018 transactions are already displayed.

Box 2: Yes

The columns used are based on the entire dataset. The additional columns in the 2019 files will be detected.

Box 3: Yes

Note: Under the hoods, Power BI will automatically detect which delimiter to use, and may even promote the first row as headers. You can manually change the delimiter, or define how Power BI should handle data types. You can set it to automatically detect data types based on first 200 rows, or the entire dataset or you can even opt out the detection of data types.

NEW QUESTION 50

- (Topic 4)

You are reviewing a query that produces 10,000 rows in the Power Query Editor. You need to identify whether a column contains only unique values.

Which two Data Preview options can you use? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. Column profile
- B. Column distribution
- C. Show whitespace
- D. Column quality
- E. Monospace

Answer: AB

Explanation:

B: Column distribution: This feature provides a set of visuals underneath the names of the columns that showcase the frequency and distribution of the values in each of the columns. The data in these visualizations is sorted in descending order from the value with the highest frequency.
By hovering over the distribution data in any of the columns, you get information about the overall data in the column (with distinct count and unique values).
A: Column profile: This feature provides a more in-depth look at the data in a column [compared to column distribution]. Apart from the column distribution chart, it contains a column statistics chart.

Reference:

<https://docs.microsoft.com/en-us/power-query/data-profiling-tools>

NEW QUESTION 52

- (Topic 4)

You plan to create a dashboard in the Power BI service that retrieves data from a Microsoft SQL Server database. The dashboard will be shared between the

users in your organization.
You need to ensure that the users will see the current data when they view the dashboard. How should you configure the connection to the data source?

- A. Deploy an on-premises data gateway (personal mode). Import the data by using the Import Data Connectivity mode.
- B. Deploy an on-premises data gatewa
- C. Import the data by using the Import Data Connectivity mode.
- D. Deploy an on-premises data gatewa
- E. Import the data by using the DirectQuery Data Connectivity mode.
- F. Deploy an on-premises data gateway (personal mode). Import the data by using the DirectQuery Data Connectivity mode.

Answer: D

Explanation:

References: <https://docs.microsoft.com/en-us/power-bi/desktop-directquery-about#power-bi-connectivity-modes>

NEW QUESTION 53

- (Topic 4)

A business intelligence (BI) developer creates a dataflow in Power BI that uses DirectQuery to access tables from an on premises Microsoft SQL server. The Enhanced Dataflows Compute Engine is turned on for the dataflow.

You need to use the dataflow in a report. The solution must meet the following requirements:

- Minimize online processing operations.
- Minimize calculation times and render times for visuals.
- include data from the current year, up to and including the previous day. What should you do?


- A. Create a dataflows connection that has Import mode selected and schedule a dairy refresh.
- B. Create a dataflows connection that has DirectQuery mode selected.
- C. Create a dataflows connection that has DirectQuery mode selected and configure a gateway connection for the dataset
- D. Create a dataflows connection that has Import mode selected and create a Microsoft Power Automate solution to refresh the data hourly.

Answer: A

NEW QUESTION 54

HOTSPOT - (Topic 4)

You have a Power BI imported dataset that contains the data model shown in the following exhibit.



Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.
NOTE: Each correct selection is worth one point.

Answer Area

Changing the [answer choke] setting of the relationships will improve report query performance.

	▼
Cardinality	
Cross filter direction	
Assume Referential Integrity	

The data model is organized into a [answer choice].

	▼
star schema	
snowflake schema	
denormalized table	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

- cross filter direction
- star schema

NEW QUESTION 59

- (Topic 4)

You have a Power BI query named Sales that imports the columns shown in the following table.

Name	Description	Sample value
ID	A unique value that represents a sale	10253
Sale_Date	Sales date A column to extract the date of the sale	2021-11-23T09:53:00
Customer_ID	Represents a unique customer ID number	13158
Delivery_Time	Elapsed delivery time in hours Can contain null values	51.52
Status	Sales status Contains only the following two values: Finished and Canceled	Finished
Canceled_Date	Cancellation date and time Can contain null values	2021-11-24T14:11:23

Uses only use the date part of the Sales.Date field. Only rows with a Status of Finished are used in analysis.

You need to reduce the load times of the query without affecting the analysis.

Which two actions achieve this goal? Each correct answer presents a complete solution. NOTL Each correct selection is worth one point.

- A. Remove the rows in which sales [status] has a value of Canceled.
- B. Change the data type of sale [Delivery_Time] to Integer
- C. Removes (Canceled Date).
- D. Split Sales [Sale_Date] into separate date and time columns.
- E. Remove sales [Sales_Date].

Answer: AD

NEW QUESTION 61

- (Topic 4)

You have the tables shown in the following table.

Table name	Column name
Campaigns	Campaign_ID
	Name
Ads	Ad_id
	Name
	Campaign_id
Impressions	Impression_id
	Ad_id
	Site_name
	Impression_time
	Impression_date

The Impressions table contains approximately 30 million records per month. You need to create an ad analytics system to meet the following requirements:

? Present ad impression counts for the day, campaign, and Site_name. The

analytics for the last year are required.

? Minimize the data model size.

Which two actions should you perform? Each correct answer presents part of the solution. NOTE: Each correct selection is worth one point.

- A. Group the impressions by Ad_id, Site_name, and Impression_dat
- B. Aggregate by using the CountRows function.
- C. Create one-to-many relationships between the tables.
- D. Create a calculated measure that aggregates by using the COUNTROWS function.
- E. Create a calculated table that contains Ad_id, Site_name, and Impression_date.

Answer: AB

Explanation:

Grouping in power query reduces the number of rows in the impression table that is gonna be loaded in the model. Creating relationships doesn't increase the size of the model.

NEW QUESTION 64

- (Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Power BI report that imports a date table and a sales table from an Azure SQL database data source. The sales table has the following date foreign keys:

? Due Date

? Order Date

? Delivery Date

You need to support the analysis of sales over time based on all the date foreign keys.

Solution: From Power Query Editor, you rename the date query as Due Date. You reference the Due Date query twice to make the queries for Order Date and Delivery Date.

Does this meet the goal?

A. Yes

B. No

Answer: A

Explanation:

Creating two additional tables in Power Query can be a possible solution: Remove any inactive relationships.

Consider renaming the role-playing dimension-type table to better describe its role. In the example, the Airport table is related to the ArrivalAirport column of the Flight table, so it's renamed as Arrival Airport.

Create a copy of the role-playing table, providing it with a name that reflects its role. If it's an Import table, we recommend defining a calculated table. If it's a DirectQuery table, you can duplicate the Power Query query.

In the example, the Departure Airport table was created by using the following calculated table definition.

NEW QUESTION 69

- (Topic 4)

You are creating a visual to show the ranking of product categories by sales revenue.

Your company's security policy states that you cannot send data outside of your Microsoft Power BI tenant

Which approach provides the widest variety of visuals while adhering to the security policy?

A. Use default visuals or custom visuals uploaded from a .pbviz file.

B. Use only default visuals.

C. Use default or any custom visuals from the marketplace.

D. Use default or certified custom visuals.

Answer: C

NEW QUESTION 70

- (Topic 4)

You have a Power BI dashboard that monitors the quality of manufacturing processes. The dashboard contains the following elements:

? A line chart that shows the number of defective products manufactured by day.

? A KPI visual that shows the current daily percentage of defective products manufactured.

You need to be notified when the daily percentage of defective products manufactured exceeds 3%.

What should you create?

A. a Q&A visual

B. a subscription

C. a smart narrative visual

D. an alert

Answer: D

NEW QUESTION 72

- (Topic 4)

You have a Power BI report that uses row-level security (RLS).

You need to transfer RLS membership maintenance to an Azure network security team. The solution must NOT provide the Azure network security team with the ability to manage reports, datasets. or dashboards.

What should you do?

A. Add the Azure network security team as members of the RLS role.

B. Instruct the Azure network security team to create security group

C. Configure RLS to use the groups.

D. Configure custom instructions for the Request access feature that instructs users to contact the Azure network security team.

E. Grant the Read and Build permissions for the Power BI datasets to the Azure network security team.

Answer: B

Explanation:

It is common practice that the PBI developer creates RLS groups and instructs the network team to create the corresponding AD roles. Then the developer assigns the AD groups to the RLS groups.

NEW QUESTION 73

- (Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.
 From Power Query Editor, you profile the data shown in the following exhibit.

	IoT GUID	IoT DateTime	IoT ID
	Valid 100% Error 0% Empty 0%	Valid 100% Error 0% Empty 0%	Valid 100% Error 0% Empty 0%
1	48196321-38D9-EC11-883D-0022489A2...	21/05/2022 18:59:25	100001000
2	49196321-38D9-EC11-883D-0022489A2...	21/05/2022 18:59:26	100001001
3	0300C742-38D9-EC11-883D-0022489A2...	21/05/2022 19:00:21	100001002
4	0400C742-38D9-EC11-883D-0022489A2...	21/05/2022 19:00:21	100001003
5	0500C742-38D9-EC11-883D-0022489A2...	21/05/2022 19:00:21	100001004
6	0600C742-38D9-EC11-883D-0022489A2...	21/05/2022 19:00:21	100001005

The IOT ID columns are unique to each row in query.
 You need to analyze 10T events by the hour and day of the year. The solution must improve dataset performance.
 Solution: You change the IOT DateTime column to the Date data type. Does this meet the goal?

- A. Yes
 B. No

Answer: A

NEW QUESTION 75

- (Topic 4)

You have a Power BI report for the marketing department. The report reports on web traffic to a blog and contains data from the following tables.

Table name	Source	Description	Column name
Posts	Blog RSS feed	An XML representation of all the blog posts from your company's website	<ul style="list-style-type: none"> Publish Date URL Title Full Text Summary
Traffic	Website logs	Activity data from your company's entire website	<ul style="list-style-type: none"> DateTime URL Visited IP Address Browser Agent Referring URL

There is a one-to-many relationship from Posts to Traffic that uses the URL and URL Visited columns. The report contains the visuals shown in the following table.

Name	Used field	Filter
Top 10 blog posts of all time	Posts[Title] Traffic[DateTime]	None
Top 10 blog posts from the last seven days	Posts[Title] Traffic[DateTime]	Traffic[DateTime] is in the last 7 days
Blog visits over time	Traffic[DateTime] Traffic[URL Visited]	Traffic[URL Visited] contains "blog"
Blog visits over time	Traffic[DateTime] Traffic[URL Visited]	Traffic[URL Visited] contains "blog"
Top 10 external referrals to the blog of all time	Traffic[Referring URL]	Traffic[URL Visited] contains "blog" AND Traffic[Referring URL] does not start with "/"

The dataset takes a long time to refresh.
 You need to modify Posts and Traffic queries to reduce load times.
 Which two actions will reduce the load times? Each correct answer presents part of the solution.
 NOTE: Each correct selection is worth one point.

- A. Remove the rows in Traffic in which Traffic [Referring URL] does not start with "/"
 B. Remove the rows in Posts in which Post [Publish Date] is in the last seven days.
 C. Remove Traffic [IP Address], Traffic (Browser Agent), and Traffic [Referring URL].
 D. Remove Posts [Full Text] and Posts [Summary].
 E. Remove the rows in Traffic in which Traffic [URL visited] does not contain "blog"

Answer: DE

NEW QUESTION 76

- (Topic 4)

You publish a Microsoft Power BI dataset to powerbi.com. The dataset appends data from an on-premises Oracle database and an Azure SQL database by using one query.

You have admin access to the workspace and permission to use an existing On-premises data gateway for which the Oracle data source is already configured.

You need to ensure that the data is updated every morning. The solution must minimize configuration effort.

Which two actions should you perform when you configure scheduled refresh? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Configure the dataset to use the existing On-premises data gateway.
- B. Deploy an On-premises data gateway in personal mode.
- C. Set the refresh frequency to Daily.
- D. Configure the dataset to use the personal gateway.

Answer: AC

Explanation:


<https://docs.microsoft.com/en-us/power-bi/connect-data/service-gateway-personal-mode>

NEW QUESTION 81

FILL IN THE BLANK - (Topic 4)

You have a Power BI visual that uses indicators to show values that are out of range as shown in the following exhibit.

Revenue by Date



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

The visual type is [answer choice] chart. a line

The visual indicators that show values out of range are created by using [answer choice]. anomaly detection

NEW QUESTION 83

- (Topic 4)

You have a sales system that contains the tables shown in the following table.

Table name	Column name
Sales	sales_ID
	sales_date
	sales_amount
Date	DateID
	Month
	Week
	Year

The Date table is marked as a date table.

DateID is the date data type. You need to create an annual sales growth percentage measure.

Which DAX expression should you use?

- A. SUM(sales[sales_amount]) - CALCULATE(SUM(sales[sales_amount]), SAMEPERIODLASTYEAR('Date'[DateID]))
- B. (SUM('Sales'[sales_amount]) - CALCULATE(SUM('Sales'[sales_amount]), SAMEPERIODLASTYEAR('Date'[DateID])))/
CALCULATE(SUM('Sales'[sales_amount]), SAMEPERIODLASTYEAR('Date'[DateID]))
- C. CALCULATE(SUM(sales[sales_amount]), DATESYTD('Date'[DateID]))

D. CALCULATE(SUM(sales[sales_amount]), SAMEPERIODLASTYEAR('Date'[DateID]))

Answer: B

Explanation:

SAMEPERIODLASTYEAR returns a table that contains a column of dates shifted one year back in time from the dates in the specified dates column, in the current context.

Reference:

<https://docs.microsoft.com/en-us/dax/sameperiodlastyear-function-dax>

NEW QUESTION 86

HOTSPOT - (Topic 4)

You have a Power BI report.

You need to create a calculated table to return the 100 highest spending customers.

How should you complete the DAX expression? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Top 100 Customers =

100,

ASC

DESC

FILTER

SUMMARIZE

TOPN

[Sales],

ASC

DESC

FILTER

SUMMARIZE

TOPN

(FactTransaction,

FactTransaction[Customer ID],

"Sales",

SUM(FactTransaction[Sales])),

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: TOPN

TOPN returns the top N rows of the specified table.

Box 2: SUMMARIZE

SUMMARIZE returns a summary table for the requested totals over a set of groups.

Box 3: DESC

Sort in descending order.

It is last in the TOPN command. TOPN syntax:

TOPN(<n_value>, <table>, <orderBy_expression>, [<order>[, <orderBy_expression>, [<order>]]...])

NEW QUESTION 87

DRAG DROP - (Topic 4)

You are modeling data in table named SalesDetail by using Microsoft Power BI.

You need to provide end users with access to the summary statistics about the SalesDetail data. The users require insights on the completeness of the data and the value distributions.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

Specify the following query, then close and apply.
-Table.Distinct("#SalesDetail")

Create a visual for the query table.

Create a parameter that uses a query for the suggested values.

Create a query that uses Common Data Service as a data source.

Specify the following query, then close and apply.
-Table.Profile("#SalesDetail")

Create a blank query as a data source.

Answer Area

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Actions

Specify the following query, then close and apply.
-Table.Distinct("#SalesDetail")

Create a visual for the query table.

Create a parameter that uses a query for the suggested values.

Create a query that uses Common Data Service as a data source.

Specify the following query, then close and apply.
-Table.Profile("#SalesDetail")

Create a blank query as a data source.

Answer Area

NEW QUESTION 89

- (Topic 4)

You have a Power BI report. The report contains a line chart that displays sales data for several regions. You need to add an element to the report that will enable users to filter the sales data to include only a selected region. Which two elements achieve the goal? Each correct answer presents a complete solution. NOTE: Each correct selection is worth one point.

- A. a slicer visual
- B. a drillthrough filter
- C. a table visual
- D. a card visual
- E. a Key Performance Indicator (KPI) visual

Answer: AD

NEW QUESTION 90

DRAG DROP - (Topic 4)

You have a Microsoft Excel spreadsheet that contains the data shown in the following table.

Department	Stage	School1	School2	School3	School4
Mathematics	1	75	65	90	70
Mathematics	2	80	70	80	75
Geography	1	95	65	80	75
Geography	2	80	70	80	75

You plan to build a data model for a Power BI report. You need to prepare the data so that it is available to the model in the format shown in the following table.

Department	School	Avg Score
Mathematics	School1	77.5
Geography	School1	87.5

Which three actions should you perform in sequence in Power Query Editor? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

Group by [Department],[School1],[School2],[School3],[School4] and create a new column named [Avg Score] that uses the average function on the [Stage] column.

Select and unpivot the [Department] and [Stage] columns.

Select the [Department] and [Stage] columns and unpivot the other columns.

Rename the [Attribute] column as [School] and the [Value] column as [Score].

Group by [Department] and [School] and create a new column named [Avg Score] that uses the average function on the [Score] column.

Answer Area

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Actions

Group by [Department],[School1],[School2],[School3],[School4] and create a new column named [Avg Score] that uses the average function on the [Stage] column.

Select and unpivot the [Department] and [Stage] columns.

Select the [Department] and [Stage] columns and unpivot the other columns.

Rename the [Attribute] column as [School] and the [Value] column as [Score].

Group by [Department] and [School] and create a new column named [Avg Score] that uses the average function on the [Score] column.

Answer Area

Select the [Department] and [Stage] columns and unpivot the other columns.

Rename the [Attribute] column as [School] and the [Value] column as [Score].

Group by [Department] and [School] and create a new column named [Avg Score] that uses the average function on the [Score] column.

NEW QUESTION 91

HOTSPOT - (Topic 4)

You are using Power Bi Desktop to connect to an Azure SQL database The connection is configured as shown in the following exhibit.

SQL Server database

Server

mydb.database.windows.net

Database (optional)

db1

Data Connectivity mode

Import

DirectQuery

Advanced options

Command timeout in minutes (optional)

SQL statement (optional, requires database)

Include relationship columns

Navigate using full hierarchy

Enable SQL Server Failover support

OK

Cancel

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic NOTE: Each correct solution is worth one point

The default timeout for the connection from Power BI Desktop to the database will be [answer choice].

unlimited

one minute

10 minutes

The Navigator will display [answer choice].

all the tables

only tables that contain data

only tables that contain hierarchies

- A. Mastered
- B. Not Mastered

Answer: A

Guaranteed success with Our exam guides

visit - https://www.certshared.com

Explanation:

<https://docs.microsoft.com/en-us/power-query/connectors/azuresqldatabase>

The following table lists all of the advanced options you can set in Power Query Desktop and Power Query Online.

Advanced option Description

Command timeout in minutes

If your connection lasts longer than 10 minutes (the default timeout), you can enter another value in minutes to keep the connection open longer. This option is only available in Power Query Desktop.

SQL statement

For information, go to Import data from a database using native database query. Include relationship columns

If checked, includes columns that might have relationships to other tables. If this box is cleared, you won't see those columns.

Navigate using full hierarchy

If checked, the navigator displays the complete hierarchy of tables in the database you're connecting to. If cleared, the navigator displays only the tables whose columns and rows contain data.

Enable SQL Server Failover support

If checked, when a node in the Azure SQL failover group isn't available, Power Query moves from that node to another when failover occurs. If cleared, no failover occurs.

NEW QUESTION 93

FILL IN THE BLANK - (Topic 4)

You need to create a measure that will return the percentage of late orders.

How should you complete the DAX expression? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer as below



NEW QUESTION 94

- (Topic 4)

You have a table that contains sales data and approximately 1,000 rows.

You need to identify outliers in the table. Which type of visualization should you use?

- A. area chart
- B. donut chart
- C. scatter plot
- D. pie chart

Answer: C

Explanation:

Outliers are those data points that lie outside the overall pattern of distribution & the easiest way to detect outliers is through graphs. Box plots, Scatter plots can help detect them easily.

Reference:

<https://towardsdatascience.com/this-article-is-about-identifying-outliers-through-funnel-plots-using-the-microsoft-power-bi-d7ad16ac9ccc>

NEW QUESTION 98

HOTSPOT - (Topic 4)

You have the Azure SQL databases shown in the following table.

Name	Stage	Server URL
db-powerbi-dev	Development	dev.database.windows.net
db-powerbi-uat	Test	uat.database.windows.net
db-powerbi-prod	Production	prod.database.windows.net

You plan to build a single PBIX file to meet the following requirements:

- Data must be consumed from the database that corresponds to each stage of the development lifecycle.
- Power BI deployment pipelines must NOT be used.
- The solution must minimize administrative effort.

What should you do? To answer, select the appropriate options in the answer area.

Answer Area

Create:

One parameter

One parameter

Two parameters

Three parameters

Parameter type:

Text

Text

True/False

Decimal number

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:
Answer Area

Create:

One parameter

One parameter

Two parameters

Three parameters

Parameter type:

Text

Text

True/False

Decimal number

NEW QUESTION 101

- (Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this scenario, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have several reports and dashboards in a workspace.

You need to grant all organizational users read access to a dashboard and several reports. Solution: You publish an app to the entire organization.

Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:
<https://docs.microsoft.com/es-es/power-bi/collaborate-share/service-create- distribute-apps>

NEW QUESTION 106

HOTSPOT - (Topic 4)

You create a Power BI dataset that contains the table shown in the following exhibit.

Business Unit
Cost Center
Headcount
ID
Name
Collapse ^

You need to make the table available as an organizational data type In Microsoft Excel.

How should you configure the properties of the table? To answer select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Row label:

Key column:

Is featured table:

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:
 Answer Area

Row label:

Key column:

Is featured table:

NEW QUESTION 110

- (Topic 4)

You have a Microsoft Power BI report. The size of PBIX file is 550 MB. The report is accessed by using an App workspace in shared capacity of powerbi.com. The report uses an imported dataset that contains one fact table. The fact table contains 12 million rows. The dataset is scheduled to refresh twice a day at 08:00 and 17:00.

The report is a single page that contains 15 custom visuals and 10 default visuals.

Users say that the report is slow to load the visuals when they access and interact with the report

You need to recommend a solution to improve the performance of the report. What should you recommend?

- A. Split the visuals onto multiple pages.
- B. Implement row-level security (RLS).
- C. Replace the default visuals with custom visuals.
- D. Increase the number of times that the dataset is refreshed.

Answer: A

NEW QUESTION 115

- (Topic 4)

You have a Power BI report. The report contains visualizations that have interactions. You need to identify which visualizations take the longest to complete. What should you use?

- A. SQL Server Profiler
- B. Performance Analyzer in Power BI Desktop
- C. Query Diagnostics in Power BI
- D. Microsoft Edge DevTools

Answer: B

Explanation:

Use Power BI Desktop Performance Analyzer to optimize reports.

In Power BI Desktop you can find out how each of your report elements, such as visuals and DAX formulas, are performing. Using the Performance Analyzer, you can see and record logs that measure how each of your report elements performs when users interact with them, and which aspects of their performance are most (or least) resource intensive.

Reference:

<https://docs.microsoft.com/en-us/power-bi/create-reports/desktop-performance-analyzer>

NEW QUESTION 119

- (Topic 4)

You have a Power BI report that contains five pages. Pages 1 to 4 are visible and page 5 is hidden.

You need to create a solution that will enable users to quickly navigate from the first page to all the other visible pages. The solution must minimize development

and maintenance effort as pages are added to the report.
What should you do first?


- A. Add a blank button to page 1.
- B. Add a bookmark navigation button to page 1.
- C. Create a bookmark for each page.
- D. Add a page navigation button to page 1.

Answer: A

NEW QUESTION 120

DRAG DROP - (Topic 4)

You have the line chart shown in the exhibit. (Click the Exhibit tab.)



You need to modify the chart to meet the following requirements:

- ? Identify months that have order counts above the mean.
- ? Display the mean monthly order count.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

Create a 12-month rolling average quick measure and add the measure to the line chart value.

From the Analytics pane, add a Median line.

Select the line chart.

From the Analytics pane, add an Average line.

Turn on data labels for the new line.

Answer Area

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Actions

Create a 12-month rolling average quick measure and add the measure to the line chart value.

From the Analytics pane, add a Median line.

Select the line chart.

From the Analytics pane, add an Average line.

Turn on data labels for the new line.

Answer Area

Select the line chart.

From the Analytics pane, add an Average line.

Turn on data labels for the new line.

NEW QUESTION 125

- (Topic 4)

You embed a Power BI report in a Microsoft SharePoint Online page.

A user name User1 can access the SharePoint Online page, but the Power BI web part displays the following error message: "This content isn't available".

User1 is unable to view the report.

You verify that you can access the SharePoint Online page and that the Power BI report displays as expected.

You need to ensure that User1 can view the report form SharePoint Online. What should you do?

- A. Publish the app workspace.
- B. Edit the settings of the Power BI web part.
- C. Modify the members of the app workplace.
- D. Share the dashboards in the app workspace.

Answer: C

Explanation:

References: <https://docs.microsoft.com/en-us/power-bi/service-embed-report-spo>

NEW QUESTION 128

- (Topic 4)

You have a Power BI data model that contains a table named Employees. The table has the following columns:

- Employee Name
- Email Address
- Start Date
- Job Title

You are implementing dynamic row-level security (RLS).

You need to create a table filter to meet the following requirements:

- Users must see only their own employee data
- The DAX expression must work in both Power BI Desktop and the Power BI service.

Which expression should you use?

A. `[Email Address] = USERNAME()`

B. `[Employee Name] = USERPRINCIPALNAME()`

C. `[Email Address] = USERPRINCIPALNAME()`

D. `[Employee Name] = USERNAME()`

- A. Option A
- B. Option B
- C. Option C
- D. Option D

Answer: B

NEW QUESTION 130

- (Topic 4)

You have a dashboard that contains tiles pinned from a single report as shown in the Original Dashboard exhibit. (Click the Original Dashboard tab.)



You need to modify the dashboard to appear as shown in the Modified Dashboard exhibit. (Click the Modified Dashboard tab.)



What should you do?

- A. Edit the details of each tile.
- B. Change the report theme.
- C. Change the dashboard theme.
- D. Create a custom CSS file.

Answer: C


Explanation:

<https://docs.microsoft.com/en-us/power-bi/create-reports/service-dashboard-themes#how-dashboard-themes-work>

NEW QUESTION 133

- (Topic 4)

You have the dashboard shown in the following exhibit.



You need to modify the dashboard to display as shown in the following exhibit.



What should you do?

- A. Create and apply a custom dashboard theme.
- B. Change the colors of the visuals in the report.
- C. Apply the Dark dashboard theme.
- D. Upload a snapshot image of the dashboard.

Answer: A

NEW QUESTION 134

- (Topic 4)

You are creating a dashboard by using the Power BI service. You have an existing report page that contains three charts. You need to add the charts to the dashboard while maintaining the interactivity between the charts. What should you do?

- A. Pin each chart as a tile.
- B. Edit interactions in the report and set all interactions to Filter
- C. Edit the dashboard theme and pin each chart as a file.
- D. Pin the report page as a live tile.

Answer: D

NEW QUESTION 139

DRAG DROP - (Topic 4)

You plan to use Power BI to create a quarterly profit report that meets the following requirements:

- Emphasizes the percentage of total profits contributed by each product category in dollars and as a percentage
- Compares profit margins across sales regions

Which type of visual should you use for each requirement? To answer, drag the appropriate visuals to the correct requirements. Each visual may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Visuals

Area chart

Funnel chart

Multi-row card

Pie chart

Stacked bar chart

Answer Area


Emphasizes the percentage of total profits contributed by each product category:

Compares profit margins across sales regions:

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:



NEW QUESTION 143

- (Topic 4)
You have a Power BI dashboard that displays different visualizations of company sales.
You enable Q&A on the dashboard.
You need to provide users with sample questions that they can ask when using Q&A. Which settings should you modify from the Power BI Settings?

- A. Subscriptions
- B. Dashboards
- C. Datasets
- D. Workbooks

Answer: C

Explanation:
References: <https://docs.microsoft.com/en-us/power-bi/service-q-and-a-create-featured-questions>

NEW QUESTION 146

- (Topic 4)
You build a report to analyze customer transactions from a database that contains the tables shown in the following table.

Table name	Column name
Customer	CustomerID (primary key)
	Name
	State
	Email
Transaction	TransactionID (primary key)
	CustomerID (foreign key)
	Date
	Amount

You import the tables.
Which relationship should you use to link the tables?

- A. one-to-many from Customer to Transaction
- B. one-to-one between Customer and Transaction
- C. one-to-many from Transaction to Customer
- D. many-to-many between Customer and Transaction

Answer: A

Explanation:
Each customer can have many transactions.
For each transaction there is exactly one customer.

NEW QUESTION 150

- (Topic 4)
You publish a report to a workspace named Customer Services. The report identifies customers that have potential data quality issues that must be investigated by the customer services department of your company.
You need to ensure that customer service managers can create task lists in Microsoft Excel based on the data.
Which report setting should you configure?

- A. Don't allow end user to save filters on this report.
- B. Change default visual interaction from cross highlighting to cross filtering.
- C. Enable the updated filter pane, and show filters in the visual header for this report.
- D. Allow users to add comments to this report.
- E. Choose the type of data you allow your end users to export.

Answer: E

Explanation:
<https://powerbi.microsoft.com/en-us/blog/announcing-persistent-filters-in-the-service/>

NEW QUESTION 153

- (Topic 4)

You open a query in Power Query Editor.

You need to identify the percentage of empty values in each column as quickly as possible. Which Data Preview option should you select?

- A. Show whitespace
- B. Column profile
- C. Column distribution
- D. Column quality

Answer: D

Explanation:

Column quality: In this section, we can easily see valid, Error and Empty percentage of data values associated with the Selected table.

Note: In Power Query Editor, Under View tab in Data Preview Section we can see the following data profiling functionalities:

? Column quality

? Column distribution

? Column profile


Reference:

<https://community.powerbi.com/t5/Community-Blog/Data-Profiling-in-Power-BI-Power-BI-Update-April-2019/ba-p/674555>

NEW QUESTION 155

HOTSPOT - (Topic 4)

You have a report in Power BI Desktop as shown in the following exhibit.



Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

Note: Each correct selection is worth one point.

The goal is set by using [answer choice].

- a calculated measure
- a DAX formula
- the Format settings

To configure the visualization to display TotalPrice for the Territory of Canada always, you must add the Territory column to [answer choice].

- the Tooltips field
- the Values field
- the Visual level filters field

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

The goal is set by using [answer choice].

a calculated measure

a DAX formula

the Format settings

To configure the visualization to display TotalPrice for the Territory of Canada always, you must add the Territory column to [answer choice].

the Tooltips field

the Values field

the Visual level filters field

NEW QUESTION 159

- (Topic 4)
You need to create the On-Time Shipping report.
The report must include a visualization that shows the percentage of late orders. Which type of visualization should you create?

- A. scarterplot
- B. bar chart
- C. piechart

Answer: B

NEW QUESTION 160

- (Topic 4)
You have a CSV file that contains user complaints. The file contains a column named Logged. Logged contains the date and time each complaint occurred. The data in Logged is in the following format: 2018-12-31 at 08:59.
You need to be able to analyze the complaints by the logged date and use a built-in date hierarchy.
What should you do?

- A. Apply a transformation to extract the last 11 characters of the Logged column and set the data type of the new column to Date.
- B. Change the data type of the Logged column to Date.
- C. Split the Logged column by using at as the delimiter.
- D. Apply a transformation to extract the first 11 characters of the Logged column.

Answer: C

Explanation:

Simply create a custom table in Power Query, enter the date shown in the question into a column called Date, and then Split it by a delimiter. No need for spaces on either side of "at" Power BI takes care of the rest:
= Table.SplitColumn("#Changed Type", "Date", Splitter.SplitTextByDelimiter("at", QuoteStyle.Csv), {"Date.1", "Date.2"})
It will even automatically change the type to Date:
= Table.TransformColumnTypes("#Split Column by Delimiter",{{"Date.1", type date}, {"Date.2", type time}})

NEW QUESTION 164

DRAG DROP - (Topic 4)
You have a Power BI workspace that contains a single-page report named Sales.
You need to add all the visuals from Sales to a dashboard. The solution must ensure that additional visuals added to the page are added automatically to the dashboard.
Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

Pin the page.

Open the Sales report.

Open Power BI Desktop.

Pin each visual.

Open powerbi.com.

Create a new report.

Answer Area

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Open powerbi.com
Select sales report
Pin the page

NEW QUESTION 165

- (Topic 4)
In the Power BI service, you create an app workplace that contains several dashboards.
You need to provide a user named user1@contoso.com with the ability to edit and publish dashboards.
What should you do?

- A. Modify the members of the app workspace.
- B. Configure security for the dataset used by the app.
- C. Share the dashboard, and then modify the Access settings of the dashboard.
- D. From the app workspace, click Update app, and then configure the Access settings.

Answer: C

NEW QUESTION 169

HOTSPOT - (Topic 4)

You are building a financial report by using Power BI.

You have a table named financials that contains a column named Date and a column named Sales.

You need to create a measure that calculates the relative change in sales as compared to the previous quarter.

How should you complete the measure? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Sales QoQ% =

IF (

ISFILTERED('financials' [Date]),

ERROR("Uh oh."),

VAR PREV_QUARTER =

CALCULATE

SUM('financials' [Sales]),

DATEADD('financials' [Date].[Date], -1, QUARTER)

)

RETURN

(SUM('financials' [Sales]) - PREV_QUARTER, PREV_QUARTER)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: CALCULATE

Box 2: DATEADD

Box 3: DIVIDE

Example: NET_SALES QoQ% = IF(

ISFILTERED('Calendar'[Date]),

ERROR("Time intelligence quick measures can only be grouped or filtered by the Power BI-provided date hierarchy or primary date column."),

VAR PREV_QUARTER = CALCULATE(

SUM('research ra_qtr_template'[NET_SALES]), DATEADD('Calendar'[Date].[Date], -1, QUARTER)

) RETURN DIVIDE(

SUM('research ra_qtr_template'[NET_SALES]) - PREV_QUARTER,

PREV_QUARTER

)

)

NEW QUESTION 172

- (Topic 4)

You have a dataset that is used infrequently and refreshes every hour. You receive a notification that the refresh was disabled due to inactivity.

Which two actions will cause the scheduled refresh schedule to resume? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. Enable query caching for the dataset.

- B. Import the dataset to Microsoft Excel.
- C. From the Power BI service, open a dashboard that uses the dataset.
- D. From the Power BI service, open a report that uses the dataset.
- E. From PowerShell, run the get-powerbireport cmdlet.

Answer: CD

Explanation:

After two months of inactivity, scheduled refresh on your dataset is paused. A dataset is considered inactive when no user has visited any dashboard or report built on the dataset. At that time, the dataset owner is sent an email indicating the scheduled refresh is paused. The refresh schedule for the dataset is then displayed as disabled. To resume scheduled refresh, simply revisit any dashboard or report built on the dataset. <https://learn.microsoft.com/en-us/power-bi/connect-data/refresh-scheduled-refresh#scheduled-refresh>

NEW QUESTION 176

- (Topic 4)

You create the following step by using Power Query Editor.

```
=  
Table.ReplaceValue(SalesLT_Address,"1318","1319",Replacer.ReplaceText,{"AddressLine 1"})
```

A row has a value of 21318 Lasalle Street in the AddressLine1 column. What will the value be when the step is applied?

- A. 1318
- B. 1319
- C. 21318 Lasalle Street
- D. 21319 Lasalle Street

Answer: D

Explanation:

Example:

Replace the text "ur" with the text "or" in the table.

```
Table.ReplaceValue(  
    Table.FromRecords({  
        [a = 1, b = "hello"],  
        [a = 3, b = "wurld"]  
    }),  
    "ur",  
    "or",  
    Replacer.ReplaceText,  
    {"b"}  
)
```

a	b
1	hello
3	world

Reference:

<https://docs.microsoft.com/en-us/powerquery-m/table-replacevalue>

NEW QUESTION 181

HOTSPOT - (Topic 4)

You are enhancing a Power BI model that has DAX calculations.

You need to create a measure that returns the year-to-date total sales from the same date of the previous calendar year.

Which DAX functions should you use? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

```
Sales PYTD =

VAR startyear =

    STARTOFYEAR ( PREVIOUSYEAR ( 'Date' [Date] ) )

VAR enddate =

    LASTDATE ( Sales[Date] ) - 365

RETURN

    ( Sales[Sales] ),
    CALCULATE (
        DATESBETWEEN (
            SAMEPERIODLASTYEAR (
                SLIM (
                    ( 'Calendar'[Date], startyear, enddate )
                    CALCULATE
                    DATESBETWEEN
                    SAMEPERIODLASTYEAR
                    SLIM
                )
            )
        )
    )
```

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

```
Sales PYTD =

VAR startyear =

    STARTOFYEAR ( PREVIOUSYEAR ( 'Date' [Date] ) )

VAR enddate =

    LASTDATE ( Sales[Date] ) - 365

RETURN

    ( Sales[Sales] ),
    CALCULATE (
        DATESBETWEEN (
            SAMEPERIODLASTYEAR (
                SLIM (
                    ( 'Calendar'[Date], startyear, enddate )
                    CALCULATE
                    DATESBETWEEN
                    SAMEPERIODLASTYEAR
                    SLIM
                )
            )
        )
    )
```

NEW QUESTION 183

- (Topic 4)

You have a Microsoft SharePoint Online site that contains several document libraries. One of the document libraries contains manufacturing reports saved as Microsoft Excel files. All the manufacturing reports have the same data structure. You need to use Power BI Desktop to load only the manufacturing reports to a table for analysis. What should you do?

- A. Get data from a SharePoint folder, enter the site URL and then select Combine & Load
- B. Get data from a SharePoint list and enter the site URL Select Combine & Transform, then filter by the folder path to the manufacturing reports library.
- C. Get data from a SharePoint list enter the site URL and then select Combine & Load
- D. Get data from a SharePoint folder and enter the site UR
- E. Select Transform, then filter by the folder path to the manufacturing reports library,

Answer: A

NEW QUESTION 187

- (Topic 4)

ion have a Power BI dataset that contains a table named Temperature Readings. Temperature Readings contains the columns shown in the following table.

Name	Data type	Value example
DateTime	DateTime	4-Aug-2020 13:30:01
Longitude	Decimal	10.049567988755534
Latitude	Decimal	53.462766759577057
TempCelsius	Decimal	12.5

The table has 12 million rows. All the columns are needed for analysis. You need to optimize the dataset to decrease the model size. The solution must not affect the precision of the data. What should you do?

- A. Split the DateTime column into separate date and time columns.
- B. Disable the Power Query load.
- C. Round the Longitude column two decimal places.
- D. Change the data type of the TempCelsius column to Integer

Answer: B

Explanation:

Disable Power Query load.
Power Query queries that are intended support data integration with other queries should not be loaded to the model. To avoid loading the query to the model, take care to ensure that you disable query load in these instances.
Reference:
<https://docs.microsoft.com/en-us/power-bi/guidance/import-modeling-data-reduction#disable-power-query-query-load>


NEW QUESTION 191

HOTSPOT - (Topic 4)

You need to create a Power BI report. The first page of the report must contain the following two views:

- *Sales By Postal Code
- *Sales by Month

Both views must display a slicer to select a value for a field named Chain.
The Sales By Postal Code view must display a map visual as shown in the following exhibit.



The Sales By Month view must display a column chart visual as shown in the following exhibit.



Users must be able to switch between the views by using buttons on the report page. The selected Chain field must be maintained when switching between views. What is the minimum number of bookmarks required, and which property should you apply to each bookmark? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Minimum number of bookmarks:

1

2

3

4

Property:

Data

Display

Current page

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: 2
Box 2: Display

NEW QUESTION 192

HOTSPOT - (Topic 4)

You are creating reports in Power BI Desktop. The model has the following tables.

Table name	Column name	Data type
Order	Order_date	Datetime
	Order_amount	Float
	Customer_ID	Integer
Customer	Customer_ID	Integer
	Full_name	Varchar(100)
	Customer_Photo	Binary

There is a relationship between the tables.
You plan to publish a report to the Power BI service that displays Order_amount by Order_date by Full_name.

You need to ensure that only the columns required for the report appear in Report View. The solution must minimize the size of the dataset that is published. How should you configure the columns in Power BI Desktop? To answer, select the appropriate options in the answer area.
NOTE: Each correct selection is worth one point.

Customer_ID:

From Query Editor, select the column and click Remove Columns.

From Query Editor, select the column and click Remove Duplicates.

From Query Editor, select the column and click Remove Other Columns.

From the model, select the column and click Hide.

Customer_Photo:

From Query Editor, select the column and click Remove.

From Query Editor, select the column and click Remove Duplicates.

From Query Editor, select the column and click Remove Other Columns.

From the model, select the column and click Hide.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Customer_ID:

From Query Editor, select the column and click Remove Columns.

From Query Editor, select the column and click Remove Duplicates.

From Query Editor, select the column and click Remove Other Columns.

From the model, select the column and click Hide.

Customer_Photo:

From Query Editor, select the column and click Remove.

From Query Editor, select the column and click Remove Duplicates.

From Query Editor, select the column and click Remove Other Columns.

From the model, select the column and click Hide.

NEW QUESTION 196


- (Topic 4)
You import a large dataset to Power Query Editor.
You need to identify whether a column contains only unique values.
Which two Data Preview options can you use? Each correct answer presents a complete solution.
NOTE: Each correct selection is worth one point

- A. Show whitespace
- B. Column distribution
- C. Column profile
- D. Column quality
- E. Monospaced

Answer: AD

NEW QUESTION 199

- (Topic 4)
Your organization has a team of power users who recently created 20 Power BI dashboards.
The power users share the dashboards with other users in the organization.
When the users attempt to access the dashboards, they receive the error message shown in the exhibit. (Click the Exhibit.)



You need to ensure that all the users can access the dashboards. What should you do first?

- A. From the Microsoft Office 365 Admin center, and the Power BI (free) subscription, and then assign a license to each user.
- B. From the Power BI Admin portal, modify the Privacy Settings.
- C. From the properties of each dashboard, modify the Share dashboard settings.
- D. Instruct each user to install Microsoft Office 2016.

Answer: A

Explanation:

References: <http://www.nubo.eu/en/blog/2016/12/Enable-PowerBI-On-Office-365/>

NEW QUESTION 201

- (Topic 4)

You have a report that includes a card visualization.

You need to apply the following conditional formatting to the card while minimizing design effort.

For values that are greater than or equal to 100, the font of the data label must be dark red.

For values that are less than 100, the font of the data label must be dark gray. Which type of format should you use?

- A. Color scale
- B. Rules
- C. Field value

Answer: B

NEW QUESTION 205

- (Topic 4)

You use an R visual to produce a map of 500,000 customers. You include the values of CustomerID, Latitude, and Longitude in the fields sent to the visual. Each customer ID is unique.

In powerbi.com, when users load the visual, they only see some of the customers. What is the cause of the issue?

- A. The visual was built by using a different version of R.
- B. The data comes from a Microsoft SQL Server source.
- C. The data is deduplicated.
- D. Too many records were sent to the visual.

Answer: D

Explanation:

R visuals in the Power BI service have a few limitations including:

? Data size limitations – data used by the R visual for plotting is limited to 150,000 rows. If more than 150,000 rows are selected, only the top 150,000 rows are used and a message is displayed on the image. Additionally, the input data has a limit of 250 MB.

Reference:

<https://docs.microsoft.com/en-us/power-bi/visuals/service-r-visuals>

NEW QUESTION 210

- (Topic 4)

You have a Power BI report for the procurement department. The report contains data from the following tables.

Table name	Source	Description	Column name	Approximate record count
Suppliers	Microsoft Dynamics 365	A list of all the suppliers approved for use by the company.	<ul style="list-style-type: none">IDNameCountry	100,000
LineItems	Microsoft Dynamics 365	All individual purchases made by employees across the company. An average of five line items per invoice.	<ul style="list-style-type: none">IDInvoice IDInvoice DateSupplier IDDescriptionUnitsPrice per UnitDiscountPrice	1,000,000,000

There is a one-to-many relationship from Suppliers to Lineitems that uses the ID and Supplier ID columns. The report contains the visuals shown in the following table.

Name	Used field	Filter
Supplier usage by count and value of invoices	Suppliers[ID] Suppliers[Name] LineItems[Invoice ID] LineItems[Price]	None
Spend by supplier location	Suppliers[Country] LineItems[Price]	None
Top 10 largest invoices last month	LineItems[Invoice ID] LineItems[Price]	LineItems[Invoice Date] in last calendar month

You need to minimize the size of the dataset without affecting the visuals. What should you do?

- A. Remove the rows from Lineitems where LineItems[invoice Date] is before the beginning of last month
- B. Merge Suppliers and Uneltems.
- C. Group Lineltems by Lineitems[invoice id) and Lineitems[invoice Date) with a sum of Lineitems(price).
- D. Remove the Lineitems[Description] column.

Answer: D

NEW QUESTION 213

- (Topic 4)
You have a Power B1 report named ReportA.
You have a Power B1 tenant that allows users to export data.
You need to ensure that consumers of ReportA cannot effort any data from visuals.
Which two actions should you perform? Each correct answer presents a complete solution. NOTE Each correct selection is worth one point.

- A. From Power B1 Desktop, modify the Data Load settings
- B. From the answer B1 service modify the Report settings.
- C. From Power B1 Desktop modify the Report settings
- D. From the Power B1 service, modify the dataset permissions.

Answer: BD

NEW QUESTION 216

DRAG DROP - (Topic 4)
You have a Power Bi report that contains five bookmarks.
You need to add an object to the report from which users can navigate between three specific bookmarks.
How should you complete the task? To answer, drag the appropriate actions to the correct steps, each action may be used once more than once, or not at all. You may need to drag the split bar between panes or scroll lo view content.
NOTE: Each correct selection is worth one point.

Actions

Add a Bookmark button.

Change the Bookmark property for the button.

Group the other two bookmarks.

Group the three bookmarks.

Answer Area

First step: Add a Bookmark navigator button.

Second step:

Third step:

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Actions

Add a Bookmark button.

Change the Bookmark property for the button.

Group the other two bookmarks.

Group the three bookmarks.

Answer Area

First step: Add a Bookmark navigator button.

Second step:

Change the Bookmark property for the button.

Third step:

Group the three bookmarks.

NEW QUESTION 220

- (Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution. After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen. From Power Query Editor, you profile the data shown in the following exhibit.

	A ^B _C IoT GUID	IoT DateTime	1 ² ₃ IoT ID
	<div><div>Valid</div><div>Error</div><div>Empty</div></div> <div>100%0%0%</div>	<div><div>Valid</div><div>Error</div><div>Empty</div></div> <div>100%0%0%</div>	<div><div>Valid</div><div>Error</div><div>Empty</div></div> <div>100%0%0%</div>
1	48196321-38D9-EC11-883D-0022489A2...	21/05/2022 18:59:25	100001000
2	49196321-38D9-EC11-883D-0022489A2...	21/05/2022 18:59:26	100001001
3	0300C742-38D9-EC11-883D-0022489A2...	21/05/2022 19:00:21	100001002
4	0400C742-38D9-EC11-883D-0022489A2...	21/05/2022 19:00:21	100001003
5	0500C742-38D9-EC11-883D-0022489A2...	21/05/2022 19:00:21	100001004
6	0600C742-38D9-EC11-883D-0022489A2...	21/05/2022 19:00:21	100001005

The IoT GUID and IoT ID columns are unique to each row in query. You need to analyze IoT events by the hour and day of the year. The solution must improve dataset performance. Solution: You split the IoT DateTime column into a column named Date and a column named Time. Does this meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 222

- (Topic 4)

You have two Power BI reports named ReportA and ReportB that each uses a distinct color palette. You are creating a Power BI dashboard that will include two visuals from each report You need to use a consistent dark theme for the dashboard. The solution must preserve the original colors of the reports. Which two actions should you perform? Each correct answer presents part of the solution. NOTE: Each correct selection is worth one point.

- A. Upload a snapshot.
- B. Select the dark dashboard theme.
- C. Turn on tile flow.
- D. When pinning visuals to the dashboard, select Use destination theme.
- E. For the browser, set the color preference to dark mode.

Answer: BD

NEW QUESTION 225

- (Topic 4)

You are building a Power BI report to analyze customer segments. You need to identify customer segments dynamically based on the Bounce Rate across dimensions such as source, geography, and demographics. The solution must minimize analysis effort. Which type of visualization should you use?

- A. decomposition tree
- B. funnel chart
- C. Q&A
- D. key influencers

Answer: A

Explanation:

The key influencers visual is a great choice if you want to: See which factors affect the metric being analyzed. Contrast the relative importance of these factors. For example, do short-term contracts affect churn more than long-term contracts?

Note: The key influencers visual helps you understand the factors that drive a metric you're interested in. It analyzes your data, ranks the factors that matter, and displays them as key influencers. For example, suppose you want to figure out what influences employee turnover, which is also known as churn. One factor might be employment contract length, and another factor might be commute time.

<https://docs.microsoft.com/en-us/power-bi/visuals/power-bi-visualization-influencers>

NEW QUESTION 230

HOTSPOT - (Topic 4)

You have a Power BI model that contains the following data.

Table name	Column name	Description	Data type
Date	Date	Calendar date	Date
	Month	Calendar month	Text
	Year	Calendar year	Integer
Sales	Sale	Sales value	Decimal number
	Date	Calendar date	Date

The Date table relates to the Sales table by using the Date columns. You need to create a calculated table that v/ill contain the following:

Answer Area

SalesSummary=

ROLLUP

SELECTCOLUMNS

SUMMARIZE

(Sales,

Date[Date]

Date[Year]

Sales[Date]

), "Sales", SUM (Sales[Sale]))

- A. Mastered

B. Not Mastered

Answer: A

Explanation:

Answer Area

SalesSummary=

ROLLUP

SELECTCOLUMNS

SUMMARIZE

(Sales,

Date[Date]

Date[Year]

Sales[Date]

), "Sales", SUM (Sales[Sale]))

NEW QUESTION 235

- (Topic 4)

You import a Power BI dataset that contains the following tables:

- Date

• Product

• Product Inventory

The Product inventory table contains 25 million rows. A sample of the data is shown in the following table.

ProductKey	DateKey	MovementDate	UnitCost	UnitsIn	UnitsOut	UnitsBalance
167	20101228	28-Dec-10	0.19	0	0	875
167	20101229	29-Dec-10	0.19	0	0	875
167	20110119	19-Jan-11	0.19	0	0	875
167	20110121	21-Jan-11	0.19	0	0	875
167	20110122	22-Jan-11	0.19	0	0	875

The Product Inventory table relates to the Date table by using the DateKey column. The Product inventory table relates to the Product table by using the ProductKey column. You need to reduce the size of the data model without losing information. What should you do?

- A. Change Summarization for DateKey to Don't Summarize.

B. Change the data type of UnitCost to Integer.

C. Remove the relationship between Date and Product Inventory.

D. Remove MovementDate.

Answer: D

NEW QUESTION 237

HOTSPOT - (Topic 4)

You have a Power BI report that contains a page. The page contains the following visuals:

- A card


• A matrix

• A bar chart

You need to configure the page to ensure that the card and the bar chart are unaffected when a user drills down in the matrix The card and the bar chart must change when a user selects a cell in the matrix.

What should you configure? To answer, select the appropriate options in the answer area.

Answer Area




- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area



NEW QUESTION 241

- (Topic 4)

You need to create a Power BI theme that will be used in multiple reports. The theme will include corporate branding for font size, color, and bar chart formatting. What should you do?

- A. From Power BI Desktop, customize the current theme,
- B. From power BI Desktop, use a built in report theme.
- C. Create a theme as a JSON file and import the theme into Power BI Desktop.
- D. Create a theme as a PBIVIZ file and import the theme into Power BI Desktop.

Answer: C

NEW QUESTION 246

- (Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated

goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Power BI model that contains two tables named Sales and Date. Sales contains four columns named TotalCost, DueDate, ShipDate, and OrderDate. Date contains one column named Date.

The tables have the following relationships:

? Sales[DueDate] and Date[Date]

? Sales[ShipDate] and Date[Date]

? Sales[OrderDate] and Date[Date]

The active relationship is on Sales[DueDate].

You need to create measures to count the number of orders by [ShipDate] and the orders by [OrderDate]. You must meet the goal without duplicating data or loading additional data.

Solution: You create measures that use the CALCULATE, COUNT, and USERELATIONSHIP DAX functions.

Does this meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

References:

<https://docs.microsoft.com/en-us/dax/calculate-function-dax> <https://docs.microsoft.com/en-us/dax/count-function-dax> <https://docs.microsoft.com/en-us/dax/userelationship-function-dax>

NEW QUESTION 247

- (Topic 4)

You have five sales regions. Each region is assigned a single salesperson.

You have an imported dataset that has a dynamic row-level security (RLS) role named Sales. The Sales role filters sales transaction data by salesperson.

Salespeople must see only the data from their region.

You publish the dataset to powerbi.com, set RLS role membership, and distribute the dataset and related reports to the salespeople.

A salesperson reports that she believes she should see more data. You need to verify what data the salesperson currently sees.

What should you do?


- A. Use the Test as role option to view data as the salesperson's user account.
- B. Use the Test as role option to view data as the Sales role.
- C. Instruct the salesperson to open the report in Microsoft Power BI Desktop.
- D. Filter the data in the reports to match the intended logic in the filter on the salestransaction table.

Answer: A


Explanation:

Validate the roles within Power BI Desktop

? After you've created your roles, test the results of the roles within Power BI Desktop.From the Modeling tab, select View as.



Description automatically generatedThe View as roles window appears, where you see the roles you've created. Graphical user interface, text, application



Description automatically generated

? Select a role you created, and then select OK to apply that role.The report renders the data relevant for that role.

? You can also select Other user and supply a given user.Graphical user interface, application

Description automatically generated

? Select OK.The report renders based on what that user can see. Reference:

<https://docs.microsoft.com/en-us/power-bi/admin/service-admin-rls>

NEW QUESTION 249

HOTSPOT - (Topic 4)

You are creating a Microsoft Power BI model that has two tables named CityData and Sales. CityData contains only the data shown in the following table.

State (CityData)	City	Population (million)
CA	Los Angeles	4.00
CA	San Francisco	0.90
New York	New York	8.50
WA	Seattle	0.70
WA	Spokane	0.20

Sales contains only the data shown in the following table.

State (Sales)	Type	Sales
CA	Internet	60
CA	Store	80
TX	Store	400
WA	Internet	150
WA	Store	100

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Answer Area	
Statements	Yes No
In the Sales table, you can write a DAX expression that uses the RELATED() function to get data from the CityData table.	<input type="radio"/> <input type="radio"/>
A DAX expression of sales total =CALCULATE(SUM(Sales[Sales]),ALL(Sales)) will produce the correct total sales value for each state, based on the data model.	<input type="radio"/> <input type="radio"/>
A table visualization that uses CityData[State] and Sales[Sales] will contain sales from the state of TX.	<input type="radio"/> <input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Yes

The Related function returns a related value from another table.

The RELATED function requires that a relationship exists between the current table and the table with related information. You specify the column that contains the data that you

want, and the function follows an existing many-to-one relationship to fetch the value from the specified column in the related table. If a relationship does not exist, you must create a relationship.

Box 2: Yes

Box 3: No

TX only occurs in the Sales table, but not in the CityData table.

NEW QUESTION 252

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questons and Answers in PDF Format

PL-300 Practice Exam Features:

- * PL-300 Questions and Answers Updated Frequently
- * PL-300 Practice Questions Verified by Expert Senior Certified Staff
- * PL-300 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * PL-300 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The PL-300 Practice Test Here](#)