

# Amazon

## Exam Questions DVA-C02

DVA-C02



**NEW QUESTION 1**

A developer is creating an AWS Lambda function that needs credentials to connect to an Amazon RDS for MySQL database. An Amazon S3 bucket currently stores the credentials. The developer needs to improve the existing solution by implementing credential rotation and secure storage. The developer also needs to provide integration with the Lambda function.

Which solution should the developer use to store and retrieve the credentials with the LEAST management overhead?

- A. Store the credentials in AWS Systems Manager Parameter Store
- B. Select the database that the parameter will access
- C. Use the default AWS Key Management Service (AWS KMS) key to encrypt the parameter
- D. Enable automatic rotation for the parameter
- E. Use the parameter from Parameter Store on the Lambda function to connect to the database.
- F. Encrypt the credentials with the default AWS Key Management Service (AWS KMS) key
- G. Store the credentials as environment variables for the Lambda function
- H. Create a second Lambda function to generate new credentials and to rotate the credentials by updating the environment variables of the first Lambda function
- I. Invoke the second Lambda function by using an Amazon EventBridge rule that runs on a schedule
- J. Update the database to use the new credential
- K. On the first Lambda function, retrieve the credentials from the environment variable
- L. Decrypt the credentials by using AWS KMS, Connect to the database.
- M. Store the credentials in AWS Secrets Manager
- N. Set the secret type to Credentials for Amazon RDS database
- O. Select the database that the secret will access
- P. Use the default AWS Key Management Service (AWS KMS) key to encrypt the secret
- Q. Enable automatic rotation for the secret
- R. Use the secret from Secrets Manager on the Lambda function to connect to the database.
- S. Encrypt the credentials by using AWS Key Management Service (AWS KMS). Store the credentials in an Amazon DynamoDB table
- T. Create a second Lambda function to rotate the credential
- . Invoke the second Lambda function by using an Amazon EventBridge rule that runs on a schedule
- . Update the DynamoDB table
- . Update the database to use the generated credential
- . Retrieve the credentials from DynamoDB with the first Lambda function
- . Connect to the database.

**Answer: C**

**NEW QUESTION 2**

A company has deployed an application on AWS Elastic Beanstalk. The company has configured the Auto Scaling group that is associated with the Elastic Beanstalk environment to have five Amazon EC2 instances. If the capacity is fewer than four EC2 instances during the deployment, application performance degrades. The company is using the all-at-once deployment policy.

What is the MOST cost-effective way to solve the deployment issue?

- A. Change the Auto Scaling group to six desired instances.
- B. Change the deployment policy to traffic splitting
- C. Specify an evaluation time of 1 hour.
- D. Change the deployment policy to rolling with additional batch
- E. Specify a batch size of 1.
- F. Change the deployment policy to rolling
- G. Specify a batch size of 2.

**Answer: C**

**NEW QUESTION 3**

A developer is designing an AWS Lambda function that creates temporary files that are less than 10 MB during invocation. The temporary files will be accessed and modified multiple times during invocation. The developer has no need to save or retrieve these files in the future.

Where should the temporary files be stored?

- A. the /tmp directory
- B. Amazon Elastic File System (Amazon EFS)
- C. Amazon Elastic Block Store (Amazon EBS)
- D. Amazon S3

**Answer: A**

**NEW QUESTION 4**

A developer is writing an AWS Lambda function. The developer wants to log key events that occur while the Lambda function runs. The developer wants to include a unique identifier to associate the events with a specific function invocation. The developer adds the following code to the Lambda function:

```
function handler(event, context) {  
  
}
```

Which solution will meet this requirement?

- A. Obtain the request identifier from the AWS request ID field in the context object
- B. Configure the application to write logs to standard output.
- C. Obtain the request identifier from the AWS request ID field in the event object
- D. Configure the application to write logs to a file.
- E. Obtain the request identifier from the AWS request ID field in the event object
- F. Configure the application to write logs to standard output.

- G. Obtain the request identifier from the AWS request ID field in the context object
- H. Configure the application to write logs to a file.

**Answer: D**

#### NEW QUESTION 5

A developer wants to expand an application to run in multiple AWS Regions. The developer wants to copy Amazon Machine Images (AMIs) with the latest changes and create a new application stack in the destination Region. According to company requirements, all AMIs must be encrypted in all Regions. However, not all the AMIs that the company uses are encrypted.

How can the developer expand the application to run in the destination Region while meeting the encryption requirement?

- A. Create new AMIs, and specify encryption parameter
- B. Copy the encrypted AMIs to the destination Region
- C. Delete the unencrypted AMIs.
- D. Use AWS Key Management Service (AWS KMS) to enable encryption on the unencrypted AMI
- E. Copy the encrypted AMIs to the destination Region.
- F. Use AWS Certificate Manager (ACM) to enable encryption on the unencrypted AMI
- G. Copy the encrypted AMIs to the destination Region.
- H. Copy the unencrypted AMIs to the destination Region
- I. Enable encryption by default in the destination Region.

**Answer: B**

#### NEW QUESTION 6

An Amazon Kinesis Data Firehose delivery stream is receiving customer data that contains personally identifiable information. A developer needs to remove pattern-based customer identifiers from the data and store the modified data in an Amazon S3 bucket.

What should the developer do to meet these requirements?

- A. Implement Kinesis Data Firehose data transformation as an AWS Lambda function
- B. Configure the function to remove the customer identifier
- C. Set an Amazon S3 bucket as the destination of the delivery stream.
- D. Launch an Amazon EC2 instance
- E. Set the EC2 instance as the destination of the delivery stream
- F. Run an application on the EC2 instance to remove the customer identifier
- G. Store the transformed data in an Amazon S3 bucket.
- H. Create an Amazon OpenSearch Service instance
- I. Set the OpenSearch Service instance as the destination of the delivery stream
- J. Use search and replace to remove the customer identifier
- K. Export the data to an Amazon S3 bucket.
- L. Create an AWS Step Functions workflow to remove the customer identifier
- M. As the last step in the workflow, store the transformed data in an Amazon S3 bucket
- N. Set the workflow as the destination of the delivery stream.

**Answer: A**

#### NEW QUESTION 7

A company wants to deploy and maintain static websites on AWS. Each website's source code is hosted in one of several version control systems, including AWS CodeCommit, Bitbucket, and GitHub.

The company wants to implement phased releases by using development, staging, user acceptance testing, and production environments in the AWS Cloud. Deployments to each environment must be started by code merges on the relevant Git branch. The company wants to use HTTPS for all data exchange. The company needs a solution that does not require servers to run continuously.

Which solution will meet these requirements with the LEAST operational overhead?

- A. Host each website by using AWS Amplify with a serverless backend
- B. Connect the repository branches that correspond to each of the desired environments
- C. Start deployments by merging code changes to a desired branch.
- D. Host each website in AWS Elastic Beanstalk with multiple environments
- E. Use the EB CLI to link each repository branch
- F. Integrate AWS CodePipeline to automate deployments from version control code merges.
- G. Host each website in different Amazon S3 buckets for each environment
- H. Configure AWS CodePipeline to pull source code from version control
- I. Add an AWS CodeBuild stage to copy source code to Amazon S3.
- J. Host each website on its own Amazon EC2 instance
- K. Write a custom deployment script to bundle each website's static assets
- L. Copy the assets to Amazon EC2. Set up a workflow to run the script when code is merged.

**Answer: A**

#### NEW QUESTION 8

A company hosts a client-side web application for one of its subsidiaries on Amazon S3. The web application can be accessed through Amazon CloudFront from <https://www.example.com>. After a successful rollout, the company wants to host three more client-side web applications for its remaining subsidiaries on three separate S3 buckets.

To achieve this goal, a developer moves all the common JavaScript files and web fonts to a central S3 bucket that serves the web applications. However, during testing, the developer notices that the browser blocks the JavaScript files and web fonts.

What should the developer do to prevent the browser from blocking the JavaScript files and web fonts?

- A. Create four access points that allow access to the central S3 bucket
- B. Assign an access point to each web application bucket.
- C. Create a bucket policy that allows access to the central S3 bucket

- D. Attach the bucket policy to the central S3 bucket.
- E. Create a cross-origin resource sharing (CORS) configuration that allows access to the central S3 bucket. Add the CORS configuration to the central S3 bucket.
- F. Create a Content-MD5 header that provides a message integrity check for the central S3 bucket.
- G. Insert the Content-MD5 header for each web application request.

**Answer:** C

#### NEW QUESTION 9

For a deployment using AWS Code Deploy, what is the run order of the hooks for in-place deployments?

- A. BeforeInstall -> ApplicationStop -> ApplicationStart -> AfterInstall
- B. ApplicationStop -> BeforeInstall -> AfterInstall -> ApplicationStart
- C. BeforeInstall -> ApplicationStop -> ValidateService -> ApplicationStart
- D. ApplicationStop -> BeforeInstall -> ValidateService -> ApplicationStart

**Answer:** A

#### NEW QUESTION 10

A developer is creating a mobile app that calls a backend service by using an Amazon API Gateway REST API. For integration testing during the development phase, the developer wants to simulate different backend responses without invoking the backend service.

Which solution will meet these requirements with the LEAST operational overhead?

- A. Create an AWS Lambda function.
- B. Use API Gateway proxy integration to return constant HTTP responses.
- C. Create an Amazon EC2 instance that serves the backend REST API by using an AWS CloudFormation template.
- D. Customize the API Gateway stage to select a response type based on the request.
- E. Use a request mapping template to select the mock integration response.

**Answer:** B

#### NEW QUESTION 10

A company has an Amazon S3 bucket that contains sensitive data. The data must be encrypted in transit and at rest. The company encrypts the data in the S3 bucket by using an AWS Key Management Service (AWS KMS) key. A developer needs to grant several other AWS accounts the permission to use the S3 GetObject operation to retrieve the data from the S3 bucket.

How can the developer enforce that all requests to retrieve the data provide encryption in transit?

- A. Define a resource-based policy on the S3 bucket to deny access when a request meets the condition "aws:SecureTransport": "false".
- B. Define a resource-based policy on the S3 bucket to allow access when a request meets the condition "aws:SecureTransport": "false".
- C. Define a role-based policy on the other accounts' roles to deny access when a request meets the condition of "aws:SecureTransport": "false".
- D. Define a resource-based policy on the KMS key to deny access when a request meets the condition of "aws:SecureTransport": "false".

**Answer:** A

#### NEW QUESTION 13

A developer needs to perform geographic load testing of an API. The developer must deploy resources to multiple AWS Regions to support the load testing of the API.

How can the developer meet these requirements without additional application code?

- A. Create and deploy an AWS Lambda function in each desired Region.
- B. Configure the Lambda function to create a stack from an AWS CloudFormation template in that Region when the function is invoked.
- C. Create an AWS CloudFormation template that defines the load test resource.
- D. Use the AWS CLI create-stack-set command to create a stack set in the desired Regions.
- E. Create an AWS Systems Manager document that defines the resource.
- F. Use the document to create the resources in the desired Regions.
- G. Create an AWS CloudFormation template that defines the load test resource.
- H. Use the AWS CLI deploy command to create a stack from the template in each Region.

**Answer:** B

#### NEW QUESTION 17

A developer needs to migrate an online retail application to AWS to handle an anticipated increase in traffic. The application currently runs on two servers: one server for the web application and another server for the database. The web server renders webpages and manages session state in memory. The database server hosts a MySQL database that contains order details. When traffic to the application is heavy, the memory usage for the web server approaches 100% and the application slows down considerably.

The developer has found that most of the memory increase and performance decrease is related to the load of managing additional user sessions. For the web server migration, the developer will use Amazon EC2 instances with an Auto Scaling group behind an Application Load Balancer.

Which additional set of changes should the developer make to the application to improve the application's performance?

- A. Use an EC2 instance to host the MySQL database.
- B. Store the session data and the application data in the MySQL database.
- C. Use Amazon ElastiCache for Memcached to store and manage the session data.
- D. Use an Amazon RDS for MySQL DB instance to store the application data.
- E. Use Amazon ElastiCache for Memcached to store and manage the session data and the application data.
- F. Use the EC2 instance store to manage the session data.
- G. Use an Amazon RDS for MySQL DB instance to store the application data.

**Answer:** A

#### NEW QUESTION 21

A developer is creating an AWS CloudFormation template to deploy Amazon EC2 instances across multiple AWS accounts. The developer must choose the EC2 instances from a list of approved instance types.

How can the developer incorporate the list of approved instance types in the CloudFormation template?

- A. Create a separate CloudFormation template for each EC2 instance type in the list.
- B. In the Resources section of the CloudFormation template, create resources for each EC2 instance type in the list.
- C. In the CloudFormation template, create a separate parameter for each EC2 instance type in the list.
- D. In the CloudFormation template, create a parameter with the list of EC2 instance types as AllowedValues.

**Answer: D**

#### NEW QUESTION 24

.....

## Thank You for Trying Our Product

### We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

### DVA-C02 Practice Exam Features:

- \* DVA-C02 Questions and Answers Updated Frequently
- \* DVA-C02 Practice Questions Verified by Expert Senior Certified Staff
- \* DVA-C02 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- \* DVA-C02 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

**100% Actual & Verified — Instant Download, Please Click**  
**[Order The DVA-C02 Practice Test Here](#)**