

# Google

## Exam Questions Professional-Cloud-Security-Engineer

Google Cloud Certified - Professional Cloud Security Engineer



#### NEW QUESTION 1

You want to evaluate GCP for PCI compliance. You need to identify Google's inherent controls. Which document should you review to find the information?

- A. Google Cloud Platform: Customer Responsibility Matrix
- B. PCI DSS Requirements and Security Assessment Procedures
- C. PCI SSC Cloud Computing Guidelines
- D. Product documentation for Compute Engine

**Answer: C**

#### NEW QUESTION 2

In a shared security responsibility model for IaaS, which two layers of the stack does the customer share responsibility for? (Choose two.)

- A. Hardware
- B. Network Security
- C. Storage Encryption
- D. Access Policies
- E. Boot

**Answer: CD**

#### NEW QUESTION 3

A customer's company has multiple business units. Each business unit operates independently, and each has their own engineering group. Your team wants visibility into all projects created within the company and wants to organize their Google Cloud Platform (GCP) projects based on different business units. Each business unit also requires separate sets of IAM permissions.

Which strategy should you use to meet these needs?

- A. Create an organization node, and assign folders for each business unit.
- B. Establish standalone projects for each business unit, using gmail.com accounts.
- C. Assign GCP resources in a project, with a label identifying which business unit owns the resource.
- D. Assign GCP resources in a VPC for each business unit to separate network access.

**Answer: A**

#### NEW QUESTION 4

You are the Security Admin in your company. You want to synchronize all security groups that have an email address from your LDAP directory in Cloud IAM.

- A. Configure Google Cloud Directory Sync to sync security groups using LDAP search rules that have "user email address" as the attribute to facilitate one-way sync.
- B. Configure Google Cloud Directory Sync to sync security groups using LDAP search rules that have "user email address" as the attribute to facilitate bidirectional sync.
- C. Use a management tool to sync the subset based on the email address attribute.
- D. Create a group in the Google domain.
- E. A group created in a Google domain will automatically have an explicit Google Cloud Identity and Access Management (IAM) role.
- F. Use a management tool to sync the subset based on group object class attribute.
- G. Create a group in the Google domain.
- H. A group created in a Google domain will automatically have an explicit Google Cloud Identity and Access Management (IAM) role.

**Answer: C**

#### NEW QUESTION 5

Your team needs to make sure that a Compute Engine instance does not have access to the internet or to any Google APIs or services.

Which two settings must remain disabled to meet these requirements? (Choose two.)

- A. Public IP
- B. IP Forwarding
- C. Private Google Access
- D. Static routes
- E. IAM Network User Role

**Answer: CD**

#### NEW QUESTION 6

A customer has an analytics workload running on Compute Engine that should have limited internet access. Your team created an egress firewall rule to deny (priority 1000) all traffic to the internet.

The Compute Engine instances now need to reach out to the public repository to get security updates. What should your team do?

- A. Create an egress firewall rule to allow traffic to the CIDR range of the repository with a priority greater than 1000.
- B. Create an egress firewall rule to allow traffic to the CIDR range of the repository with a priority less than 1000.
- C. Create an egress firewall rule to allow traffic to the hostname of the repository with a priority greater than 1000.
- D. Create an egress firewall rule to allow traffic to the hostname of the repository with a priority less than 1000.

**Answer: C**

#### NEW QUESTION 7

Which two implied firewall rules are defined on a VPC network? (Choose two.)

- A. A rule that allows all outbound connections
- B. A rule that denies all inbound connections
- C. A rule that blocks all inbound port 25 connections
- D. A rule that blocks all outbound connections
- E. A rule that allows all inbound port 80 connections

**Answer:** AB

#### NEW QUESTION 8

Your team needs to configure their Google Cloud Platform (GCP) environment so they can centralize the control over networking resources like firewall rules, subnets, and routes. They also have an on-premises environment where resources need access back to the GCP resources through a private VPN connection. The networking resources will need to be controlled by the network security team. Which type of networking design should your team use to meet these requirements?

- A. Shared VPC Network with a host project and service projects
- B. Grant Compute Admin role to the networking team for each engineering project
- C. VPC peering between all engineering projects using a hub and spoke model
- D. Cloud VPN Gateway between all engineering projects using a hub and spoke model

**Answer:** A

#### NEW QUESTION 9

A customer wants to move their sensitive workloads to a Compute Engine-based cluster using Managed Instance Groups (MIGs). The jobs are bursty and must be completed quickly. They have a requirement to be able to manage and rotate the encryption keys. Which boot disk encryption solution should you use on the cluster to meet this customer's requirements?

- A. Customer-supplied encryption keys (CSEK)
- B. Customer-managed encryption keys (CMEK) using Cloud Key Management Service (KMS)
- C. Encryption by default
- D. Pre-encrypting files before transferring to Google Cloud Platform (GCP) for analysis

**Answer:** B

#### Explanation:

Reference <https://cloud.google.com/kubernetes-engine/docs/how-to/dynamic-provisioning-cmek>

#### NEW QUESTION 10

You will create a new Service Account that should be able to list the Compute Engine instances in the project. You want to follow Google-recommended practices. What should you do?

- A. Create an Instance Template, and allow the Service Account Read Only access for the Compute Engine Access Scope.
- B. Create a custom role with the permission compute.instances.list and grant the Service Account this role.
- C. Give the Service Account the role of Compute Viewer, and use the new Service Account for all instances.
- D. Give the Service Account the role of Project Viewer, and use the new Service Account for all instances.

**Answer:** A

#### NEW QUESTION 10

In order to meet PCI DSS requirements, a customer wants to ensure that all outbound traffic is authorized. Which two cloud offerings meet this requirement without additional compensating controls? (Choose two.)

- A. App Engine
- B. Cloud Functions
- C. Compute Engine
- D. Google Kubernetes Engine
- E. Cloud Storage

**Answer:** AC

#### NEW QUESTION 11

For compliance reasons, an organization needs to ensure that in-scope PCI Kubernetes Pods reside on "in-scope" Nodes only. These Nodes can only contain the "in-scope" Pods. How should the organization achieve this objective?

- A. Add a nodeSelector field to the pod configuration to only use the Nodes labeled inscope: true.
- B. Create a node pool with the label inscope: true and a Pod Security Policy that only allows the Pods to run on Nodes with that label.
- C. Place a taint on the Nodes with the label inscope: true and effect NoSchedule and a toleration to match in the Pod configuration.
- D. Run all in-scope Pods in the namespace "in-scope-pci".

**Answer:** C

#### NEW QUESTION 15

A company is running their webshop on Google Kubernetes Engine and wants to analyze customer transactions in BigQuery. You need to ensure that no credit card numbers are stored in BigQuery. What should you do?

- A. Create a BigQuery view with regular expressions matching credit card numbers to query and delete affected rows.
- B. Use the Cloud Data Loss Prevention API to redact related infoTypes before data is ingested into BigQuery.
- C. Leverage Security Command Center to scan for the assets of type Credit Card Number in BigQuery.
- D. Enable Cloud Identity-Aware Proxy to filter out credit card numbers before storing the logs in BigQuery.

**Answer:** D

#### NEW QUESTION 19

An organization's security and risk management teams are concerned about where their responsibility lies for certain production workloads they are running in Google Cloud Platform (GCP), and where Google's responsibility lies. They are mostly running workloads using Google Cloud's Platform-as-a-Service (PaaS) offerings, including App Engine primarily.

Which one of these areas in the technology stack would they need to focus on as their primary responsibility when using App Engine?

- A. Configuring and monitoring VPC Flow Logs
- B. Defending against XSS and SQLi attacks
- C. Manage the latest updates and security patches for the Guest OS
- D. Encrypting all stored data

**Answer:** D

#### NEW QUESTION 24

A customer wants to make it convenient for their mobile workforce to access a CRM web interface that is hosted on Google Cloud Platform (GCP). The CRM can only be accessed by someone on the corporate network. The customer wants to make it available over the internet. Your team requires an authentication layer in front of the application that supports two-factor authentication

Which GCP product should the customer implement to meet these requirements?

- A. Cloud Identity-Aware Proxy
- B. Cloud Armor
- C. Cloud Endpoints
- D. Cloud VPN

**Answer:** D

#### NEW QUESTION 28

You are a member of the security team at an organization. Your team has a single GCP project with credit card payment processing systems alongside web applications and data processing systems. You want to reduce the scope of systems subject to PCI audit standards. What should you do?

- A. Use multi-factor authentication for admin access to the web application.
- B. Use only applications certified compliant with PA-DSS.
- C. Move the cardholder data environment into a separate GCP project.
- D. Use VPN for all connections between your office and cloud environments.

**Answer:** D

#### NEW QUESTION 30

You are on your company's development team. You noticed that your web application hosted in staging on GKE dynamically includes user data in web pages without first properly validating the inputted data. This could allow an attacker to execute gibberish commands and display arbitrary content in a victim user's browser in a production environment.

How should you prevent and fix this vulnerability?

- A. Use Cloud IAP based on IP address or end-user device attributes to prevent and fix the vulnerability.
- B. Set up an HTTPS load balancer, and then use Cloud Armor for the production environment to prevent the potential XSS attack.
- C. Use Web Security Scanner to validate the usage of an outdated library in the code, and then use a secured version of the included library.
- D. Use Web Security Scanner in staging to simulate an XSS injection attack, and then use a templating system that supports contextual auto-escaping.

**Answer:** D

#### NEW QUESTION 33

When working with agents in a support center via online chat, an organization's customers often share pictures of their documents with personally identifiable information (PII). The organization that owns the support center is concerned that the PII is being stored in their databases as part of the regular chat logs they retain for

review by internal or external analysts for customer service trend analysis.

Which Google Cloud solution should the organization use to help resolve this concern for the customer while still maintaining data utility?

- A. Use Cloud Key Management Service (KMS) to encrypt the PII data shared by customers before storing it for analysis.
- B. Use Object Lifecycle Management to make sure that all chat records with PII in them are discarded and not saved for analysis.
- C. Use the image inspection and redaction actions of the DLP API to redact PII from the images before storing them for analysis.
- D. Use the generalization and bucketing actions of the DLP API solution to redact PII from the texts before storing them for analysis.

**Answer:** D

#### Explanation:

Reference; <https://cloud.google.com/dlp/docs/deidentify-sensitive-data>

#### NEW QUESTION 36

An organization adopts Google Cloud Platform (GCP) for application hosting services and needs guidance on setting up password requirements for their Cloud

Identity account. The organization has a password policy requirement that corporate employee passwords must have a minimum number of characters. Which Cloud Identity password guidelines can the organization use to inform their new requirements?

- A. Set the minimum length for passwords to be 8 characters.
- B. Set the minimum length for passwords to be 10 characters.
- C. Set the minimum length for passwords to be 12 characters.
- D. Set the minimum length for passwords to be 6 characters.

**Answer: C**

#### **NEW QUESTION 40**

A large e-retailer is moving to Google Cloud Platform with its ecommerce website. The company wants to ensure payment information is encrypted between the customer's browser and GCP when the customers checkout online. What should they do?

- A. Configure an SSL Certificate on an L7 Load Balancer and require encryption.
- B. Configure an SSL Certificate on a Network TCP Load Balancer and require encryption.
- C. Configure the firewall to allow inbound traffic on port 443, and block all other inbound traffic.
- D. Configure the firewall to allow outbound traffic on port 443, and block all other outbound traffic.

**Answer: A**

#### **NEW QUESTION 42**

Which two security characteristics are related to the use of VPC peering to connect two VPC networks? (Choose two.)

- A. Central management of routes, firewalls, and VPNs for peered networks
- B. Non-transitive peered networks; where only directly peered networks can communicate
- C. Ability to peer networks that belong to different Google Cloud Platform organizations
- D. Firewall rules that can be created with a tag from one peered network to another peered network
- E. Ability to share specific subnets across peered networks

**Answer: AD**

#### **NEW QUESTION 46**

A business unit at a multinational corporation signs up for GCP and starts moving workloads into GCP. The business unit creates a Cloud Identity domain with an organizational resource that has hundreds of projects.

Your team becomes aware of this and wants to take over managing permissions and auditing the domain resources.

Which type of access should your team grant to meet this requirement?

- A. Organization Administrator
- B. Security Reviewer
- C. Organization Role Administrator
- D. Organization Policy Administrator

**Answer: C**

#### **NEW QUESTION 51**

A customer wants to run a batch processing system on VMs and store the output files in a Cloud Storage bucket. The networking and security teams have decided that no VMs may reach the public internet.

How should this be accomplished?

- A. Create a firewall rule to block internet traffic from the VM.
- B. Provision a NAT Gateway to access the Cloud Storage API endpoint.
- C. Enable Private Google Access on the VPC.
- D. Mount a Cloud Storage bucket as a local filesystem on every VM.

**Answer: B**

#### **NEW QUESTION 53**

Your team needs to obtain a unified log view of all development cloud projects in your SIEM. The development projects are under the NONPROD organization folder with the test and pre-production projects. The development projects share the ABC-BILLING billing account with the rest of the organization.

Which logging export strategy should you use to meet the requirements?

- A. 1. Export logs to a Cloud Pub/Sub topic with folders/NONPROD parent and includeChildren property set to True in a dedicated SIEM projec
- B. 2. Subscribe SIEM to the topic.
- C. 1. Create a Cloud Storage sink with billingAccounts/ABC-BILLING parent and includeChildren property set to False in a dedicated SIEM projec
- D. 2. Process Cloud Storage objects in SIEM.
- E. 1. Export logs in each dev project to a Cloud Pub/Sub topic in a dedicated SIEM projec
- F. 2. Subscribe SIEM to the topic.
- G. 1. Create a Cloud Storage sink with a publicly shared Cloud Storage bucket in each projec
- H. 2. Process Cloud Storage objects in SIEM.

**Answer: B**

#### **NEW QUESTION 58**

A large financial institution is moving its Big Data analytics to Google Cloud Platform. They want to have maximum control over the encryption process of data stored at rest in BigQuery.

What technique should the institution use?

- A. Use Cloud Storage as a federated Data Source.
- B. Use a Cloud Hardware Security Module (Cloud HSM).
- C. Customer-managed encryption keys (CMEK).
- D. Customer-supplied encryption keys (CSEK).

**Answer: C**

#### NEW QUESTION 63

As adoption of the Cloud Data Loss Prevention (DLP) API grows within the company, you need to optimize usage to reduce cost. DLP target data is stored in Cloud Storage and BigQuery. The location and region are identified as a suffix in the resource name.

Which cost reduction options should you recommend?

- A. Set appropriate rowsLimit value on BigQuery data hosted outside the US and set appropriate bytesLimitPerFile value on multiregional Cloud Storage buckets.
- B. Set appropriate rowsLimit value on BigQuery data hosted outside the US, and minimize transformation units on multiregional Cloud Storage buckets.
- C. Use rowsLimit and bytesLimitPerFile to sample data and use CloudStorageRegexFileSet to limit scans.
- D. Use FindingLimits and TimespanContfig to sample data and minimize transformation units.

**Answer: C**

#### NEW QUESTION 64

You are creating an internal App Engine application that needs to access a user's Google Drive on the user's behalf. Your company does not want to rely on the current user's credentials. It also wants to follow Google recommended practices. What should you do?

- A. Create a new Service account, and give all application users the role of Service Account User.
- B. Create a new Service account, and add all application users to a Google Group.
- C. Give this group the role of Service Account User.
- D. Use a dedicated G Suite Admin account, and authenticate the application's operations with these G Suite credentials.
- E. Create a new service account, and grant it G Suite domain-wide delegation.
- F. Have the application use it to impersonate the user.

**Answer: A**

#### NEW QUESTION 65

Your team wants to make sure Compute Engine instances running in your production project do not have public IP addresses. The frontend application Compute Engine instances will require public IPs. The product engineers have the Editor role to modify resources. Your team wants to enforce this requirement.

How should your team meet these requirements?

- A. Enable Private Access on the VPC network in the production project.
- B. Remove the Editor role and grant the Compute Admin IAM role to the engineers.
- C. Set up an organization policy to only permit public IPs for the front-end Compute Engine instances.
- D. Set up a VPC network with two subnets: one with public IPs and one without public IPs.

**Answer: C**

#### NEW QUESTION 66

A customer deploys an application to App Engine and needs to check for Open Web Application Security Project (OWASP) vulnerabilities.

Which service should be used to accomplish this?

- A. Cloud Armor
- B. Google Cloud Audit Logs
- C. Cloud Security Scanner
- D. Forseti Security

**Answer: C**

#### NEW QUESTION 71

A company is deploying their application on Google Cloud Platform. Company policy requires long-term data to be stored using a solution that can automatically replicate data over at least two geographic places.

Which Storage solution are they allowed to use?

- A. Cloud Bigtable
- B. Cloud BigQuery
- C. Compute Engine SSD Disk
- D. Compute Engine Persistent Disk

**Answer: B**

#### NEW QUESTION 73

A company is backing up application logs to a Cloud Storage bucket shared with both analysts and the administrator. Analysts should only have access to logs that do not contain any personally identifiable information (PII). Log files containing PII should be stored in another bucket that is only accessible by the administrator. What should you do?

- A. Use Cloud Pub/Sub and Cloud Functions to trigger a Data Loss Prevention scan every time a file is uploaded to the shared bucket.
- B. If the scan detects PII, have the function move it into a Cloud Storage bucket only accessible by the administrator.
- C. Upload the logs to both the shared bucket and the bucket only accessible by the administrator.

- D. Create a job trigger using the Cloud Data Loss Prevention AP
- E. Configure the trigger to delete any files from the shared bucket that contain PII.
- F. On the bucket shared with both the analysts and the administrator, configure Object Lifecycle Management to delete objects that contain any PII.
- G. On the bucket shared with both the analysts and the administrator, configure a Cloud Storage Trigger that is only triggered when PII data is uploaded
- H. Use Cloud Functions to capture the trigger and delete such files.

**Answer: C**

#### **NEW QUESTION 76**

An organization receives an increasing number of phishing emails.  
Which method should be used to protect employee credentials in this situation?

- A. Multifactor Authentication
- B. A strict password policy
- C. Captcha on login pages
- D. Encrypted emails

**Answer: D**

#### **NEW QUESTION 77**

An organization is migrating from their current on-premises productivity software systems to G Suite. Some network security controls were in place that were mandated by a regulatory body in their region for their previous on-premises system. The organization's risk team wants to ensure that network security controls are maintained and effective in G Suite. A security architect supporting this migration has been asked to ensure that network security controls are in place as part of the new shared responsibility model between the organization and Google Cloud.  
What solution would help meet the requirements?

- A. Ensure that firewall rules are in place to meet the required controls.
- B. Set up Cloud Armor to ensure that network security controls can be managed for G Suite.
- C. Network security is a built-in solution and Google's Cloud responsibility for SaaS products like G Suite.
- D. Set up an array of Virtual Private Cloud (VPC) networks to control network security as mandated by the relevant regulation.

**Answer: B**

#### **NEW QUESTION 80**

A customer implements Cloud Identity-Aware Proxy for their ERP system hosted on Compute Engine. Their security team wants to add a security layer so that the ERP systems only accept traffic from Cloud Identity-Aware Proxy.  
What should the customer do to meet these requirements?

- A. Make sure that the ERP system can validate the JWT assertion in the HTTP requests.
- B. Make sure that the ERP system can validate the identity headers in the HTTP requests.
- C. Make sure that the ERP system can validate the x-forwarded-for headers in the HTTP requests.
- D. Make sure that the ERP system can validate the user's unique identifier headers in the HTTP requests.

**Answer: A**

#### **NEW QUESTION 85**

An organization's typical network and security review consists of analyzing application transit routes, request handling, and firewall rules. They want to enable their developer teams to deploy new applications without the overhead of this full review.  
How should you advise this organization?

- A. Use Forseti with Firewall filters to catch any unwanted configurations in production.
- B. Mandate use of infrastructure as code and provide static analysis in the CI/CD pipelines to enforce policies.
- C. Route all VPC traffic through customer-managed routers to detect malicious patterns in production.
- D. All production applications will run on-premise
- E. Allow developers free rein in GCP as their dev and QA platforms.

**Answer: B**

#### **NEW QUESTION 88**

An engineering team is launching a web application that will be public on the internet. The web application is hosted in multiple GCP regions and will be directed to the respective backend based on the URL request.  
Your team wants to avoid exposing the application directly on the internet and wants to deny traffic from a specific list of malicious IP addresses.  
Which solution should your team implement to meet these requirements?

- A. Cloud Armor
- B. Network Load Balancing
- C. SSL Proxy Load Balancing
- D. NAT Gateway

**Answer: A**

#### **NEW QUESTION 91**

You are part of a security team that wants to ensure that a Cloud Storage bucket in Project A can only be readable from Project B. You also want to ensure that data in the Cloud Storage bucket cannot be accessed from or copied to Cloud Storage buckets outside the network, even if the user has the correct credentials.  
What should you do?

- A. Enable VPC Service Controls, create a perimeter with Project A and B, and include Cloud Storage service.

- B. Enable Domain Restricted Sharing Organization Policy and Bucket Policy Only on the Cloud Storage bucket.
- C. Enable Private Access in Project A and B networks with strict firewall rules to allow communication between the networks.
- D. Enable VPC Peering between Project A and B networks with strict firewall rules to allow communication between the networks.

**Answer: B**

#### **NEW QUESTION 93**

Your company is using Cloud Dataproc for its Spark and Hadoop jobs. You want to be able to create, rotate, and destroy symmetric encryption keys used for the persistent disks used by Cloud Dataproc. Keys can be stored in the cloud. What should you do?

- A. Use the Cloud Key Management Service to manage the data encryption key (DEK).
- B. Use the Cloud Key Management Service to manage the key encryption key (KEK).
- C. Use customer-supplied encryption keys to manage the data encryption key (DEK).
- D. Use customer-supplied encryption keys to manage the key encryption key (KEK).

**Answer: A**

#### **NEW QUESTION 98**

A manager wants to start retaining security event logs for 2 years while minimizing costs. You write a filter to select the appropriate log entries. Where should you export the logs?

- A. BigQuery datasets
- B. Cloud Storage buckets
- C. StackDriver logging
- D. Cloud Pub/Sub topics

**Answer: C**

#### **NEW QUESTION 101**

A company migrated their entire data/center to Google Cloud Platform. It is running thousands of instances across multiple projects managed by different departments. You want to have a historical record of what was running in Google Cloud Platform at any point in time. What should you do?

- A. Use Resource Manager on the organization level.
- B. Use Forseti Security to automate inventory snapshots.
- C. Use Stackdriver to create a dashboard across all projects.
- D. Use Security Command Center to view all assets across the organization.

**Answer: C**

#### **NEW QUESTION 102**

A retail customer allows users to upload comments and product reviews. The customer needs to make sure the text does not include sensitive data before the comments or reviews are published. Which Google Cloud Service should be used to achieve this?

- A. Cloud Key Management Service
- B. Cloud Data Loss Prevention API
- C. BigQuery
- D. Cloud Security Scanner

**Answer: D**

#### **NEW QUESTION 107**

You want data on Compute Engine disks to be encrypted at rest with keys managed by Cloud Key Management Service (KMS). Cloud Identity and Access Management (IAM) permissions to these keys must be managed in a grouped way because the permissions should be the same for all keys. What should you do?

- A. Create a single KeyRing for all persistent disks and all Keys in this KeyRing
- B. Manage the IAM permissions at the Key level.
- C. Create a single KeyRing for all persistent disks and all Keys in this KeyRing
- D. Manage the IAM permissions at the KeyRing level.
- E. Create a KeyRing per persistent disk, with each KeyRing containing a single Key
- F. Manage the IAM permissions at the Key level.
- G. Create a KeyRing per persistent disk, with each KeyRing containing a single Key
- H. Manage the IAM permissions at the KeyRing level.

**Answer: C**

#### **NEW QUESTION 108**

Your team needs to prevent users from creating projects in the organization. Only the DevOps team should be allowed to create projects on behalf of the requester. Which two tasks should your team perform to handle this request? (Choose two.)

- A. Remove all users from the Project Creator role at the organizational level.
- B. Create an Organization Policy constraint, and apply it at the organizational level.
- C. Grant the Project Editor role at the organizational level to a designated group of users.

- D. Add a designated group of users to the Project Creator role at the organizational level.
- E. Grant the billing account creator role to the designated DevOps team.

**Answer:** BD

**NEW QUESTION 112**

An organization is starting to move its infrastructure from its on-premises environment to Google Cloud Platform (GCP). The first step the organization wants to take is to migrate its current data backup and disaster recovery solutions to GCP for later analysis. The organization's production environment will remain on-premises for an indefinite time. The organization wants a scalable and cost-efficient solution. Which GCP solution should the organization use?

- A. BigQuery using a data pipeline job with continuous updates
- B. Cloud Storage using a scheduled task and gsutil
- C. Compute Engine Virtual Machines using Persistent Disk
- D. Cloud Datastore using regularly scheduled batch upload jobs

**Answer:** A

**NEW QUESTION 117**

.....

## **Thank You for Trying Our Product**

### **We offer two products:**

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

### **Professional-Cloud-Security-Engineer Practice Exam Features:**

- \* Professional-Cloud-Security-Engineer Questions and Answers Updated Frequently
- \* Professional-Cloud-Security-Engineer Practice Questions Verified by Expert Senior Certified Staff
- \* Professional-Cloud-Security-Engineer Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- \* Professional-Cloud-Security-Engineer Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

**100% Actual & Verified — Instant Download, Please Click**  
**[Order The Professional-Cloud-Security-Engineer Practice Test Here](#)**