

# Exam Questions AWS-Certified-DevOps-Engineer-Professional

Amazon AWS Certified DevOps Engineer Professional

<https://www.2passeasy.com/dumps/AWS-Certified-DevOps-Engineer-Professional/>



**NEW QUESTION 1**

A company has an application that runs on AWS Lambda and sends logs to Amazon CloudWatch Logs. An Amazon Kinesis data stream is subscribed to the log groups in CloudWatch Logs. A single consumer Lambda function processes the logs from the data stream and stores the logs in an Amazon S3 bucket. The company's DevOps team has noticed high latency during the processing and ingestion of some logs. Which combination of steps will reduce the latency? (Select THREE.)

- A. Create a data stream consumer with enhanced fan-out.
- B. Set the Lambda function that processes the logs as the consumer.
- C. Increase the ParallelizationFactor setting in the Lambda event source mapping.
- D. Configure reserved concurrency for the Lambda function that processes the logs.
- E. Increase the batch size in the Kinesis data stream.
- F. Turn off the ReportBatchItemFailures setting in the Lambda event source mapping.
- G. Increase the number of shards in the Kinesis data stream.

**Answer:** ABC

**Explanation:**

The latency in processing and ingesting logs can be caused by several factors, such as the throughput of the Kinesis data stream, the concurrency of the Lambda function, and the configuration of the event source mapping. To reduce the latency, the following steps can be taken:

? Create a data stream consumer with enhanced fan-out. Set the Lambda function that processes the logs as the consumer. This will allow the Lambda function to receive records from the data stream with dedicated throughput of up to 2 MB per second per shard, independent of other consumers<sup>1</sup>. This will reduce the contention and delay in accessing the data stream.

? Increase the ParallelizationFactor setting in the Lambda event source mapping. This will allow the Lambda service to invoke more instances of the function concurrently to process the records from the data stream<sup>2</sup>. This will increase the processing capacity and reduce the backlog of records in the data stream.

? Configure reserved concurrency for the Lambda function that processes the logs. This will ensure that the function has enough concurrency available to handle the increased load from the data stream<sup>3</sup>. This will prevent the function from being throttled by the account-level concurrency limit.

The other options are not effective or may have negative impacts on the latency. Option D is not suitable because increasing the batch size in the Kinesis data stream will increase the amount of data that the Lambda function has to process in each invocation, which may increase the execution time and latency<sup>4</sup>. Option E is not advisable because turning off the ReportBatchItemFailures setting in the Lambda event source mapping will prevent the Lambda service from retrying the failed records, which may result in data loss. Option F is not necessary because increasing the number of shards in the Kinesis data stream will increase the throughput of the data stream, but it will not affect the processing speed of the Lambda function, which is the bottleneck in this scenario.

References:

- ? 1: Using AWS Lambda with Amazon Kinesis Data Streams - AWS Lambda
- ? 2: AWS Lambda event source mappings - AWS Lambda
- ? 3: Managing concurrency for a Lambda function - AWS Lambda
- ? 4: AWS Lambda function scaling - AWS Lambda
- ? : AWS Lambda event source mappings - AWS Lambda
- ? : Scaling Amazon Kinesis Data Streams with AWS CloudFormation - Amazon Kinesis Data Streams

**NEW QUESTION 2**

A company uses Amazon S3 to store proprietary information. The development team creates buckets for new projects on a daily basis. The security team wants to ensure that all existing and future buckets have encryption logging and versioning enabled. Additionally, no buckets should ever be publicly read or write accessible.

What should a DevOps engineer do to meet these requirements?

- A. Enable AWS CloudTrail and configure automatic remediation using AWS Lambda.
- B. Enable AWS Config rules and configure automatic remediation using AWS Systems Manager documents.
- C. Enable AWS Trusted Advisor and configure automatic remediation using Amazon EventBridge.
- D. Enable AWS Systems Manager and configure automatic remediation using Systems Manager documents.

**Answer:** B

**Explanation:**

<https://aws.amazon.com/blogs/mt/aws-config-auto-remediation-s3-compliance/> <https://aws.amazon.com/blogs/aws/aws-config-rules-dynamic-compliance-checking-for-cloud-resources/>

**NEW QUESTION 3**

A company is adopting AWS CodeDeploy to automate its application deployments for a Java-Apache Tomcat application with an Apache Webserver. The development team started with a proof of concept, created a deployment group for a developer environment, and performed functional tests within the application. After completion, the team will create additional deployment groups for staging and production.

The current log level is configured within the Apache settings, but the team wants to change this configuration dynamically when the deployment occurs, so that they can set different log level configurations depending on the deployment group without having a different application revision for each group.

How can these requirements be met with the LEAST management overhead and without requiring different script versions for each deployment group?

- A. Tag the Amazon EC2 instances depending on the deployment group
- B. Then place a script into the application revision that calls the metadata service and the EC2 API to identify which deployment group the instance is part of
- C. Use this information to configure the log level setting
- D. Reference the script as part of the AfterInstall lifecycle hook in the appspec.yml file.
- E. Create a script that uses the CodeDeploy environment variable DEPLOYMENT\_GROUP\_NAME to identify which deployment group the instance is part of
- F. Use this information to configure the log level setting
- G. Reference this script as part of the BeforeInstall lifecycle hook in the appspec.yml file.
- H. Create a CodeDeploy custom environment variable for each environment
- I. Then place a script into the application revision that checks this environment variable to identify which deployment group the instance is part of
- J. Use this information to configure the log level setting
- K. Reference this script as part of the ValidateService lifecycle hook in the appspec.yml file.
- L. Create a script that uses the CodeDeploy environment variable DEPLOYMENT\_GROUP\_ID to identify which deployment group the instance is part of to configure the log level setting
- M. Reference this script as part of the Install lifecycle hook in the appspec.yml file.

**Answer:** B

**Explanation:**

The following are the steps that the company can take to change the log level dynamically when the deployment occurs:

? Create a script that uses the CodeDeploy environment variable `DEPLOYMENT_GROUP_NAME` to identify which deployment group the instance is part of.

? Use this information to configure the log level settings.

? Reference this script as part of the `BeforeInstall` lifecycle hook in the `appspec.yml` file.

The `DEPLOYMENT_GROUP_NAME` environment variable is automatically set by CodeDeploy when the deployment is triggered. This means that the script does not need to call the metadata service or the EC2 API to identify the deployment group.

This solution is the least complex and requires the least management overhead. It also does not require different script versions for each deployment group.

The following are the reasons why the other options are not correct:

? Option A is incorrect because it would require tagging the Amazon EC2 instances, which would be a manual and time-consuming process.

? Option C is incorrect because it would require creating a custom environment variable for each environment. This would be a complex and error-prone process.

? Option D is incorrect because it would use

the `DEPLOYMENT_GROUP_ID` environment variable. However, this variable is not automatically set by CodeDeploy, so the script would need to call the metadata service or the EC2 API to get the deployment group ID. This would add complexity and overhead to the solution.

**NEW QUESTION 4**

A company's DevOps engineer uses AWS Systems Manager to perform maintenance tasks during maintenance windows. The company has a few Amazon EC2 instances that require a restart after notifications from AWS Health. The DevOps engineer needs to implement an automated solution to remediate these notifications. The DevOps engineer creates an Amazon EventBridge rule.

How should the DevOps engineer configure the EventBridge rule to meet these requirements?

- A. Configure an event source of AWS Health, a service of EC2. and an event type that indicates instance maintenanc
- B. Target a Systems Manager document to restart the EC2 instance.
- C. Configure an event source of Systems Manager and an event type that indicates a maintenance windo
- D. Target a Systems Manager document to restart the EC2 instance.
- E. Configure an event source of AWS Health, a service of EC2, and an event type that indicates instance maintenanc
- F. Target a newly created AWS Lambda function that registers an automation task to restart the EC2 instance during a maintenance window.
- G. Configure an event source of EC2 and an event type that indicates instance maintenanc
- H. Target a newly created AWS Lambda function that registers an automation task to restart the EC2 instance during a maintenance window.

**Answer:** C

**Explanation:**

AWS Health provides real-time events and information related to your AWS infrastructure. It can be integrated with Amazon EventBridge to act upon the health events automatically. If the maintenance notification from AWS Health indicates that an EC2 instance requires a restart, you can set up an EventBridge rule to respond to such events. In this case, the target of this rule would be a Lambda function that would trigger a Systems Manager automation to restart the EC2 instance during a maintenance window. Remember, AWS Health is the source of the events (not EC2 or Systems Manager), and AWS Lambda can be used to execute complex remediation tasks, such as scheduling maintenance tasks via Systems Manager.

The following are the steps involved in configuring the EventBridge rule to meet these requirements:

? Configure an event source of AWS Health, a service of EC2, and an event type that indicates instance maintenance.

? Target a newly created AWS Lambda function that registers an automation task to restart the EC2 instance during a maintenance window.

The AWS Lambda function will be triggered by the event from AWS Health. The function will then register an automation task to restart the EC2 instance during the next maintenance window.

**NEW QUESTION 5**

A company wants to use AWS development tools to replace its current bash deployment scripts. The company currently deploys a LAMP application to a group of Amazon EC2 instances behind an Application Load Balancer (ALB). During the deployments, the company unit tests the committed application, stops and starts services, unregisters and re-registers instances with the load balancer, and updates file permissions. The company wants to maintain the same deployment functionality through the shift to using AWS services.

Which solution will meet these requirements?

- A. Use AWS CodeBuild to test the applicatio
- B. Use bash scripts invoked by AWS CodeDeploy's `appspec.yml` file to restart services, and deregister and register instances with the AL
- C. Use the `appspec.yml` file to update file permissions without a custom script.
- D. Use AWS CodePipeline to move the application from the AWS CodeCommit repository to AWS CodeDeplo
- E. Use CodeDeploy's deployment group to test the application, unregister and re-register instances with the AL
- F. and restart service
- G. Use the `appspec.yml` file to update file permissions without a custom script.
- H. Use AWS CodePipeline to move the application source code from the AWS CodeCommit repository to AWS CodeDeplo
- I. Use CodeDeploy to test the applicatio
- J. Use CodeDeploy's `appspec.yml` file to restart services and update permissions without a custom scrip
- K. Use AWS CodeBuild to unregister and re-register instances with the ALB.
- L. Use AWS CodePipeline to trigger AWS CodeBuild to test the applicatio
- M. Use bash scripts invoked by AWS CodeDeploy's `appspec.yml` file to restart service
- N. Unregister and re-register the instances in the AWS CodeDeploy deployment group with the AL
- O. Update the `appspec.yml` file to update file permissions without a custom script.

**Answer:** D

**Explanation:**

<https://aws.amazon.com/blogs/devops/how-to-test-and-debug-aws-codedeploy-locally-before-you-ship-your-code/#:~:text=You%20can%20test%20application%20code,local%20server%20or%20EC2%20instance.>

**NEW QUESTION 6**

A company is examining its disaster recovery capability and wants the ability to switch over its daily operations to a secondary AWS Region. The company uses AWS CodeCommit as a source control tool in the primary Region.



A DevOps engineer must provide the capability for the company to develop code in the secondary Region. If the company needs to use the secondary Region, developers can add an additional remote URL to their local Git configuration. Which solution will meet these requirements?

- A. Create a CodeCommit repository in the secondary Region
- B. Create an AWS CodeBuild project to perform a Git mirror operation of the primary Region's CodeCommit repository to the secondary Region's CodeCommit repository
- C. Create an AWS Lambda function that invokes the CodeBuild project
- D. Create an Amazon EventBridge rule that reacts to merge events in the primary Region's CodeCommit repository
- E. Configure the EventBridge rule to invoke the Lambda function.
- F. Create an Amazon S3 bucket in the secondary Region
- G. Create an AWS Fargate task to perform a Git mirror operation of the primary Region's CodeCommit repository and copy the result to the S3 bucket
- H. Create an AWS Lambda function that initiates the Fargate task
- I. Create an Amazon EventBridge rule that reacts to merge events in the CodeCommit repository
- J. Configure the EventBridge rule to invoke the Lambda function.
- K. Create an AWS CodeArtifact repository in the secondary Region
- L. Create an AWS CodePipeline pipeline that uses the primary Region's CodeCommit repository for the source action
- M. Create a Cross-Region stage in the pipeline that packages the CodeCommit repository contents and stores the contents in the CodeArtifact repository when a pull request is merged into the CodeCommit repository.
- N. Create an AWS Cloud9 environment and a CodeCommit repository in the secondary Region
- O. Configure the primary Region's CodeCommit repository as a remote repository in the AWS Cloud9 environment
- P. Connect the secondary Region's CodeCommit repository to the AWS Cloud9 environment.

**Answer:** A

**Explanation:**

The best solution to meet the disaster recovery capability and allow developers to switch over to a secondary AWS Region for code development is option A. This involves creating a CodeCommit repository in the secondary Region and setting up an AWS CodeBuild project to perform a Git mirror operation of the primary Region's CodeCommit repository to the secondary Region's repository. An AWS Lambda function is then created to invoke the CodeBuild project. Additionally, an Amazon EventBridge rule is configured to react to merge events in the primary Region's CodeCommit repository and invoke the Lambda function<sup>12</sup>. This setup ensures that the secondary Region's repository is always up-to-date with the primary repository, allowing for a seamless transition in case of a disaster recovery event<sup>1</sup>.

References:

? AWS CodeCommit User Guide on resilience and disaster recovery<sup>1</sup>.

? AWS Documentation on monitoring CodeCommit events in Amazon EventBridge and Amazon CloudWatch Events<sup>2</sup>.

**NEW QUESTION 7**

A company uses AWS Key Management Service (AWS KMS) keys and manual key rotation to meet regulatory compliance requirements. The security team wants to be notified when any keys have not been rotated after 90 days. Which solution will accomplish this?

- A. Configure AWS KMS to publish to an Amazon Simple Notification Service (Amazon SNS) topic when keys are more than 90 days old.
- B. Configure an Amazon EventBridge event to launch an AWS Lambda function to call the AWS Trusted Advisor API and publish to an Amazon Simple Notification Service (Amazon SNS) topic.
- C. Develop an AWS Config custom rule that publishes to an Amazon Simple Notification Service (Amazon SNS) topic when keys are more than 90 days old.
- D. Configure AWS Security Hub to publish to an Amazon Simple Notification Service (Amazon SNS) topic when keys are more than 90 days old.

**Answer:** C

**Explanation:**

<https://aws.amazon.com/blogs/security/how-to-use-aws-config-to-determine-compliance-of-aws-kms-key-policies-to-your-specifications/>

**NEW QUESTION 8**

A development team manually builds an artifact locally and then places it in an Amazon S3 bucket. The application has a local cache that must be cleared when a deployment occurs. The team runs a command to do this downloads the artifact from Amazon S3 and unzips the artifact to complete the deployment.

A DevOps team wants to migrate to a CI/CD process and build in checks to stop and roll back the deployment when a failure occurs. This requires the team to track the progression of the deployment.

Which combination of actions will accomplish this? (Select THREE)

- A. Allow developers to check the code into a code repository Using Amazon EventBridge on every pull into the main branch invoke an AWS Lambda function to build the artifact and store it in Amazon S3.
- B. Create a custom script to clear the cache Specify the script in the BeforeInstall lifecycle hook in the AppSpec file.
- C. Create user data for each Amazon EC2 instance that contains the clear cache script Once deployed test the application If it is not successful deploy it again.
- D. Set up AWS CodePipeline to deploy the application Allow developers to check the code into a code repository as a source for the pipeline.
- E. Use AWS CodeBuild to build the artifact and place it in Amazon S3 Use AWS CodeDeploy to deploy the artifact to Amazon EC2 instances.
- F. Use AWS Systems Manager to fetch the artifact from Amazon S3 and deploy it to all the instances.

**Answer:** BDE

**NEW QUESTION 9**

A company requires that its internally facing web application be highly available. The architecture is made up of one Amazon EC2 web server instance and one NAT instance that provides outbound internet access for updates and accessing public data.

Which combination of architecture adjustments should the company implement to achieve high availability? (Choose two.)

- A. Add the NAT instance to an EC2 Auto Scaling group that spans multiple Availability Zone
- B. Update the route tables.
- C. Create additional EC2 instances spanning multiple Availability Zone
- D. Add an Application Load Balancer to split the load between them.
- E. Configure an Application Load Balancer in front of the EC2 instance
- F. Configure Amazon CloudWatch alarms to recover the EC2 instance upon host failure.

- G. Replace the NAT instance with a NAT gateway in each Availability Zone
- H. Update the route tables.
- I. Replace the NAT instance with a NAT gateway that spans multiple Availability Zone
- J. Update the route tables.

**Answer:** BD

**Explanation:**

<https://docs.aws.amazon.com/vpc/latest/userguide/vpc-nat-gateway.html>

**NEW QUESTION 10**

A company detects unusual login attempts in many of its AWS accounts. A DevOps engineer must implement a solution that sends a notification to the company's security team when multiple failed login attempts occur. The DevOps engineer has already created an Amazon Simple Notification Service (Amazon SNS) topic and has subscribed the security team to the SNS topic.

Which solution will provide the notification with the LEAST operational effort?

- A. Configure AWS CloudTrail to send log management events to an Amazon CloudWatch Logs log group
- B. Create a CloudWatch Logs metric filter to match failed ConsoleLogin event
- C. Create a CloudWatch alarm that is based on the metric filter
- D. Configure an alarm action to send messages to the SNS topic.
- E. Configure AWS CloudTrail to send log management events to an Amazon S3 bucket
- F. Create an Amazon Athena query that returns a failure if the query finds failed logins in the logs in the S3 bucket
- G. Create an Amazon EventBridge rule to periodically run the query
- H. Create a second EventBridge rule to detect when the query fails and to send a message to the SNS topic.
- I. Configure AWS CloudTrail to send log data events to an Amazon CloudWatch Logs log group
- J. Create a CloudWatch logs metric filter to match failed ConsoleLogin event
- K. Create a CloudWatch alarm that is based on the metric filter
- L. Configure an alarm action to send messages to the SNS topic.
- M. Configure AWS CloudTrail to send log data events to an Amazon S3 bucket
- N. Configure an Amazon S3 event notification for the s3:ObjectCreated event type
- O. Filter the event type by ConsoleLogin failed event
- P. Configure the event notification to forward to the SNS topic.

**Answer:** C

**Explanation:**

The correct answer is C. Configuring AWS CloudTrail to send log data events to an Amazon CloudWatch Logs log group and creating a CloudWatch logs metric filter to match failed ConsoleLogin events is the simplest and most efficient way to monitor and alert on failed login attempts. Creating a CloudWatch alarm that is based on the metric filter and configuring an alarm action to send messages to the SNS topic will ensure that the security team is notified when multiple failed login attempts occur. This solution requires the least operational effort compared to the other options.

Option A is incorrect because it involves configuring AWS CloudTrail to send log management events instead of log data events. Log management events are used to track changes to CloudTrail configuration, such as creating, updating, or deleting a trail. Log data events are used to track API activity in AWS accounts, such as login attempts. Therefore, option A will not capture the failed ConsoleLogin events.

Option B is incorrect because it involves creating an Amazon Athena query and two Amazon EventBridge rules to monitor and alert on failed login attempts. This is a more complex and costly solution than using CloudWatch logs and alarms. Moreover, option B relies on the query returning a failure, which may not happen if the query is executed successfully but does not find any failed logins.

Option D is incorrect because it involves configuring AWS CloudTrail to send log data events to an Amazon S3 bucket and configuring an Amazon S3 event notification for the s3:ObjectCreated event type. This solution will not work because the s3:ObjectCreated event type does not allow filtering by ConsoleLogin failed events. The event notification will be triggered for any object created in the S3 bucket, regardless of the event type. Therefore, option D will generate a lot of false positives and unnecessary notifications. References:

? AWS CloudTrail Log File Examples

? Creating CloudWatch Alarms for CloudTrail Events: Examples

? Monitoring CloudTrail Log Files with Amazon CloudWatch Logs

**NEW QUESTION 10**

A company is storing 100 GB of log data in csv format in an Amazon S3 bucket. SQL developers want to query this data and generate graphs to visualize it. The SQL developers also need an efficient automated way to store metadata from the csv file.

Which combination of steps will meet these requirements with the LEAST amount of effort? (Select THREE.)

- A. Filter the data through AWS X-Ray to visualize the data.
- B. Filter the data through Amazon QuickSight to visualize the data.
- C. Query the data with Amazon Athena.
- D. Query the data with Amazon Redshift.
- E. Use the AWS Glue Data Catalog as the persistent metadata store.
- F. Use Amazon DynamoDB as the persistent metadata store.

**Answer:** BCE

**Explanation:**

<https://docs.aws.amazon.com/glue/latest/dg/components-overview.html>

**NEW QUESTION 11**

A company is launching an application that stores raw data in an Amazon S3 bucket. Three applications need to access the data to generate reports. The data must be redacted differently for each application before the applications can access the data.

Which solution will meet these requirements?

- A. Create an S3 bucket for each application
- B. Configure S3 Same-Region Replication (SRR) from the raw data's S3 bucket to each application's S3 bucket
- C. Configure each application to consume data from its own S3 bucket.

- D. Create an Amazon Kinesis data stream
- E. Create an AWS Lambda function that is invoked by object creation events in the raw data's S3 bucket
- F. Program the Lambda function to redact data for each application
- G. Publish the data on the Kinesis data stream
- H. Configure each application to consume data from the Kinesis data stream.
- I. For each application, create an S3 access point that uses the raw data's S3 bucket as the destination
- J. Create an AWS Lambda function that is invoked by object creation events in the raw data's S3 bucket
- K. Program the Lambda function to redact data for each application
- L. Store the data in each application's S3 access point
- M. Configure each application to consume data from its own S3 access point.
- N. Create an S3 access point that uses the raw data's S3 bucket as the destination
- O. For each application, create an S3 Object Lambda access point that uses the S3 access point
- P. Configure the AWS Lambda function for each S3 Object Lambda access point to redact data when objects are retrieved
- Q. Configure each application to consume data from its own S3 Object Lambda access point.

**Answer:** D

**Explanation:**

? The best solution is to use S3 Object Lambda<sup>1</sup>, which allows you to add your own code to S3 GET, LIST, and HEAD requests to modify and process data as it is returned to an application<sup>2</sup>. This way, you can redact the data differently for each application without creating and storing multiple copies of the data or running proxies.

? The other solutions are less efficient or scalable because they require replicating the data to multiple buckets, streaming the data through Kinesis, or storing the data in S3 access points.

References: 1: Amazon S3 Features | Object Lambda | AWS 2: Transforming objects with S3 Object Lambda - Amazon Simple Storage Service

**NEW QUESTION 13**

A company is testing a web application that runs on Amazon EC2 instances behind an Application Load Balancer. The instances run in an Auto Scaling group across multiple Availability Zones. The company uses a blue green deployment process with immutable instances when deploying new software.

During testing users are being automatically logged out of the application at random times. Testers also report that when a new version of the application is deployed all users are logged out. The development team needs a solution to ensure users remain logged in across scaling events and application deployments.

What is the MOST operationally efficient way to ensure users remain logged in?

- A. Enable smart sessions on the load balancer and modify the application to check for an existing session.
- B. Enable session sharing on the load balancer and modify the application to read from the session store.
- C. Store user session information in an Amazon S3 bucket and modify the application to read session information from the bucket.
- D. Modify the application to store user session information in an Amazon ElastiCache cluster.

**Answer:** D

**Explanation:**

<https://aws.amazon.com/caching/session-management/>

**NEW QUESTION 16**

A DevOps engineer used an AWS CloudFormation custom resource to set up AD Connector. The AWS Lambda function ran and created AD Connector, but CloudFormation is not transitioning from CREATE\_IN\_PROGRESS to CREATE\_COMPLETE.

Which action should the engineer take to resolve this issue?

- A. Ensure the Lambda function code has exited successfully.
- B. Ensure the Lambda function code returns a response to the pre-signed URL.
- C. Ensure the Lambda function IAM role has cloudformation UpdateStack permissions for the stack ARN.
- D. Ensure the Lambda function IAM role has ds ConnectDirectory permissions for the AWS account.

**Answer:** B

**Explanation:**

Reference: <https://docs.aws.amazon.com/AWSCloudFormation/latest/UserGuide/crpg-ref-responses.html>

**NEW QUESTION 17**

A company has deployed an application in a production VPC in a single AWS account. The application is popular and is experiencing heavy usage. The company's security team wants to add additional security, such as AWS WAF, to the application deployment. However, the application's product manager is concerned about cost and does not want to approve the change unless the security team can prove that additional security is necessary.

The security team believes that some of the application's demand might come from users that have IP addresses that are on a deny list. The security team provides the deny list to a DevOps engineer. If any of the IP addresses on the deny list access the application, the security team wants to receive automated notification in near real time so that the security team can document that the application needs additional security. The DevOps engineer creates a VPC flow log for the production VPC.

Which set of additional steps should the DevOps engineer take to meet these requirements MOST cost-effectively?

- A. Create a log group in Amazon CloudWatch Log
- B. Configure the VPC flow log to capture accepted traffic and to send the data to the log group
- C. Create an Amazon CloudWatch metric filter for IP addresses on the deny list
- D. Create a CloudWatch alarm with the metric filter as input
- E. Set the period to 5 minutes and the datapoints to alarm to 1. Use an Amazon Simple Notification Service (Amazon SNS) topic to send alarm notices to the security team.
- F. Create an Amazon S3 bucket for log files
- G. Configure the VPC flow log to capture all traffic and to send the data to the S3 bucket
- H. Configure Amazon Athena to return all log files in the S3 bucket for IP addresses on the deny list
- I. Configure Amazon QuickSight to accept data from Athena and to publish the data as a dashboard that the security team can access
- J. Create a threshold alert of 1 for successful access
- K. Configure the alert to automatically notify the security team as frequently as possible when the alert threshold is met.



- L. Create an Amazon S3 bucket for log file
- M. Configure the VPC flow log to capture accepted traffic and to send the data to the S3 bucket
- N. Configure an Amazon OpenSearch Service cluster and domain for the log file
- O. Create an AWS Lambda function to retrieve the logs from the S3 bucket, format the logs, and load the logs into the OpenSearch Service cluster
- P. Schedule the Lambda function to run every 5 minutes
- Q. Configure an alert and condition in OpenSearch Service to send alerts to the security team through an Amazon Simple Notification Service (Amazon SNS) topic when access from the IP addresses on the deny list is detected.
- R. Create a log group in Amazon CloudWatch Log
- S. Create an Amazon S3 bucket to hold query results
- T. Configure the VPC flow log to capture all traffic and to send the data to the log group
- . Deploy an Amazon Athena CloudWatch connector in AWS Lambda
- . Connect the connector to the log group
- . Configure Athena to periodically query for all accepted traffic from the IP addresses on the deny list and to store the results in the S3 bucket
- . Configure an S3 event notification to automatically notify the security team through an Amazon Simple Notification Service (Amazon SNS) topic when new objects are added to the S3 bucket.

**Answer:** A

#### NEW QUESTION 20

A company uses AWS and has a VPC that contains critical compute infrastructure with predictable traffic patterns. The company has configured VPC flow logs that are published to a log group in Amazon CloudWatch Logs.

The company's DevOps team needs to configure a monitoring solution for the VPC flow logs to identify anomalies in network traffic to the VPC over time. If the monitoring solution detects an anomaly, the company needs the ability to initiate a response to the anomaly.

How should the DevOps team configure the monitoring solution to meet these requirements?

- A. Create an Amazon Kinesis data stream
- B. Subscribe the log group to the data stream
- C. Configure Amazon Kinesis Data Analytics to detect log anomalies in the data stream
- D. Create an AWS Lambda function to use as the output of the data stream
- E. Configure the Lambda function to write to the default Amazon EventBridge event bus in the event of an anomaly finding.
- F. Create an Amazon Kinesis Data Firehose delivery stream that delivers events to an Amazon S3 bucket
- G. Subscribe the log group to the delivery stream
- H. Configure Amazon Lookout for Metrics to monitor the data in the S3 bucket for anomalies
- I. Create an AWS Lambda function to run in response to Lookout for Metrics anomaly finding
- J. Configure the Lambda function to publish to the default Amazon EventBridge event bus.
- K. Create an AWS Lambda function to detect anomalies
- L. Configure the Lambda function to publish an event to the default Amazon EventBridge event bus if the Lambda function detects an anomaly
- M. Subscribe the Lambda function to the log group.
- N. Create an Amazon Kinesis data stream
- O. Subscribe the log group to the data stream
- P. Create an AWS Lambda function to detect anomalies
- Q. Configure the Lambda function to write to the default Amazon EventBridge event bus if the Lambda function detects an anomaly
- R. Set the Lambda function as the processor for the data stream.

**Answer:** D

#### Explanation:

To meet the requirements, the DevOps team needs to configure a monitoring solution for the VPC flow logs that can detect anomalies in network traffic over time and initiate a response to the anomaly. The DevOps team can use Amazon Kinesis Data Streams to ingest and process streaming data from CloudWatch Logs. The DevOps team can subscribe the log group to a Kinesis data stream, which will deliver log events from CloudWatch Logs to Kinesis Data Streams in near real-time. The DevOps team can then create an AWS Lambda function to detect log anomalies using machine learning or statistical methods. The Lambda function can be set as a processor for the data stream, which means that it will process each record from the stream before sending it to downstream applications or destinations. The Lambda function can also write to the default Amazon EventBridge event bus if it detects an anomaly, which will allow other AWS services or custom applications to respond to the anomaly event.

#### NEW QUESTION 22

A DevOps engineer is planning to deploy a Ruby-based application to production. The application needs to interact with an Amazon RDS for MySQL database and should have automatic scaling and high availability. The stored data in the database is critical and should persist regardless of the state of the application stack.

The DevOps engineer needs to set up an automated deployment strategy for the application with automatic rollbacks. The solution also must alert the application team when a deployment fails.

Which combination of steps will meet these requirements? (Select THREE.)

- A. Deploy the application on AWS Elastic Beanstalk
- B. Deploy an Amazon RDS for MySQL DB instance as part of the Elastic Beanstalk configuration.
- C. Deploy the application on AWS Elastic Beanstalk
- D. Deploy a separate Amazon RDS for MySQL DB instance outside of Elastic Beanstalk.
- E. Configure a notification email address that alerts the application team in the AWS Elastic Beanstalk configuration.
- F. Configure an Amazon EventBridge rule to monitor AWS Health event
- G. Use an Amazon Simple Notification Service (Amazon SNS) topic as a target to alert the application team.
- H. Use the immutable deployment method to deploy new application versions.
- I. Use the rolling deployment method to deploy new application versions.

**Answer:** BDE

#### Explanation:

For deploying a Ruby-based application with requirements for interaction with an Amazon RDS for MySQL database, automatic scaling, high availability, and data persistence, the following steps will meet the requirements:

? B. Deploy the application on AWS Elastic Beanstalk. Deploy a separate Amazon

RDS for MySQL DB instance outside of Elastic Beanstalk. This approach ensures that the database persists independently of the Elastic Beanstalk environment, which can be torn down and recreated without affecting the database.

? E. Use the immutable deployment method to deploy new application

versions. Immutable deployments provide a zero-downtime deployment method that ensures that if any part of the deployment process fails, the environment is rolled back to the original state automatically<sup>4</sup>.

? D. Configure an Amazon EventBridge rule to monitor AWS Health events. Use an Amazon Simple Notification Service (Amazon SNS) topic as a target to alert the application team. This setup allows for automated monitoring and alerting of the application team in case of deployment failures or other health events<sup>56</sup>.

References:

? AWS Elastic Beanstalk documentation on deploying Ruby applications<sup>1</sup>.

? AWS documentation on application auto-scaling<sup>7</sup>.

? AWS documentation on automated deployment strategies with automatic rollbacks and alerts<sup>456</sup>.

#### NEW QUESTION 26

A company has configured an Amazon S3 event source on an AWS Lambda function. The company needs the Lambda function to run when a new object is created or an existing object is modified in a particular S3 bucket. The Lambda function will use the S3 bucket name and the S3 object key of the incoming event to read the contents of the created or modified S3 object. The Lambda function will parse the contents and save the parsed contents to an Amazon DynamoDB table. The Lambda function's execution role has permissions to read from the S3 bucket and to write to the DynamoDB table. During testing, a DevOps engineer discovers that the Lambda function does not run when objects are added to the S3 bucket or when existing objects are modified. Which solution will resolve this problem?

- A. Increase the memory of the Lambda function to give the function the ability to process large files from the S3 bucket.
- B. Create a resource policy on the Lambda function to grant Amazon S3 the permission to invoke the Lambda function for the S3 bucket.
- C. Configure an Amazon Simple Queue Service (Amazon SQS) queue as an OnFailure destination for the Lambda function.
- D. Provision space in the /tmp folder of the Lambda function to give the function the ability to process large files from the S3 bucket.

**Answer: B**

#### Explanation:

? Option A is incorrect because increasing the memory of the Lambda function does not address the root cause of the problem, which is that the Lambda function is not triggered by the S3 event source. Increasing the memory of the Lambda function might improve its performance or reduce its execution time, but it does not affect its invocation. Moreover, increasing the memory of the Lambda function might incur higher costs, as Lambda charges based on the amount of memory allocated to the function.

? Option B is correct because creating a resource policy on the Lambda function to grant Amazon S3 the permission to invoke the Lambda function for the S3 bucket is a necessary step to configure an S3 event source. A resource policy is a JSON document that defines who can access a Lambda resource and under what conditions. By granting Amazon S3 permission to invoke the Lambda function, the company ensures that the Lambda function runs when a new object is created or an existing object is modified in the S3 bucket<sup>1</sup>.

? Option C is incorrect because configuring an Amazon Simple Queue Service (Amazon SQS) queue as an On-Failure destination for the Lambda function does not help with triggering the Lambda function. An On-Failure destination is a feature that allows Lambda to send events to another service, such as SQS or Amazon Simple Notification Service (Amazon SNS), when a function invocation fails. However, this feature only applies to asynchronous invocations, and S3 event sources use synchronous invocations. Therefore, configuring an SQS queue as an On-Failure destination would have no effect on the problem.

? Option D is incorrect because provisioning space in the /tmp folder of the Lambda function does not address the root cause of the problem, which is that the Lambda function is not triggered by the S3 event source. Provisioning space in the /tmp folder of the Lambda function might help with processing large files from the S3 bucket, as it provides temporary storage for up to 512 MB of data. However, it does not affect the invocation of the Lambda function.

References:

? Using AWS Lambda with Amazon S3

? Lambda resource access permissions

? AWS Lambda destinations

? [AWS Lambda file system]

#### NEW QUESTION 31

A company has developed a serverless web application that is hosted on AWS. The application consists of Amazon S3, Amazon API Gateway, several AWS Lambda functions, and an Amazon RDS for MySQL database. The company is using AWS CodeCommit to store the source code. The source code is a combination of AWS Serverless Application Model (AWS SAM) templates and Python code.

A security audit and penetration test reveal that user names and passwords for authentication to the database are hardcoded within CodeCommit repositories. A DevOps engineer must implement a solution to automatically detect and prevent hardcoded secrets.

What is the MOST secure solution that meets these requirements?

- A. Enable Amazon CodeGuru Profile
- B. Decorate the handler function with `@with_lambda_profiler()`. Manually review the recommendation report.
- C. Write the secret to AWS Systems Manager Parameter Store as a secure string.
- D. Update the SAM templates and the Python code to pull the secret from Parameter Store.
- E. Associate the CodeCommit repository with Amazon CodeGuru Reviewer.
- F. Manually check the code review for any recommendation.
- G. Choose the option to protect the secret.
- H. Update the SAM templates and the Python code to pull the secret from AWS Secrets Manager.
- I. Enable Amazon CodeGuru Profile.
- J. Decorate the handler function with `@with_lambda_profiler()`. Manually review the recommendation report.
- K. Choose the option to protect the secret.
- L. Update the SAM templates and the Python code to pull the secret from AWS Secrets Manager.
- M. Associate the CodeCommit repository with Amazon CodeGuru Reviewer.
- N. Manually check the code review for any recommendation.
- O. Write the secret to AWS Systems Manager Parameter Store as a string.
- P. Update the SAM templates and the Python code to pull the secret from Parameter Store.

**Answer: B**

#### Explanation:

<https://docs.aws.amazon.com/codecommit/latest/userguide/how-to-amazon-codeguru-reviewer.html>

#### NEW QUESTION 32

A company's production environment uses an AWS CodeDeploy blue/green deployment to deploy an application. The deployment includes Amazon EC2 Auto



Scaling groups that launch instances that run Amazon Linux 2.  
A working appspec. yml file exists in the code repository and contains the following text.

```
version: 0.0
os: linux
files:
  - source: /
    destination: /var/www/html/application
```

A DevOps engineer needs to ensure that a script downloads and installs a license file onto the instances before the replacement instances start to handle request traffic. The DevOps engineer adds a hooks section to the appspec. yml file.  
Which hook should the DevOps engineer use to run the script that downloads and installs the license file?

- A. AfterBlockTraffic
- B. BeforeBlockTraffic
- C. BeforeInstall
- D. Down load Bundle

**Answer: C**

**Explanation:**

This hook runs before the new application version is installed on the replacement instances. This is the best place to run the script because it ensures that the license file is downloaded and installed before the replacement instances start to handle request traffic. If you use any other hook, you may encounter errors or inconsistencies in your application.

**NEW QUESTION 35**

A DevOps engineer manages a large commercial website that runs on Amazon EC2. The website uses Amazon Kinesis Data Streams to collect and process web togs. The DevOps engineer manages the Kinesis consumer application, which also runs on Amazon EC2.  
Sudden increases of data cause the Kinesis consumer application to (all behind and the Kinesis data streams drop records before the records can be processed.  
The DevOps engineer must implement a solution to improve stream handling.  
Which solution meets these requirements with the MOST operational efficiency?

- A. Modify the Kinesis consumer application to store the logs durably in Amazon S3 Use Amazon EMR to process the data directly on Amazon S3 to derive customer insights Store the results in Amazon S3.
- B. Horizontally scale the Kinesis consumer application by adding more EC2 instances based on the Amazon CloudWatch GetRecords IteratorAgeMilliseconds metric Increase the retention period of the Kinesis data streams.
- C. Convert the Kinesis consumer application to run as an AWS Lambda functio
- D. Configure the Kinesis data streams as the event source for the Lambda function to process the data streams
- E. Increase the number of shards in the Kinesis data streams to increase the overall throughput so that the consumer application processes the data faster.

**Answer: B**

**Explanation:**

<https://docs.aws.amazon.com/streams/latest/dev/monitoring-with-cloudwatch.html>  
GetRecords.IteratorAgeMilliseconds - The age of the last record in all GetRecords calls made against a Kinesis stream, measured over the specified time period. Age is the difference between the current time and when the last record of the GetRecords call was written to the stream. The Minimum and Maximum statistics can be used to track the progress of Kinesis consumer applications. A value of zero indicates that the records being read are completely caught up.

**NEW QUESTION 40**

A company is using an AWS CodeBuild project to build and package an application. The packages are copied to a shared Amazon S3 bucket before being deployed across multiple AWS accounts.  
The buildspec.yml file contains the following:

```
version: 0.2
phases:
  build:
    commands:
      - go build -o myapp
  post_build:
    commands:
      - aws s3 cp --acl authenticated-read myapp s3://artifacts/
```

The DevOps engineer has noticed that anybody with an AWS account is able to download the artifacts.  
What steps should the DevOps engineer take to stop this?

- A. Modify the post\_build command to use --acl public-read and configure a bucket policy that grants read access to the relevant AWS accounts only.
- B. Configure a default ACL for the S3 bucket that defines the set of authenticated users as the relevant AWS accounts only and grants read-only access.
- C. Create an S3 bucket policy that grants read access to the relevant AWS accounts and denies read access to the principal “\*”.
- D. Modify the post\_build command to remove --acl authenticated-read and configure a bucket policy that allows read access to the relevant AWS accounts only.

**Answer: D**

**Explanation:**

When setting the flag authenticated-read in the command line, the owner gets FULL\_CONTROL. The AuthenticatedUsers group (Anyone with an AWS account) gets READ access. Reference: <https://docs.aws.amazon.com/AmazonS3/latest/userguide/acl-overview.html>

**NEW QUESTION 41**

A company is using AWS to run digital workloads. Each application team in the company has its own AWS account for application hosting. The accounts are consolidated in an organization in AWS Organizations. The company wants to enforce security standards across the entire organization. To avoid noncompliance because of security misconfiguration, the company has enforced the use of AWS CloudFormation. A production support team can modify resources in the production environment by using the AWS Management Console to troubleshoot and resolve application-related issues. A DevOps engineer must implement a solution to identify in near real time any AWS service misconfiguration that results in noncompliance. The solution must automatically remediate the issue within 15 minutes of identification. The solution also must track noncompliant resources and events in a centralized dashboard with accurate timestamps. Which solution will meet these requirements with the LEAST development overhead?

- A. Use CloudFormation drift detection to identify noncompliant resource
- B. Use drift detection events from CloudFormation to invoke an AWS Lambda function for remediation
- C. Configure the Lambda function to publish logs to an Amazon CloudWatch Logs log group
- D. Configure an Amazon CloudWatch dashboard to use the log group for tracking.
- E. Turn on AWS CloudTrail in the AWS account
- F. Analyze CloudTrail logs by using Amazon Athena to identify noncompliant resource
- G. Use AWS Step Functions to track query results on Athena for drift detection and to invoke an AWS Lambda function for remediation
- H. For tracking, set up an Amazon QuickSight dashboard that uses Athena as the data source.
- I. Turn on the configuration recorder in AWS Config in all the AWS accounts to identify noncompliant resource
- J. Enable AWS Security Hub with the ~no-enable-default-standards option in all the AWS account
- K. Set up AWS Config managed rules and custom rule
- L. Set up automatic remediation by using AWS Config conformance pack
- M. For tracking, set up a dashboard on Security Hub in a designated Security Hub administrator account.
- N. Turn on AWS CloudTrail in the AWS account
- O. Analyze CloudTrail logs by using Amazon CloudWatch Logs to identify noncompliant resource
- P. Use CloudWatch Logs filters for drift detection
- Q. Use Amazon EventBridge to invoke the Lambda function for remediation
- R. Stream filtered CloudWatch logs to Amazon OpenSearch Service
- S. Set up a dashboard on OpenSearch Service for tracking.

**Answer: C**

**Explanation:**

The best solution is to use AWS Config and AWS Security Hub to identify and remediate noncompliant resources across multiple AWS accounts. AWS Config enables continuous monitoring of the configuration of AWS resources and evaluates them against desired configurations. AWS Config can also automatically remediate noncompliant resources by using conformance packs, which are a collection of AWS Config rules and remediation actions that can be deployed as a single entity. AWS Security Hub provides a comprehensive view of the security posture of AWS accounts and resources. AWS Security Hub can aggregate and normalize the findings from AWS Config and other AWS services, as well as from partner solutions. AWS Security Hub can also be used to create a dashboard for tracking noncompliant resources and events in a centralized location.

The other options are not optimal because they either require more development overhead, do not provide near real time detection and remediation, or do not provide a centralized dashboard for tracking.

Option A is not optimal because CloudFormation drift detection is not a near real time solution. Drift detection has to be manually initiated on each stack or resource, or scheduled using a cron expression. Drift detection also does not provide remediation

actions, so a custom Lambda function has to be developed and invoked. CloudWatch Logs and dashboard can be used for tracking, but they do not provide a comprehensive view of the security posture of the AWS accounts and resources.

Option B is not optimal because CloudTrail logs analysis using Athena is not a near real time solution. Athena queries have to be manually run or scheduled using a cron expression. Athena also does not provide remediation actions, so a custom Lambda function has to be developed and invoked. Step Functions can be used to orchestrate the query and remediation workflow, but it adds more complexity and cost. QuickSight dashboard can be used for tracking, but it does not provide a comprehensive view of the security posture of the AWS accounts and resources.

Option D is not optimal because CloudTrail logs analysis using CloudWatch Logs is not a near real time solution. CloudWatch Logs filters have to be manually created or updated for each resource type and configuration change. CloudWatch Logs also does not provide remediation actions, so a custom Lambda function has to be developed and invoked. EventBridge can be used to trigger the Lambda function, but it adds more complexity and cost. OpenSearch Service dashboard can be used for tracking, but it does not provide a comprehensive view of the security posture of the AWS accounts and resources. References:

? AWS Config conformance packs

? Introducing AWS Config conformance packs

? Managing conformance packs across all accounts in your organization

**NEW QUESTION 43**

A company is implementing an Amazon Elastic Container Service (Amazon ECS) cluster to run its workload. The company architecture will run multiple ECS services on the cluster. The architecture includes an Application Load Balancer on the front end and uses multiple target groups to route traffic.

A DevOps engineer must collect application and access logs. The DevOps engineer then needs to send the logs to an Amazon S3 bucket for near-real-time analysis.

Which combination of steps must the DevOps engineer take to meet these requirements? (Choose three.)

- A. Download the Amazon CloudWatch Logs container instance from AWS
- B. Configure this instance as a task
- C. Update the application service definitions to include the logging task.
- D. Install the Amazon CloudWatch Logs agent on the ECS instance
- E. Change the logging driver in the ECS task definition to awslogs.
- F. Use Amazon EventBridge to schedule an AWS Lambda function that will run every 60 seconds and will run the Amazon CloudWatch Logs create-export-task command
- G. Then point the output to the logging S3 bucket.
- H. Activate access logging on the ALB
- I. Then point the ALB directly to the logging S3 bucket.
- J. Activate access logging on the target groups that the ECS services use
- K. Then send the logs directly to the logging S3 bucket.
- L. Create an Amazon Kinesis Data Firehose delivery stream that has a destination of the logging S3 bucket
- M. Then create an Amazon CloudWatch Logs subscription filter for Kinesis Data Firehose.

**Answer: BDF**

**Explanation:**

<https://docs.aws.amazon.com/AmazonECS/latest/developerguide/ecs-logging-monitoring.html>

**NEW QUESTION 45**

A company uses AWS Directory Service for Microsoft Active Directory as its identity provider (IdP). The company requires all infrastructure to be defined and deployed by AWS CloudFormation.

A DevOps engineer needs to create a fleet of Windows-based Amazon EC2 instances to host an application. The DevOps engineer has created a CloudFormation template that contains an EC2 launch template, IAM role, EC2 security group, and EC2 Auto Scaling group. The DevOps engineer must implement a solution that joins all EC2 instances to the domain of the AWS Managed Microsoft AD directory.

Which solution will meet these requirements with the MOST operational efficiency?

- A. In the CloudFormation template, create an AWS::SSM::Document resource that joins the EC2 instance to the AWS Managed Microsoft AD domain by using the parameters for the existing director
- B. Update the launch template to include the SSMAssociation property to use the new SSM document
- C. Attach the AmazonSSMManagedInstanceCore and AmazonSSMDirectoryServiceAccess AWS managed policies to the IAM role that the EC2 instances use.
- D. In the CloudFormation template, update the launch template to include specific tags that propagate on launch
- E. Create an AWS::SSM::Association resource to associate the AWS- JoinDirectoryServiceDomain Automation runbook with the EC2 instances that have the specified tag
- F. Define the required parameters to join the AWS Managed Microsoft AD director
- G. Attach the AmazonSSMManagedInstanceCore and AmazonSSMDirectoryServiceAccess AWS managed policies to the IAM role that the EC2 instances use.
- H. Store the existing AWS Managed Microsoft AD domain connection details in AWS Secrets Manager
- I. In the CloudFormation template, create an AWS::SSM::Association resource to associate the AWS-CreateManagedWindowsInstanceWithApproval Automation runbook with the EC2 Auto Scaling group
- J. Pass the ARNs for the parameters from Secrets Manager to join the domain
- K. Attach the AmazonSSMDirectoryServiceAccess and SecretsManagerReadWrite AWS managed policies to the IAM role that the EC2 instances use.
- L. Store the existing AWS Managed Microsoft AD domain administrator credentials in AWS Secrets Manager
- M. In the CloudFormation template, update the EC2 launch template to include user data
- N. Configure the user data to pull the administrator credentials from Secrets Manager and to join the AWS Managed Microsoft AD domain
- O. Attach the AmazonSSMManagedInstanceCore and SecretsManagerReadWrite AWS managed policies to the IAM role that the EC2 instances use.

**Answer:** B

**Explanation:**

To meet the requirements, the DevOps engineer needs to create a solution that joins all EC2 instances to the domain of the AWS Managed Microsoft AD directory with the most operational efficiency. The DevOps engineer can use AWS Systems Manager Automation to automate the domain join process using an existing runbook called AWS- JoinDirectoryServiceDomain. This runbook can join Windows instances to an AWS Managed Microsoft AD or Simple AD directory by using PowerShell commands. The DevOps engineer can create an AWS::SSM::Association resource in the CloudFormation template to associate the runbook with the EC2 instances that have specific tags. The tags can be defined in the launch template and propagated on launch to the EC2 instances. The DevOps engineer can also define the required parameters for the runbook, such as the directory ID, directory name, and organizational unit. The DevOps engineer can attach the AmazonSSMManagedInstanceCore and AmazonSSMDirectoryServiceAccess AWS managed policies to the IAM role that the EC2 instances use. These policies grant the necessary permissions for Systems Manager and Directory Service operations.

**NEW QUESTION 46**

A company builds an application that uses an Application Load Balancer in front of Amazon EC2 instances that are in an Auto Scaling group. The application is stateless. The Auto Scaling group uses a custom AMI that is fully prebuilt. The EC2 instances do not have a custom bootstrapping process.

The AMI that the Auto Scaling group uses was recently deleted. The Auto Scaling group's scaling activities show failures because the AMI ID does not exist.

Which combination of steps should a DevOps engineer take to meet these requirements? (Select THREE.)

- A. Create a new launch template that uses the new AMI.
- B. Update the Auto Scaling group to use the new launch template.
- C. Reduce the Auto Scaling group's desired capacity to 0.
- D. Increase the Auto Scaling group's desired capacity by 1.
- E. Create a new AMI from a running EC2 instance in the Auto Scaling group.
- F. Create a new AMI by copying the most recent public AMI of the operating system that the EC2 instances use.

**Answer:** ABF

**Explanation:**

To restore the functionality of the Auto Scaling group after the AMI was deleted, the DevOps engineer needs to create a new AMI and update the Auto Scaling group to use it. The DevOps engineer can create a new AMI by copying the most recent public AMI of the operating system that the EC2 instances use. This will ensure that the new AMI has the same operating system as the custom AMI that was deleted. The DevOps engineer can then create a new launch template that uses the new AMI and update the Auto Scaling group to use the new launch template. This will allow the Auto Scaling group to launch new instances with the new AMI.

**NEW QUESTION 47**

A company uses AWS Storage Gateway in file gateway mode in front of an Amazon S3 bucket that is used by multiple resources. In the morning when business begins, users do not see the objects processed by a third party the previous evening. When a DevOps engineer looks directly at the S3 bucket, the data is there, but it is missing in Storage Gateway.

Which solution ensures that all the updated third-party files are available in the morning?

- A. Configure a nightly Amazon EventBridge event to invoke an AWS Lambda function to run the RefreshCache command for Storage Gateway.
- B. Instruct the third party to put data into the S3 bucket using AWS Transfer for SFTP.
- C. Modify Storage Gateway to run in volume gateway mode.
- D. Use S3 Same-Region Replication to replicate any changes made directly in the S3 bucket to Storage Gateway.

**Answer:** A

**Explanation:**

[https://docs.aws.amazon.com/storagegateway/latest/APIReference/API\\_RefreshCache.html](https://docs.aws.amazon.com/storagegateway/latest/APIReference/API_RefreshCache.html) "It only updates the cached inventory to reflect changes in the inventory of the objects in the S3 bucket. This operation is only supported in the S3 File Gateway types."



**NEW QUESTION 50**

A DevOps engineer is building a multistage pipeline with AWS CodePipeline to build, verify, stage, test, and deploy an application. A manual approval stage is required between the test stage and the deploy stage. The development team uses a custom chat tool with webhook support that requires near-real-time notifications.

How should the DevOps engineer configure status updates for pipeline activity and approval requests to post to the chat tool?

- A. Create an Amazon CloudWatch Logs subscription that filters on CodePipeline Pipeline Execution State Change
- B. Publish subscription events to an Amazon Simple Notification Service (Amazon SNS) topic
- C. Subscribe the chat webhook URL to the SNS topic, and complete the subscription validation.
- D. Create an AWS Lambda function that is invoked by AWS CloudTrail event
- E. When a CodePipeline Pipeline Execution State Change event is detected, send the event details to the chat webhook URL.
- F. Create an Amazon EventBridge rule that filters on CodePipeline Pipeline Execution State Change
- G. Publish the events to an Amazon Simple Notification Service (Amazon SNS) topic
- H. Create an AWS Lambda function that sends event details to the chat webhook URL
- I. Subscribe the function to the SNS topic.
- J. Modify the pipeline code to send the event details to the chat webhook URL at the end of each stage
- K. Parameterize the URL so that each pipeline can send to a different URL based on the pipeline environment.

**Answer:** C

**Explanation:**

<https://aws.amazon.com/premiumsupport/knowledge-center/sns-lambda-webhooks-chime-slack-teams/>

**NEW QUESTION 52**

A company has an application that includes AWS Lambda functions. The Lambda functions run Python code that is stored in an AWS CodeCommit repository. The company has recently experienced failures in the production environment because of an error in the Python code. An engineer has written unit tests for the Lambda functions to help avoid releasing any future defects into the production environment.

The company's DevOps team needs to implement a solution to integrate the unit tests into an existing AWS CodePipeline pipeline. The solution must produce reports about the unit tests for the company to view.

Which solution will meet these requirements?

- A. Associate the CodeCommit repository with Amazon CodeGuru Reviewer
- B. Create a new AWS CodeBuild project
- C. In the CodePipeline pipeline, configure a test stage that uses the new CodeBuild project
- D. Create a buildspec.yml file in the CodeCommit repository
- E. In the buildspec.yml file, define the actions to run a CodeGuru review.
- F. Create a new AWS CodeBuild project
- G. In the CodePipeline pipeline, configure a test stage that uses the new CodeBuild project
- H. Create a CodeBuild report group
- I. Create a buildspec.yml file in the CodeCommit repository
- J. In the buildspec.yml file, define the actions to run the unit tests with an output of JUNITXML in the build phase section. Configure the test reports to be uploaded to the new CodeBuild report group.
- K. Create a new AWS CodeArtifact repository
- L. Create a new AWS CodeBuild project
- M. In the CodePipeline pipeline, configure a test stage that uses the new CodeBuild project
- N. Create an appspec.yml file in the original CodeCommit repository
- O. In the appspec.yml file, define the actions to run the unit tests with an output of CUCUMBERJSON in the build phase section
- P. Configure the test reports to be sent to the new CodeArtifact repository.
- Q. Create a new AWS CodeBuild project
- R. In the CodePipeline pipeline, configure a test stage that uses the new CodeBuild project
- S. Create a new Amazon S3 bucket
- T. Create a buildspec.yml file in the CodeCommit repository
- . In the buildspec.yml file, define the actions to run the unit tests with an output of HTML in the phases section
- . In the reports section, upload the test reports to the S3 bucket.

**Answer:** B

**Explanation:**

The correct answer is B. Creating a new AWS CodeBuild project and configuring a test stage in the AWS CodePipeline pipeline that uses the new CodeBuild project is the best way to integrate the unit tests into the existing pipeline. Creating a CodeBuild report group and uploading the test reports to the new CodeBuild report group will produce reports about the unit tests for the company to view. Using JUNITXML as the output format for the unit tests is supported by CodeBuild and will generate a valid report. Option A is incorrect because Amazon CodeGuru Reviewer is a service that provides automated code reviews and recommendations for improving code quality and performance. It is not a tool for running unit tests or producing test reports. Therefore, option A will not meet the requirements.

Option C is incorrect because AWS CodeArtifact is a service that provides secure, scalable, and cost-effective artifact management for software development. It is not a tool for running unit tests or producing test reports. Moreover, option C uses CUCUMBERJSON as the output format for the unit tests, which is not supported by CodeBuild and will not generate a valid report.

Option D is incorrect because uploading the test reports to an Amazon S3 bucket is not the best way to produce reports about the unit tests for the company to view. CodeBuild has a built-in feature to create and manage test reports, which is more convenient and efficient than using S3. Furthermore, option D uses HTML as the output format for the unit tests, which is not supported by CodeBuild and will not generate a valid report.

**NEW QUESTION 56**

The security team depends on AWS CloudTrail to detect sensitive security issues in the company's AWS account. The DevOps engineer needs a solution to automatically remediate CloudTrail being turned off in an AWS account.

What solution ensures the LEAST amount of downtime for the CloudTrail log deliveries?

- A. Create an Amazon EventBridge rule for the CloudTrail StopLogging event
- B. Create an AWS Lambda function that uses the AWS SDK to call StartLogging on the ARN of the resource in which StopLogging was called
- C. Add the Lambda function ARN as a target to the EventBridge rule.
- D. Deploy the AWS-managed CloudTrail-enabled AWS Config rule set with a periodic interval to 1 hour

- E. Create an Amazon EventBridge rule for AWS Config rules compliance change
- F. Create an AWS Lambda function that uses the AWS SDK to call StartLogging on the ARN of the resource in which StopLogging was called
- G. Add the Lambda function ARN as a target to the EventBridge rule.
- H. Create an Amazon EventBridge rule for a scheduled event every 5 minutes
- I. Create an AWS Lambda function that uses the AWS SDK to call StartLogging on a CloudTrail trail in the AWS account
- J. Add the Lambda function ARN as a target to the EventBridge rule.
- K. Launch a t2 nano instance with a script running every 5 minutes that uses the AWS SDK to query CloudTrail in the current account
- L. If the CloudTrail trail is disabled have the script re-enable the trail.

**Answer:** A

**Explanation:**

<https://aws.amazon.com/blogs/mt/monitor-changes-and-auto-enable-logging-in-aws-cloudtrail/>

**NEW QUESTION 59**

A DevOps engineer manages a web application that runs on Amazon EC2 instances behind an Application Load Balancer (ALB). The instances run in an EC2 Auto Scaling group across multiple Availability Zones. The engineer needs to implement a deployment strategy that:

Launches a second fleet of instances with the same capacity as the original fleet. Maintains the original fleet unchanged while the second fleet is launched. Transitions traffic to the second fleet when the second fleet is fully deployed. Terminates the original fleet automatically 1 hour after transition.

Which solution will satisfy these requirements?

- A. Use an AWS CloudFormation template with a retention policy for the ALB set to 1 hour
- B. Update the Amazon Route 53 record to reflect the new ALB.
- C. Use two AWS Elastic Beanstalk environments to perform a blue/green deployment from the original environment to the new one
- D. Create an application version lifecycle policy to terminate the original environment in 1 hour.
- E. Use AWS CodeDeploy with a deployment group configured with a blue/green deployment configuration. Select the option Terminate the original instances in the deployment group with a waiting period of 1 hour.
- F. Use AWS Elastic Beanstalk with the configuration set to Immutable
- G. Create an extension using the Resources key that sets the deletion policy of the ALB to 1 hour, and deploy the application.

**Answer:** C

**Explanation:**

[https://docs.aws.amazon.com/codedeploy/latest/APIReference/API\\_BlueInstanceTerminationOption.html](https://docs.aws.amazon.com/codedeploy/latest/APIReference/API_BlueInstanceTerminationOption.html)

The original revision termination settings are configured to wait 1 hour after traffic has been rerouted before terminating the blue task set.

<https://docs.aws.amazon.com/AmazonECS/latest/developerguide/deployment-type-bluegreen.html>

**NEW QUESTION 62**

A company uses AWS Organizations to manage multiple accounts. Information security policies require that all unencrypted Amazon EBS volumes be marked as non-compliant. A DevOps engineer needs to automatically deploy the solution and ensure that this compliance check is always present.

Which solution will accomplish this?

- A. Create an AWS CloudFormation template that defines an AWS Inspector rule to check whether EBS encryption is enabled
- B. Save the template to an Amazon S3 bucket that has been shared with all accounts within the company
- C. Update the account creation script pointing to the CloudFormation template in Amazon S3.
- D. Create an AWS Config organizational rule to check whether EBS encryption is enabled and deploy the rule using the AWS CLI
- E. Create and apply an SCP to prohibit stopping and deleting AWS Config across the organization.
- F. Create an SCP in Organization
- G. Set the policy to prevent the launch of Amazon EC2 instances without encryption on the EBS volumes using a conditional expression
- H. Apply the SCP to all AWS accounts
- I. Use Amazon Athena to analyze the AWS CloudTrail output, looking for events that deny an ec2: RunInstances action.
- J. Deploy an IAM role to all accounts from a single trusted account
- K. Build a pipeline with AWS CodePipeline with a stage in AWS Lambda to assume the IAM role, and list all EBS volumes in the account
- L. Publish a report to Amazon S3.

**Answer:** B

**Explanation:**

<https://docs.aws.amazon.com/config/latest/developerguide/ec2-ebs-encryption-by-default.html>

**NEW QUESTION 63**

A company updated the AWS CloudFormation template for a critical business application. The stack update process failed due to an error in the updated template and AWS CloudFormation automatically began the stack rollback process. Later a DevOps engineer discovered that the application was still unavailable and that the stack was in the UPDATE\_ROLLBACK\_FAILED state.

Which combination of actions should the DevOps engineer perform so that the stack rollback can complete successfully? (Select TWO.)

- A. Attach the AWS CloudFormation FullAccess IAM policy to the AWS CloudFormation role.
- B. Automatically recover the stack resources by using AWS CloudFormation drift detection.
- C. Issue a ContinueUpdateRollback command from the AWS CloudFormation console or the AWS CLI.
- D. Manually adjust the resources to match the expectations of the stack.
- E. Update the existing AWS CloudFormation stack by using the original template.

**Answer:** CD

**Explanation:**

<https://docs.aws.amazon.com/cli/latest/reference/cloudformation/continue-update-rollback.html> For a specified stack that is in the UPDATE\_ROLLBACK\_FAILED state, continues rolling it back to the UPDATE\_ROLLBACK\_COMPLETE state. Depending on the cause of the failure, you can manually fix the error and continue the rollback. By continuing the rollback, you can return your stack to a working state (the UPDATE\_ROLLBACK\_COMPLETE state), and then try to update the stack again.

**NEW QUESTION 65**

A company uses AWS Secrets Manager to store a set of sensitive API keys that an AWS Lambda function uses. When the Lambda function is invoked, the Lambda function retrieves the API keys and makes an API call to an external service. The Secrets Manager secret is encrypted with the default AWS Key Management Service (AWS KMS) key.

A DevOps engineer needs to update the infrastructure to ensure that only the Lambda function's execution role can access the values in Secrets Manager. The solution must apply the principle of least privilege.

Which combination of steps will meet these requirements? (Select TWO.)

- A. Update the default KMS key for Secrets Manager to allow only the Lambda function's execution role to decrypt.
- B. Create a KMS customer managed key that trusts Secrets Manager and allows the Lambda function's execution role to decrypt
- C. Update Secrets Manager to use the new customer managed key.
- D. Create a KMS customer managed key that trusts Secrets Manager and allows the account's :root principal to decrypt
- E. Update Secrets Manager to use the new customer managed key.
- F. Ensure that the Lambda function's execution role has the KMS permissions scoped on the resource level
- G. Configure the permissions so that the KMS key can encrypt the Secrets Manager secret.
- H. Remove all KMS permissions from the Lambda function's execution role.

**Answer:** BD

**Explanation:**

The requirement is to update the infrastructure to ensure that only the Lambda function's execution role can access the values in Secrets Manager. The solution must apply the principle of least privilege, which means granting the minimum permissions necessary to perform a task.

To do this, the DevOps engineer needs to use the following steps:

? Create a KMS customer managed key that trusts Secrets Manager and allows the Lambda function's execution role to decrypt. A customer managed key is a symmetric encryption key that is fully managed by the customer. The customer can define the key policy, which specifies who can use and manage the key. By creating a customer managed key, the DevOps engineer can restrict the decryption permission to only the Lambda function's execution role, and prevent other principals from accessing the secret values. The customer managed key also needs to trust Secrets Manager, which means allowing Secrets Manager to use the key to encrypt and decrypt secrets on behalf of the customer.

? Update Secrets Manager to use the new customer managed key. Secrets Manager allows customers to choose which KMS key to use for encrypting each secret. By default, Secrets Manager uses the default KMS key for Secrets Manager, which is a service-managed key that is shared by all customers in the same AWS Region. By updating Secrets Manager to use the new customer managed key, the DevOps engineer can ensure that only the Lambda function's execution role can decrypt the secret values using that key.

? Ensure that the Lambda function's execution role has the KMS permissions scoped on the resource level. The Lambda function's execution role is an IAM role that grants permissions to the Lambda function to access AWS services and resources. The role needs to have KMS permissions to use the customer managed key for decryption. However, to apply the principle of least privilege, the role should have the permissions scoped on the resource level, which means specifying the ARN of the customer managed key as a condition in the IAM policy statement. This way, the role can only use that specific key and not any other KMS keys in the account.

**NEW QUESTION 68**

A DevOps engineer is architecting a continuous development strategy for a company's software as a service (SaaS) web application running on AWS. For application and security reasons users subscribing to this application are distributed across multiple. Application Load Balancers (ALBs) each of which has a dedicated Auto Scaling group and fleet of Amazon EC2 instances. The application does not require a build stage and when it is committed to AWS CodeCommit, the application must trigger a simultaneous deployment to all ALBs Auto Scaling groups and EC2 fleets.

Which architecture will meet these requirements with the LEAST amount of configuration?

- A. Create a single AWS CodePipeline pipeline that deploys the application in parallel using unique AWS CodeDeploy applications and deployment groups created for each ALB-Auto Scaling group pair.
- B. Create a single AWS CodePipeline pipeline that deploys the application using a single AWS CodeDeploy application and single deployment group.
- C. Create a single AWS CodePipeline pipeline that deploys the application in parallel using a single AWS CodeDeploy application and unique deployment group for each ALB-Auto Scaling group pair.
- D. Create an AWS CodePipeline pipeline for each ALB-Auto Scaling group pair that deploys the application using an AWS CodeDeploy application and deployment group created for the same ALB-Auto Scaling group pair.

**Answer:** C

**Explanation:**

<https://docs.aws.amazon.com/codedeploy/latest/userguide/deployment-groups.html>

**NEW QUESTION 73**

A company must encrypt all AMIs that the company shares across accounts. A DevOps engineer has access to a source account where an unencrypted custom AMI has been built. The DevOps engineer also has access to a target account where an Amazon EC2 Auto Scaling group will launch EC2 instances from the AMI. The DevOps engineer must share the AMI with the target account.

The company has created an AWS Key Management Service (AWS KMS) key in the source account.

Which additional steps should the DevOps engineer perform to meet the requirements? (Choose three.)

- A. In the source account, copy the unencrypted AMI to an encrypted AMI
- B. Specify the KMS key in the copy action.
- C. In the source account, copy the unencrypted AMI to an encrypted AMI
- D. Specify the default Amazon Elastic Block Store (Amazon EBS) encryption key in the copy action.
- E. In the source account, create a KMS grant that delegates permissions to the Auto Scaling group service-linked role in the target account.
- F. In the source account, modify the key policy to give the target account permissions to create a grant
- G. In the target account, create a KMS grant that delegates permissions to the Auto Scaling group service-linked role.
- H. In the source account, share the unencrypted AMI with the target account.
- I. In the source account, share the encrypted AMI with the target account.

**Answer:** ADF

**Explanation:**

The Auto Scaling group service-linked role must have a specific grant in the source account in order to decrypt the encrypted AMI. This is because the service-linked role does not have permissions to assume the default IAM role in the source account. The following steps are required to meet the requirements:

? In the source account, copy the unencrypted AMI to an encrypted AMI. Specify the KMS key in the copy action.



? In the source account, create a KMS grant that delegates permissions to the Auto Scaling group service-linked role in the target account.  
? In the source account, share the encrypted AMI with the target account.  
? In the target account, attach the KMS grant to the Auto Scaling group service-linked role.  
The first three steps are the same as the steps that I described earlier. The fourth step is required to grant the Auto Scaling group service-linked role permissions to decrypt the AMI in the target account.

#### NEW QUESTION 76

An online retail company based in the United States plans to expand its operations to Europe and Asia in the next six months. Its product currently runs on Amazon EC2 instances behind an Application Load Balancer. The instances run in an Amazon EC2 Auto Scaling group across multiple Availability Zones. All data is stored in an Amazon Aurora database instance.

When the product is deployed in multiple regions, the company wants a single product catalog across all regions, but for compliance purposes, its customer information and purchases must be kept in each region.

How should the company meet these requirements with the LEAST amount of application changes?

- A. Use Amazon Redshift for the product catalog and Amazon DynamoDB tables for the customer information and purchases.
- B. Use Amazon DynamoDB global tables for the product catalog and regional tables for the customer information and purchases.
- C. Use Aurora with read replicas for the product catalog and additional local Aurora instances in each region for the customer information and purchases.
- D. Use Aurora for the product catalog and Amazon DynamoDB global tables for the customer information and purchases.

**Answer:** C

#### NEW QUESTION 78

AnyCompany is using AWS Organizations to create and manage multiple AWS accounts AnyCompany recently acquired a smaller company, Example Corp. During the acquisition process, Example Corp's single AWS account joined AnyCompany's management account through an Organizations invitation.

AnyCompany moved the new member account under an OU that is dedicated to Example Corp.

AnyCompany's DevOps engineer has an IAM user that assumes a role that is named OrganizationAccountAccessRole to access member accounts. This role is configured with a full access policy When the DevOps engineer tries to use the AWS Management Console to assume the role in Example Corp's new member account, the DevOps engineer receives the following error message "Invalid information in one or more fields. Check your information or contact your administrator."

Which solution will give the DevOps engineer access to the new member account?

- A. In the management account, grant the DevOps engineer's IAM user permission to assume the OrganizationAccountAccessRole IAM role in the new member account.
- B. In the management account, create a new SCP In the SCP, grant the DevOps engineer's IAM user full access to all resources in the new member account
- C. Attach the SCP to the OU that contains the new member account,
- D. In the new member account, create a new IAM role that is named OrganizationAccountAccessRole
- E. Attach the AdministratorAccess AWS managed policy to the role
- F. In the role's trust policy, grant the management account permission to assume the role.
- G. In the new member account edit the trust policy for the OrganizationAccountAccessRole IAM role
- H. Grant the management account permission to assume the role.

**Answer:** C

#### Explanation:

The problem is that the DevOps engineer cannot assume the OrganizationAccountAccessRole IAM role in the new member account that joined AnyCompany's management account through an Organizations invitation. The solution is to create a new IAM role with the same name and trust policy in the new member account.

? Option A is incorrect, as it does not address the root cause of the error. The DevOps engineer's IAM user already has permission to assume the OrganizationAccountAccessRole IAM role in any member account, as this is the default role name that AWS Organizations creates when a new account joins an organization. The error occurs because the new member account does not have this role, as it was not created by AWS Organizations.

? Option B is incorrect, as it does not address the root cause of the error. An SCP is a policy that defines the maximum permissions for account members of an organization or organizational unit (OU). An SCP does not grant permissions to IAM users or roles, but rather limits the permissions that identity-based policies or resource-based policies grant to them. An SCP also does not affect how IAM roles are assumed by other principals.

? Option C is correct, as it addresses the root cause of the error. By creating a new IAM role with the same name and trust policy as the OrganizationAccountAccessRole IAM role in the new member account, the DevOps engineer can assume this role and access the account. The new role should have the AdministratorAccess AWS managed policy attached, which grants full access to all AWS resources in the account. The trust policy should allow the management account to assume the role, which can be done by specifying the management account ID as a principal in the policy statement.

? Option D is incorrect, as it assumes that the new member account already has the OrganizationAccountAccessRole IAM role, which is not true. The new member account does not have this role, as it was not created by AWS Organizations. Editing the trust policy of a non-existent role will not solve the problem.

#### NEW QUESTION 80

A development team wants to use AWS CloudFormation stacks to deploy an application. However, the developer IAM role does not have the required permissions to provision the resources that are specified in the AWS CloudFormation template. A DevOps engineer needs to implement a solution that allows the developers to deploy the stacks. The solution must follow the principle of least privilege.

Which solution will meet these requirements?

- A. Create an IAM policy that allows the developers to provision the required resource
- B. Attach the policy to the developer IAM role.
- C. Create an IAM policy that allows full access to AWS CloudFormation
- D. Attach the policy to the developer IAM role.
- E. Create an AWS CloudFormation service role that has the required permission
- F. Grant the developer IAM role a cloudformation:\* action
- G. Use the new service role during stack deployments.
- H. Create an AWS CloudFormation service role that has the required permission
- I. Grant the developer IAM role the iam:PassRole permission
- J. Use the new service role during stack deployments.

**Answer:** D

**Explanation:**

<https://docs.aws.amazon.com/AWSCloudFormation/latest/UserGuide/using-iam-servicerole.html>

**NEW QUESTION 84**

A company has a single AWS account that runs hundreds of Amazon EC2 instances in a single AWS Region. New EC2 instances are launched and terminated each hour in the account. The account also includes existing EC2 instances that have been running for longer than a week.

The company's security policy requires all running EC2 instances to use an EC2 instance profile. If an EC2 instance does not have an instance profile attached, the EC2 instance must use a default instance profile that has no IAM permissions assigned.

A DevOps engineer reviews the account and discovers EC2 instances that are running without an instance profile. During the review, the DevOps engineer also observes that new EC2 instances are being launched without an instance profile.

Which solution will ensure that an instance profile is attached to all existing and future EC2 instances in the Region?

- A. Configure an Amazon EventBridge rule that reacts to EC2 RunInstances API call
- B. Configure the rule to invoke an AWS Lambda function to attach the default instance profile to the EC2 instances.
- C. Configure the ec2-instance-profile-attached AWS Config managed rule with a trigger type of configuration change
- D. Configure an automatic remediation action that invokes an AWS Systems Manager Automation runbook to attach the default instance profile to the EC2 instances.
- E. Configure an Amazon EventBridge rule that reacts to EC2 StartInstances API call
- F. Configure the rule to invoke an AWS Systems Manager Automation runbook to attach the default instance profile to the EC2 instances.
- G. Configure the iam-role-managed-policy-check AWS Config managed rule with a trigger type of configuration change
- H. Configure an automatic remediation action that invokes an AWS Lambda function to attach the default instance profile to the EC2 instances.

**Answer: B**

**Explanation:**

<https://docs.aws.amazon.com/config/latest/developerguide/ec2-instance-profile-attached.html>

**NEW QUESTION 85**

A company manages an application that stores logs in Amazon CloudWatch Logs. The company wants to archive the logs to an Amazon S3 bucket. Logs are rarely accessed after 90 days and must be retained for 10 years.

Which combination of steps should a DevOps engineer take to meet these requirements? (Select TWO.)

- A. Configure a CloudWatch Logs subscription filter to use AWS Glue to transfer all logs to an S3 bucket.
- B. Configure a CloudWatch Logs subscription filter to use Amazon Kinesis Data Firehose to stream all logs to an S3 bucket.
- C. Configure a CloudWatch Logs subscription filter to stream all logs to an S3 bucket.
- D. Configure the S3 bucket lifecycle policy to transition logs to S3 Glacier after 90 days and to expire logs after 3,650 days.
- E. Configure the S3 bucket lifecycle policy to transition logs to Reduced Redundancy after 90 days and to expire logs after 3,650 days.

**Answer: BD**

**Explanation:**

<https://docs.aws.amazon.com/AmazonCloudWatch/latest/logs/SubscriptionFilters.html>

**NEW QUESTION 88**

An application running on a set of Amazon EC2 instances in an Auto Scaling group requires a configuration file to operate. The instances are created and maintained with AWS CloudFormation. A DevOps engineer wants the instances to have the latest configuration file when launched and wants changes to the configuration file to be reflected on all the instances with a minimal delay when the CloudFormation template is updated. Company policy requires that application configuration files be maintained along with AWS infrastructure configuration files in source control.

Which solution will accomplish this?

- A. In the CloudFormation template add an AWS Config rule
- B. Place the configuration file content in the rule's InputParameters property and set the Scope property to the EC2 Auto Scaling group
- C. Add an AWS Systems Manager Resource Data Sync resource to the template to poll for updates to the configuration.
- D. In the CloudFormation template add an EC2 launch template resource
- E. Place the configuration file content in the launch template
- F. Configure the cfn-init script to run when the instance is launched and configure the cfn-hup script to poll for updates to the configuration.
- G. In the CloudFormation template add an EC2 launch template resource
- H. Place the configuration file content in the launch template
- I. Add an AWS Systems Manager Resource Data Sync resource to the template to poll for updates to the configuration.
- J. In the CloudFormation template add CloudFormation intrinsic metadata
- K. Place the configuration file content in the metadata
- L. Configure the cfn-init script to run when the instance is launched and configure the cfn-hup script to poll for updates to the configuration.

**Answer: D**

**Explanation:**

Use the AWS::CloudFormation::Init type to include metadata on an Amazon EC2 instance for the cfn-init helper script. If your template calls the cfn-init script, the script looks for resource metadata rooted in the AWS::CloudFormation::Init metadata key. Reference:

<https://docs.aws.amazon.com/AWSCloudFormation/latest/UserGuide/aws-resource-init.html>

**NEW QUESTION 89**

A highly regulated company has a policy that DevOps engineers should not log in to their Amazon EC2 instances except in emergencies. If a DevOps engineer does log in, the security team must be notified within 15 minutes of the occurrence.

Which solution will meet these requirements?

- A. Install the Amazon Inspector agent on each EC2 instance. Subscribe to Amazon EventBridge notifications. Invoke an AWS Lambda function to check if a message is about user logins. If it is, send a notification to the security team using Amazon SNS.
- B. Install the Amazon CloudWatch agent on each EC2 instance. Configure the agent to push all logs to Amazon CloudWatch Logs and set up a CloudWatch metric filter that searches for user login.

- C. If a login is found send a notification to the security team using Amazon SNS.
- D. Set up AWS CloudTrail with Amazon CloudWatch Log
- E. Subscribe CloudWatch Logs to Amazon Kinesis Attach AWS Lambda to Kinesis to parse and determine if a log contains a user login If it does, send a notification to the security team using Amazon SNS.
- F. Set up a script on each Amazon EC2 instance to push all logs to Amazon S3 Set up an S3 event to invoke an AWS Lambda function which invokes an Amazon Athena query to ru
- G. The Athena query checks for logins and sends the output to the security team using Amazon SNS.

**Answer: B**

**Explanation:**

<https://aws.amazon.com/blogs/security/how-to-monitor-and-visualize-failed-ssh-access-attempts-to-amazon-ec2-linux-instances/>

**NEW QUESTION 90**

A company is hosting a web application in an AWS Region. For disaster recovery purposes, a second region is being used as a standby. Disaster recovery requirements state that session data must be replicated between regions in near-real time and 1% of requests should route to the secondary region to continuously verify system functionality. Additionally, if there is a disruption in service in the main region, traffic should be automatically routed to the secondary region, and the secondary region must be able to scale up to handle all traffic.

How should a DevOps engineer meet these requirements?

- A. In both regions, deploy the application on AWS Elastic Beanstalk and use Amazon DynamoDB global tables for session data
- B. Use an Amazon Route 53 weighted routing policy with health checks to distribute the traffic across the regions.
- C. In both regions, launch the application in Auto Scaling groups and use DynamoDB for session data
- D. Use a Route 53 failover routing policy with health checks to distribute the traffic across the regions.
- E. In both regions, deploy the application in AWS Lambda, exposed by Amazon API Gateway, and use Amazon RDS for PostgreSQL with cross-region replication for session data
- F. Deploy the web application with client-side logic to call the API Gateway directly.
- G. In both regions, launch the application in Auto Scaling groups and use DynamoDB global tables for session data
- H. Enable an Amazon CloudFront weighted distribution across region
- I. Point the Amazon Route 53 DNS record at the CloudFront distribution.

**Answer: D**

**NEW QUESTION 91**

A rapidly growing company wants to scale for developer demand for AWS development environments. Development environments are created manually in the AWS Management Console. The networking team uses AWS CloudFormation to manage the networking infrastructure, exporting stack output values for the Amazon VPC and all subnets. The development environments have common standards, such as Application Load Balancers, Amazon EC2 Auto Scaling groups, security groups, and Amazon DynamoDB tables.

To keep up with demand, the DevOps engineer wants to automate the creation of development environments. Because the infrastructure required to support the application is expected to grow, there must be a way to easily update the deployed infrastructure. CloudFormation will be used to create a template for the development environments.

Which approach will meet these requirements and quickly provide consistent AWS environments for developers?

- A. Use Fn::ImportValue intrinsic functions in the Resources section of the template to retrieve Virtual Private Cloud (VPC) and subnet value
- B. Use CloudFormation StackSets for the development environments, using the Count input parameter to indicate the number of environments needed
- C. Use the UpdateStackSet command to update existing development environments.
- D. Use nested stacks to define common infrastructure component
- E. To access the exported values, use TemplateURL to reference the networking team's template
- F. To retrieve Virtual Private Cloud (VPC) and subnet values, use Fn::ImportValue intrinsic functions in the Parameters section of the root template
- G. Use the CreateChangeSet and ExecuteChangeSet commands to update existing development environments.
- H. Use nested stacks to define common infrastructure component
- I. Use Fn::ImportValue intrinsic functions with the resources of the nested stack to retrieve Virtual Private Cloud (VPC) and subnet value
- J. Use the CreateChangeSet and ExecuteChangeSet commands to update existing development environments.
- K. Use Fn::ImportValue intrinsic functions in the Parameters section of the root template to retrieve Virtual Private Cloud (VPC) and subnet value
- L. Define the development resources in the order they need to be created in the CloudFormation nested stack
- M. Use the CreateChangeSet
- N. and ExecuteChangeSet commands to update existing development environments.

**Answer: C**

**Explanation:**

<https://docs.aws.amazon.com/AWSCloudFormation/latest/UserGuide/intrinsic-function-reference-importvalue.html>

<https://docs.aws.amazon.com/AWSCloudFormation/latest/UserGuide/intrinsic-function-reference-importvalue.html> CF of network exports the VPC, subnet or needed information CF of application imports the above information to its stack and UpdateChangeSet/ ExecuteChangeSet

**NEW QUESTION 95**

A company is performing vulnerability scanning for all Amazon EC2 instances across many accounts. The accounts are in an organization in AWS Organizations. Each account's VPCs are attached to a shared transit gateway. The VPCs send traffic to the internet through a central egress VPC. The company has enabled Amazon Inspector in a delegated administrator account and has enabled scanning for all member accounts.

A DevOps engineer discovers that some EC2 instances are listed in the "not scanning" tab in Amazon Inspector.

Which combination of actions should the DevOps engineer take to resolve this issue? (Choose three.)

- A. Verify that AWS Systems Manager Agent is installed and is running on the EC2 instances that Amazon Inspector is not scanning.
- B. Associate the target EC2 instances with security groups that allow outbound communication on port 443 to the AWS Systems Manager service endpoint.
- C. Grant inspector: StartAssessmentRun permissions to the IAM role that the DevOps engineer is using.
- D. Configure EC2 Instance Connect for the EC2 instances that Amazon Inspector is not scanning.
- E. Associate the target EC2 instances with instance profiles that grant permissions to communicate with AWS Systems Manager.
- F. Create a managed-instance activation
- G. Use the Activation Code and the Activation ID to register the EC2 instances.



**Answer:** ABE

**Explanation:**

<https://docs.aws.amazon.com/inspector/latest/user/scanning-ec2.html>

**NEW QUESTION 97**

A DevOps engineer is building a continuous deployment pipeline for a serverless application that uses AWS Lambda functions. The company wants to reduce the customer impact of an unsuccessful deployment. The company also wants to monitor for issues.

Which deploy stage configuration will meet these requirements?

- A. Use an AWS Serverless Application Model (AWS SAM) template to define the serverless applicatio
- B. Use AWS CodeDeploy to deploy the Lambda functions with the Canary10Percent15Minutes Deployment Preference Typ
- C. Use Amazon CloudWatch alarms to monitor the health of the functions.
- D. Use AWS CloudFormation to publish a new stack update, and include Amazon CloudWatch alarms on all resource
- E. Set up an AWS CodePipeline approval action for a developer to verify and approve the AWS CloudFormation change set.
- F. Use AWS CloudFormation to publish a new version on every stack update, and include Amazon CloudWatch alarms on all resource
- G. Use the RoutingConfig property of the AWS::Lambda::Alias resource to update the traffic routing during the stack update.
- H. Use AWS CodeBuild to add sample event payloads for testing to the Lambda function
- I. Publish a new version of the functions, and include Amazon CloudWatch alarm
- J. Update the production alias to point to the new versio
- K. Configure rollbacks to occur when an alarm is in the ALARM state.

**Answer:** D

**Explanation:**

Use routing configuration on an alias to send a portion of traffic to a second function version. For example, you can reduce the risk of deploying a new version by configuring the alias to send most of the traffic to the existing version, and only a small percentage of traffic to the new version.

<https://docs.aws.amazon.com/lambda/latest/dg/configuration-aliases.html>

The following are the steps involved in the deploy stage configuration that will meet the requirements:

? Use AWS CodeBuild to add sample event payloads for testing to the Lambda functions.

? Publish a new version of the functions, and include Amazon CloudWatch alarms.

? Update the production alias to point to the new version.

? Configure rollbacks to occur when an alarm is in the ALARM state.

This configuration will help to reduce the customer impact of an unsuccessful deployment

by deploying the new version of the functions to a staging environment first. This will allow the DevOps engineer to test the new version of the functions before deploying it to production.

The configuration will also help to monitor for issues by including Amazon CloudWatch alarms. These alarms will alert the DevOps engineer if there are any problems with the new version of the functions.

**NEW QUESTION 101**

A company has a guideline that every Amazon EC2 instance must be launched from an AMI that the company's security team produces Every month the security team sends an email message with the latest approved AMIs to all the development teams.

The development teams use AWS CloudFormation to deploy their applications. When developers launch a new service they have to search their email for the latest AMIs that the security department sent. A DevOps engineer wants to automate the process that the security team uses to provide the AMI IDs to the development teams.

What is the MOST scalable solution that meets these requirements?

- A. Direct the security team to use CloudFormation to create new versions of the AMIs and to list! the AMI ARNs in an encrypted Amazon S3 object as part of the stack's Outputs Section Instruct the developers to use a cross-stack reference to load the encrypted S3 object and obtain the most recent AMI ARNs.
- B. Direct the security team to use a CloudFormation stack to create an AWS CodePipeline pipeline that builds new AMIs and places the latest AMI ARNs in an encrypted Amazon S3 object as part of the pipeline output Instruct the developers to use a cross-stack reference within their own CloudFormation template to obtain the S3 object location and the most recent AMI ARNs.
- C. Direct the security team to use Amazon EC2 Image Builder to create new AMIs and to place the AMI ARNs as parameters in AWS Systems Manager Parameter Store Instruct the developers to specify a parameter of type SSM in their CloudFormation stack to obtain the most recent AMI ARNs from Parameter Store.
- D. Direct the security team to use Amazon EC2 Image Builder to create new AMIs and to create an Amazon Simple Notification Service (Amazon SNS) topic so that every development team can receive notification
- E. When the development teams receive a notification instruct them to write an AWS Lambda function that will update their CloudFormation stack with the most recent AMI ARNs.

**Answer:** C

**Explanation:**

<https://docs.aws.amazon.com/AWSCloudFormation/latest/UserGuide/dynamic-references.html>

**NEW QUESTION 106**

A company wants to deploy a workload on several hundred Amazon EC2 instances. The company will provision the EC2 instances in an Auto Scaling group by using a launch template.

The workload will pull files from an Amazon S3 bucket, process the data, and put the results into a different S3 bucket. The EC2 instances must have least-privilege permissions and must use temporary security credentials.

Which combination of steps will meet these requirements? (Select TWO.)

- A. Create an IAM role that has the appropriate permissions for S3 bucket
- B. Add the IAM role to an instance profile.
- C. Update the launch template to include the IAM instance profile.
- D. Create an IAM user that has the appropriate permissions for Amazon S3. Generate a secret key and token.
- E. Create a trust anchor and profil
- F. Attach the IAM role to the profile.
- G. Update the launch templat

H. Modify the user data to use the new secret key and token.

**Answer:** AB

**Explanation:**

To meet the requirements of deploying a workload on several hundred EC2 instances with least-privilege permissions and temporary security credentials, the company should use an IAM role and an instance profile. An IAM role is a way to grant permissions to an entity that you trust, such as an EC2 instance. An instance profile is a container for an IAM role that you can use to pass role information to an EC2 instance when the instance starts. By using an IAM role and an instance profile, the EC2 instances can automatically receive temporary security credentials from the AWS Security Token Service (STS) and use them to access the S3 buckets. This way, the company does not need to manage or rotate any long-term credentials, such as IAM users or access keys.

To use an IAM role and an instance profile, the company should create an IAM role that has the appropriate permissions for S3 buckets. The permissions should allow the EC2 instances to read from the source S3 bucket and write to the destination S3 bucket. The company should also create a trust policy for the IAM role that specifies that EC2 is allowed to assume the role. Then, the company should add the IAM role to an instance profile. An instance profile can have only one IAM role, so the company does not need to create multiple roles or profiles for this scenario.

Next, the company should update the launch template to include the IAM instance profile. A launch template is a way to save launch parameters for EC2 instances, such as the instance type, security group, user data, and IAM instance profile. By using a launch template, the company can ensure that all EC2 instances in the Auto Scaling group have consistent configuration and permissions. The company should specify the name or ARN of the IAM instance profile in the launch template. This way, when the Auto Scaling group launches new EC2 instances based on the launch template, they will automatically receive the IAM role and its permissions through the instance profile.

The other options are not correct because they do not meet the requirements or follow best practices. Creating an IAM user and generating a secret key and token is not a good option because it involves managing long-term credentials that need to be rotated regularly. Moreover, embedding credentials in user data is not secure because user data is visible to anyone who can describe the EC2 instance. Creating a trust anchor and profile is not a valid option because trust anchors are used for certificate-based authentication, not for IAM roles or instance profiles. Modifying user data to use a new secret key and token is also not a good option because it requires updating user data every time the credentials change, which is not scalable or efficient.

References:

? 1: AWS Certified DevOps Engineer - Professional Certification | AWS Certification  
| AWS

? 2: DevOps Resources - Amazon Web Services (AWS)

? 3: Exam Readiness: AWS Certified DevOps Engineer - Professional

? : IAM Roles for Amazon EC2 - AWS Identity and Access Management

? : Working with Instance Profiles - AWS Identity and Access Management

? : Launching an Instance Using a Launch Template - Amazon Elastic Compute Cloud

? : Temporary Security Credentials - AWS Identity and Access Management

**NEW QUESTION 107**

A company that runs many workloads on AWS has an Amazon EBS spend that has increased over time. The DevOps team notices there are many unattached EBS volumes. Although there are workloads where volumes are detached, volumes over 14 days old are stale and no longer needed. A DevOps engineer has been tasked with creating automation that deletes unattached EBS volumes that have been unattached for 14 days.

Which solution will accomplish this?

- A. Configure the AWS Config ec2-volume-inuse-check managed rule with a configuration changes trigger type and an Amazon EC2 volume resource target
- B. Create a new Amazon CloudWatch Events rule scheduled to execute an AWS Lambda function in 14 days to delete the specified EBS volume.
- C. Use Amazon EC2 and Amazon Data Lifecycle Manager to configure a volume lifecycle policy
- D. Set the interval period for unattached EBS volumes to 14 days and set the retention rule to delete
- E. Set the policy target volumes as \*.
- F. Create an Amazon CloudWatch Events rule to execute an AWS Lambda function daily
- G. The Lambda function should find unattached EBS volumes and tag them with the current date, and delete unattached volumes that have tags with dates that are more than 14 days old.
- H. Use AWS Trusted Advisor to detect EBS volumes that have been detached for more than 14 days
- I. Execute an AWS Lambda function that creates a snapshot and then deletes the EBS volume.

**Answer:** C

**Explanation:**

The requirement is to create automation that deletes unattached EBS volumes that have been unattached for 14 days. To do this, the DevOps engineer needs to use the following steps:

? Create an Amazon CloudWatch Events rule to execute an AWS Lambda function

daily. CloudWatch Events is a service that enables event-driven architectures by delivering events from various sources to targets. Lambda is a service that lets you

run code without provisioning or managing servers. By creating a CloudWatch Events rule that executes a Lambda function daily, the DevOps engineer can schedule a recurring task to check and delete unattached EBS volumes.

? The Lambda function should find unattached EBS volumes and tag them with the current date, and delete unattached volumes that have tags with dates that are more than 14 days old. The Lambda function can use the EC2 API to list and filter unattached EBS volumes based on their state and tags. The function can then tag each unattached volume with the current date using the create-tags command. The function can also compare the tag value with the current date and delete any unattached volume that has been tagged more than 14 days ago using the delete-volume command.

**NEW QUESTION 108**

A DevOps engineer is working on a data archival project that requires the migration of on-premises data to an Amazon S3 bucket. The DevOps engineer develops a script that incrementally archives on-premises data that is older than 1 month to Amazon S3. Data that is transferred to Amazon S3 is deleted from the on-premises location. The script uses the S3 PutObject operation.

During a code review the DevOps engineer notices that the script does not verify whether the data was successfully copied to Amazon S3. The DevOps engineer must update the script to ensure that data is not corrupted during transmission. The script must use MD5 checksums to verify data integrity before the on-premises data is deleted.

Which solutions for the script will meet these requirements? (Select TWO.)

- A. Check the returned response for the Versioned Compare the returned Versioned against the MD5 checksum.
- B. Include the MD5 checksum within the Content-MD5 parameter
- C. Check the operationcall's return status to find out if an error was returned.
- D. Include the checksum digest within the tagging parameter as a URL query parameter.

- E. Check the returned response for the ETa
- F. Compare the returned ETag against the MD5 checksum.
- G. Include the checksum digest within the Metadata parameter as a name-value pair After upload use the S3 HeadObject operation to retrieve metadata from the object.

**Answer:** BD

**Explanation:**

<https://docs.aws.amazon.com/AmazonS3/latest/userguide/checking-object-integrity.html>

**NEW QUESTION 111**

A company has an application that is using a MySQL-compatible Amazon Aurora Multi-AZ DB cluster as the database. A cross-Region read replica has been created for disaster recovery purposes. A DevOps engineer wants to automate the promotion of the replica so it becomes the primary database instance in the event of a failure.

Which solution will accomplish this?

- A. Configure a latency-based Amazon Route 53 CNAME with health checks so it points to both the primary and replica endpoint
- B. Subscribe an Amazon SNS topic to Amazon RDS failure notifications from AWS CloudTrail and use that topic to invoke an AWS Lambda function that will promote the replica instance as the primary.
- C. Create an Aurora custom endpoint to point to the primary database instance
- D. Configure the application to use this endpoint
- E. Configure AWS CloudTrail to run an AWS Lambda function to promote the replica instance and modify the custom endpoint to point to the newly promoted instance.
- F. Create an AWS Lambda function to modify the application's AWS CloudFormation template to promote the replica, apply the template to update the stack, and point the application to the newly promoted instance
- G. Create an Amazon CloudWatch alarm to invoke this Lambda function after the failure event occurs.
- H. Store the Aurora endpoint in AWS Systems Manager Parameter Store
- I. Create an Amazon EventBridge event that detects the database failure and runs an AWS Lambda function to promote the replica instance and update the endpoint URL stored in AWS Systems Manager Parameter Store
- J. Code the application to reload the endpoint from Parameter Store if a database connection fails.

**Answer:** D

**Explanation:**

EventBridge is needed to detect the database failure. Lambda is needed to promote the replica as it's in another Region (manual promotion, otherwise). Storing and updating the endpoint in Parameter Store is important in updating the application. Look at High Availability section of Aurora FAQ:

<https://aws.amazon.com/rds/aurora/faqs/>

**NEW QUESTION 112**

A company deploys updates to its Amazon API Gateway API several times a week by using an AWS CodePipeline pipeline. As part of the update process the company exports the JavaScript SDK for the API from the API Gateway console and uploads the SDK to an Amazon S3 bucket

The company has configured an Amazon CloudFront distribution that uses the S3 bucket as an origin Web client then download the SDK by using the CloudFront distribution's endpoint. A DevOps engineer needs to implement a solution to make the new SDK available automatically during new API deployments.

Which solution will meet these requirements?

- A. Create a CodePipeline action immediately after the deployment stage of the API
- B. Configure the action to invoke an AWS Lambda function
- C. Configure the Lambda function to download the SDK from API Gateway, upload the SDK to the S3 bucket and create a CloudFront invalidation for the SDK path.
- D. Create a CodePipeline action immediately after the deployment stage of the API Configure the action to use the CodePipeline integration with API
- E. Gateway to export the SDK to Amazon S3 Create another action that uses the CodePipeline integration with Amazon S3 to invalidate the cache for the SDK path.
- F. Create an Amazon EventBridge rule that reacts to UpdateStage events from aws apigateway Configure the rule to invoke an AWS Lambda function to download the SDK from API Gateway upload the SDK to the S3 bucket and call the CloudFront API to create an invalidation for the SDK path.
- G. Create an Amazon EventBridge rule that reacts to Create
- H. Deployment events from aws apigateway
- I. Configure the rule to invoke an AWS Lambda function to download the SDK from API
- J. Gateway upload the SDK to the S3 bucket and call the S3 API to invalidate the cache for the SDK path.

**Answer:** A

**Explanation:**

This solution would allow the company to automate the process of updating the SDK and making it available to web clients. By adding a CodePipeline action immediately after the deployment stage of the API, the Lambda function will be invoked automatically each time the API is updated. The Lambda function should be able to download the new SDK from API Gateway, upload it to the S3 bucket and also create a CloudFront invalidation for the SDK path so that the latest version of the SDK is available for the web clients. This is the most straight forward solution and it will meet the requirements.

**NEW QUESTION 114**

A security review has identified that an AWS CodeBuild project is downloading a database population script from an Amazon S3 bucket using an unauthenticated request. The security team does not allow unauthenticated requests to S3 buckets for this project.

How can this issue be corrected in the MOST secure manner?

- A. Add the bucket name to the AllowedBuckets section of the CodeBuild project setting
- B. Update the build spec to use the AWS CLI to download the database population script.
- C. Modify the S3 bucket settings to enable HTTPS basic authentication and specify a token
- D. Update the build spec to use curl to pass the token and download the database population script.
- E. Remove unauthenticated access from the S3 bucket with a bucket policy
- F. Modify the service role for the CodeBuild project to include Amazon S3 access
- G. Use the AWS CLI to download the database population script.
- H. Remove unauthenticated access from the S3 bucket with a bucket policy



I. Use the AWS CLI to download the database population script using an IAM access key and a secret access key.

**Answer:** C

**Explanation:**

A bucket policy is a resource-based policy that defines who can access a specific S3 bucket and what actions they can perform on it. By removing unauthenticated access from the bucket policy, you can prevent anyone without valid credentials from accessing the bucket. A service role is an IAM role that allows an AWS service, such as CodeBuild, to perform actions on your behalf. By modifying the service role for the CodeBuild project to include Amazon S3 access, you can grant the project permission to read and write objects in the S3 bucket. The AWS CLI is a command-line tool that allows you to interact with AWS services, such as S3, using commands in your terminal. By using the AWS CLI to download the database population script, you can leverage the service role credentials and encryption to secure the data transfer.

For more information, you can refer to these web pages:

? [Using bucket policies and user policies - Amazon Simple Storage Service]

? [Create a service role for CodeBuild - AWS CodeBuild]

? [AWS Command Line Interface]

**NEW QUESTION 118**

A DevOps engineer needs to configure a blue green deployment for an existing three-tier application. The application runs on Amazon EC2 instances and uses an Amazon RDS database. The EC2 instances run behind an Application Load Balancer (ALB) and are in an Auto Scaling group.

The DevOps engineer has created a launch template and an Auto Scaling group for the blue environment. The DevOps engineer also has created a launch template and an Auto Scaling group for the green environment. Each Auto Scaling group deploys to a matching blue or green target group. The target group also specifies which software blue or green gets loaded on the EC2 instances. The ALB can be configured to send traffic to the blue environment's target group or the green environment's target group. An Amazon Route 53 record for [www.example.com](http://www.example.com) points to the ALB.

The deployment must move traffic all at once between the software on the blue environment's EC2 instances to the newly deployed software on the green environment's EC2 instances.

What should the DevOps engineer do to meet these requirements?

- A. Start a rolling restart to the Auto Scaling group for the green environment to deploy the new software on the green environment's EC2 instances. When the rolling restart is complete, use an AWS CLI command to update the ALB to send traffic to the green environment's target group.
- B. Use an AWS CLI command to update the ALB to send traffic to the green environment's target group.
- C. Then start a rolling restart of the Auto Scaling group for the green environment to deploy the new software on the green environment's EC2 instances.
- D. Update the launch template to deploy the green environment's software on the blue environment's EC2 instances. Keep the target groups and Auto Scaling groups unchanged in both environments. Perform a rolling restart of the blue environment's EC2 instances.
- E. Start a rolling restart of the Auto Scaling group for the green environment to deploy the new software on the green environment's EC2 instances. When the rolling restart is complete, update the Route 53 DNS to point to the green environment's endpoint on the ALB.

**Answer:** A

**Explanation:**

This solution will meet the requirements because it will use a rolling restart to gradually replace the EC2 instances in the green environment with new instances that have the new software version installed. A rolling restart is a process that terminates and launches instances in batches, ensuring that there is always a minimum number of healthy instances in service. This way, the green environment can be updated without affecting the availability or performance of the application. When the rolling restart is complete, the DevOps engineer can use an AWS CLI command to modify the listener rules of the ALB and change the default action to forward traffic to the green environment's target group. This will switch the traffic from the blue environment to the green environment all at once, as required by the question.

**NEW QUESTION 122**

An ecommerce company is receiving reports that its order history page is experiencing delays in reflecting the processing status of orders. The order processing system consists of an AWS Lambda function that uses reserved concurrency. The Lambda function processes order messages from an Amazon Simple Queue Service (Amazon SQS) queue and inserts processed orders into an Amazon DynamoDB table. The DynamoDB table has auto scaling enabled for read and write capacity.

Which actions should a DevOps engineer take to resolve this delay? (Choose two.)

- A. Check the `ApproximateAgeOfOldestMessage` metric for the SQS queue.
- B. Increase the Lambda function concurrency limit.
- C. Check the `ApproximateAgeOfOldestMessage` metric for the SQS queue. Configure a redrive policy on the SQS queue.
- D. Check the `NumberOfMessagesSent` metric for the SQS queue.
- E. Increase the SQS queue visibility timeout.
- F. Check the `WriteThrottleEvents` metric for the DynamoDB table.
- G. Increase the maximum write capacity units (WCUs) for the table's scaling policy.
- H. Check the `Throttles` metric for the Lambda function.
- I. Increase the Lambda function timeout.

**Answer:** AD

**Explanation:**

A: If the `ApproximateAgeOfOldestMessages` indicate that orders are remaining in the SQS queue for longer than expected, the reserved concurrency limit may be set too small to keep up with the number of orders entering the queue and is being throttled. D: The DynamoDB table is using Auto Scaling. With Auto Scaling, you create a scaling policy that specifies whether you want to scale read capacity or write capacity (or both), and the minimum and maximum provisioned capacity unit settings for the table. The `ThrottledWriteRequests` metric will indicate if there is a throttling issue on the DynamoDB table, which can be resolved by increasing the maximum write capacity units for the table's Auto Scaling policy. <https://docs.aws.amazon.com/amazondynamodb/latest/developerguide/AutoScaling.html>

**NEW QUESTION 126**

.....

## THANKS FOR TRYING THE DEMO OF OUR PRODUCT

Visit Our Site to Purchase the Full Set of Actual AWS-Certified-DevOps-Engineer-Professional Exam Questions With Answers.

We Also Provide Practice Exam Software That Simulates Real Exam Environment And Has Many Self-Assessment Features. Order the AWS-Certified-DevOps-Engineer-Professional Product From:

<https://www.2passeasy.com/dumps/AWS-Certified-DevOps-Engineer-Professional/>

## Money Back Guarantee

### **AWS-Certified-DevOps-Engineer-Professional Practice Exam Features:**

- \* AWS-Certified-DevOps-Engineer-Professional Questions and Answers Updated Frequently
- \* AWS-Certified-DevOps-Engineer-Professional Practice Questions Verified by Expert Senior Certified Staff
- \* AWS-Certified-DevOps-Engineer-Professional Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- \* AWS-Certified-DevOps-Engineer-Professional Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year