



Salesforce

Exam Questions JavaScript-Developer-I

Salesforce Certified JavaScript Developer I

About Exambible

[Your Partner of IT Exam](#)

Found in 1998

Exambible is a company specialized on providing high quality IT exam practice study materials, especially Cisco CCNA, CCDA, CCNP, CCIE, Checkpoint CCSE, CompTIA A+, Network+ certification practice exams and so on. We guarantee that the candidates will not only pass any IT exam at the first attempt but also get profound understanding about the certificates they have got. There are so many alike companies in this industry, however, Exambible has its unique advantages that other companies could not achieve.

Our Advances

* 99.9% Uptime

All examinations will be up to date.

* 24/7 Quality Support

We will provide service round the clock.

* 100% Pass Rate

Our guarantee that you will pass the exam.

* Unique Gurantee

If you do not pass the exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

NEW QUESTION 1

Refer to the code below:

```
<html lang="en">
<table onclick="console.log(Table log);">
<tr id="row1">
<td>Click me!</td>
</tr>
</table>
<script>
function printMessage(event) { console.log('Row log');
}
Let elem = document.getElementById('row1'); elem.addEventListener('click', printMessage, false);
</script>
</html>
```

Which code change should be made for the console to log only Rowlog when 'Click me! ' is clicked?

- A. Add.event.stopPropagation(); to window.onLoad event handler.
- B. Add event.stopPropagation(); to printMessage function.
- C. Add event.removeEventListener(); to window.onLoad event handler.
- D. Addevent.removeEventListener(); toprintMessage function.

Answer: B

NEW QUESTION 2

Refer to the following code:

Let sampleText = 'The quick brown foxjumps';

A developer needs to determine if a certain substring is part of a string. Which three expressions return true for the given substring ?

Choose 3 answers

- A. sampleText.includes('fox');
- B. sampleText.includes(' quick ', 4);
- C. sampleText.includes('Fox ', 3)
- D. sampleText.includes(' fox ');
- E. sampleText.includes(' quick ') !== -1;

Answer: BDE

NEW QUESTION 3

A developer is wondering whether to use, Promise.then or Promise.catch, especially when a Promise throws an error?

Which two promises are rejected? Which 2 are correct?

- A. Promise.reject('cool error here').then(error => console.error(error));
- B. Promise.reject('cool error here').catch(error => console.error(error));
- C. New Promise((resolve, reject) => (throw 'cool error here')).catch(error => console.error(error)) ;
- D. New Promise(() => (throw 'cool error here')).then(null, error => console.error(error));

Answer: BC

NEW QUESTION 4

A developer receives a comment from the Tech Lead that the code given below has error:

```
const monthName = 'July'; const year = 2019;
if(year === 2019) { monthName = 'June';
}
```

Which line edit should be made to make this code run?

- A. 01 let monthName ='July';
- B. 02 let year =2019;
- C. 02 const year = 2020;
- D. 03 if (year == 2019) {

Answer: A

NEW QUESTION 5

A team that works on a big project uses npm to deal with projects dependencies. A developer added a dependency does not get downloaded when they executenpm install.

Which two reasons could be possible explanations for this?

Choose 2 answers

- A. The developer missed the option --add when adding the dependency.
- B. The developer added the dependency as a dev dependency, and NODE_ENVIs set to production.
- C. The developer missed the option --save when adding the dependency.
- D. The developer added the dependency as a dev dependency, and NODE_ENV is set to production.

Answer: BCD

NEW QUESTION 6

A developer is creating a simple webpage with a button. When a user clicks this button for the first time, a message is displayed. The developer wrote the JavaScript code below, but something is missing. The message gets displayed every time a user clicks the button, instead of just the first time.

```
01 function listen(event) {  
02  
03   alert('Hey! I am John Doe');  
04  
05 }  
06 button.addEventListener('click', listen);
```

Which two code lines make this code work as required? Choose 2 answers

- A. On line 02, use event.first to test if it is the first execution.
- B. On line 04, use event.stopPropagation (),
- C. On line 04, use button.removeEventListener(' click" , listen);
- D. On line 06, add an option called once to button.addEventListener().

Answer: CD

NEW QUESTION 7

Which three browser specific APIs are available for developers to persist data between page loads ? Choose 3 answers

- A. IIFEs
- B. indexedDB
- C. Global variables
- D. Cookies
- E. localStorage.

Answer: ABE

NEW QUESTION 8

A developer is setting up a new Node.js server with a client library that is built using events and callbacks. The library:

- * Will establish a web socket connection and handle receipt of messages to the server
- * Will be imported with require, and made available with a variable called we.

The developer also wants to add error logging if a connection fails.

Given this info, which code segment shows the correct way to set up a client with two events that listen at execution time?

- A.

```
04 ws.connect(() => {  
05   console.log('Connected to client');  
06 }).catch((error) => {  
07   console.log('ERROR', error);  
08 });
```
- B.

```
04 ws.on('connect', () => {  
05   console.log('Connected to client');  
06  
07   ws.on('error', (error) => {  
08     console.log('ERROR', error);  
09   });  
10 });
```
- C.

```
04 ws.on('connect', () => {  
05   console.log('Connected to client');  
06 });  
07  
08 ws.on('error', (error) => {  
09   console.log('ERROR', error);  
10 });
```
- D.

```
04 try {  
05   ws.connect(() => {  
06     console.log('Connected to client');  
07   });  
08 } catch(error) {  
09   console.log('ERROR', error);  
10 }
```

Answer: C

NEW QUESTION 9

Refer to the code:

```
01 function Vehicle(name, price) {  
02   this.name = name;  
03   this.price = price;  
04 }  
05 Vehicle.prototype.priceInfo = function () {  
06   return 'Cost of the ${this.name} is ${this.price}$';  
07 }  
08 var ford = new Vehicle('Ford Fiesta', '20,000');
```

Given the requirement to refactor the code above to JavaScript class format, which class definition is correct?

A)

```
01 class Vehicle {  
02   constructor(name, price) {  
03     this.name = name;  
04     this.price = price;  
05   }  
06   priceInfo() {  
07     return 'Cost of the ${this.name} is ${this.price}$';  
08   }  
09 }
```

B)

```
01 class Vehicle {  
02   vehicle(name, price) {  
03     this.name = name;  
04     this.price = price;  
05   }  
06   priceInfo() {  
07     return 'Cost of the ${this.name} is ${this.price}$';  
08   }  
09 }
```

C)

```
01 class Vehicle {  
02   constructor(name, price) {  
03     name = name;  
04     price = price;  
05   }  
06   priceInfo() {  
07     return 'Cost of the ${this.name} is ${this.price}$';  
08   }  
09 }
```

D)

```
01 class Vehicle {  
02   constructor() {  
03     this.name = name;  
04     this.price = price;  
05   }  
06   priceInfo() {  
07     return 'Cost of the ${this.name} is ${this.price}$';  
08   }  
09 }
```

A.

Answer: B

NEW QUESTION 10

Refer to the code below:

```
const event = new CustomEvent(  
//Missing Code  
);
```

obj.dispatchEvent(event);

A developer needs to dispatch a custom event called update to send information about recordId.

Which two options could a developer insert at the placeholder in line 02 to achieve this? Choose 2 answers

- A. 'Update' , (recordId : '123abc' (
- B. 'Update' , '123abc'
- C. { type : 'update', recordId : '123abc' }
- D. 'Update' , { Details : { recordId : '123abc'}}

Answer: AD

NEW QUESTION 10

Given the following code: `document.body.addEventListener(' click ', (event) => { if (/* CODE REPLACEMENT HERE */) { console.log('button clicked!'); } });`

Which replacement for the conditional statement on line 02 allows a developer to correctly determine that a button on page is clicked?

- A. `Event.clicked`
- B. `e.nodeTarget ==this`
- C. `event.target.nodeName == 'BUTTON'`
- D. `button.addEventListener('click')`

Answer: C

NEW QUESTION 11

Given the code below: `Function myFunction(){ A =5; Var b =1; } myFunction(); console.log(a); console.log(b);`
What is the expected output?

- A. Both lines 08 and 09 are executed, and the variables are outputted.
- B. Line 08 outputs the variable, but line 09 throws an error.
- C. Line 08 throws an error, therefore line 09 is never executed.
- D. Both lines 08 and 09 are executed, but values outputted are undefined.

Answer: B

NEW QUESTION 14

A developer wrote the following code to test a `sum3` function that takes in an array of numbers and returns the sum of the first three numbers in the array, and the test passes.

A different developer made changes to the behavior of `sum3` to instead sum only the first two numbers present in the array.

```
01 let res = sum3([1, 4, 1]);
02 console.assert(res === 6);
03
04 res = sum3([1, 5, 0, 5]);
05 console.assert(res === 6);
```

Which two results occur when running this test on the updated `sum3` function? Choose 2 answers

- A. The line 05 assertion passes.
- B. The line 02 assertion passes.
- C. The line 02 assertion fails.
- D. The line 05 assertion fails.

Answer: BD

NEW QUESTION 17

Refer to the HTML below:

```
<div id="main">
<ul>
<li>Leo</li>
<li>Tony</li>
<li>Tiger</li>
</ul>
</div>
```

Which JavaScript statement results in changing " Tony" to "Mr. T."?

- A. `document.querySelectorAll('$main $TONY').innerHTML = ' M`
- B. `';`
- C. `document.querySelector('$main li:second-child').innerHTML = ' M`
- D. `';`
- E. `document.querySelector('$main li.Tony').innerHTML = ' M`
- F. `';`
- G. `document.querySelector('$main li:nth-child(2)'),innerHTML = ' M`
- H. `';`

Answer: D

NEW QUESTION 22

Given the following code: Let x =null; console.log(typeof x);
What is the output of the line 02?

- A. "Null"
- B. "X"
- C. "Object"
- D. "undefined"

Answer: C

NEW QUESTION 24

Refer to the code below: const addBy = ?
const addByEight =addBy(8); const sum = addBYEight(50);
Which two functions can replace line 01 and return 58 to sum? Choose 2 answers

- A. const addBy = function(num1){ return function(num2){return num1 + num2;}}
- B. const addBy = function(num1){ return num1 + num2;}
- C. const addBy = (num1) => num1 + num2 ;
- D. const addBY = (num1) => (num2) => num1 + num2;

Answer: AD

NEW QUESTION 29

A developer wants to iterate through an array of objects and count the objects and count the objects whose property value, name, starts with the letter N.
Const arrObj = [{"name" : "Zach"} , {"name" : "Kate"},{"name" : "Alise"},{"name" : "Bob"},{"name" : "Natham"}, {"name" : "nathaniel"}]
Refer to the code snippet below: 01 arrObj.reduce((acc, curr) => { 02 //missing line 02
2 //missing line 03
04).0);
Which missing lines 02 and 03 return the correct count?

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:
Explanation

NEW QUESTION 32

Refer to the code below:

```
01 let sayHello = () => {  
02   console.log('Hello, World!');  
03 };
```

Which code executes sayHello once, two minutes from now?

- A. setTimeout(sayHello, 12000);
- B. setInterval(sayHello, 12000);
- C. setTimeout(sayHello(), 12000);
- D. delay(sayHello, 12000);

Answer: A

NEW QUESTION 36

Refer to HTML below:
<div id ="main">
<div id = " card-00">This card is smaller.</div>
<div id = "card-01">The width and height of this card is determined by its contents.</div>
</div>
Which expression outputs the screen width of the element with the ID card-01?

- A. document.getElementById(' card-01 ').getBoundingClientRect().width
- B. document.getElementById(' card-01 ').style.width
- C. document.getElementById(' card-01 ').width
- D. document.getElementById(' card-01 ').innerHTML.lenght*e

Answer: A

NEW QUESTION 41

A developer wrote the following code: 01 let X = object.value;
02
3 try {
4 handleObjectValue(X); 05 } catch (error) {
6 handleError(error);
7 }
The developer has a getNextValue function to execute after handleObjectValue(), but does not want to execute getNextValue() if an error occurs.

How can the developer change the code to ensure this behavior?

- A. 03 try{4 handleObjectValue(x);5 } catch(error){6 handleError(error); 07 } then {8 getNextValue();9 }
- B. 03 try{4 handleObjectValue(x);5 } catch(error){6 handleError(error); 07 } finally {08 getNextValue();10 }
- C. 03 try{04handleObjectValue(x); 05 } catch(error){6 handleError(error);7 }8 getNextValue();
- D. 03 try {04 handleObjectValue(x)05

Answer: D

NEW QUESTION 42

Given the code below:

const copy = JSON.stringify([new String(' false '), new Boolean(false), undefined]); What is the value of copy?

- A. -- [\"false\", { }]-
- B. -- [false, { }]-
- C. -- [\"false\", false, undefined]-
- D. -- [\"false\", false, null]-

Answer: D

NEW QUESTION 46

Given the following code:

```
01 let x = null;
02 console.log(typeof x);
```

is the output of line 02?

- A. "x"
- B. "null"
- C. "object"
- D. "undefined"

Answer: C

NEW QUESTION 48

Given the code below: Setcurrent URL ();

console.log('The current URL is: ' +url); function setCurrentUrl() {

Url = window.location.href;

What happens when the code executes?

- A. The url variable has local scope and line 02 throws an error.
- B. The url variable has global scope and line 02 executes correctly.
- C. The url variable has global scope and line 02 throws an error.
- D. The url variable has local scope and line 02 executes correctly.

Answer: B

NEW QUESTION 51

Refer to the code below: Function Person(firstName, lastName, eyeColor) { this.firstName =firstName;

this.lastName = lastName;

this.eyeColor = eyeColor;

}

Person.job = 'Developer';

const myFather = new Person('John', 'Doe'); console.log(myFather.job);

What is the output after the code executes?

- A. ReferenceError: eyeColor is not defined
- B. ReferenceError: assignment to undeclared variable "Person"
- C. Developer
- D. Undefined

Answer: D

NEW QUESTION 55

developer publishes a new version of a package with new features that do not break backward compatibility. The previous version number was 1.1.3.

Following semantic versioning format, what should the new package version number be?

- A. 2.0.0
- B. 1.2.3
- C. 1.1.4
- D. 1.2.0

Answer: D

NEW QUESTION 57

A developer wants to leverage a module to print a price in pretty format, and has imported a method as shown below:

Import printPrice from '/path/PricePrettyPrint.js';

Based on the code, what must be true about the printPrice function of the PricePrettyPrint module for this import to work ?

- A. printPrice must be a named export
- B. printPrice must be an all export
- C. printPrice must be the default export
- D. printPrice must be a multi exportc

Answer: C

NEW QUESTION 62

Refer to the code below:

```
01 const exec = (item, delay) =>
02   new Promise(resolve => setTimeout(() => resolve(item), delay));
03
04 async function runParallel() {
05   const [result1, result2, result3] = await Promise.all(
06     [exec('x', '100'), exec('y', '500'), exec('z', '100')]
07   );
08   return 'parallel is done: ${result1}${result2}${result3}';
09 }
```

Which two statements correctly execute the runParallel () function? Choose 2 answers

- A. Async runParallel () .then(data);
- B. runParallel (). done(function(data){ return data;});
- C. runParallel () .then(data);
- D. runParallel () .then(function(data) return data

Answer: BD

NEW QUESTION 67

Refer to the following object:

```
01 const cat = {
02   firstName: 'Fancy',
03   lastName: 'Whiskers',
04   get fullName(){
05     return this.firstName + ' ' + this.lastName;
06   }
07 };
```

How can a developer access the fullName property for cat?

- A. cat.fullName
- B. cat.fullName()
- C. cat.get.fullName
- D. cat.function.fullName()

Answer: A

NEW QUESTION 70

Universal Containers recently launched its new landing page to host a crowd-funding campaign. The page uses an external library to display some third-party ads. Once the page is fully loaded, it creates more than 50 new HTML items placed randomly inside the DOM, like the one in the code below:

```
<!-- This is an ad -->
<div class="ad-library-item ad-hidden" onload="myFunction()">
  
</div>
```

All the elements includes the same ad-library-item class, They are hidden by default, and they are randomly displayed while the user navigates through the page.

- A. Use the DOM inspector to prevent the load event to be fired.
- B. Use the browser to execute a script that removes all the element containing the class ad-library-item.
- C. Use the DOM inspector to remove all the elements containing the class ad-library-item.
- D. Use the browser console to execute a script that prevents the load event to be fired.

Answer: B

NEW QUESTION 75

Refer to the code below: function changeValue(param) { Param =5;

}

Let a =10;

Let b =5; changeValue(b);

Const result = a+ " - "+ b;

What is the value of result when code executes?

- A. 10 -10
- B. 5 -5
- C. 5 - 10
- D. 10 - 5

Answer: A

NEW QUESTION 79

Refer to the code below:

```
const searchText = 'Yay! Salesforce is amazing!';

let result1 = searchText.search(/sales/i);
let result2 = searchText.search(/sales/);

console.log(result1);
console.log(result2);
```

After running this code, which result is displayed on the console?

- A. > true > false
- B. > 5 >undefined
- C. > 5 > -1
- D. >5 > 0

Answer: B

Explanation:



NEW QUESTION 82

Given the following code:

```
document.body.addEventListener(' click ', (event) => { if (/* CODE REPLACEMENT HERE */) {
  console.log('button clicked!');
}
});
```

Which replacement for the conditional statement on line 02 allows a developer to correctly determine that a button on page is clicked?

- A. Event.clicked
- B. e.nodeTarget ==this
- C. event.target.nodeName == 'BUTTON'
- D. button.addEventListener('click')

Answer: C

NEW QUESTION 84

Given the code below:

```
const delay = async delay => {
  return new Promise((resolve, reject) => {
    setTimeout(resolve, delay);
  });
};

const callDelay = async () => {
  const yup = await delay(1000);
  console.log(1);
};

console.log(2);
callDelay();
console.log(3);
```

What is logged to the console?

- A. 1 2 3
- B. 1 3 2
- C. 2 1 3
- D. 2 3 1

Answer: D

NEW QUESTION 86

A developer creates a class that represents a blog post based on the requirement that a Post should have a body author and view count.

The Code shown Below: ClassPost {

// Insert code here This.body =body This.author = author;

this.viewCount = viewCount;

}

}

Which statement should be inserted in the placeholder on line 02 to allow for a variable to be set to a new instance of a Post with the three attributes correctly populated?

- A. super (body, author, viewCount) {
- B. Function Post (body, author, viewCount) {
- C. constructor (body, author, viewCount) {
- D. constructor() {

Answer: C

NEW QUESTION 88

Refer to the code:

```
01 function Animal(size, type) {
02   this.size = size || 'small';
03   this.type = type || 'Animal';
04   this.canTalk = false;
05 }
06
07 let Pet = function(size, type, name, owner) {
08   Animal.call(this, size, type);
09   this.name = name;
10   this.owner = owner;
11 }
12
13 Pet.prototype = Object.create(Animal.prototype);
14 let pet1 = new Pet();
```

Given the code above, which three properties are set pet1? Choose 3 answers:

- A. Name
- B. canTalk
- C. Type
- D. Owner
- E. Size

Answer: BCE

NEW QUESTION 93

Cloud Kicks has a class to represent items for sale in an online store, as shown below: Class Item{

constructor (name, price){ this.name = name; this.price = price;

```
}  
formattedPrice(){  
return 's' + String(this.price);}}
```

A new business requirement comes in that requests a ClothingItem class that should have all of the properties and methods of the Item class but will also have properties that are specific to clothes.

Which line of code properly declares the clothingItem class such that it inherits from Item?

- A. Class ClothingItem implements Item{
- B. Class ClothingItem {
- C. Class ClothingItem super Item {
- D. Class ClothingItem extends Item {

Answer: D

NEW QUESTION 95

The developer wants to test the array shown: `const arr = Array(5).fill(0)`

Which two tests are the most accurate for this array ? Choose 2 answers:

- A. `console.assert(arr.length === 5);`
- B. `arr.forEach(elem => console.assert(elem === 0)) ;`
- C. `console.assert(arr[0] === 0 && arr[arr.length] === 0);`
- D. `console.assert (arr.length >0);`

Answer: AB

NEW QUESTION 97

Refer to code below:

```
01 let first = 'Who';  
02 let second = 'What';  
03 try {  
04   try {  
05     throw new Error('Sad trombone');  
06   } catch (err) {  
07     first = 'Why';  
08   } finally {  
09     second = 'When';  
10   }  
11 } catch (err) {  
12   second = 'Where';  
13 }
```

What are the values for first and second once the code executes ?

- A. First is Who and second is When
- B. First is why and second is where
- C. First is who and second is where
- D. First is why andsecond is when

Answer: D

NEW QUESTION 99

A developer wants to setup a secure web server with Node.js. The developer creates a directory locally called app-server, and the first file is app-server/index.js
Without using any third-party libraries, what should the developer add to index.js to create the secure web server?

- A. `const https =require('https');`
- B. `const server =require('secure-server');`
- C. `const tls = require('tls');`
- D. `const http =require('http');`

Answer: A

NEW QUESTION 103

Refer to the code below:

```
01 function foo() {  
02   const a = 2;  
03   function bar() {  
04     console.log(a);  
05   }  
06   return bar;  
07 }
```

Why does the function bar have access to variable a ?

- A. Inner function's scope
- B. Hoisting

- C. Outer function's scope
- D. Prototype chain

Answer: C

NEW QUESTION 105

is below:

```
<input type="file" onchange="previewFile()">
<img src="" height="200" alt="Image Preview..." /> The JavaScript portion is:
1 function previewFile(){
2   const preview = document.querySelector('img');
3   const file = document.querySelector('input[type=file]').files[0]; 04 //line 4 code
05 reader.addEventListener("load", () =>{ 06 preview.src = reader.result;
7 },false);
8 //line 8 code
9 }
```

In lines 04 and 08, which code allows the user to select an image from their local computer , and to display the image in the browser?

- A. 04 const reader = new File();08 if (file) URL.createObjectURL(file);
- B. 04 const reader = new FileReader();08 if (file) URL.createObjectURL(file);
- C. 04 const reader = new File();08 if (file) reader.readAsDataURL(file);
- D. 04 const reader = new FileReader();08 if (file) reader.readAsDataURL(file);

Answer: D

NEW QUESTION 108

The developer has a function that prints "Hello" to an input name. To test this, the developer created a function that returns "World". However the following snippet does not print " Hello World".

```
const sayHello = (name) => {
  console.log("Hello" , name());};

const world = () => {
  return "world";
};

sayHello(world);
```

What can the developer do to change the code to print "Hello World" ?

- A. Change line 7 to) () ;
- B. Change line 2 to console.log('Hello' , name());
- C. Change line 9 to sayHello(world) ();
- D. Change line 5 to function world () {

Answer: B

NEW QUESTION 113

A test has a dependency on database.query. During the test the dependency is replaced with an object called database with the method, query, that returns an array. The developer needs to verify how many times the method was called and the arguments used each time.

Which two test approaches describe the requirement? Choose 2 answers

- A. Integration
- B. Black box
- C. White box
- D. Mocking

Answer: CD

NEW QUESTION 115

Refer to the code below:

```
Let inArray =[ [ 1, 2 ] , [ 3, 4, 5 ] ];
```

Which two statements result in the array [1, 2, 3, 4, 5] ?

Choose 2 answers

- A. []. Concat.apply ([], inArray);
- B. []. Concat (... inArray);
- C. []. concat.apply(inArray, []);
- D. []. concat ([....inArray]);

Answer: AB

NEW QUESTION 116

A developer wrote a fizzbuzz function that when passed in a number, returns the following:

‘Fizz’ if the number is divisible by 3. ‘Buzz’ if the number is divisible by 5.

‘Fizzbuzz’ if the number is divisible by both 3 and 5. Emptystring if the number is divisible by neither 3 or 5.

Which two test cases will properly test scenarios for the fizzbuzz function? Choose 2 answers

- A. let res = fizzbuzz(5); console.assert (res === ‘ ’);
- B. let res = fizzbuzz(15);console.assert (res ===‘ fizzbuzz ’)
- C. let res = fizzbuzz(Infinity); console.assert (res === ‘ ’)
- D. let res = fizzbuzz(3); console.assert (res === ‘ buzz ’)

Answer: BCD

NEW QUESTION 118

Refer to the code below: Function changeValue(obj) { Obj.value =obj.value/2;
}

Const objA = (value: 10);

Const objB = objA; changeValue(objB); Const result = objA.value;

What is the value of result after the code executes?


- A. 10
- B. Nan
- C. 5
- D. Undefined

Answer: C

NEW QUESTION 121

Refer to the code below:

```
new Promise((resolve, reject) => { const fraction = Math.random();  
if( fraction >0.5) reject("fraction > 0.5, " + fraction); resolve(fraction);  
}))  
.then(() =>console.log("resolved"))  
.catch((error) => console.error(error))  
.finally(() => console.log(" when am I called?"));
```



```
new Promise((resolve, reject) => {  
  const fraction = Math.random();  
  if( fraction >0.5) reject("fraction > 0.5, " + fraction);  
  reject(fraction);  
}))  
.then(() =>console.log("resolved"))  
.catch((error) => console.error(error))  
.finally(() => console.log(" when am I called?"));
```

0.024493713600408196 VM1560:7

when am I called? VM1560:8

Promise {<fulfilled>: undefined}



```
new Promise((resolve, reject) => {  
  const fraction = Math.random();  
  if( fraction >0.5) reject("fraction > 0.5, " + fraction);  
  resolve(fraction);  
}))  
.then(() =>console.log("resolved"))  
.catch((error) => console.error(error))  
.finally(() => console.log(" when am I called?"));
```

resolved VM1349:6

when am I called? VM1349:8

Promise {<fulfilled>: undefined}

When does Promise.finally on line 08 get called?

- A. When rejected
- B. When resolved and settled
- C. WHEN resolved
- D. When resolved or rejected

Answer: D

NEW QUESTION 125

Refer to the following code: 01 function Tiger(){

02 this.Type = ‘Cat’; 03 this.size = ‘large’; 04 }

05

06 let tony = new Tiger(); 07 tony.roar = () =>{

8 console.log(‘They’re great1’);

9 };

```
10
11 function Lion(){ 12 this.type = 'Cat'; 13this.size = 'large'; 14 }
15
16 let leo = new Lion(); 17 //Insert code here
18 leo.roar();
```

Which two statements could be inserted at line 17 to enable the function call on line 18? Choose 2 answers.

- A. `Leo.roar = () => { console.log('They\'re pretty good:'); };`
- B. `Object.assign(leo,Tiger);`
- C. `Object.assign(leo,tony);`
- D. `Leo.prototype.roar = () => { console.log('They\'re pretty good:'); };`

Answer: AC

NEW QUESTION 129

A developer wants to create an object from a function in the browser using the code below:

```
Function Monster() { this.name ='hello' }; Const z = Monster();
```

What happens due to lack of the new keyword on line 02?

- A. The z variable is assigned the correct object.
- B. The z variable is assigned the correct object but this.name remains undefined.
- C. Window.name is assigned to 'hello' and the variable z remains undefined.
- D. Window.m is assigned the correct object.

Answer: C

NEW QUESTION 132

Refer to the code below: `let timeFunction =() => { console.log("Timer called."); };`

```
let timerId = setTimeout (timedFunction, 1000);
```

Which statement allows a developer to cancel the scheduled timed function?

- A. `removeTimeout(timedFunction);`
- B. `removeTimeout(timerId);`
- C. `clearTimeout(timerId);`
- D. `clearTimeout(timedFunction);`

Answer: C

NEW QUESTION 137

Refer to the code below:

```
01 function changeValue(param) {
02   param = 5;
03 }
04 let a = 10;
05 let b = a;
06
07 changeValue(b);
08 const result = a + ' - ' + b;
```

What is the value of result when the code executes?

- A. 10-10
- B. 5-5
- C. 10-5
- D. 5-10

Answer: A

NEW QUESTION 140

A developer has the function, shown below, that is called when a page loads.

```
function onLoad() {
  console.log("Page has loaded!");
}
```

Where can the developer see the log statement after loading the page in the browser?

- A. Terminal running the web server.
- B. Browser performance toots
- C. Browser javaScript console
- D. On the webpage.

Answer: C

NEW QUESTION 144

What are two unique features of functions defined with a fat arrow as compared to normal function definition?
Choose 2 answers

- A. The function generated its own this making it useful for separating the function's scope from its enclosing scope.
- B. The function receives an argument that is always in scope, called parentThis, which is the enclosing lexical scope.
- C. If the function has a single expression in the function body, the expression will be evaluated and implicitly returned.
- D. The function uses the this from the enclosing scope.

Answer: AC

NEW QUESTION 146

Teams at Universal Containers(UC) work on multiple JavaScript projects at the same time. UC is thinking about reusability and how each team can benefit from the work of others. Going open-source or public is not an option at this time.
Which option is available to UC with npm?

- A. Private packages can be scoped, and scopes can be associated to a private registries.
- B. Private registries are not supported by npm, but packages can be installed via URL.
- C. Private packages are not supported, but they can use another package manager like yarn.
- D. Private registries are not supported by npm, but packages can be installed via git.

Answer: A

NEW QUESTION 148

Refer to the following array: Let arr = [1,2, 3, 4, 5];
Which three options result in x evaluating as [3, 4, 5] ? Choose 3 answers.

- A. Let x= arr.filter ((a) => (a<2));
- B. Let x=arr.splice(2,3);
- C. Let x= arr.slice(2);
- D. Let x= arr.filter((a) => (return a>2));
- E. Let x = arr.slice(2,3);

Answer: BCD

NEW QUESTION 149

Which statement accurately describes an aspect of promises?

- A. Arguments for the callback function passed to .then() are optional.
- B. In a.then() function, returning results is not necessary since callbacks will catch the result of a previous promise.
- C. .then() cannot be added after a catch.
- D. .then() manipulates and returns the original promise.

Answer: A

NEW QUESTION 150

A developer has code that calculates a restaurant bill, but generates incorrect answers while testing the code:
function calculateBill (items) { let total = 0;
total += findSubTotal(items); total += addTax(total);
total += addTip(total); return total;
}
Which option allows the developer to step into each function execution within calculateBill?

- A. Using the debugger command on line 05.
- B. Using the debugger command on line 03
- C. Calling the console.trace (total) method on line 03.
- D. Wrapping findSubtotal in a console.log() method.

Answer: A

NEW QUESTION 152

Which two console logs outputs NaN? Choose 2 answers

- A. console.log(10/ Number('5'));
- B. console.log(parseInt('two'));
- C. console.log(10/ "five");
- D. console.log(10/0);

Answer: BC

NEW QUESTION 155

Which statement phrases successfully?

- A. JSON.parse (' foo ');
- B. JSON.parse (" foo ");
- C. JSON.parse(" ' foo ' ");
- D. JSON.parse(' " foo " ');

Answer: D

NEW QUESTION 156

In which situation should a developer include a try .. catch block around their function call ?

- A. The function has an error that shouldnot be silenced.
- B. The function results in an out of memory issue.
- C. The function might raise a runtime error that needs to be handled.
- D. The function contains scheduled code.

Answer: C

NEW QUESTION 159

A developer is required to write a function that calculates the sum of elements in an array but is getting undefinedevery time the code is executed. The developer needs to find what is missing in the code below.

```
Const sumFunction = arr => {  
  Return arr.reduce((result, current) => {  
    //  
    Result += current;  
    //  
  }, 10);  
};
```

Which option makes the code work as expected?

- A. Replace line 02 with return arr.map((result, current) => (
- B. Replace line 04 with result = result +current;
- C. Replace line 03 with if(arr.length == 0) (return 0;)
- D. Replace line 05 with return result;

Answer: D

NEW QUESTION 160

Given code below: `setTimeout (() => (console.log(1);
. 0);
console.log(2);
New Promise ((resolve, reject)) = > (setTimeout(() => (reject(console.log(3));
. 1000);
)).catch(() => (console.log(4);
));
console.log(5);`
What is logged to the console?

- A. 2 1 4 3 5
- B. 2 5 13 4
- C. 1 2 4 3 5
- D. 1 2 5 3 4

Answer: B

NEW QUESTION 161

A developer implements a function that adds a few values.

```
01 function sum(num) {  
02   if (num === undefined) {  
03     num = 0;  
04   }  
05   return function(num2, num3) {  
06     if (num3 === undefined) {  
07       num3 = 0;  
08     }  
09     return num + num2 + num3;  
10   }  
11 }
```

Which three options can the developer invoke for this function to get a return value of 10 ? Choose 3 answers

- A. Sum () (20)
- B. Sum (5, 5) ()
- C. sum() (5, 5)
- D. sum(5)(5)
- E. sum(10) ()

Answer: CD

NEW QUESTION 163

Given the JavaScript below:

```
1 function filterDOM (searchString) {
2 const parsedSearchString = searchString && searchString.toLowerCase() ;
03 document.quesrySelectorAll(' .account' ) . forEach(account => (
04 const accountName = account.innerHTML.toLowerCase();
05 account. Style.display = accountName.includes(parsedSearchString) ? /*Insert code*/;
06 });
07 }
```

Which code should replace the placeholder comment on line 05 to hide accounts that do not match thesearch string?

- A. ' name ' : ' block '
- B. ' Block ' : ' none '
- C. ' visible ' : ' hidden '
- D. ' hidden ' : ' visible '

Answer: B

NEW QUESTION 164

Which two code snippets show working examples of a recursive function? Choose 2 answers

- A. Let countingDown = function(startNumber) { If (startNumber >0) { console.log(startNumber) ;return countingDown(startNUmber);} else {return startNumber;}};
- B. Function factorial (numVar) { If (numVar < 0) return;if (numVar === 0) return 1; return numVar -1;
- C. Const sumToTen = numVar => { If (numVar < 0)Return;return sumToTen(numVar + 1)};
- D. Const factorial =numVar => { If(numVar < 0) return;if (numVar === 0) return 1;return numVar * factorial (numVar - 1)};};

Answer: AD

NEW QUESTION 167

Refer to the following array:

Let arr1 = [1, 2, 3, 4, 5];

```
let arr1 = [ 1, 2, 3, 4, 5 ];
let arr2 = arr1.slice(0, 5);
```

```
console.log(arr2)
```

```
► (5) [1, 2, 3, 4, 5]
```

VM1767:4

```
undefined
```

```
let arr1 = [ 1, 2, 3, 4, 5 ];
let arr2 = Array.from(arr1);
console.log(arr2)
```

```
► (5) [1, 2, 3, 4, 5]
```

VM1827:3

```
undefined
```

Which two lines of code result in a second array, arr2 being created such that arr2 is not a reference to arr1?

- A. Let arr2 = arr1.slice(0, 5);
- B. Let arr2 = Array.from(arr1);
- C. Letarr2 = arr1;
- D. Let arr2 = arr1.sort();

Answer: AB

NEW QUESTION 170

Which option is true about the strict mode in imported modules?

- A. Add the statement use non-strict, before any other statements in the module to enable not-strict mode.
- B. You can only reference notStrict() functions from the imported module.
- C. Imported modules are in strict mode whether you declare them as such or not.
- D. Add the statement use strict =false; before any other statements in the module to enable not- strict mode.

Answer: B

NEW QUESTION 173

.....

Relate Links

100% Pass Your JavaScript-Developer-I Exam with Exambible Prep Materials

<https://www.exambible.com/JavaScript-Developer-I-exam/>

Contact us

We are proud of our high-quality customer service, which serves you around the clock 24/7.

Viste - <https://www.exambible.com/>