


CAD Dumps

Certified Application Developer-ServiceNow

<https://www.certleader.com/CAD-dumps.html>



NEW QUESTION 1

When creating a table in a privately-scoped application, which four Access Controls are created for the table?

- A. Insert, Delete, Query, Write
- B. Create, Delete, Read, Write
- C. Create, Delete, Read, Update
- D. Insert, Delete, Query, Update

Answer: B

Explanation:

When creating a table in a privately-scoped application, four Access Controls are automatically created for the table. These Access Controls define the permissions for the four basic operations on the table: Create, Delete, Read, and Write. The Create operation allows the user to create new records on the table. The Delete operation allows the user to delete existing records on the table. The Read operation allows the user to view the records on the table. The Write operation allows the user to modify the records on the table. By default, these Access Controls grant access to the admin role and the application scope. You can modify or delete these Access Controls as needed.

The other options are not valid Access Controls for a table. Insert, Query, and Update are not operations, but methods of the GlideRecord class that are used to manipulate records on the server-side. They are not part of the Access Control rules.

References:

? [Access Control rules]

? Create a table in a scoped application

? [GlideRecord methods]

NEW QUESTION 2

When a ServiceNow instance requests information from a web service, ServiceNow is the web service:

- A. Publisher
- B. Specialist
- C. Provider
- D. Consumer

Answer: D

Explanation:

When a ServiceNow instance requests information from a web service, ServiceNow is the web service consumer. A web service consumer is an application that sends requests to a web service provider and receives responses from it. A web service provider is an application that exposes its functionality as web services. A web service publisher is a person or organization that publishes web services for others to use. A web service specialist is a person who has expertise in developing or using web services. Reference: Web services

Reference: https://docs.servicenow.com/bundle/orlando-application-development/page/integrate/web-services/reference/r_AvailableWebServices.html

NEW QUESTION 3

Which objects can you use in a Scheduled Script Execution (Scheduled Job) script?

- A. GlideRecord and current
- B. GlideUser and GlideRecord
- C. GlideSystem and GlideRecord
- D. GlideSystem and current

Answer: C

Explanation:

https://developer.servicenow.com/dev.do#!/learn/learning-plans/quebec/servicenow_administrator/app_store_learnv2_automatingapps_quebec_scheduled_script_execution_scripts

The objects that you can use in a Scheduled Script Execution (Scheduled Job) script are GlideSystem and GlideRecord. GlideSystem provides methods for performing system operations, such as logging, running background scripts, or getting system information. GlideRecord provides methods for working with records in the database, such as querying, updating, inserting, or deleting records. The current object is not available in Scheduled Script Execution scripts, as it refers to the current record on a form or list. The GlideUser object is also not available, as it refers to the current user session. Reference: Scheduled Script Execution, GlideSystem, GlideRecord

NEW QUESTION 4

From the list below, identify one reason an application might NOT be a good fit with ServiceNow.

The application:

- A. Needs workflow to manage processes
- B. Requires “as-is” use of low-level programming libraries
- C. Requires reporting capabilities
- D. Uses forms extensively to interact with data

Answer: B

Explanation:

From the list below, the following is a reason an application might not be a good fit with ServiceNow:

? Requires “as-is” use of low-level programming libraries. This is the correct answer

because ServiceNow is a high-level platform that abstracts away the low-level details of the underlying infrastructure and technology stack. ServiceNow provides a rich set of APIs, tools, and features that allow users to develop applications without coding or with minimal coding. However, ServiceNow does not support the direct

NEW QUESTION 5

Which Report Type(s) can be created by right-clicking on a column header in a table's list?

- A. Bar Chart, Pie Chart, Histogram, and Line
- B. Bar Chart
- C. Bar Chart, Pie Chart, and Histogram
- D. Bar Chart and Pie Chart

Answer: D

Explanation:

The Bar Chart and Pie Chart report types can be created by right-clicking on a column header in a table's list. These report types show how individual pieces of data relate to the whole using proportional bars or slices. You can also choose different aggregation methods such as count, sum, average, min, max, or percent. Reference: [Create reports from lists]

NEW QUESTION 6

You are developing the MyApp application that has a table, Table A. When the MyApp application is installed on an instance, you want Table A's records to be installed as part of the application.

Table A's records will be installed when:

- A. Table A is active and extends the Task table
- B. Table A's records are added to the application record using the Create Application Files context menu item
- C. Table A has an automatic number counter for new records
- D. Table A is not included in the System Clone > Exclude Tables list

Answer: B

Explanation:

https://docs.servicenow.com/bundle/tokyo-application-development/page/build/applications/task/t_IncludeApplicationData.html

NEW QUESTION 7

When creating an application through the Guided Application Creator, which of the following is NOT an option for creating a table?

- A. Upload spreadsheet
- B. Create table from template
- C. Extend a table
- D. Create table from scratch

Answer: B

Explanation:

Create table from template is not an option for creating a table through the Guided Application Creator. The other options are available for creating a table in the app. Upload spreadsheet allows you to import data from an Excel file and create a table based on the spreadsheet columns and rows. Extend a table allows you to create a child table that inherits fields and behaviors from a parent table. Create table from scratch allows you to define your own fields and data types for a new table. Reference: Create tables

<https://docs.servicenow.com/bundle/tokyo-application-development/page/build/guided-app-creator/concept/gac-tables.html>

NEW QUESTION 8

When working in the Form Designer, configuring the label of a field in a child table changes the label on which table(s)?

- A. base table
- B. child table
- C. parent table
- D. all tables

Answer: B

Explanation:

Configuring the label of a field in a child table changes the label only on that table, not on the base table or the parent table. The base table is the table that contains the common fields for all the extended tables, and the parent table is the table that is directly extended by the child table. The label of a field on the base table or the parent table can be different from the label on the child table. References: [ServiceNow Docs - Table extension], [ServiceNow Community - How to change field label in child table]

Reference: https://community.servicenow.com/community? id=community_QUESTIONNO:&sys_id=7ddc4462dbe2b3840be6a345ca9619af

NEW QUESTION 9

Which of the following statements must evaluate to true for a user to pass an Access Control?

Choose 3 answers

- A. Other matching Access Controls for the records evaluate to true.
- B. Conditions configured in the Access Control must evaluate to true.
- C. The user must be granted access through a business rule.
- D. The user has one of the roles specified in the Required roles related list.
- E. Scripts configured in the Access Control must evaluate to true.

Answer: BDE

Explanation:

The statements that must evaluate to true for a user to pass an Access Control are:

- ? Conditions configured in the Access Control must evaluate to true.
- ? The user has one of the roles specified in the Required roles related list.
- ? Scripts configured in the Access Control must evaluate to true.

An Access Control is a rule that determines whether a user can access a particular object or operation in ServiceNow. An Access Control consists of three elements: Conditions, Roles, and Script. Each element specifies a requirement that the user must meet to access the object or operation. If any of these elements return false, the Access Control denies access and stops evaluating the remaining elements. Therefore, for a user to pass an Access Control, all three elements must evaluate to true.

The other statements are not required for a user to pass an Access Control. Other matching Access Controls for the records do not need to evaluate to true, as only one matching Access Control needs to return true for access to be granted. The user does not need to be granted access through a business rule, as business rules are not part of Access Controls and do not affect their evaluation. Reference: Access control rules, Access Controls

NEW QUESTION 10

Identify the incorrect statement about Delegated Development in ServiceNow.

- A. Administrators can grant non-admin users the ability to develop global applications.
- B. Administrators can specify which application file types the developer can access.
- C. Administrators can grant the developer access to script fields.
- D. Administrators can grant the developer access to security records.

Answer: A

Explanation:

Administrators can grant non-admin users the ability to develop global applications. Delegated Development is for the scoped applications only
Reference: https://docs.servicenow.com/bundle/orlando-application-development/page/build/applications/concept/c_DelegatedDevelopment.html

The incorrect statement about Delegated Development in ServiceNow is that administrators can grant non-admin users the ability to develop global applications. Delegated Development allows administrators to grant non-admin users the ability to develop scoped applications, not global applications. Global applications are accessible by all other applications and do not have a namespace prefix. Scoped applications are isolated from other applications and have a unique namespace identifier. Delegated Development provides more granular control over the developer permissions, application resources, and data access. References: [Advantages of Scoped Applications in ServiceNow], [Product Documentation | ServiceNow]

NEW QUESTION 10

Which one of the following is NOT true for Modules?

- A. Access to Modules is controlled with roles
- B. Modules open content pages
- C. Every Module must be associated with a table
- D. Every Module must be part of an Application Menu

Answer: C

Explanation:

The statement that is not true for Modules is that every Module must be associated with a table. A Module is the functionality within an Application Menu that opens a content page in the content frame or a separate tab or window. A Module can be associated with a table, a list, a form, a report, a script, or any other type of page. For example, the Open Module under the Incident Application Menu opens a list of incident records from the Incident table, while the Overview Module under the Performance Analytics Application Menu opens a dashboard page with various charts and widgets. The other statements are true for Modules. Access to Modules is controlled with roles, as each Module can have one or more roles specified in its definition that determine who can see and access it. Modules open content pages, as they are links to different types of pages that provide information and functionality to users. Every Module must be part of an Application Menu, as they are the second-level navigation options for Applications. Reference: Modules

NEW QUESTION 15

Which of the following CANNOT be debugged using the Field Watcher?

- A. Business Rules
- B. Script Includes
- C. Client Scripts
- D. Access Controls

Answer: B

Explanation:

The Field Watcher is a debugging tool that allows you to monitor the values of fields on a form as they change due to scripts or other actions. It can be used to debug Business Rules, Client Scripts, and Access Controls, but not Script Includes. Script Includes are server-side scripts that define reusable functions and classes. They are not associated with any specific field or form, and therefore cannot be watched by the Field Watcher. References:

? Field Watcher

? Script Includes

Reference: https://docs.servicenow.com/bundle/orlando-application-development/page/script/debugging/concept/c_FieldWatcher.html

NEW QUESTION 17

Which of the following are configured in an Email Notification?

- a)Who will receive the notification. b)What content will be in the notification. c)When to send the notification.
- d)How to send the notification.

- A. a, b and c
- B. a, b, and d
- C. b, c and d
- D. a, c and d

Answer: A

Explanation:

https://docs.servicenow.com/bundle/tokyo-servicenow-platform/page/administer/notification/task/t_CreateANotification.html

Reference: https://hi.service-now.com/kb_view.do?sysparm_article=KB0712569

An Email Notification is a record that defines the content and conditions for sending an email message from the ServiceNow platform. The following are configured in an Email Notification:

Who will receive the notification. This is specified by the Recipients related list, which can include users, groups, email addresses, or scripts that return email addresses.

What content will be in the notification. This is specified by the Subject and Message HTML fields, which can include variables, scripts, or templates to dynamically generate the email content.

When to send the notification. This is specified by the When to send tab, which defines the conditions and events that trigger the email notification.

The following is not configured in an Email Notification:

How to send the notification. This is not a configuration option for an Email Notification. The platform uses the SMTP protocol to send email messages, and the email properties control the email server settings and behavior. References: Email Notifications, Get Started with Notifications

NEW QUESTION 22

Access Control debug information identifies whether each element of an Access Control granted or denied access. The elements appear in the debug information in the order of evaluation. In which order are the elements of an Access Control evaluated?

- A. Conditions, Roles, Script
- B. Conditions, Script, Roles
- C. Roles, Conditions, Script
- D. Script, Conditions, Roles

Answer: C

Explanation:

"The sequence is ROLES first, then condition, then script." - Chuck Tomasi says so at this link: <https://www.servicenow.com/community/grc-forum/order-of-execution-of-an-acl/m-p/1311962/highlight/true#M6538>

NEW QUESTION 26

What is the purpose of the Application Picker?

- A. Select an application to run
- B. Select an application as a favorite in the Application Navigator
- C. Choose an application to edit and set the Application Scope
- D. Choose an application to download and install

Answer: C

Explanation:

https://docs.servicenow.com/bundle/tokyo-application-development/page/build/applications/concept/c_ApplicationPicker.html

NEW QUESTION 28

Which of the following statements is true about Guided Application Creator?

- A. The global scope option is turned on by default
- B. A scope application user role is automatically created
- C. Default access controls are automatically created
- D. The welcome screen appears every time a new application is created

Answer: D

Explanation:

The welcome screen appears every time a new application is created through the Guided Application Creator. The welcome screen provides an overview of the steps involved in creating an application, such as defining the app name, scope, and tables, configuring the app user interface, and publishing the app. The other options are not true about the Guided Application Creator. The global scope option is turned off by default, as it is recommended to create applications in their own scope for better security and performance. A scope application user role is not automatically created, as the user can choose to create one or use an existing role for the app access control. Default access controls are not automatically created, as the user can define the read, write, create, and delete permissions for each table in the app. Reference: Guided App Creator

NEW QUESTION 32

What is a Module?

- A. The functionality within an application menu such as opening a page in the content frame or a separate tab or window
- B. A group of menus, or pages, providing related information and functionality to end-users
- C. A way of helping users quickly access information and services by filtering the items in the Application Navigator
- D. A web-based way of providing software to end-users

Answer: A

Explanation:

https://docs.servicenow.com/bundle/rome-platform-user-interface/page/administer/navigation-and-ui/task/t_CreateAModule.html

A module is the functionality within an application menu such as opening a page in the content frame or a separate tab or window. For example, Open is a module under the Problem application menu that opens a list of problem records. Modules are the second level navigation options for applications. Reference: Modules | ServiceNow Tutorials

NEW QUESTION 33

Which one of the following is NOT a method used for logging messages in a server-side script for a privately- scoped application?

- A. gs.log()
- B. gs.error()
- C. gs.warn()
- D. gs.debug()

Answer: A

Explanation:

gs.print() and gs.log() are older and not available in scoped applications, whereas gs.debug(), gs.info(), gs.warn(), gs.error() work in both scoped applications and global are therefore are more versatile going forward in future versions.

Reference: https://community.servicenow.com/community? id=community_QUESTION

NO:&sys_id=bd71cb29db98dbc01dcaf3231f9619c6

NEW QUESTION 37

Which script types execute on the server? (Choose three.)

- A. Business Rule
- B. Client Scripts
- C. UI Policies
- D. Script Actions
- E. Scheduled Jobs

Answer: ADE

Explanation:

https://docs.servicenow.com/bundle/tokyo-application-development/page/script/server-scripting/concept/c_ServerScripting.html

NEW QUESTION 39

Which of the following is true about deleting fields from a table?

- A. Any field on a table can be deleted
- B. User-defined non-inherited fields can be detected
- C. Inherited fields can be detected
- D. Table records are deleted when a field is detected

Answer: B

Explanation:

User-defined non-inherited fields can be deleted from a table in ServiceNow. These are fields that are created by users on a specific table and are not inherited from a parent table. Inherited fields cannot be deleted from a table, as they are defined on a parent table and shared by all child tables. Any field on a table cannot be deleted, as some fields are system-defined and essential for the table functionality. Table records are not deleted when a field is deleted, as the field deletion only affects the table structure and not the data. Reference: Delete fields

NEW QUESTION 44

Which of the following is NOT supported by Flow Designer?

- A. Call a subflow from a flow
- B. Test a flow with rollback
- C. Use Delegated Developer
- D. Run a flow from a MetricBase Trigger

Answer: B

Explanation:

Flow Designer is a graphical tool that allows users to automate processes in ServiceNow without coding. The following are supported by Flow Designer:

? Call a subflow from a flow. This is a feature that allows users to invoke a subflow,

which is a reusable unit of logic, from a flow. This can help simplify complex flows and avoid duplication of logic.

? Use Delegated Developer. This is a feature that allows administrators to delegate

the development and maintenance of flows and actions to users who are not administrators. This can help distribute the workload and empower non-admin users to create automations.

? Run a flow from a MetricBase Trigger. This is a feature that allows users to trigger

a flow based on a MetricBase query, which is a way of analyzing time-series data in ServiceNow. This can help automate actions based on data trends and patterns.

The following is not supported by Flow Designer:

? Test a flow with rollback. This is not a feature of Flow Designer, but of Automated Test Framework (ATF), which is a tool that allows users to create and run automated tests on ServiceNow applications and features. ATF supports testing

flows with rollback, which means reverting any changes made by the flow during the test execution. References: Flow Designer, Automated Test Framework

Reference: https://community.servicenow.com/community? id=community_QUESTION NO:&sys_id=b4d26e44db13ab409540e15b8a9619c9

NEW QUESTION 47

What is the best UX format to use for lists and forms?

- A. Forms
- B. Lists
- C. Standard
- D. Classic

Answer: D

Explanation:

there are only two types of UX options: Mobile and Classic. Classic is defined as "manage records via lists and form"

NEW QUESTION 49

Which one of the following is true for this script fragment? `g_user.hasRole('x_my_app_user');`

- A. The method returns true if the currently logged in user has the `x_my_app_user` role or the admin role
- B. The method returns false only if the currently logged in user has the `x_my_app_user` role
- C. There is no `g_user.hasRole()` method
- D. The method returns true only if the currently logged in user has the `x_my_app_user` role

Answer: A

Explanation:

The statement that is true for this script fragment is that the method returns true if the currently logged in user has the `x_my_app_user` role or the admin role. The `g_user.hasRole()` method is a client-side method that checks whether the current user has a specified role or set of roles. If no role is specified, it returns true if the user has any role. If one or more roles are specified, it returns true if the user has any one of the specified roles. However, this method always returns true if the user has the admin role, regardless of the role parameter. Therefore, in this case, the method returns true if the user has either the `x_my_app_user` role or the admin role. Reference: User Object Cheat Sheet, Checking user permissions

NEW QUESTION 52

To see what scripts, reports, and other application artifacts will be in a published application:

- A. Enter the name of the Application in the Global search field
- B. Open the list of Update Sets for the instance
- C. Examine the Application Files Related List in the application to be published
- D. Open the artifact records individually to verify the value in the Application field

Answer: C

Explanation:

To see what scripts, reports, and other application artifacts will be in a published application, the best option is to examine the Application Files Related List in the application to be published. This will show all the application files that belong to the application, grouped by file type and scope. You can also filter, sort, or search the list to find specific files.

The following options are not the best ways to see what application artifacts will be in a published application:

- ? Enter the name of the Application in the Global search field. This will perform a global text search on the instance and return any records that match the application name, which may include irrelevant or incomplete results.
- ? Open the list of Update Sets for the instance. This will show all the update sets that have been created or imported on the instance, but not necessarily the ones that belong to the application to be published. Update sets are used to move customizations between instances, not to publish applications to the ServiceNow Store or Share.
- ? Open the artifact records individually to verify the value in the Application field. This will require opening each record that may be part of the application and checking the Application field, which is tedious and error-prone. References: Publish an Application, Application Files

NEW QUESTION 56

What are some of the benefits of extending an existing table such as the Task table when creating a new application?

- a) You can repurpose existing fields by simply changing the label.
- b) Use existing fields with no modifications.
- c) Existing logic from the parent table will be automatically applied to the new table.
- d) All of the parent table records are copied to the new table.

- A. a, b, c, and d
- B. a and b
- C. b and c
- D. a, b, and c

Answer: D

Explanation:

Extending an existing table such as the Task table when creating a new application has several benefits, such as:

- ? You can repurpose existing fields by simply changing the label. For example, you can change the Short description field to Summary or Title for your new table.
 - ? You can use existing fields with no modifications. For example, you can use the Assigned to, Priority, and State fields for your new table without changing anything.
 - ? Existing logic from the parent table will be automatically applied to the new table. For example, you can inherit the Business Rules, Client Scripts, and UI Policies from the Task table for your new table.
- The only option that is not true is d) All of the parent table records are copied to the new table. Extending a table does not copy any records from the parent table to the new table. It only creates a new table that inherits the fields and logic from the parent table.
- References:
- ? [Extend a table]
 - ? [Task table]

NEW QUESTION 57

Tables that extend a table do what?

- A. Sometimes inherit the parent's fields
- B. Automatically update the application scope
- C. Do not inherit the parent's fields

D. Inherit the parent's fields

Answer: D

Explanation:

Tables that extend a table inherit the parent's fields. Extending a table means creating a child table that shares the same columns and business logic as the parent table. For example, the Incident table extends the Task table, which means that all fields defined on the Task table are also available on the Incident table. Extending a table allows for reusing existing fields and behaviors without duplicating them on multiple tables. Reference: Table extension and classes

NEW QUESTION 60

Application developers can specify which ServiceNow page a user sees after submitting a new record using the Record Producer UI. How is the page specified?

- A. Write an after Business Rule script for the Record Producer's table: window.redirect = "<URL>";
- B. Create an application property to store the URL
- C. Write a script in the Record Producer's Script field: producer.redirect = "<URL>";
- D. Configure the page in the Module that opens the Record Producer UI

Answer: C

Explanation:

Application developers can specify which ServiceNow page a user sees after submitting a new record using the Record Producer UI by writing a script in the Record Producer's Script field: producer.redirect = "<URL>";. This script sets the redirect property of the producer object to the URL of the desired page. For example, producer.redirect = "home.do"; will redirect the user to the homepage after submitting the record. The other options are not valid ways to specify the redirect page for a Record Producer.

Reference: Populate record producer data and redirect users

NEW QUESTION 63

.....

Thank You for Trying Our Product

* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

* One year free update

You can enjoy free update one year. 24x7 online support.

* Trusted by Millions

We currently serve more than 30,000,000 customers.

* Shop Securely

All transactions are protected by VeriSign!

100% Pass Your CAD Exam with Our Prep Materials Via below:

<https://www.certleader.com/CAD-dumps.html>