



Cisco

Exam Questions 200-201

Understanding Cisco Cybersecurity Operations Fundamentals

About Exambible

[Your Partner of IT Exam](#)

Found in 1998

Exambible is a company specialized on providing high quality IT exam practice study materials, especially Cisco CCNA, CCDA, CCNP, CCIE, Checkpoint CCSE, CompTIA A+, Network+ certification practice exams and so on. We guarantee that the candidates will not only pass any IT exam at the first attempt but also get profound understanding about the certificates they have got. There are so many alike companies in this industry, however, Exambible has its unique advantages that other companies could not achieve.

Our Advances

* 99.9% Uptime

All examinations will be up to date.

* 24/7 Quality Support

We will provide service round the clock.

* 100% Pass Rate

Our guarantee that you will pass the exam.

* Unique Gurantee

If you do not pass the exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

NEW QUESTION 1

What causes events on a Windows system to show Event Code 4625 in the log messages?

- A. The system detected an XSS attack
- B. Someone is trying a brute force attack on the network
- C. Another device is gaining root access to the system
- D. A privileged user successfully logged into the system

Answer: B

NEW QUESTION 2

What makes HTTPS traffic difficult to monitor?

- A. SSL interception
- B. packet header size
- C. signature detection time
- D. encryption

Answer: D

NEW QUESTION 3

A system administrator is ensuring that specific registry information is accurate.

Which type of configuration information does the HKEY_LOCAL_MACHINE hive contain?

- A. file extension associations
- B. hardware, software, and security settings for the system
- C. currently logged in users, including folders and control panel settings
- D. all users on the system, including visual settings

Answer: B

Explanation:

<https://docs.microsoft.com/en-us/troubleshoot/windows-server/performance/windows-registry-advanced-users>

NEW QUESTION 4

What is the difference between discretionary access control (DAC) and role-based access control (RBAC)?

- A. DAC requires explicit authorization for a given user on a given object, and RBAC requires specific conditions.
- B. RBAC access is granted when a user meets specific conditions, and in DAC, permissions are applied on user and group levels.
- C. RBAC is an extended version of DAC where you can add an extra level of authorization based on time.
- D. DAC administrators pass privileges to users and groups, and in RBAC, permissions are applied to specific groups

Answer: A

NEW QUESTION 5

An organization's security team has detected network spikes coming from the internal network. An investigation has concluded that the spike in traffic was from intensive network scanning. How should the analyst collect the traffic to isolate the suspicious host?

- A. by most active source IP
- B. by most used ports
- C. based on the protocols used
- D. based on the most used applications

Answer: A

NEW QUESTION 6

Which evasion technique is indicated when an intrusion detection system begins receiving an abnormally high volume of scanning from numerous sources?

- A. resource exhaustion
- B. tunneling
- C. traffic fragmentation
- D. timing attack

Answer: A

Explanation:

Resource exhaustion is a type of denial-of-service attack; however, it can also be used to evade detection by security defenses. A simple definition of resource exhaustion is “consuming the resources necessary to perform an action.” Cisco CyberOps Associate CBROPS 200-201 Official Cert Guide

NEW QUESTION 7

An engineer discovered a breach, identified the threat's entry point, and removed access. The engineer was able to identify the host, the IP address of the threat actor, and the application the threat actor targeted. What is the next step the engineer should take according to the NIST SP 800-61 Incident handling guide?

- A. Recover from the threat.
- B. Analyze the threat.
- C. Identify lessons learned from the threat.
- D. Reduce the probability of similar threats.

Answer: A

Explanation:

Per: <https://nvlpubs.nist.gov/nistpubs/SpecialPublications/NIST.SP.800-61r2.pdf>

NEW QUESTION 8


What is the difference between inline traffic interrogation and traffic mirroring?

- A. Inline interrogation is less complex as traffic mirroring applies additional tags to data.
- B. Traffic mirroring copies the traffic rather than forwarding it directly to the analysis tools
- C. Inline replicates the traffic to preserve integrity rather than modifying packets before sending them to other analysis tools.
- D. Traffic mirroring results in faster traffic analysis and inline is considerably slower due to latency.

Answer: A

NEW QUESTION 9

Refer to the exhibit.



First Packet	Last Packet	Action	Reason	Initiator IP	Initiator Country	Initiator User	Responder IP	Responder Country	Security Intelligence Category	Ingress Security Zone	Egress Security Zone	Source Port/ICMP Type
2018-03-07 13:42:01		Sinkhole DNS Block		10.0.10.75		JERI LABORDE (DCLOUD-SOC LDAP)	10.110.10.11		DNS Intelligence-CnC	External	Internal	54925 / udp
2018-03-07 13:42:01		Sinkhole DNS Block		10.0.0.100		AMPARO GIVENS (DCLOUD-SOC LDAP)	10.110.10.11		DNS Intelligence-CnC	External	Internal	54925 / udp
2018-03-07 13:42:01		Sinkhole DNS Block		10.112.10.158		VERNETTA DONNEL (DCLOUD-SOC LDAP)	192.168.1.153		DNS Intelligence-CnC	External	Internal	54925 / udp

Which two elements in the table are parts of the 5-tuple? (Choose two.)

- A. First Packet
- B. Initiator User
- C. Ingress Security Zone
- D. Source Port
- E. Initiator IP

Answer: DE

NEW QUESTION 10

A company encountered a breach on its web servers using IIS 7.5. During the investigation, an engineer discovered that an attacker read and altered the data on a secure communication using TLS 1.2 and intercepted sensitive information by downgrading a connection to export-grade cryptography. The engineer must mitigate similar incidents in the future and ensure that clients and servers always negotiate with the most secure protocol versions and cryptographic parameters. Which action does the engineer recommend?

- A. Upgrade to TLS v1.3.
- B. Install the latest IIS version.
- C. Downgrade to TLS 1.1.
- D. Deploy an intrusion detection system

Answer: B

NEW QUESTION 10

Which type of data consists of connection level, application-specific records generated from network traffic?

- A. transaction data
- B. location data
- C. statistical data
- D. alert data

Answer: A

NEW QUESTION 13

What is a benefit of agent-based protection when compared to agentless protection?

- A. It lowers maintenance costs
- B. It provides a centralized platform
- C. It collects and detects all traffic locally

D. It manages numerous devices simultaneously

Answer: C

Explanation:

Host-based antivirus protection is also known as agent-based. Agent-based antivirus runs on every protected machine. Agentless antivirus protection performs scans on hosts from a centralized system. Agentless systems have become popular for virtualized environments in which multiple OS instances are running on a host simultaneously. Agent-based antivirus running in each virtualized system can be a serious drain on system resources. Agentless antivirus for virtual hosts involves the use of a special security virtual appliance that performs optimized scanning tasks on the virtual hosts. An example of this is VMware's vShield.

NEW QUESTION 18

According to the September 2020 threat intelligence feeds a new malware called Egregor was introduced and used in many attacks. Distribution of Egregor is primarily through a Cobalt Strike that has been installed on victim's workstations using RDP exploits. Malware exfiltrates the victim's data to a command and control server. The data is used to force victims pay or lose it by publicly releasing it. Which type of attack is described?

- A. malware attack
- B. ransomware attack
- C. whale-phishing
- D. insider threat

Answer: B

NEW QUESTION 23

During which phase of the forensic process are tools and techniques used to extract information from the collected data?

- A. investigation
- B. examination
- C. reporting
- D. collection

Answer: D

NEW QUESTION 24

One of the objectives of information security is to protect the CIA of information and systems. What does CIA mean in this context?

- A. confidentiality, identity, and authorization
- B. confidentiality, integrity, and authorization
- C. confidentiality, identity, and availability
- D. confidentiality, integrity, and availability

Answer: D

NEW QUESTION 29

What does cyber attribution identify in an investigation?

- A. cause of an attack
- B. exploit of an attack
- C. vulnerabilities exploited
- D. threat actors of an attack

Answer: D

Explanation:

<https://www.techtarget.com/searchsecurity/definition/cyber-attribution>

NEW QUESTION 33

What is rule-based detection when compared to statistical detection?

- A. proof of a user's identity
- B. proof of a user's action
- C. likelihood of user's action
- D. falsification of a user's identity

Answer: B

NEW QUESTION 36

Drag and drop the uses on the left onto the type of security system on the right.

ensures protection of individual devices	Endpoint
detects intrusion attempts	
monitors host for suspicious activity	
monitors incoming traffic and connections	Network

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

ensures protection of individual devices	Endpoint
detects intrusion attempts	ensures protection of individual devices
monitors host for suspicious activity	monitors incoming traffic and connections
monitors incoming traffic and connections	Network
	detects intrusion attempts
	monitors host for suspicious activity

NEW QUESTION 39

What describes the defense-m-depth principle?

- A. defining precise guidelines for new workstation installations
- B. categorizing critical assets within the organization
- C. isolating guest Wi-Fi from the focal network
- D. implementing alerts for unexpected asset malfunctions

Answer: B

NEW QUESTION 41

Which technology prevents end-device to end-device IP traceability?

- A. encryption
- B. load balancing
- C. NAT/PAT
- D. tunneling

Answer: C

NEW QUESTION 43

Which event artifact is used to identify HTTP GET requests for a specific file?

- A. destination IP address
- B. TCP ACK
- C. HTTP status code
- D. URI

Answer: D

NEW QUESTION 46

Which category relates to improper use or disclosure of PII data?

- A. legal
- B. compliance
- C. regulated
- D. contractual

Answer: C

NEW QUESTION 47

What is threat hunting?

- A. Managing a vulnerability assessment report to mitigate potential threats.
- B. Focusing on proactively detecting possible signs of intrusion and compromise.
- C. Pursuing competitors and adversaries to infiltrate their system to acquire intelligence data.
- D. Attempting to deliberately disrupt servers by altering their availability

Answer: B

NEW QUESTION 48

Refer to the exhibit.

```
SELECT * FROM people WHERE username = " OR '1'='1';
```

Which type of attack is being executed?

- A. SQL injection
- B. cross-site scripting
- C. cross-site request forgery
- D. command injection

Answer: A

NEW QUESTION 49

What is the difference between inline traffic interrogation (TAPS) and traffic mirroring (SPAN)?

- A. TAPS interrogation is more complex because traffic mirroring applies additional tags to data and SPAN does not alter integrity and provides full duplex network.
- B. SPAN results in more efficient traffic analysis, and TAPS is considerably slower due to latency caused by mirroring.
- C. TAPS replicates the traffic to preserve integrity, and SPAN modifies packets before sending them to other analysis tools
- D. SPAN ports filter out physical layer errors, making some types of analyses more difficult, and TAPS receives all packets, including physical errors.

Answer: D

NEW QUESTION 50

Why is encryption challenging to security monitoring?

- A. Encryption analysis is used by attackers to monitor VPN tunnels.
- B. Encryption is used by threat actors as a method of evasion and obfuscation.
- C. Encryption introduces additional processing requirements by the CPU.
- D. Encryption introduces larger packet sizes to analyze and store.

Answer: B

NEW QUESTION 52

What is a sandbox interprocess communication service?

- A. A collection of rules within the sandbox that prevent the communication between sandboxes.
- B. A collection of network services that are activated on an interface, allowing for inter-port communication.
- C. A collection of interfaces that allow for coordination of activities among processes.
- D. A collection of host services that allow for communication between sandboxes.

Answer: C

Explanation:

Inter-process communication (IPC) allows communication between different processes. A process is one or more threads running inside its own, isolated address space. https://docs.legato.io/16_10/basicIPC.html

NEW QUESTION 54

An intruder attempted malicious activity and exchanged emails with a user and received corporate information, including email distribution lists. The intruder asked the user to engage with a link in an email. When the link launched, it infected machines and the intruder was able to access the corporate network. Which testing method did the intruder use?

- A. social engineering
- B. eavesdropping
- C. piggybacking
- D. tailgating

Answer: A

NEW QUESTION 56

Which data format is the most efficient to build a baseline of traffic seen over an extended period of time?

- A. syslog messages
- B. full packet capture
- C. NetFlow
- D. firewall event logs

Answer: C

NEW QUESTION 57

Which attack method intercepts traffic on a switched network?

- A. denial of service
- B. ARP cache poisoning
- C. DHCP snooping
- D. command and control


Answer: B

Explanation:

An ARP-based MITM attack is achieved when an attacker poisons the ARP cache of two devices with the MAC address of the attacker's network interface card (NIC). Once the ARP caches have been successfully poisoned, each victim device sends all its packets to the attacker when communicating to the other device and puts the attacker in the middle of the communications path between the two victim devices. It allows an attacker to easily monitor all communication between victim devices. The intent is to intercept and view the information being passed between the two victim devices and potentially introduce sessions and traffic between the two victim devices

NEW QUESTION 59

Refer to the exhibit.



What is the potential threat identified in this Stealthwatch dashboard?

- A. A policy violation is active for host 10.10.101.24.
- B. A host on the network is sending a DDoS attack to another inside host.
- C. There are two active data exfiltration alerts.
- D. A policy violation is active for host 10.201.3.149.

Answer: C

NEW QUESTION 64

Refer to the exhibit.



An engineer is reviewing a Cuckoo report of a file. What must the engineer interpret from the report?

- A. The file will appear legitimate by evading signature-based detection.
- B. The file will not execute its behavior in a sandbox environment to avoid detection.
- C. The file will insert itself into an application and execute when the application is run.
- D. The file will monitor user activity and send the information to an outside source.

Answer: B

NEW QUESTION 65

Refer to the exhibit.

Date	Flow Start	Duration	Proto	Src IP Addr:Port	Dst IP Addr:Port	Packets	Bytes	Flows
2020-01-05	21:15:28.389	0.000	UDP	127.0.0.1:25678	→ 192.168.0.1:20521	1	82	1

Which type of log is displayed?

- A. proxy
- B. NetFlow
- C. IDS
- D. sys

Answer: B

NEW QUESTION 70

Which technology on a host is used to isolate a running application from other applications?

- A. sandbox
- B. application allow list
- C. application block list
- D. host-based firewall

Answer: A

NEW QUESTION 74

Refer to the exhibit.

```
10.44.101.23 - - [20/Nov/2017:14:18:06 -0500] "GET / HTTP/1.1"
200 1254 "-" "Mozilla/5.0(X11; Ubuntu; Linux x86_64; rv:54.0)
Gecko/20100101 Firefox/54.0"
```

What does the message indicate?

- A. an access attempt was made from the Mosaic web browser
- B. a successful access attempt was made to retrieve the password file
- C. a successful access attempt was made to retrieve the root of the website
- D. a denied access attempt was made to retrieve the password file

Answer: C

NEW QUESTION 76

What is the difference between a threat and a risk?

- A. Threat represents a potential danger that could take advantage of a weakness in a system
- B. Risk represents the known and identified loss or danger in the system
- C. Risk represents the nonintentional interaction with uncertainty in the system
- D. Threat represents a state of being exposed to an attack or a compromise, either physically or logically.

Answer: A

Explanation:

A threat is any potential danger to an asset. If a vulnerability exists but has not yet been exploited—or, more importantly, it is not yet publicly known—the threat is latent and not yet realized.

NEW QUESTION 77

Which two elements are used for profiling a network? (Choose two.)

- A. session duration
- B. total throughput
- C. running processes
- D. listening ports
- E. OS fingerprint

Answer: AB

Explanation:

A network profile should include some important elements, such as the following:

Total throughput – the amount of data passing from a given source to a given destination in a given period of time

Session duration – the time between the establishment of a data flow and its termination Ports used – a list of TCP or UDP processes that are available to accept data

Critical asset address space – the IP addresses or the logical location of essential systems or data

Profiling data are data that system has gathered, these data helps for incident response and to detect incident Network profiling = throughput, sessions duration, port used, Critical Asset Address Space Host profiling = Listening ports, logged in accounts, running processes, running tasks, applications

NEW QUESTION 81

Refer to the exhibit.

No.	Time	Source	Destination	Protocol	Length	Info
1	0.000000	10.0.0.2	10.128.0.2	TCP	54	3341 → 80 [SYN] Seq=0 Win=512 Len=0
2	0.003987	10.128.0.2	10.0.0.2	TCP	58	88 → 3222 [SYN, ACK] Seq=0 Ack=1 Win=29288 Len=0 NSS=1468
3	0.005514	10.128.0.2	10.0.0.2	TCP	58	88 → 3341 [SYN, ACK] Seq=0 Ack=1 Win=29200 Len=0 NSS=1460
4	0.008429	10.0.0.2	10.128.0.2	TCP	54	3342 → 80 [SYN] Seq=0 Win=512 Len=0
5	0.010233	10.128.0.2	10.0.0.2	TCP	58	88 → 3220 [SYN, ACK] Seq=0 Ack=1 Win=2988 Len=0 NSS=1468
6	0.014072	10.128.0.2	10.0.0.2	TCP	58	88 → 3342 [SYN, ACK] Seq=0 Ack=1 Win=2900 Len=0 NSS=1460
7	0.016830	10.0.0.2	10.128.0.2	TCP	54	3343 → 88 [SYN] Seq=0 Win=512 Len=0
8	0.022220	10.128.0.2	10.0.0.2	TCP	58	89 → 3343 [SYN, ACK] Seq=0 Ack=1 Win=29200 Len=0 MSS=1460
9	0.023496	10.128.0.2	10.0.0.2	TCP	58	89 → 3219 [SYN, ACK] Seq=0 Ack=1 Win=29200 Len=0 MSS=1460
10	0.025243	10.0.0.2	10.128.0.2	TCP	54	3344 → 88 [SYN] Seq=0 Win=512 Len=0
11	0.026672	10.128.0.2	10.0.0.2	TCP	58	89 → 3218 [SYN, ACK] Seq=0 Ack=1 Win=29200 Len=0 MSS=1460
12	0.028038	10.128.0.2	10.0.0.2	TCP	58	88 → 3221 [SYN, ACK] Seq=0 Ack=1 Win=29200 Len=0 MSS=1460
13	0.030523	10.128.0.2	10.0.0.2	TCP	58	88 → 3344 [SYN, ACK] Seq=0 Ack=1 Win=29200 Len=0 MSS=1460

Frame 1: 54 bytes on wire (432 bits), 54 bytes captured (432 bits) on interface 0

Ethernet II, Src: 42:01:0a:f0:00:17 (42:01:0a:f0:00:17), Dst: 42:01:0a:f0:00:01 (42:01:0a:f0:00:01)

Internet Protocol Version 4, Src: 10.0.0.2, Dst: 10.128.0.2

Transmission Control Protocol, Src Port: 3341, Dst Port: 80, Seq: 0, Len: 0

Source Port: 3341

Destination Port: 80

[Stream index: 0]

[TCP Segment Len: 0]

Sequence number: 0 (relative sequence number)

[Next sequence number: 0 (relative sequence number)]

Acknowledgement number: 1023350884

0101 ... = Header Length: 20 bytes (5)

Flags: 0x002 (SYN)

Windows Size Value: 512

[Calculated window size: 512]

Checksum: 0x8d5a [unverified]

[Checksum Status: Unverified]

Urgent pointer: 0

[Timestamps]

What is occurring in this network traffic?

- A. High rate of SYN packets being sent from a multiple source towards a single destination IP.
- B. High rate of ACK packets being sent from a single source IP towards multiple destination IPs.
- C. Flood of ACK packets coming from a single source IP to multiple destination IPs.
- D. Flood of SYN packets coming from a single source IP to a single destination IP.

Answer: D

NEW QUESTION 83

Refer to the exhibit.

Error Message%ASA-6-302013: Built {inbound outbound} TCP connection_id for interface :real-address /real-port (mapped-address/mapped-port) [(idfw_user)] to interface :real-address /real-port (mapped-address/mapped-port) [(idfw_user)] [(user)]
--

During the analysis of a suspicious scanning activity incident, an analyst discovered multiple local TCP connection events Which technology provided these logs?

- A. antivirus
- B. proxy
- C. IDS/IPS
- D. firewall

Answer: D

NEW QUESTION 88

What is the difference between a threat and an exploit?

- A. A threat is a result of utilizing flow in a system, and an exploit is a result of gaining control over the system.
- B. A threat is a potential attack on an asset and an exploit takes advantage of the vulnerability of the asset
- C. An exploit is an attack vector, and a threat is a potential path the attack must go through.
- D. An exploit is an attack path, and a threat represents a potential vulnerability

Answer: B

NEW QUESTION 90

Refer to the exhibit.

Severity	Date	Time	Sig ID	Source IP	Source Port	Dest IP	Dest Port	Description
6	Jan 15 2020	05:15:22	33883	62.5.22.54	22557	198.168.5.22	53	*

Which type of log is displayed?

- A. IDS
- B. proxy
- C. NetFlow

D. sys

Answer: A

Explanation:

You also see the 5-tuple in IPS events, NetFlow records, and other event data. In fact, on the exam you may need to differentiate between a firewall log versus a traditional IPS or IDS event. One of the things to remember is that traditional IDS and IPS use signatures, so an easy way to differentiate is by looking for a signature ID (SigID). If you see a signature ID, then most definitely the event is a traditional IPS or IDS event.

NEW QUESTION 94

What describes the impact of false-positive alerts compared to false-negative alerts?

- A. A false negative is alerting for an XSS attac
- B. An engineer investigates the alert and discovers that an XSS attack happened A false positive is when an XSS attack happens and no alert is raised
- C. A false negative is a legitimate attack triggering a brute-force aler
- D. An engineer investigates the alert and finds out someone intended to break into the system A false positive is when no alert and no attack is occurring
- E. A false positive is an event alerting for a brute-force attack An engineer investigates the alert and discovers that a legitimate user entered the wrong credential several times A false negative is when a threat actor tries to brute-force attack a system and no alert is raised.
- F. A false positive is an event alerting for an SQL injection attack An engineer investigates the alert and discovers that an attack attempt was blocked by IPS A false negative is when the attack gets detected but succeeds and results in a breach.

Answer: C

NEW QUESTION 95

What is a difference between tampered and untampered disk images?

- A. Tampered images have the same stored and computed hash.
- B. Untampered images are deliberately altered to preserve as evidence.
- C. Tampered images are used as evidence.
- D. Untampered images are used for forensic investigations.

Answer: D

Explanation:

The disk image must be intact for forensics analysis. As a cybersecurity professional, you may be given the task of capturing an image of a disk in a forensic manner. Imagine a security incident has occurred on a system and you are required to perform some forensic investigation to determine who and what caused the attack. Additionally, you want to ensure the data that was captured is not tampered with or modified during the creation of a disk image process. Ref: Cisco Certified CyberOps Associate 200-201 Certification Guide

NEW QUESTION 100

Which security principle requires more than one person is required to perform a critical task?

- A. least privilege
- B. need to know
- C. separation of duties
- D. due diligence

Answer: C

NEW QUESTION 101

What is the difference between deep packet inspection and stateful inspection?

- A. Deep packet inspection is more secure than stateful inspection on Layer 4
- B. Stateful inspection verifies contents at Layer 4 and deep packet inspection verifies connection at Layer 7
- C. Stateful inspection is more secure than deep packet inspection on Layer 7
- D. Deep packet inspection allows visibility on Layer 7 and stateful inspection allows visibility on Layer 4

Answer: D

NEW QUESTION 104

How does an attack surface differ from an attack vector?

- A. An attack vector recognizes the potential outcomes of an attack, and the attack surface is choosing a method of an attack.
- B. An attack surface identifies vulnerable parts for an attack, and an attack vector specifies which attacks are feasible to those parts.
- C. An attack surface mitigates external vulnerabilities, and an attack vector identifies mitigation techniques and possible workarounds.
- D. An attack vector matches components that can be exploited, and an attack surface classifies the potential path for exploitation

Answer: B

NEW QUESTION 107

Which technology should be used to implement a solution that makes routing decisions based on HTTP header, uniform resource identifier, and SSL session ID attributes?

- A. AWS
- B. IIS
- C. Load balancer

D. Proxy server

Answer: C

Explanation:

Load Balancing: HTTP(S) load balancing is one of the oldest forms of load balancing. This form of load balancing relies on layer 7, which means it operates in the application layer. This allows routing decisions based on attributes like HTTP header, uniform resource identifier, SSL session ID, and HTML form data.

Load balancing applies to layers 4-7 in the seven-layer Open System Interconnection (OSI) model. Its capabilities are: L4. Directing traffic based on network data and transport layer protocols, e.g., IP address and TCP port. L7. Adds content switching to load balancing, allowing routing decisions depending on characteristics such as HTTP header, uniform resource identifier, SSL session ID, and HTML form data. GSLB. Global Server Load Balancing expands L4 and L7 capabilities to servers in different sites

NEW QUESTION 110

An organization has recently adjusted its security stance in response to online threats made by a known hacktivist group. What is the initial event called in the NIST SP800-61?

- A. online assault
- B. precursor
- C. trigger
- D. instigator

Answer: B

Explanation:

A precursor is a sign that a cyber-attack is about to occur on a system or network. An indicator is the actual alerts that are generated as an attack is happening. Therefore, as a security professional, it's important to know where you can find both precursor and indicator sources of information.

The following are common sources of precursor and indicator information:

- Security Information and Event Management (SIEM)
- Anti-virus and anti-spam software
- File integrity checking applications/software
- Logs from various sources (operating systems, devices, and applications)
- People who report a security incident <https://nvlpubs.nist.gov/nistpubs/SpecialPublications/NIST.SP.800-61r2.pdf>

NEW QUESTION 111

An engineer is addressing a connectivity issue between two servers where the remote server is unable to establish a successful session. Initial checks show that the remote server is not receiving an SYN-ACK while establishing a session by sending the first SYN. What is causing this issue?

- A. incorrect TCP handshake
- B. incorrect UDP handshake
- C. incorrect OSI configuration
- D. incorrect snaplen configuration

Answer: A

NEW QUESTION 115

What is the relationship between a vulnerability and a threat?

- A. A threat exploits a vulnerability
- B. A vulnerability is a calculation of the potential loss caused by a threat
- C. A vulnerability exploits a threat
- D. A threat is a calculation of the potential loss caused by a vulnerability

Answer: A

NEW QUESTION 118

In a SOC environment, what is a vulnerability management metric?

- A. code signing enforcement
- B. full assets scan
- C. internet exposed devices
- D. single factor authentication

Answer: C

NEW QUESTION 120

Which type of data collection requires the largest amount of storage space?

- A. alert data
- B. transaction data
- C. session data
- D. full packet capture

Answer: D

NEW QUESTION 125


What is the impact of encryption?

- A. Confidentiality of the data is kept secure and permissions are validated
- B. Data is accessible and available to permitted individuals
- C. Data is unaltered and its integrity is preserved
- D. Data is secure and unreadable without decrypting it

Answer: A

NEW QUESTION 130

Refer to the exhibit.



What is the expected result when the "Allow subdissector to reassemble TCP streams" feature is enabled?

- A. insert TCP subdissectors
- B. extract a file from a packet capture
- C. disable TCP streams
- D. unfragment TCP

Answer: D

NEW QUESTION 131

What is a difference between signature-based and behavior-based detection?

- A. Signature-based identifies behaviors that may be linked to attacks, while behavior-based has a predefined set of rules to match before an alert.
- B. Behavior-based identifies behaviors that may be linked to attacks, while signature-based has a predefined set of rules to match before an alert.
- C. Behavior-based uses a known vulnerability database, while signature-based intelligently summarizes existing data.
- D. Signature-based uses a known vulnerability database, while behavior-based intelligently summarizes existing data.

Answer: B

Explanation:

Instead of searching for patterns linked to specific types of attacks, behavior-based IDS solutions monitor behaviors that may be linked to attacks, increasing the likelihood of identifying and mitigating a malicious action before the network is compromised.

<https://accedian.com/blog/what-is-the-difference-between-signature-based-and-behavior-based-ids/>

NEW QUESTION 136

An engineer received a flood of phishing emails from HR with the source address HRjacobm@companycom. What is the threat actor in this scenario?

- A. phishing email
- B. sender
- C. HR
- D. receiver

Answer: B

NEW QUESTION 141

What is a difference between SIEM and SOAR?

- A. SOAR predicts and prevents security alerts, while SIEM checks attack patterns and applies the mitigation.
- B. SIEM's primary function is to collect and detect anomalies, while SOAR is more focused on security operations automation and response.
- C. SIEM predicts and prevents security alerts, while SOAR checks attack patterns and applies the mitigation.
- D. SOAR's primary function is to collect and detect anomalies, while SIEM is more focused on security operations automation and response.

Answer: B

NEW QUESTION 143

.....

Relate Links

100% Pass Your 200-201 Exam with ExamBible Prep Materials

<https://www.exambible.com/200-201-exam/>

Contact us

We are proud of our high-quality customer service, which serves you around the clock 24/7.

Viste - <https://www.exambible.com/>