

The-Open-Group

Exam Questions OG0-092

TOGAF 9 Part 2



NEW QUESTION 1

ARTI Dimensioning is a multinational that operates production facilities in 29 countries and sells its products in over 120 countries.

A consultancy firm has recommended a realignment that will enhance sharing of product information across business units. The implementation of this strategic realignment will require the development of integrated customer information systems and product information systems.

ARTI has a mature enterprise architecture practice and uses TOGAF 9 for the basis of the ARTI Architecture Framework (method and deliverables). The CIO is sponsoring an architecture development program that is going to start. The CIO is concerned about a potential disruptive result to the business of this activity and before proceeding with the architecture development he asked to evaluate the impacts on the company business.

Refer to the scenario above You are the Lead Architect and you have been asked to recommend an approach to address the concerns raised. Based on TOGAF 9 recommend which of the following is the best answer.

Choose one of the following answers.

- A. Risk Aversion Assessment should be conducted during the Implementation Governance phase to determine the degree of risk aversion of the proposed business transformatio
- B. After sharing the residual level of risk with the company chairman and the residual risk is not accepted, a set of parallel systems will be implemented to mitigate the risks.
- C. Your recommendation is to use risk management techniques to assess the risks associated with the proposed business transformation and ensure the existence of business continuity plan
- D. During the Implementation Governance phase you conduct a residual risk assessment to manage risks that cannot be mitigated.
- E. During the Architecture Vision phase a risk assessment is conducted to mitigate initial risks and address those in the Architecture Contract signed in the Implementation Governance phase.
- F. Your proposal is to utilize a risk management framework during the Implementation Governance phase to verify the risks associated with the proposed transformation of the busines
- G. You then share with the concerned stakeholders the residual level on risk before the Architecture Contracts are released.

Answer: B

NEW QUESTION 2

Scenario: Rollins Manufacturing

Please read this scenario prior to answering the question

Rollins Manufacturing is a major supplier in the automotive industry, headquartered in Cleveland, Ohio with manufacturing plants in Chicago, Sao Paulo, Stuttgart, Yokohama, and Seoul. Each of these plants has been operating its own Manufacturing Requirements Planning (MRPII) system, production scheduling, and custom developed applications that drive the automated production equipment at each plant.

Rollins is implementing lean manufacturing principles to minimize waste and improve the efficiency of all of its production operations. During a recent exercise held for internal quality improvement, it was determined that a significant reduction in process waste could be achieved by replacing the current MRPII and scheduling systems with a common Enterprise Resource Planning (ERP) system located in the Cleveland data center. This central system would provide support to each of the plants replacing the functionality in the existing systems. It would also eliminate the need for full data centers at each of the plant facilities. A reduced number of IT staff could support the remaining applications. In some cases, a third-party contractor could provide those staff.

The Rollins Enterprise Architecture department has been operating for several years and

has mature, well-developed architecture governance and development processes that are strongly based on TOGAF 9. At a recent meeting, the Architecture Review Board approved a Request for Architecture Work from the Chief Engineer of Global Manufacturing Operations who is the project sponsor. The request covered the initial architectural investigations and the development of a comprehensive architecture to plan the transformation.

The Common ERP Deployment architecture project team has now been formed, and the project team has been asked to develop an Architecture Vision that will achieve the desired outcomes and benefits. Some of the plant managers have expressed concern about the security and reliability of driving their MRPII and production scheduling from a central system located in Cleveland. The Chief Engineer wants to know how these concerns can be addressed.

Refer to the Rollins Manufacturing Scenario:

You are serving as the Lead Enterprise Architect for the Common ERP Deployment architecture project.

One of the earliest initiatives in the Enterprise Architecture program at Rollins was the definition of a set of IT principles and architecture principles that are well aligned with the overall enterprise principles. These now need to be updated to address the concerns raised.

You have been asked to select a set of principles most appropriate for guiding the team to define a robust solution.

[Note: You should assume that Rollins has adopted the example set of principles that are listed and defined in TOGAF 9, Section 23.6.]

Based on TOGAF 9, which of the following is the best answer?

- A. Common-use Applications, Data is Shared, Data is Accessible, Data is Secure, Interoperability, Control Technical Diversity.
- B. Business Continuity, Service-orientation, Data is Accessible, Data is Secure, Responsive Change Management.
- C. Maximize Benefit to the Enterprise, Business Continuity, Common-use Applications, Data is Shared, Data is Accessible, Data is Secure.
- D. Information Management is Everybody's Business, IT Responsibility, Data Trustee, Technology Independence, Responsive Change Management.

Answer: C

NEW QUESTION 3

Scenario: Armstrong Defense Industries

Please read this scenario prior to answering the question

Armstrong Defense Industries is the prime contractor for the Dreadnought Unmanned Aircraft System program.

Over the course of this contract, the company has grown rapidly by acquisition and has inherited numerous different procurement processes and related IT systems. Armstrong Defense is moving aggressively to consolidate and reduce redundant procurement processes and systems. The CEO has announced that the company will seek to leverage higher volume discounts and lower related IT support costs by instituting a preferred supplier program.

To achieve this goal, Armstrong Defense needs to define Baseline and Target Architectures. These architectures must address key stakeholders concerns such as:

1. What groups of people should be involved in procurement-related business processes?
2. What current applications do those groups use?
3. Which procurement-related business processes are supported by zero, one, or many existing applications?
4. What are the overall lifetimes of the Request for Proposal and Purchase Order business objects?
5. What non-procurement applications will need to be integrated with any new procurement applications?
6. What data will need to be shared?

At present, there are no particularly useful architectural assets related to this initiative. All assets need to be acquired and customized or created from scratch. The company prefers to implement existing package applications from systems vendors with little customization.

The architecture development project has just completed its Architecture Context iteration cycle and is about to begin the Architecture Definition iteration cycle.

Armstrong Defense is using TOGAF for its internal Enterprise Architecture activities. It uses an iterative approach for executing Architecture Development Method (ADM) projects.

Refer to the Armstrong Defense Industries Scenario You are serving as the Lead Architect.
You have been asked to identify the most appropriate architecture viewpoints for this situation.
Based on TOGAF 9, which of the following is the best answer?

- A. In the early iterations of the Architecture Definition:• Describe the Baseline Business Architecture with a Baseline Business Process catalog• Describe the Baseline Application Architecture with a Technology Portfolio catalog• Describe the Baseline Data Architecture with a Data diagram In the later iterations of the Architecture Definition:• Describe the Target Business Architecture with an Actor/Process/Data catalog• Describe the Target Application Architecture with a System/Technology matrix• Describe the Target Data Architecture with a Data Dissemination diagram
- B. In the early iterations of the Architecture Definition:• Describe the Target Business Architecture with a Business Service/Function catalog and a Business Interaction matrix• Describe the key business objects with Product Lifecycle diagrams• Describe the Target Application Architecture with Application Communication diagrams and an Application Interaction matrix• Describe the Target Data Architecture with a Data Entity/Business Function matrix and a System/Data matrixIn the later iterations of the Architecture Definition:• Describe the Baseline Business Architecture with a Business Service/Function catalog and a Business Interaction matrix• Describe the Baseline Application Architecture with a System/Organization matrix and a System/Function matrix• Describe the Baseline Data Architecture with a Data Entity/Data Component catalog
- C. In the early iterations of the Architecture Definition:• Describe the Target Business Architecture with a Business Service/Function catalog and an Organization/Actor catalog• Describe the key business objects with Data Lifecycle diagrams• Describe the Target Application Architecture with Application Communication diagrams and an Application Interaction matrix• Describe the Target Data Architecture with a System/Data matrix In the later iterations of the Architecture Definition:• Describe the Baseline Business Architecture with a Business Service/Function catalog and a Business Interaction matrix• Describe the Baseline Application Architecture with an Application and User Location diagram and a System/Function matrix• Describe the Baseline Data Architecture with a Data Entity/Data Component catalog
- D. In the early iterations of the Architecture Definition:• Describe the Baseline Business Architecture with an Organization/Actor catalog• Describe the Baseline Application Architecture with a System/Function matrix• Describe the Baseline Data Architecture using a Data Entity/Data Component catalog In the later iterations of the Architecture Definition:• Describe the Target Business Architecture with en Organization/Actor catalog• Describe the Target Application Architecture using Application Communication diagrams end an Application Interaction matrix• Describe the Target Data Architecture with a System/Data matrix

Answer: B

NEW QUESTION 4

FreshFruit Int. is an online American grocer. The Executive Board decided to implement a new strategy to expand the business to other markets. The CIO is sponsoring an enterprise activity to support the expanded operations.
A new solution is rolled-out to replace the legacy online sales platform. A compliance review was performed to assess the solution implementation. The result of the review highlighted a complaint from the development team stating that the new system is difficult to integrate with the existing warehouse automation systems. The Chief Architect is concerned that the complaint is not related to a real problem of the solution but is based on personal preferences of the development teams. Another interview with the project team is scheduled.
Refer to the scenario above You are the Lead Architect and an architect from your team leads the review team. You have to answer how, based on TOGAF 9, you should enable the review team to conduct the reviews successfully.
Choose one of the following answers

- A. Meeting with the project architect you clarify the purpose of the revie
- B. You ask to perform an objective and fair review using the checklists to frame the review and clarify that you want them to identify the issues behind the implementation team complaints.
- C. You organize a meeting with the review team and state the importance to identify any non-compliance that may have come from the implemented solution.
- D. You organize a meeting with the review team and stress the importance of a high degree of compliance without any exceptio
- E. The review should cover every aspect of the implementation and should criticize the implementation techniques.
- F. You verify that criteria for the program and the business objectives are mapped in the checklists that the project team prepared for the interview
- G. You confirm the checklist content to the project architect and stress the need to be objective and fair during the review process.

Answer: D

NEW QUESTION 5

Scenario: Raxlon Inc.
Case Study Title (Case Study):
Raxlon Inc. is a Fortune 500 Company dealing in high value drugs and pharma products. Its annual turnover is over 120 billion \$. It has more than 100,000 employees all over the globe in its R&D, Manufacturing and Marketing Units.
Raxlon's CEO, Dr Peter Fowles, is a pharmacology expert and has over 72 patents on various types of drugs mainly used for treating patients with genetic disorders. Raxlon is now moving into a suite of high end critical drug products used for Genetic Repair of congenital Diseases like Alzhmeir's disease and Epilepsy. Rexlon has a well developed EA practice and in 2009 the EA practice has adopted TOGAF 9 as the primary Framework for Enterprise Architectural Change Agent.
Dr Fowles' main concerns are:
Security of the critical data which they have gained over the years after painstaking research. Although Rexlon had an adequate security system Dr Fowles feels it may not be adequate to deal with the new order of things, especially with data which is highly confidential and if leaked would have major financial impact on the Company.
Dr Fowles calls his CIO and explains his position to him and entrusts whim with the responsibly of evaluating the current security system, operation and governance and determine which are the gaps which need to be addressed during the fresh architectural work. Assume that a new Security Framework would be used in the ADM life cycle. To protect Rexlon's valuable IP.
The CIO apprises the Lead Architect of the sensitive nature of the work he has to complete within the next 2 months.
Identify which of the following processes would be most appropriate for the Lead Architect to adopt in this situation.

- A. Identify the sources of threat, review the relevant security statutes, see how disaster recovery can be achieved, find who are the actors vis vis the system and design suitable access control mechanisms, identify critical data and applications and ensure that they are given the highest level of security
- B. First revisit the Preliminary Phase to determine the tailoring of ADM vis a vis Securit
- C. Identify any change in the Principles or additions to be carried ou
- D. Engage with all Stakeholders to finalize the Visio
- E. Then in Business, Information systems and Technology Architectures ensure the Security Frame work adopted to the ADM addresses all critical security issue
- F. Finally conduct an overall review to assess how effective the security ecosystem designed is and whether it meets the security level desired
- G. Invoke Preliminary Phase and Vision Phase Identify Sources of threat, review and determine revised regulatory, security and assumptions, document them get management buy in , develop business continuity plans especially for critical data operations, assure data, application and technological component security.
- H. Determine who are the people who are hacking into similar organizations, ensure that highly secure measures are taken when external people enter the R&D and manufacturing locations, ensure that there is a very strong firewall so that people cannot get illicit entry into the system, periodically check the effectiveness of the security measures

Answer: A

NEW QUESTION 6

Scenario: Zephyr Enterprises

Please read this scenario prior to answering the question

Zephyr Enterprises specializes in the development of wind turbine blades for use in large- scale commercial wind energy production systems. Zephyr has manufacturing facilities located in Palm Springs, California, Omaha, Nebraska, and Winnipeg, Ontario. Each of these plants supplies a different manufacturer that builds and sells complete systems. The turbine blades are custom engineered to meet each manufacturers design specifications.

Until recently, most turbine blades were fabricated manually using molded fiber-reinforced plastics. However, recent improvements in composite materials, coupled with enhanced automated methods for precision application of materials during the molding process, have led to significant reduction in weight, increase in strength, and greatly improved blade longevity. Zephyr has pioneered the development of a proprietary automated process for continuous extrusion of the turbine blades. Patents have been filed to protect the process, but certain trade secrets must be closely guarded.

Zephyr has a mature Enterprise Architecture organization that is supported by a cross- functional Architecture Review Board. The Chief Information Officer and the Chief Operating Officer co-sponsor the Enterprise Architecture program.

Zephyr has used TOGAF and its Architecture Development Method (ADM) to develop its automated manufacturing processes and systems that are used to design, manufacture, and test the blade assemblies. They have recently updated to TOGAF 9 and have adapted the Zephyr Enterprise Architecture to closely follow the TOGAF 9 framework. All of Zephyrs IT architects have been trained and certified on TOGAF 9. Recently, an architecture project was completed that defined a standard approach for controlling the Automated Test System that is used at each plant to perform final quality assurance tests on each completed blade assembly. The Manufacturing Architecture Board approved the plan for immediate implementation at each plant.

An Architecture Contract was developed that detailed the work needed to implement and deploy the new Automated Test System controller. The Chief Engineer, sponsor of the activity, has expressed concern that a uniform process be employed at each site to ensure consistency.

Refer to the Zephyr Enterprises Scenario You are the Lead Architect for this activity.

You have been asked to recommend the best approach to adopt to address the Chief Engineer's concern.

Based on TOGAF 9, which of the following is the best answer?

- A. You create an Architecture Contract to manage and govern the implementation and migration proces
- B. If the contract is issued to an external party, you ensure that it is a fully enforceable legal contrac
- C. For internal development projects, you decide it is adequate to utilize a memorandum of understanding between the Manufacturing Architecture Board and the implementation organization. You recommend that if a deviation from the contract is detected, the Manufacturing Architecture Board should modify the Architecture Contract to allow the implementation organization the ability to customize the process to meet their local need
- D. As a result, you then issue a new Request for Architecture Work to implement the modified Architecture Definition.
- E. You create an Architecture Contract to manage and govern the implementation and migration proces
- F. If the contract is issued to an external party, you ensure that it is a fully enforceable legal contrac
- G. For internal envelopment projects, you decide it is adequate to utilize a memorandum of understanding between the Manufacturing Architecture Board and the implementation organization. You recommend that if a deviation from the Architecture Contract is detected, the Manufacturing Architecture Board grant a dispensation to allow the implementation organization the ability to customize the process to meet their local needs.
- H. You create an Architecture Contract to manage and govern the implementation and migration proces
- I. If the contract is issued to an external party, you ensure that it is a fully enforceable legal contrac
- J. For internal development projects, you decide it is adequate to utilize a memorandum of understanding between the Manufacturing Architecture Board and the implementation organization. You ensure that the Manufacturing Architecture Board reviews all deviations from the Architecture Contract, and considers whether or not to grant a dispensation to allow the implementation organization to customize the process to meet their local needs.
- K. You create an Architecture Contract to govern the implementation and migration process at each sit
- L. If the contract is issued to an external party, you ensure that it is a fully enforceable legal contrac
- M. You ensure that the contract addresses the project objectives, effectiveness metrics, acceptance criteria, and risk management. You then schedule compliance reviews at key points in the implementation process to ensure that the work is proceeding in accordance with the Architecture Definitio
- N. Based on the results, you ensure that the Manufacturing Architecture Board reviews all deviations from the Architecture Contract, and considers whether or not to grant a dispensation to allow the implementation organization to customize the process to meet their local needs.

Answer: C

NEW QUESTION 7

Scenario:

Please read this scenario prior to answering the Question

You are serving as the Chief Architect for a large, global commodities trading company which has been growing rapidly through a series of acquisitions.

Each business is performing well in its markets. However, the lack of integration between headquarters and the business units has increasingly caused problems in the handling of customer and financial information. The inability to share information across businesses has resulted in lost opportunities to "leverage the synergies" that had been intended when the businesses were acquired. At present, each business unit maintains its own applications. Despite an earlier initiative to install a common application to manage customer, products, supplier, and inventory information, each business unit has different ways of defining each of these core elements and has customized the common application to the point where the ability to exchange information is difficult, costly, and error-prone.

As a result, the company has made the decision to introduce a single enterprise-wide application to consolidate information from several applications that exist across the lines of business. The application will be used by all business units and accessed by suppliers through well defined interfaces.

The Corporate Board is concerned that the new application must be able to manage and safeguard confidential customer information in a secure manner that meets or exceeds the legal requirements of the countries in which the company operates. This will be an increasingly important capability as the company expands its online services in cooperation with its trading partners.

The CIO has formed an Enterprise Architecture department, and one of the primary goals in its charter is to coordinate efforts between the implementation team and the business unit personnel who will be involved in the migration process. The CIO has also formed a cross-functional Architecture Board to oversee and govern the architecture. The company has an existing team of security architects.

TOGAF 9 has been selected for use for the Enterprise Architecture program. The CIO has endorsed this choice with the full support of top management.

Refer to the Scenario

In the Preliminary Phase you need to define suitable policies and ensure that the company has the appropriate capability to address the concerns of the Corporate Board.

Based on TOGAF 9, which of the following is the best answer?

- A. You start by clarifying the intent that the Board has for raising these concern
- B. This enables you to understand the implications of the concern in terms of regulatory requirements and the potential impact on current business goals and objective
- C. You propose that a security architect or security architecture team be allocated to develop a comprehensive security architecture and that this be considered an additional domain architecture.
- D. You evaluate the implications of the Board's concerns by examining the security and regulatory impacts on business goals, business drivers and objective

- E. Based on your understanding, you then update the current security policy to include an emphasis on the concern
- F. You define architecture principles to form constraints on the architecture work to be undertaken in the project
- G. You then allocate a security architect to ensure that security considerations are included in the architecture planning for all domains.
- H. You identify and document the security and regulatory requirements for the application and the data being collected
- I. You ensure that written policies are put in place to address the requirements, and that they are communicated across the organization, together with appropriate training for key employees
- J. You identify constraints on the architecture and communicate those to the architecture team
- K. You establish an agreement with the security architects defining their role within the ongoing architecture project.
- L. You evaluate the implications of the concerns raised by the Corporate Board in terms of regulatory requirements and their impact on business goals and objectives
- M. Based on this understanding, you then issue a Request for Architecture Work to commence an architecture development project to develop a solution that will address the concern
- N. You allocate a security architect to oversee the implementation of the new application that is being developed.

Answer: C

NEW QUESTION 8

Scenario: MegaMart

Case Study Title (Case Study):

MegaMart is a Retail Chain which has expanded throughout India and the Far East. The CEO and CIO decide that there is a crying need to put an Enterprise Architecture in

place to realize MegaMart's strategy to expand its revenue and diversify. The CIO has evaluated and decided to go in for TOGAF9 and adapt it to his enterprise requirements.

The Preliminary and Vision Phase have been completed.

As such very few architectural artifacts exist and the target architecture as of now is not very clear. As the Lead Architect how would you guide your team of architects for the Business Architecture definition?

- A. In the first iteration start with the definition of the Target Business Architecture using a Top down Approach. Then keep on iterating in Phase B till the Target Business Architecture is refined before going to Phase C and Phase D.
- B. After Phase C and Phase D are over, iterate again to Phase B and define the baseline Business Architecture, analyze the gaps, finalize the Architecture Definitions documents and proceed to Phase C and Phase D.
- C. In the first iteration start with the definition of the Baseline Business Architecture using a Top Down approach
- D. Define the Architecture Definition document after analyzing the impacts and reviewing with the stakeholder
- E. Then proceed to Phase C and Phase D.
- F. In the next iteration finalize the Target Business Architecture and proceed to Phase C and Phase D.
- G. In the first iteration start with the definition of the Baseline Business Architecture using a Bottom Up approach
- H. Define the Architecture Definition document after analyzing the impacts and reviewing with the stakeholders'. Proceed to Phase C and Phase D.
- I. In the next iteration finalize the Target Business Architecture, determine the gaps and the roadmap, and the impact and update the Architecture Definition document
- J. After analyzing the impacts and reviewing with the stakeholder
- K. Then proceed with the iteration.
- L. In the first iteration start with the definition of the Target Business Architecture using a Top Down approach
- M. Define the Architecture Definition document after analyzing the impacts and reviewing with the stakeholders. Proceed to Phase C and Phase D.
- N. In the next iteration finalize the Baseline Business Architecture, determine the gaps and the roadmap, and the impact and update the Architecture Definition document
- O. After analyzing the impacts and reviewing with the stakeholder
- P. Then proceed with the iteration.

Answer: C

NEW QUESTION 9

Scenario: Sollace Manufacturing

Please read this scenario prior to answering the question. Sollace Manufacturing is a major supplier in the automotive industry, headquartered in Cleveland, Ohio with manufacturing plants in Chicago, Sao Paulo, Stuttgart, Yokohama, and Seoul. Each of these plants has been operating its own planning and production scheduling systems, as well as custom developed applications that drive the automated production equipment at each plant.

Sollace Manufacturing is implementing lean manufacturing principles to minimize waste and improve the efficiency of all of its production operations. During a recent exercise held for internal quality improvement, it was determined that a significant reduction in process waste could be achieved by replacing the current planning and scheduling systems with a common Enterprise Resource Planning (ERP) system located in the Cleveland data center. This central system would provide support to each of the plants replacing the functionality in the existing systems. It would also eliminate the need for full data centers at each of the plant facilities. A reduced number of IT staff could support the remaining applications. In some cases, a third-party contractor could provide those staff. The Sollace Manufacturing Enterprise Architecture department has been operating for several years and has mature, well-developed architecture governance and development processes that are strongly based on TOGAF 9. At a recent meeting, the Architecture Review Board approved a Request for Architecture Work from the Chief Engineer of Global Manufacturing Operations who is the project sponsor. The request covered the initial architectural investigations and the development of a comprehensive architecture to plan the transformation. The Common ERP Deployment architecture project team has now been formed, and the project team has been asked to develop an Architecture Vision that will achieve the desired outcomes and benefits. Some of the plant managers have expressed concern about the security and reliability of driving their planning and production scheduling from a central system located in Cleveland. The Chief Engineer wants to know how these concerns can be addressed.

Refer to the Sollace Manufacturing Scenario. You are serving as the Lead Enterprise Architect for the Common ERP Deployment architecture project. One of the earliest initiatives in the Enterprise Architecture program at Sollace Manufacturing was the definition of a set of IT principles and architecture principles that are well aligned with the overall enterprise principles. These now need to be updated to address the concerns raised.

You have been asked to select a set of principles most appropriate for guiding the team to define a robust solution. [Note: You should assume that Sollace Manufacturing has adopted the example set of principles that are listed and defined in TOGAF 9, Section 23.6.] Based on TOGAF 9, which of the following is the best answer?

- A. Common-use Applications, Data is Shared, Data is Accessible, Data Security, Interoperability, Control Technical Diversity
- B. Business Continuity, Service-orientation, Data is Accessible, Data Security, Responsive Change Management
- C. Maximize Benefit to the Enterprise, Business Continuity, Common-use Applications, Data is Shared, Data is Accessible, Data Security
- D. Information Management is Everybody's Business, IT Responsibility, Data Trustee, Technology Independence, Responsive Change Management

Answer: C

NEW QUESTION 10

TP Banking is a strong financial institute with a well-known acquisition history with an internal IT department managing over 100 projects related to infrastructure and services.

The CIO has decided to create an Enterprise Architecture based on TOGAF 9 as reaction to the difficult market conditions. An Architecture Vision and a set of domain architectures were approved. The CIO is asking you (the Lead Architect) to define an Implementation and Migration Plan that realizes the vision already agreed with the stakeholders involved.

Refer to the scenario above

You are leading a group of domain architects and you are working with the corporate PMO, the business strategy team and service operations. You are meeting the stakeholders to clarify how you want to proceed with the Implementation and Migration Plan.

Choose one of the following answers

- A. You propose to start collecting the existing deliverables describing the different domains in order to enable the Enterprise Architecture team to integrate them with the support of the operation management
- B. Every domain architect will then evaluate the impact on the projects already planned for the domain
- C. The single revised plans will be integrated together and consolidated into a strategic implementation and migration strategy defining an IT roadmap.
- D. You communicate the need for urgency
- E. The projects already planned will be cancelled and the implementation of the new architecture vision will be set as first priority
- F. A set of new projects will be defined to implement the new strategy
- G. You will use the requirements from Phases B through D and define new projects for each one of the requirements
- H. The use of defined interoperability architecture guidelines will then enable the project teams to work together and define a set of new point-to-point interfaces.
- I. You describe the concept of Transition Architectures and clarify that the business value can be achieved by all the projects delivering their increments in a coordinated approach
- J. Capability gaps and project dependencies are analyzed for each domain this will then enable the projects to be organized in work packages
- K. You will then agree on the roadmap for the implementation and migration strategy meeting with all the key stakeholders.
- L. You communicate the CIO's will to transform the corporation and then that he's seeking help from the domain architects to do that
- M. The requirements are managed in order to enable every Architect to participate to the planning that will result in a detailed list of work activities with impact on the IT portfolio of project
- N. A five year Target Architecture will then be defined and a report will keep track of dependencies and factors assessment.

Answer: C

NEW QUESTION 10

Scenario:

Please read this scenario prior to answering the Question

You are serving as the Lead Enterprise Architect at a major supplier in the automotive industry. The company is headquartered in Cleveland, Ohio with manufacturing plants across the United States, Brazil, Germany, Japan and South Korea. Each of these plants has been operating its own planning and production scheduling systems, as well as custom developed applications that drive the automated production equipment at each plant.

The company is implementing lean manufacturing principles to minimize waste and improve the efficiency of all of its production operations. During a recent exercise held for internal quality improvement, it was determined that a significant reduction in process waste could be achieved by replacing the current planning and scheduling systems with a common Enterprise Resource Planning (ERP) system located in the Cleveland data center. This central system would provide support to each of the plants replacing the functionality in the existing systems. It would also eliminate the need for full data centers at each of the plant facilities. A reduced number of IT staff could support the remaining applications. In some cases, a third-party contractor could provide those staff.

The Enterprise Architecture department has been operating for several years and has mature, well-developed architecture governance and development processes that are strongly based on TOGAF 9.

At a recent meeting, the Architecture Board approved a Request for Architecture Work sponsored by the Chief Engineer of Global Manufacturing Operations. The request covered the initial architectural investigations and the development of a comprehensive architecture to plan the transformation.

The Common ERP Deployment architecture project team has now been formed, and the project team has been asked to develop an Architecture Vision that will achieve the desired outcomes and benefits. Some of the plant managers have expressed concern about the security and reliability of moving their planning and production scheduling from a remote centralized system. The Chief Engineer wants to know how these concerns can be addressed.

Refer to the Scenario

During the initial meeting of the Common ERP Deployment architecture project team, a number of alternative recommendations for how to proceed are put forward by members of the team.

You have been asked to select the most appropriate recommendation to ensure that the team evaluates different approaches to the problem and clarifies the requirements for the architecture.

Based on TOGAF 9, which of the following is the best answer?

- A. The team should develop Baseline and Target Architectures for each of the manufacturing plants, ensuring that the views corresponding to selected viewpoints address key concerns of the stakeholder
- B. A consolidated gap analysis between the architectures will then be used to validate the approach, and determine the capability increments needed to achieve the target state.
- C. The team should exercise due diligence and carefully research vendor literature and conduct a series of briefings with vendors that are on the current approved supplier list
- D. Based on the findings from the research, the team should define a preliminary Architecture Vision
- E. The team should then use that model to build consensus among the key stakeholders.
- F. The team should use stakeholder analysis to understand who has concerns about the initiative
- G. The team should then hold a series of interviews at each of the manufacturing plants using the business scenario technique
- H. This will then enable them to identify and document the key high-level stakeholder requirements for the architecture.
- I. The team should conduct a pilot project that will enable vendors on the short list to demonstrate potential solutions that will address the concerns of the stakeholder
- J. Based on the findings of that pilot project, a complete set of recommendations will be developed that will drive the evolution of the architecture.

Answer: C

NEW QUESTION 14

Scenario:

Please read this scenario prior to answering the Question

You are serving as the Lead Architect for the enterprise architecture team at the prime contractor for the Dreadnought Unmanned Aircraft System program.

Over the course of this contract, the company has grown rapidly by acquisition and has inherited numerous different procurement processes and related IT systems. The decision has been made to consolidate and reduce redundant procurement processes and systems. The CEO has announced that the company will seek to leverage higher volume discounts and lower related IT support costs by instituting a preferred supplier program.

TOGAF 9 is used for internal Enterprise Architecture activities, with an iterative approach for executing Architecture Development Method (ADM) projects. At present, there are no particularly useful architectural assets related to this initiative, so all assets need to be acquired and customized or created from scratch. The company prefers to implement commercial off the shelf package applications with little customization. The CIO, who is the project sponsor, has stated that she is not concerned about preserving existing processes or systems.

The architect-re development project has put in place its Architecture Capability for this project and has started a number of iteration cycles to develop the Architecture. Some tasks to address concerns related to the Business Architecture have been completed. The next immediate task is to address the Information Systems Architectures.

The Information Systems Architectures must address stakeholder concerns such as:

1. Which procurement-related business processes are supported by zero, one, or many existing applications?
2. What non-procurement applications will need to be integrated with any new procurement applications?
3. What data will need to be shared? Refer to the Scenario

[Note: You may need to refer to TOGAF 9 Chapter 35 in order to answer this question.]

You have been asked to identify the most appropriate catalogs, matrices, and diagrams for this situation.

Based on TOGAF 9, which of the following is the best answer?

- A. In the early iterations of Architecture development, you would describe the Baseline Application Architecture with a System/Function matrix, and describe the Baseline Data Architecture using a Data Entity/Data Component catalog
- B. In the later iterations of the Architecture Definition, you would describe the Target Application Architecture using Application Communication diagrams and an Application Interaction matrix, and describe the Target Data Architecture with a System/Data matrix.
- C. In the early iterations of Architecture development, you would describe the Target Application Architecture with Application Communication diagrams and an Application Interaction matrix, and describe the Target Data Architecture with a System/Data matrix
- D. In the later iterations of Architecture development, you would describe the Baseline Application Architecture with an Application and User Location diagram and a System/Function matrix, and describe the Baseline Data Architecture with a Data Entity/Data Component catalog.
- E. In the early iterations of Architecture development, you would describe the Target Application Architecture with Application Communication diagrams and an Application Interaction matrix, and describe the Target Data Architecture with a Data Entity/Business Function matrix and a System/Data matrix
- F. In the later iterations of Architecture development, you would describe the Baseline Application Architecture with a System/Function matrix, and describe the Baseline Data Architecture with a Data Entity/Data Component catalog.
- G. In the early iterations of Architecture development, you would describe the Baseline Application Architecture with a Technology Portfolio catalog, and describe the Baseline Data Architecture with a Data diagram
- H. In the later iterations of Architecture development, you would describe the Target Application Architecture with a System/Technology matrix, and describe the Target Data Architecture with a Data Dissemination diagram.

Answer: C

NEW QUESTION 18

Scenario: Marona Inc.

Marona Inc is a Fortune 500 Enterprise in the retail industry with retail store components manufacturing units and marketing outlets spanning the globe and having an annual turnover of 20 billion\$ with more than 100,000 employees world wide.

The CEO, CIO and the stakeholders of the ongoing EA projects are concerned about rising costs and as one measure want to do an investigation into the operational aspects of the realized Enterprise Architecture using TOGAF9.

The CIO approaches you as the Lead Enterprise Architect to carry out this exercise the stakeholder had voiced to him the following concerns:

They want to analyze the roles of the top management for each revenue earning service. Moreover, many of the HR related critical Search application component have become extremely slow. This needs to be diagnosed and rectified. Moreover there is no proper tracking of revenue from retail store component products over time. There has also been a lot of unauthorized or unwanted access to many of the critical information.

Hence the mode of access needs to be strengthened and made much more secure. Another additional concern is the new launches and the progress of each of the launches over time.

Determine which of the following set of viewpoints are most appropriate to analyze and view in order to address this concern of the stakeholders.

- A. (i) System/Functions Matrix(ii) Actor/Role Matrix(iii) Data Entity/Business Function Matrix(iv) Technology Portfolio Catalog(v) Data Security Diagram
- B. (i) Goal/Objective/Service Diagram(ii) Contract Measure Catalog(iii) Data Dissemination Diagram(iv) Application Communication Diagram(v) Data Life Cycle Diagram
- C. (i) Location Catalog(ii) Service/Function Catalog(iii) Data Entity/Business Function Matrix(iv) Application Communication Diagram
- D. (i) System/Functions Catalog(ii) System/Technology Matrix(iii) Goal/Objective/Service Diagram(iv) Product Life Cycle Diagram(v) Data Security Diagram

Answer: D

NEW QUESTION 19

Scenario:

Please read this scenario prior to answering the question

Your role is consultant to the Lead Architect within a company that manufactures a variety of small electromechanical devices. As part of a corporate-wide Lean Manufacturing initiative, the company has defined a strategic architecture to improve its ability to meet consumer demand and improve its ability to manage its supply chain. The strategic architecture called for the consolidation of multiple Enterprise Resource Planning (ERP) applications that have been operating independently in several of the divisions' production facilities. The goal is to replace the functionality of the existing applications with a new ERP product running as a single instance in the company's primary data center.

The company has a mature enterprise architecture practice and uses TOGAF 9 for the basis of its architecture framework. In addition to the EA program, the company has a number of management frameworks in use, including business planning, portfolio/project management, and operations management. The EA program is sponsored by the CIO.

Each division has completed the Architecture Definition documentation required to tailor and configure the environment to meet its own specific manufacturing requirements.

The enterprise architects have analyzed the key corporate change attributes and implementation constraints. A consolidated gap analysis has been completed which has identified the gaps across the Business, Data, Application, and Technology domains. Based on the results of the gap analysis, the architects have reviewed the requirements, dependencies and interoperability requirements needed to integrate the new ERP environment into the existing environment. The architects have completed the Business Transformation Readiness Assessment started in Phase A. Based on all of these factors they have produced a risk assessment.

Because of the risks posed by the complexity of the current environment, it has been determined that a phased approach is needed to implement the target architectures. The overall implementation process is estimated to take several years.

Refer to the Scenario

The Implementation and Migration Plan v0.1, the draft Architecture Roadmap, and the Capability Assessment deliverables are now complete. You have been asked to recommend the next steps to prepare the final Implementation and Migration Plan.

Based on TOGAF 9, which of the following is the best answer?

- A. You would apply the Business Value Assessment Technique to prioritize the implementation projects and project increment
- B. The assessment should focus on return on investment and performance evaluation criteria that can be used to monitor the progress of the architecture transformation
- C. You would confirm the Transition Architecture phases using an Architecture Definition Increments Table to list the project
- D. You would then document the lessons learned and generate the final plan.
- E. You would assess how the plan impacts the other frameworks in use in the organization
- F. Minimally, the plan should be coordinated with the business planning, portfolio/project management and operations management framework
- G. You would then assign a business value to each project, taking into account available resources and priorities for the project
- H. Finally, you would generate the Implementation and Migration Plan.
- I. You would conduct a series of Compliance Assessments to ensure that the implementation team is implementing the architecture according to the contract
- J. The Compliance Assessment should verify that the implementation team is using the proper development methodology
- K. It should include deployment of monitoring tools and ensure that performance targets are being met
- L. If they are not met, then changes to performance requirements should be identified and updated in the Implementation and Migration Plan.
- M. You would place the strategic Architecture Definition and Transition Architectures under configuration control as part of the ongoing architecture development cycle
- N. This will ensure that the architecture remains relevant and responsive to the needs of the enterprise
- O. You would then produce an Implementation Governance Model to manage the lessons learned prior to finalizing the plan
- P. You recommend that lessons learned be accepted by the Architecture Board as changes to the architecture without review.

Answer: B

NEW QUESTION 22

Scenario: Global Mobile 1

Please read this scenario prior to answering the question

Global Mobile is a mobile telecommunications company formed through a series of mergers and acquisitions. They are yet to fully integrate the customer service systems for the most recent acquisitions, and as result, customer service has been a major concern for the Chief Technology Officer.

Results for the last two quarters have shown that Average Revenue Per User (ARPU) and the customer retention (Churn) rate have fallen below the industry average. The Corporate Marketing group has published some new findings about customer satisfaction. The customers appear to be switching to Air Light, a competitor, because of superior customer service. Global Mobile actually has better coverage in nearly all markets than Air Light, and good roaming agreements that keep rates low for business travelers. But, customer satisfaction has remained low.

The Business Strategy group and the Enterprise Architecture group have conducted a high-level project to develop the enterprise-wide strategic plan. They have developed a business scenario which contains a good conceptual model of what needs to be done, and also identifies the key requirements. This was used in preparing the proposal presented to the Executive Council and the Corporate Board.

The planning for the program has been underway for several months. Global Mobile has selected TOGAF 9 as the basis for its Enterprise Architecture.

The Corporate Board has approved funding for a multi-million Euro conversion to transition to a packaged Customer Service System. It is anticipated that the overall program will take five years to complete, but there are some tactical projects that can commence immediately to address the situation. The Corporate Board has placed one additional major

constraint on the program. In addition to achieving the business outcomes directly related to improving overall customer service within each business unit, the Corporate Board expects the Target Architecture to produce an additional saving of at least 30% over current operating costs through energy efficiency initiatives, virtualization of servers and workstations, and expanded telecommuting and desk-sharing. This Green initiative is intended to become a model for future investments at all company facilities worldwide.

Refer to Global Mobile scenario

You have been engaged as a consultant to advise the Chief Architect on the best ways to approach to the implementation planning activities for this significant business transformation.

Based on TOGAF 9, which of the following is the best answer? (Is this the right answers to choose?)

- A. You recommend using conventional implementation planning technique
- B. The horizontal scope of the Green initiative would make the Capability-Based Planning approach used in the organization's TOGAF-based Enterprise Architecture framework difficult to manage and govern
- C. This approach to planning was better applied within the vertical scope of a business unit.
- D. You recommend that the implementation planning activities be conducted using Capability-Based Planning
- E. This is appropriate because the Green initiative is an enterprise-wide plan with a horizontal scope
- F. Its metrics are aggregated at the enterprise level
- G. It is crucial to gain business unit support and cooperation to achieve the broader business outcomes which will benefit all.
- H. The Capability-Based Planning approach used in the organization's TOGAF-based Enterprise Architecture framework is focused on business outcome
- I. The Green initiative is an infrastructure program that is technical in nature; therefore, it would not be appropriate to use the Capability-Based Planning approach
- J. Instead, the Global Mobile systems development lifecycle approach should be utilized to develop the Solution Architecture.
- K. You recommend using conventional implementation planning technique
- L. The Capability-Based Planning approach is normally only used in public sector, defense-related program
- M. This approach is not appropriate for a private sector company.

Answer: B

NEW QUESTION 24

Scenario: Rollins Manufacturing

Please read this scenario prior to answering the question

Rollins Manufacturing is a major supplier in the automotive industry, headquartered in Cleveland, Ohio with manufacturing plants in Chicago, Sao Paulo, Stuttgart, Yokohama, and Seoul. Each of these plants has been operating its own Manufacturing Requirements

Planning (MRPII) system, production scheduling, and custom developed applications that drive the automated production equipment at each plant.

Rollins is implementing lean manufacturing principles to minimize waste and improve the efficiency of all of its production operations. During a recent exercise held for internal quality improvement, it was determined that a significant reduction in process waste could be achieved by replacing the current MRPII and scheduling systems with a common Enterprise Resource Planning (ERP) system located in the Cleveland data center. This central system would provide support to each of the plants replacing the functionality in the existing systems. It would also eliminate the need for full data centers at each of the plant facilities. A reduced number of IT staff could support the remaining applications. In some cases, a third-party contractor could provide those staff.

The Rollins Enterprise Architecture department has been operating for several years and has mature, well-developed architecture governance and development processes that are strongly based on TOGAF 9. At a recent meeting, the Architecture Review Board approved a Request for Architecture Work from the Chief Engineer of Global Manufacturing Operations who is the project sponsor. The request covered the initial architectural investigations and the development of a comprehensive architecture to plan the transformation.

The Common ERP Deployment architecture project team has now been formed, and the project team has been asked to develop an Architecture Vision that will achieve the desired outcomes and benefits. Some of the plant managers have expressed concern about the security and reliability of driving their MRPII and production scheduling from a central system located in Cleveland. The Chief Engineer wants to know how these concerns can be addressed.

Refer to the Rollins Manufacturing Scenario

You are serving as the Lead Enterprise Architect of the newly-formed Common ERP Deployment architecture project team.

As the Common ERP Deployment architecture project team assembles for its initial meeting, many of the participants have voiced concerns about the sweeping scope of the initiative. Others are confident that they know a solution that will work. During the meeting, a number of alternative recommendations for how to proceed are put forward by members of the team.

You have been asked to select the most appropriate recommendation to ensure that the team evaluates different approaches to the problem and clarifies the requirements for the architecture.

Based on TOGAF 9, which of the following is the best answer?

- A. The team should hold a series of interviews at each of the manufacturing plants using the business scenario technique
- B. This will then enable them to identify and document the characteristics of the architecture from the business requirements.
- C. The team should exercise due diligence and carefully research vendor literature and conduct a series of briefings with vendors that are on the current approved supplier list
- D. Based on the findings from the research, the team should define a preliminary target Architecture Vision
- E. The team should then use that model to build consensus among the key stakeholders.
- F. The team should create Baseline and Target Architectures for each of the manufacturing plant
- G. A gap analysis between the architectures will then validate the approach, and determine the Transition Architecture needed to achieve the target state.
- H. The team should conduct a pilot project that will enable vendors on the short list to demonstrate potential solutions that will address the concerns of the stakeholder
- I. Based on the findings of that pilot project, a complete set of requirements can be developed that will drive the evolution of the architecture.

Answer: A

NEW QUESTION 27

UTrack Transports is a strong UK logistics company. The head of the strategic marketing division engaged the Principal Architect issuing a Request for architectural work to design an enhancement of the current Enterprise Data Warehouse system. An enhancement is needed to support the change in the business model; UTrack wants to leverage on customer data collected during business as usual activities and anonymize them to offer marketing agencies a fresh and accessible source of analytics data, this will increase the company revenues.

TOGAF 9 is the architectural framework in use.

Refer to the scenario above The Principal Architect has decided to ask you as Business Intelligence Subject Matter Expert to design the Data Architecture. The Chief Architect shared with you the Architecture Definition Document including the Business Architecture design. You now need to choose the artifacts you want to produce as part of the Data Architecture design. Identify the best answer accordingly to the TOGAF 9.

Choose one of the following answers

- A. You first list the data used across the enterprise using a Data Entity/Data Component Catalog, including data entities and also the data components where data entities are stored
- B. You then classify what the data sources are and the relationship with the data entities via a System/Data Matrix
- C. You finally identify common data requirements using a Data Lifecycle Diagram.
- D. You first list the data used across the enterprise using a Data Entity/Data Component Matrix, including data entities and also the data components where data entities are stored
- E. You then classify what the data sources are and the relationship with the data entities via a Role/System Catalog
- F. You finally identify common data requirements using a Data Use Case Diagram.
- G. You first list the data used across the enterprise using a Data Entity/Data Component Catalog, including data entities and also the data components where data entities are stored
- H. You then classify what the data sources are and the relationship with the data entities via a System/Data Matrix.
- I. You first list the data used across the enterprise using a Data Entity/Data Component Catalog, including data entities and also the data components where data entities are stored
- J. You then assign ownership of data entities to the organization via a System/Data Matrix.

Answer: A

NEW QUESTION 30

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

OG0-092 Practice Exam Features:

- * OG0-092 Questions and Answers Updated Frequently
- * OG0-092 Practice Questions Verified by Expert Senior Certified Staff
- * OG0-092 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * OG0-092 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The OG0-092 Practice Test Here](#)