

Oracle

Exam Questions 1z0-082

Oracle Database Administration I



NEW QUESTION 1

Examine this command:

```
ALTER DATABASE  
    MOVE DATAFILE '/u01/sales1.dbf'  
    TO '/u01/sales01.dbf'  
    REUSE;
```

Which two statements are true? (Choose two.)

- A. DML may be performed on tables with one or more extents in this data file during the execution of this command.
- B. The tablespace containing SALES1.DBF must be altered READ ONLY before executing the command.
- C. The tablespace containing SALES1.DBF must be altered OFFLINE before executing the command.
- D. If Oracle Managed Files (OMF) is used, then the file is renamed but moved to DB_CREATE_FILE_DEST.
- E. The file is renamed and stored in the same location

Answer: AB

NEW QUESTION 2

Which three statements are true about views in an Oracle database? (Choose three.)

- A. Views can be updated without the need to re-grant privileges on the view
- B. Tables in the defining query of a view must always exist in order to create the view
- C. The WITH CHECK clause prevents certain rows from being displayed when querying the view
- D. Data Manipulation Language (DML) can always be used on views
- E. Inserting one or more rows using a view whose defining query contains a GROUP BY clause will cause an error
- F. Deleting one or more rows using a view whose defining query contains a GROUP BY clause will cause an error
- G. The WITH CHECK clause prevents certain rows from being updated or inserted

Answer: BDE

NEW QUESTION 3

You execute this command:

```
[oracle@host01 ~]$ expdp system/oracle \  
> FULL=Y \  
> DUMPFILE=exp_db_full.dmp \  
> PARALLEL=4 \  
> LOGFILE=exp_db_full.log \  
> JOB_NAME=exp_db_full
```

During the export operation, you detach from the job by using CTRL+C and then execute this command: Export> STOP_JOB=immediate

Are you sure you wish to stop the job ([yes]/no): yes

Which two statements are true about the job? (Choose two.)

- A. You can no longer monitor it
- B. You can reattach to it and monitor it
- C. It is paused and can be resumed
- D. It continues to run in the background
- E. It terminates

Answer: AE

NEW QUESTION 4

Examine this command:

```
CREATE UNDO TABLESPACE undotbs01  
DATAFILE 'undotbs_01.dbf' SIZE 100M  
AUTOEXTEND ON;
```

Which two actions must you take to ensure UNDOTBS01 is used as the default UNDO tablespace? (Choose two.)

- A. Add the SEGMENT SPACE MANAGEMENT AUTO clause
- B. Set UNDO_TABLESPACE to UNDOTBS01
- C. Add the NOLOGGING clause
- D. Make certain that the database operates in automatic undo management mode
- E. Add the ONLINE clause

Answer: BD

NEW QUESTION 5

Which three statements are true about advanced connection options supported by Oracle Net for connection to Oracle Database instances? (Choose three.)

- A. Connect Time Failover requires the use of Transparent Application Failover (TAF)
- B. Source Routing requires the use of a name server
- C. Source Routing enables the use of Connection Manager (CMAN) which enables network traffic to be routed through a firewall

- D. Load Balancing can balance the number of connections to dispatchers when using a Shared Server configuration
- E. Load Balancing requires the use of a name server
- F. Connect Time Failover requires the connect string to have two or more listener addresses configured

Answer: BCF

NEW QUESTION 6

You execute this query:

SELECT TO_CHAR(NEXT_DAY(LAST_DAY(SYSDATE), 'MON'), 'dd "Monday for" fmMonth rrrr') What is the result?

- A. It executes successfully but does not return any result
- B. It returns the date for the first Monday of the next month
- C. It generates an error
- D. It returns the date for the last Monday of the current month

Answer: B

NEW QUESTION 7

Which two statements are true about space-saving features in an Oracle Database? (Choose two.)

- A. Private Temporary Tables (PTTS) store metadata in memory only
- B. An index created with the UNUSABLE attribute has no segment
- C. If they exist for a session, Private Temporary Tables (PTTs) are always dropped at the next COMMIT OR ROLLBACK statement
- D. An index that is altered to be UNUSABLE will retain its segment
- E. A table that is truncated will always have its segment removed

Answer: BC

NEW QUESTION 8

You execute this command:

```
CREATE BIGFILE TABLESPACE big_tbs
    DATAFILE '/u01/oracle/data/big_f1.dbf'
    SIZE 20G;
```

Sufficient storage is available in filesystem /u01.

Which two statements are true about the BIG_TBS tablespace? (Choose two.)

- A. AUTOEXTEND is possible for the datafile
- B. It must be bigger than the largest SMALLFILE tablespace
- C. Additional data files may not be added
- D. It will be a dictionary-managed tablespace by default
- E. It will always have a 32K blocksize

Answer: AB

NEW QUESTION 9

Which two statements are true about the PMON background process? (Choose two.)

- A. It registers database services with all local and remote listeners known to the database instance
- B. It frees resources held by abnormally terminated processes
- C. It records checkpoint information in the control file
- D. It frees unused temporary segments
- E. It kills sessions that exceed idle time

Answer: AB

NEW QUESTION 10

The SALES_Q1 and USERS tablespaces exist in one of your databases and TEMP is a temporary tablespace. Segment creation is not deferred.

You execute this command:

```
CREATE USER sales
    IDENTIFIED BY sales_123
    DEFAULT TABLESPACE sales_q1
    TEMPORARY TABLESPACE temp
    QUOTA 5M ON users;
```

Which three statements must be true so that the SALES user can create tables in SALES_Q1? (Choose three.)

- A. The sales user must have a quota on the TEMP tablespace
- B. The sales user must have a quota on the SALES_Q1 tablespace to hold the initial extents of all tables they plan to create in their schema
- C. The sales user must have been granted the CREATE SESSION privilege
- D. The sales user must have their quota on the users tablespace removed
- E. The sales user must have a quota on the SALES_Q1 tablespace to hold all the rows to be inserted into any table in their schema
- F. The sales user must have been granted the CREATE TABLE privilege

Answer: BDF

NEW QUESTION 10

The INVOICE table has a QTY_SOLD column of data type NUMBER and an INVOICE_DATE column of data type DATE. NLS_DATE_FORMAT is set to DD-MON-RR.

Which two are true about data type conversions involving these columns in query expressions? (Choose two.)

- A. CONCAT (qty_sold, invoice_date) : requires explicit conversion
- B. invoice_date = '15-march-2019' : uses implicit conversion
- C. invoice_date > '01-02-2019' : uses implicit conversion
- D. qty_sold BETWEEN '101' AND '110' : uses implicit conversion
- E. qty_sold = '0554982' uses implicit conversion

Answer: BD

NEW QUESTION 15

Which three statements are true about Oracle synonyms? (Choose three.)

- A. A synonym cannot be created for a PL/SQL package
- B. A synonym can be available to all users
- C. A SEQUENCE can have a synonym
- D. A synonym created by one user can refer to an object belonging to another user
- E. Any user can drop a PUBLIC synonym

Answer: BCD

NEW QUESTION 18

Your database instance was shut down normally and then started in NOMOUNT state. You then execute this command: ALTER DATABASE MOUNT;

Which two actions are performed? (Choose two.)

- A. The online redo logs are opened
- B. The online data files are opened
- C. The alert log records the execution details
- D. The Oracle background processes are started
- E. The initialization parameter file is read
- F. The control file is read

Answer: DF

NEW QUESTION 22

Which two statements are true about single row functions? (Choose two.)

- A. MOD : returns the quotient of a division operation
- B. FLOOR : returns the smallest integer greater than or equal to a specified number
- C. TRUNC : can be used to combine any number of values
- D. CONCAT : can be used to combine any number of values
- E. CEIL : can be used for positive and negative numbers

Answer: AC

NEW QUESTION 25

Examine these commands:

```
[oracle@host01 ~]$ sqlplus u1/oracle
SQL> SELECT * FROM emp;

ENO          ENAME          DN
-----
1            Alan           2
2            Ben            2

SQL> exit
[oracle@host01 ~]$ cat emp.dat

3,Curl,4
4,Bob,4
[oracle@host01 ~]$ sqlldr u1/oracle TABLE=emp
```

Which two statements are true about the sqlldr execution? (Choose two.)

- A. It overwrites data in EMP with data in EMP.DAT

- B. It uses the database buffer cache to load data
- C. It generates a log that contains control file entries, which can be used with normal SQL*Loader operations
- D. It generates a sql script that it uses to load data from EMP.DAT to EMP
- E. It appends data from EMP.DAT to EMP

Answer: BD

NEW QUESTION 27

Which three statements are true about table data storage in an Oracle Database? (Choose three.)

- A. Data block headers contain their own Data Block Address (DBA)
- B. A table row piece can be chained across several database blocks
- C. Multiple row pieces from the same row may be stored in different database blocks
- D. Multiple row pieces from the same row may be stored in the same block
- E. Data block free space is always contiguous in the middle of the block
- F. Index block free space is always contiguous in the middle of the block

Answer: BCE

NEW QUESTION 31

In one of your databases, you create a user, HR, and then execute this command: GRANT CREATE SESSION TO hr WITH ADMIN OPTION;
Which three actions can HR perform? (Choose three.)

- A. Revoke the CREATE SESSION privilege from other users
- B. Revoke the CREATE SESSION privilege from user HR
- C. Log in to the database instance
- D. Grant the CREATE SESSION privilege with ADMIN OPTION to other users
- E. Execute DDL statements in the HR schema
- F. Execute DML statements in the HR schema

Answer: ADE

NEW QUESTION 32

Which two tasks can you perform using DBCA for databases? (Choose two.)

- A. Configure a nonstandard block size for a new database
- B. Register a new database with an available Enterprise Manager Management server
- C. Change the standard block size of an existing database
- D. Configure incremental backups for a new database
- E. Enable flashback database for an existing database

Answer: BC

NEW QUESTION 36

Which two statements are true about the rules of precedence for operators? (Choose two.)

- A. The concatenation operator || is always evaluated before addition and subtraction in an expression
- B. NULLS influence the precedence of operators in an expression
- C. The + binary operator has the highest precedence in an expression in a SQL statement
- D. Arithmetic operators with equal precedence are evaluated from left to right within an expression
- E. Multiple parentheses can be used to override the default precedence of operators in an expression

Answer: CE

NEW QUESTION 40

Which two statements are true about views used for viewing tablespace and datafile information? (Choose two.)

- A. Tablespace free space can be viewed in VTABLESPACE
- B. VTABLESPACE displays information that is contained in the controlfile about tablespaces
- C. VTABLESPACE displays information about tablespaces contained in the data dictionary
- D. Tablespace free space can be viewed in DBA_TABLESPACES
- E. A datafile can be renamed when the database is in MOUNT state and the new file name is displayed when querying DBA_DATA_FILES after the database is opened

Answer: BE

NEW QUESTION 42

You need to calculate the number of days from 1st January 2019 until today. Dates are stored in the default format of DD-MON-RR.
Which two queries give the required output? (Choose two.)

- A. SELECT TO_CHAR(SYSDATE, 'DD-MON-YYYY') - '01-JAN-2019' FROM DUAL;
- B. SELECT ROUND(SYSDATE - '01-JAN-2019') FROM DUAL;
- C. SELECT ROUND(SYSDATE - TO_DATE('01/JANUARY/2019')) FROM DUAL;
- D. SELECT TO_DATE(SYSDATE, 'DD/MONTH/YYYY') - '01/JANUARY/2019' FROM DUAL;
- E. SELECT SYSDATE - TO_DATE('01-JANUARY-2019') FROM DUAL;

Answer: AB

NEW QUESTION 47

Examine the description of the PROMOTIONS table:

Name	Null?	Type

PROMO_ID	NOT NULL	NUMBER (6)
PROMO_NAME	NOT NULL	VARCHAR2 (30)
PROMO_CATEGORY	NOT NULL	VARCHAR2 (30)
PROMO_COST	NOT NULL	NUMBER (10,2)

You want to display the unique promotion costs in each promotion category. Which two queries can be used? (Choose two.)

- A. SELECT promo_cost, promo_category FROM promotions ORDER BY 1;
- B. SELECT DISTINCT promo_cost || ' in ' || DISTINCT promo_category FROM promotions ORDER BY 1;
- C. SELECT DISTINCT promo_category || ' has ' || promo_cost AS COSTS FROM promotions ORDER BY 1;
- D. SELECT promo_category, DISTINCT promo_cost FROM promotions ORDER BY 2;
- E. SELECT DISTINCT promo_category, promo_cost FROM promotions ORDER BY 1;

Answer: DE

NEW QUESTION 52

Examine the description of the CUSTOMERS table:

```
CREATE TABLE sales1 (prod_id, cust_id, quantity_sold, price)
AS
SELECT product_id, customer_id, quantity_sold, price
FROM sales
WHERE 1 = 1;
```

For customers whose income level has a value, you want to display the first name and due amount as 5% of their credit limit. Customers whose due amount is null should not be displayed.

Which query should be used?

- A. SELECT cust_first_name, cust_credit_limit * .05 AS DUE_AMOUNT FROM customers WHERE cust_incoms_level IS NOT NULL AND due_amount IS NOT NULL;
- B. SELECT cust_first_name, cust_credit_limit * .05 AS DUE_AMOUNT FROM customers WHERE cust_income_level != NULL AND cust_credit_level != NULL;
- C. SELECT cust_first_name, cust_credit_limit * .05 AS DUE_AMOUNT FROM customers WHERE cust_income_level <> NULL AND due_amount <> NULL;
- D. SELECT cust_first_name, cust_credit_limit * .05 AS DUE_AMOUNT FROM customers WHERE cust_income_level != NULL AND due_amount != NULL;
- E. SELECT cust_first_name, cust_credit_limit * .05 AS DUE_AMOUNT FROM customers WHERE cust_income_level IS NOT NULL AND cust_credit_limit IS NOT NULL;

Answer: E

NEW QUESTION 55

What is true about non-equi join statement performance? (Choose two.)

- A. Table aliases can improve performance
- B. The BETWEEN condition always performs better than using the >= and <= conditions
- C. The join syntax used makes no difference to performance
- D. The BETWEEN condition always performs less well than using the >= and <= conditions
- E. The Oracle join syntax performs better than the SQL:1999 compliant ANSI join syntax

Answer: AE

NEW QUESTION 56

Which two statements are true about the results of using the INTERSECT operator in compound queries? (Choose two.)

- A. Column names in each SELECT in the compound query can be different
- B. The number of columns in each SELECT in the compound query can be different
- C. Reversing the order of the intersected tables can sometimes affect the output
- D. INTERSECT returns rows common to both sides of the compound query
- E. INTERSECT ignores NULLs

Answer: AE

NEW QUESTION 59

In one of your databases, the user HR has the password HRMGR.

You want to connect to a database instance whose listener listens on port 1531 by using this statement: CONNECT HR/HRMGR@orcl

No name server is used.

Which statement is true about ORCL?

- A. It must be the value of the SERVICE_NAMES parameter on the client side
- B. It must resolve to a valid connect descriptor in the server's tnsnames.ora file
- C. It must resolve to a valid connect descriptor in the client's tnsnames.ora file
- D. It must be the name of the database to whose instance HR wishes to connect
- E. It must be the name of the server running the database to whose instance HR wishes to connect

Answer: E

NEW QUESTION 64

Examine the description of the CUSTOMERS table:

Name	Null?	Type

CUST_ID	NOT NULL	NUMBER
CUST_FIRST_NAME	NOT NULL	VARCHAR2 (20)
CUST_LAST_NAME	NOT NULL	VARCHAR2 (30)
CUST_INCOME_LEVEL		VARCHAR2 (30)
CUST_CREDIT_LIMIT		NUMBER

You want to display details of all customers who reside in cities starting with the letter D followed by at least two characters. Which query can be used?

- A. SELECT * FROM customers WHERE city LIKE 'D_%';
- B. SELECT * FROM customers WHERE city = '%D_%';
- C. SELECT * FROM customers WHERE city LIKE 'D_';
- D. SELECT * FROM customers WHERE city = 'D_%';

Answer: A

NEW QUESTION 67

Which three statements are true about inner and outer joins? (Choose three.)

- A. A full outer join returns matched and unmatched rows
- B. An inner join returns matched rows
- C. Outer joins can only be used between two tables per query
- D. A full outer join must use Oracle syntax
- E. Outer joins can be used when there are multiple join conditions on two tables
- F. A left or right outer join returns only unmatched rows

Answer: ABF

NEW QUESTION 72

Which two statements are true about Enterprise Manager Database Express? (Choose two.)

- A. It is available only when the database is open
- B. It can be used to perform database recovery
- C. The same port number can be used for Database Express configurations for databases on different hosts
- D. It can be used to switch a database into ARCHIVELOGMODE
- E. The same port number can be used for multiple Database Express configurations for multiple databases on the same host

Answer: DE

NEW QUESTION 77

Which two statements are true about UNDO and REDO? (Choose two.)

- A. The generation of UNDO generates REDO
- B. DML modifies Oracle database objects and only generates UNDO
- C. The generation of REDO generates UNDO
- D. DML modifies Oracle database objects and only generates REDO

Answer: AC

NEW QUESTION 81

Evaluate these commands which execute successfully:

Name	Null?	Type

TRANSACTION_ID	NOT NULL	VARCHAR2 (6)
TRANSACTION_TYPE		VARCHAR2 (3)
BORROWED_DATE		DATE
BOOK_ID		VARCHAR2 (6)
MEMBER_ID		VARCHAR2 (6)

Which two statements are true about the ORD_ITEMS table and the ORD_SEQ sequence? (Choose two.)

- A. If sequence ORD_SEQ is dropped then the default value for column ORD_NO will be NULL for rows inserted into ORD_ITEMS
- B. Any user inserting rows into table ORD_ITEMS must have been granted access to sequence ORD_SEQ
- C. Column ORD_NO gets the next number from sequence ORD_SEQ whenever a row is inserted into ORD_ITEMS and no explicit value is given for ORD_NO
- D. Sequence ORD_SEQ cycles back to 1 after every 5000 numbers and can cycle 20 times
- E. Sequence ORD_SEQ is guaranteed not to generate duplicate numbers

Answer: BE

NEW QUESTION 82

Which three statements are true about the Oracle Data Dictionary? (Choose three.)

- A. Data dictionary views are created by joins of dictionary base tables and DBA-defined tables
- B. The data dictionary is created and maintained by the database administrator
- C. Views with the same name but different prefixes, such as CDB, DBA, ALL and USER, reference the same base tables from the data dictionary
- D. Base tables can be queried directly
- E. It is owned by the SYSTEM user
- F. Usernames of all users including database administrators are stored in the data dictionary

Answer: CDF

NEW QUESTION 83

In which three situations does a new transaction always start? (Choose three.)

- A. when issuing a SELECT FOR UPDATE statement after a CREATE TABLE AS SELECT statement was issued in the same session
- B. when issuing a TRUNCATE statement after a SELECT statement was issued in the same session
- C. when issuing a CREATE TABLE statement after a SELECT statement was issued in the same session
- D. when issuing the first Data Manipulation Language (DML) statement after a COMMIT OR ROLLBACK statement was issued in the same session
- E. when issuing a CREATE INDEX statement after a CREATE TABLE statement completed successfully in the same session
- F. when issuing a DML statement after a DML statement failed in the same session

Answer: ADF

NEW QUESTION 86

Which three Oracle database space management features will work with both Dictionary and Locally managed tablespaces? (Choose three.)

- A. Oracle Managed Files (OMF)
- B. Online table segment shrink
- C. Online index segment shrink
- D. Automatic data file extension (AUTOEXTEND)
- E. Capacity planning growth reports based on historical data in the Automatic Workload Repository (AWR)

Answer: ADE

NEW QUESTION 91

Which two are true about a SQL statement using SET operators such as UNION? (Choose two.)

- A. The data type group of each column returned by the second query must match the data type group of the corresponding column returned by the first query.
- B. The number, but not names, of columns must be identical for all SELECT statements in the query.
- C. The data type of each column returned by the second query must exactly match the data type of the corresponding column returned by the first query.
- D. The names and number of columns must be identical for all SELECT statements in the query.
- E. The data type of each column returned by the second query must be implicitly convertible to the data type of the corresponding column returned by the first query.

Answer: AC

NEW QUESTION 92

Which two statements are true regarding the UNION and UNION ALL operators? (Choose two.)

- A. Duplicates are eliminated automatically by the UNION ALL operator
- B. The number of columns selected in each SELECT statement must be identical
- C. The names of columns selected in each SELECT statement must be identical
- D. The output is sorted by the UNION ALL operator
- E. NULLS are not ignored during duplicate checking

Answer: BE

NEW QUESTION 95

Which three are types of segments in an Oracle Database? (Choose three.)

- A. undo
- B. index
- C. stored procedures
- D. sequences
- E. tables
- F. clusters

Answer: BEF

NEW QUESTION 97

In the spfile of a single instance database, LOCAL_LISTENER is set to LISTENER_1.
The TNSNAMES.ORA file in \$ORACLE_HOME/network/admin in the database home contains:


```

LISTENER_1 =
  (ADDRESS =
    (PROTOCOL = TCP)
    (HOST = host1.abc.com)
    (PORT = 1521)
  )

```

Which statement is true?

- A. Dynamic service registration cannot be used for this database instance
- B. The LREG process registers services dynamically with the LISTENER_1 listener
- C. LISTENER_1 must also be defined in the LISTENER.ORA file to enable dynamic service registration
- D. There are two listeners named LISTENER and LISTENER_1 running simultaneously using port 1521 on the same host as the database instances
- E. The definition for LISTENER_1 requires a CONNECT_DATA section to enable dynamic service registration

Answer: C

NEW QUESTION 99

Which three statements are true about the DESCRIBE command? (Choose three.)

- A. It displays the PRIMARY KEY constraint for any column or columns that have that constraint
- B. It can be used from SQL Developer
- C. It displays the NOT NULL constraint for any columns that have that constraint
- D. It can be used to display the structure of an existing view
- E. It displays all constraints that are defined for each column
- F. It can be used only from SQL *Plus

Answer: CDF

NEW QUESTION 104

In one of your databases, user KING is:

- \1. Not a DBA user
 - \2. An operating system (OS) user
- Examine this command and its output:

```
SHOW PARAMETER OS_AUTHENT_PREFIX
```

NAME	TYPE	VALUE
os_authn_prefix	string	

What must you do so that KING is authenticated by the OS when connecting to the database instance?

- A. Set OS_AUTHENT_PREFIX to OPS\$
- B. Have the OS administrator add KING to the OSDBA group
- C. Grant DBA to KING
- D. Unset REMOTE_LOGIN_PASSWORDFILE
- E. Alter user KING to be IDENTIFIED EXTERNALLY

Answer: D

NEW QUESTION 109

A database is configured to use automatic undo management with temporary undo enabled. An UPDATE is executed on a temporary table. Where is the UNDO stored?

- A. in the undo tablespace
- B. in the SYSAUX tablespace
- C. in the SGA
- D. in the PGA
- E. in the temporary tablespace

Answer: A

NEW QUESTION 112

The ORCL database has RESUMABLE TIMEOUT = 7200 and DEFERRED_SEGMENT_CREATION = FALSE

User U1 has a 1 MB quota in tablespace DATA. U1 executes this command:

```
SQL> CREATE TABLE t1 AS
(SELECT object_name, sharing, created FROM dba_objects);
```

U1 complains that the command is taking too long to execute.

In the alert log, the database administrator (DBA) finds this: 2017-03-06T12:15:17.183438+05:30

statement in resumable session 'User U1(136), Session 1, Instance 1' was suspended due to ORA-01536: space quota exceeded for tablespace 'DATA'

Which are three actions any one of which the DBA could take to resume the session? (Choose three.)

- A. Add a data file to DATA
- B. Drop other U1 objects in DATA
- C. Increase U1's quota sufficiently in DATA

- D. Set DEFERRED_SEGMENT_CREATION to TRUE
- E. Grant UNLIMITED TABLESPACE to U1
- F. Set AUTOEXTEND ON for data files in DATA

Answer: CDF

NEW QUESTION 114

Which three statements are true concerning logical and physical database structures? (Choose three.)

- A. All tablespaces may have one or more data files
- B. The extents of a segment must always reside in the same datafile
- C. A smallfile tablespace might be bigger than a bigfile tablespace
- D. A segment can span multiple data files in some tablespaces
- E. A segment's blocks can be of different sizes
- F. A segment might have only one extent
- G. Segments can span multiple tablespaces

Answer: CFG

NEW QUESTION 119

Which four account management capabilities can be configured using Oracle profiles? (Choose four.)

- A. the number of hours for which an account is locked after the configured number of login attempts has been reached
- B. the number of days for which an account may be inactive before it is locked
- C. the maximum amount of CPU time allowed for a user's sessions before their account is locked
- D. the ability to prevent a password from ever being reused
- E. the number of password changes required within a period of time before a password can be reused
- F. the number of days for which an account is locked after the configured number of login attempts has been reached
- G. the maximum number of sessions permitted for a user before the account is locked

Answer: DEFG

NEW QUESTION 124

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

1z0-082 Practice Exam Features:

- * 1z0-082 Questions and Answers Updated Frequently
- * 1z0-082 Practice Questions Verified by Expert Senior Certified Staff
- * 1z0-082 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * 1z0-082 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The 1z0-082 Practice Test Here](#)