



Cisco

Exam Questions 300-635

Automating and Programming Cisco Data Center Solutions (DCAUTO)

About ExamBible

Your Partner of IT Exam

Found in 1998

ExamBible is a company specialized on providing high quality IT exam practice study materials, especially Cisco CCNA, CCDA, CCNP, CCIE, Checkpoint CCSE, CompTIA A+, Network+ certification practice exams and so on. We guarantee that the candidates will not only pass any IT exam at the first attempt but also get profound understanding about the certificates they have got. There are so many alike companies in this industry, however, ExamBible has its unique advantages that other companies could not achieve.

Our Advances

* 99.9% Uptime

All examinations will be up to date.

* 24/7 Quality Support

We will provide service round the clock.

* 100% Pass Rate

Our guarantee that you will pass the exam.

* Unique Gurantee

If you do not pass the exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

NEW QUESTION 1

Which two statements about gRPC are true? (Choose two.)

- A. It is an IETF draft.
- B. It is an IETF standard.
- C. It runs over SSH.
- D. It is an open source initiative.
- E. It runs over HTTPS.

Answer: AE

NEW QUESTION 2

```
import requests

USER = "admin"
PASS = "password"
APIC = "https://apic.supereats.com"

OPERATION = 'api/aaaLogin.json'
DATA = {"aaaUser": {"attributes": {"name": USER, "pwd": PASS}}}
RESPONSE = requests.post(APIC+OPERATION, json=DATA, verify=False)

TOKEN = RESPONSE.json()["imdata"][0]["aaaLogin"]["attributes"]["token"]
COOKIE = {'APIC-cookie': TOKEN}

OPERATION = 'api/aaaLogout.json'
DATA = {
    "aaaLogout": {
        "attributes": {
            "token": TOKEN
        }
    }
}
RESPONSE = requests.post(APIC+OPERATION, json=DATA, cookies=COOKIE, verify=False)
```

Which Python snippets create an application policy named OrderProcess that contains two application endpoint groups under Tenant SuperEats using direct calls to the ACI REST API? Assume that authentication and library imports are correct. A.

```
OPERATION = 'api/node/mo/uni.json'
DATA = {
    "fvTenant": {"attributes": {"name": "SuperEats"},
    "children": [{"fvAp": {"attributes": {"name": "OrderProcess"},
        "children": [
            {"fvAEPg": {"attributes": {"name": "app"}}},
            {"fvAEPg": {"attributes": {"name": "web"}}}
        ]
    }
    ]}
}
RESPONSE = requests.post(APIC+OPERATION, json=DATA, cookies=COOKIE)
```

A.

```
OPERATION = 'api/node/mo/uni.json'
DATA = {
    "fvTenant": {"attributes": {"name": "SuperEats"},
    "children": [{"fvAp": {"attributes": {"name": "OrderProcess"},
        "children": [
            {"fvAEPg": {"attributes": {"name": "app"}}},
            {"fvAEPg": {"attributes": {"name": "web"}}}
        ]
    }
    ]}
}
RESPONSE = requests.get(APIC+OPERATION, cookies=COOKIE)
```

B.

```
OPERATION = 'api/node/mo/uni.json'
DATA = {
    "fvTenant": {"attributes": {"rn": "SuperEats"},
    "children": [{"fvAp": {"attributes": {"rn": "OrderProcess"},
        "children": [
            {"fvAEPg": {"attributes": {"rn": "app"}}},
            {"fvAEPg": {"attributes": {"rn": "web"}}}
        ]
    }
    ]}
}
RESPONSE = requests.post(APIC+OPERATION, json=DATA, cookies=COOKIE)
```

C.

```
OPERATION = 'api/node/mo/uni.json'
DATA = {
    "fvTenant": {"attributes": {"name": "SuperEats"},
    "children": [{"fvAp": {"attributes": {"name": "OrderProcess"},
        "children": [
            {"fvAEPg": {"attributes": {"name": "app"}}},
            {"fvAEPg": {"attributes": {"name": "web"}}}
        ]}
    ]}
}
RESPONSE = requests.post(APIC+OPERATION, json=DATA, cookies=COOKIE)
```

Answer: D

NEW QUESTION 3

Refer to the exhibit.

```
https://APIC_IP/api/class/11PhysIf.xml?query-target-filter=eq(11PhysIf.speed,"10G")
```

Which two statements are true about this API GET request to the ACI APIC? (Choose two.)

- A. The API call creates a new 10G interface in the APIC.
- B. The API call reads information from a managed object.
- C. The API response is encoded in JSON.
- D. The API call reads information from an object class.
- E. The API response is encoded in XML.

Answer: BE

NEW QUESTION 4

DRAG DROP

Drag and drop the correct code snippets into the Python code to create a new application profile "WebApp" using the ACI REST API. Not all options are used. Select and Place:

- A. Mastered
- B. Not Mastered

Answer: A

NEW QUESTION 5

Which Python code creates a VRF in an ACI tenant using the Cobra SDK?

- A. Vrf(fvTenant(uniMo, 'CustA'), 'CustA_VRF')
- B. Ctx(Tenant(uniMo, 'CustA'), 'CustA_VRF')
- C. Vrf(Tenant(uniMo, 'CustA'), 'CustA_VRF')
- D. Ctx(fvTenant(uniMo, 'CustA'), 'CustA_VRF')

Answer: B

NEW QUESTION 6

DRAG DROP

Drag and drop the correct YAML components from the bottom onto the correct blanks within the Ansible playbook to create a new application profile called "DbApp" using the Ansible ACI module. Not all options are used. Select and Place:

- A. Mastered
- B. Not Mastered

Answer: A

NEW QUESTION 7

Which Kubernetes container network interface provides intent-based networking from the same pane of glass that VMs and bare-metal servers are managed?

- A. ACI CNI plug-in
- B. Contiv CNI plug-in
- C. Ingress CNI plug-in
- D. Calico CNI plug-in

Answer: A

NEW QUESTION 8

Refer to the exhibit.

```
switch(config)# telemetry
switch(config-telemetry)# sensor-group 100
switch(config-tm-sensor)# path sys/intf/phys-[eth1/1] depth 0
switch(config-tm-sensor)# destination-group 100
switch(config-tm-dest)# ip address 1.2.3.4 port 50004
switch(config-tm-dest)# ip address 1.2.3.4 port 50005
switch(config-tm-sensor)# destination-group 200
switch(config-tm-dest)# ip address 5.6.7.8 port 50001 protocol HTTP encoding JSON
switch(config-tm-dest)# ip address 1.4.8.2 port 50003
switch(config-tm-dest)# subscription 100
switch(config-tm-sub)# snsr-grp 100 sample-interval 10000
switch(config-tm-sub)# dst-grp 100
switch(config-tm-sub)# dst-grp 200
```

Where and how often does the subscription stream data for Ethernet port 1/1?

- A. to four different destinations every 10000 microseconds
- B. to four different destinations every 100 milliseconds
- C. to four different destinations every 10 seconds
- D. to four different destinations every 10000 seconds

Answer: C

NEW QUESTION 9

Which action allows Docker daemon persistence during switchover on the Cisco Nexus 9500 Series Switches running Cisco NX-OS?

- A. Change the Docker configuration to include the live restore option.
- B. Copy the dockerpart file manually to the standby supervisor after performing the switchover.
- C. Copy the dockerpart file manually to the standby supervisor before performing the switchover.
- D. The system takes automatic action.

Answer: C

NEW QUESTION 10

Refer to the exhibit.

```
switch#
switch#
switch#
switch# run bash
      ^

% Invalid command at "^" marker.
switch#
switch#
```

Which configuration change command must be run on the Cisco NX-OS device to make this command work?

- A. enable bash-shell
- B. bash-shell enable
- C. service bash-shell
- D. feature bash-shell

Answer: D

NEW QUESTION 10

During the process of starting a Python network telemetry collector, which command starts the Cisco bigmuddy-network-telemetry-collector from GitHub?

- A. model driven telemetry
- B. telemetry_receiver.py --ip-address <addr> --port <port>
- C. telemetry_receiver.py --destination <port> --url <url>
- D. streaming telemetry

Answer: B

NEW QUESTION 15

When the Cisco bigmuddy-network-telemetry-collector from GitHub is used, which command displays only the message headers?

- A. --print B.--all
- B. --brief
- C. --print-all

Answer: C

NEW QUESTION 16

What are two differences between SNMP and model-driven telemetry? (Choose two.)

- A. SNMP uses a continuous stream model.
- B. SNMP uses a push model.
- C. SNMP uses a pull model.
- D. Model-driven telemetry uses a pull model.
- E. Model-driven telemetry uses a push model.

Answer: CE

NEW QUESTION 20

Which procedure accesses the REST API browser within Cisco UCS Director?

- A. Send an HTTP GET request to [https://\[UCS Director IP\]/api/get_resources/](https://[UCS Director IP]/api/get_resources/).
- B. Log in as the user REST/user to access the REST API interface.
- C. Enable the Developer men
- D. Select Orchestration in the UI, then select the REST API browser tab.
- E. Select the API browser from the Cisco UCS Director End User Portal catalog of services.

Answer: C

NEW QUESTION 21

Which two statements apply to authentication when using the Cisco Intersight API? (Choose two.)

- A. Each API Key can be assigned specific roles but not privileges.
- B. Secret Key is only available at API Key creation time.
- C. An API Key is composed of a Key ID and Secret Key.
- D. The user credentials for the cisco.com accounts are shared with the Cisco Intersight Web Service.
- E. An API Key is composed of a keyId and sessionCookie.

Answer: BC

NEW QUESTION 22

.....

Relate Links

100% Pass Your 300-635 Exam with ExamBible Prep Materials

<https://www.exambible.com/300-635-exam/>

Contact us

We are proud of our high-quality customer service, which serves you around the clock 24/7.

Viste - <https://www.exambible.com/>