

# Oracle

## Exam Questions 1z0-083

Oracle Database Administration II



#### NEW QUESTION 1

Which four are true about duplicating a database using Recovery Manager (RMAN)? (Choose four.)

- A. Duplication can be done by having the auxiliary database instance pull backup sets from the target database instance.
- B. A connection to an auxiliary instance is always required.
- C. A subset of the target database can be duplicated.
- D. A new DBID is always created for the duplicated database.
- E. A connection to the recovery catalog instance is always required.
- F. A backup of the target database is always required.
- G. Duplication can be done by having the target database instance push copies to the auxiliary database instance.
- H. A connection to the target database instance is always required.

**Answer:** ABCG

#### Explanation:

A duplicate database is a copy of your target database. With the FOR STANDBY clause, it keeps the same unique database identifier (DBID); If FOR STANDBY not specified it creates a new DBID. The duplicate database can include the same content or only a subset from the source database. It can be in the same host or a separate host. The principal work of the duplication is performed by the auxiliary channels. These channels correspond to a server session on the auxiliary instance on the destination host for backup based duplication. For active database duplication the target channels perform the work of pushing data file copies to the auxiliary instance (if number of allocated target channels is greater than the number of allocated auxiliary channels).

#### NEW QUESTION 2

Which two are true about data movement between a non-CDB and a PDB using Data Pump? (Choose two.)

- A. Tablespaces are automatically created as needed while importing full exports in either a non-CDB or a PDB.
- B. Oracle attempts to convert conventional database users to local users when moving schemas from a non-CDB to a PDB.
- C. A new PDB is automatically created when importing a non-CDB into a CDB.
- D. Oracle attempts to convert common users to conventional users when moving schemas from a PDB to a non-CDB.
- E. Moving data from a PDB to a non-CDB is only possible by using transportable tablespace export and import.
- F. Moving data from a non-CDB to a PDB is only possible by using conventional export and import.

**Answer:** DE

#### NEW QUESTION 3

Which three are true about backup, restore, and recovery operations done without using Recovery Manager (RMAN)? (Choose three.)

- A. Backing up a database in NOARCHIVELOG mode using O/S utilities requires that the database instance be started and the database be in the MOUNT state.
- B. Backing up a database in ARCHIVELOG mode using O/S utilities requires that the database instance be started and the database be in MOUNT state.
- C. An Oracle database can be restored from backup files copied using O/S utilities.
- D. Oracle data file backups, copied using an O/S utility, can be added to the RMAN catalog as IMAGE COPIES.
- E. Backing up a database in NOARCHIVELOG mode using O/S utilities requires that the database instance be shut down.
- F. Oracle archive log backups, copied using an O/S utility, can be added to the RMAN catalog as a backup set.
- G. Backing up a database in ARCHIVELOG mode using O/S utilities requires that the database instance be started and the database be in OPEN state.

**Answer:** BDE

#### NEW QUESTION 4

Which three are true in Oracle 19c and later releases? (Choose three.)

- A. If the password file location changes, then the new location is used automatically by the Oracle Server.
- B. Schema Only accounts can be granted administrator privileges.
- C. All the Oracle-supplied accounts are Schema Only accounts.
- D. Privilege Analysis is included in Oracle Enterprise Edition and no longer requires Database Vault.
- E. Unified Auditing can be configured to audit only events that are issued indirectly by an audited user.
- F. Unified Auditing can be configured to audit only events that are issued directly by an audited user.

**Answer:** BCD

#### NEW QUESTION 5

Which three are true about Optimizer Statistics Advisor? (Choose three.)

- A. It can be run only manually.
- B. It is part of the DBMS\_ADVISOR package.
- C. It can recommend changes to improve the statistics gathering process.
- D. It always analyzes all schemas in the database.
- E. It runs automatically every night by default.
- F. It is part of the DBMS\_STATS package.

**Answer:** ACF

#### Explanation:

<https://mikedietrichde.com/2017/08/22/oracle-optimizer-statistics-advisor-in-oracle-database-12-2-0-1/> <https://www.oracle.com/technetwork/database/bi-datawarehousing/twp-bp-for-stats-gather-19c-5324205.pdf>

#### NEW QUESTION 6

Examine this configuration:

- CDB1 is an Oracle Database 12c Release 2 database containing pluggable databases PDB\$SEED, PDB1, and PDB2.
- PDB\$SEED is open READ ONLY
- PDB1 is open READ WRITE
- PDB2 is MOUNTED.
- ORACLE\_HOME is /u01/app/oracle/product/18.1.0/dbhome\_1.

You execute these commands before upgrading the database to the current release:

```
$ . oraenv
ORACLE_SID = [cdb1] ? cdb1
The Oracle base remains unchanged with value /u01/app/oracle

$ $ORACLE_HOME/jdk/bin/java -jar preupgrade.jar TERMINAL TEXT
```

For which databases will fixup scripts be created?

- A. CDB1, PDB\$SEED, PDB1, and PDB2
- B. PDB\$SEED, PDB1, and PDB2 only
- C. CDB1 and PDB\$SEED only
- D. CDB1, PDB1, and PDB2 only
- E. CDB1, PDB\$SEED, and PDB1 only

**Answer:** E

#### NEW QUESTION 7

A user complains about poor database performance.

You want to verify if the user's session has waited for certain types of I/O activity. Which view displays all waits waited on by a session at least once?

- A. V\$SESSION\_EVENT
- B. V\$SESSTAT
- C. V\$SESSION\_WAIT
- D. V\$SESSION\_WAIT\_CLASS
- E. V\$SESSION

**Answer:** A

#### NEW QUESTION 8

Which three are true about an application container?

- A. It must have an application root PDB.
- B. It can contain multiple applications.
- C. An application PDB can belong to multiple application containers.
- D. Two application containers can share an application seed PDB.
- E. It can contain a single application.
- F. It must have an application seed PDB.

**Answer:** BDE

#### NEW QUESTION 9

Which two are true about Oracle Database Configuration Assistant (DBCA) templates? (Choose two.)

- A. The General Purpose of Transaction Processing templates are most suitable when concurrency and recoverability are key criteria.
- B. Oracle DBCA templates can store only logical structure and not database files.
- C. New templates can only be created by modifying an existing user-created template.
- D. The Data Warehouse template is most suitable when transaction response time is the key criterion.
- E. Oracle DBCA templates can be used to create new databases and duplicate existing databases.

**Answer:** AE

#### NEW QUESTION 10

On the 10th of August, you implement an incremental database backup strategy and configure a recovery window of five days.

Level 0 backups are taken on the 10th, 17th, and 24th of August.

Differential level 1 incremental backups are taken daily between the level 0 backups. Today is the 26th of August.

Which backups will be obsolete?

- A. all backups prior to 10th of August
- B. all backups prior to 22nd of August
- C. all backups prior to 24th of August
- D. all backups prior to 20th of August
- E. all backups prior to 17th of August

**Answer:** C

#### NEW QUESTION 10

How do you configure a CDB for local undo mode?

- A. Open the CDB instance in upgrade mode

- B. In cdb\$root, execute alter database local undo on, and then restart the CDB instance.
- C. Open the CDB in read-only mod
- D. In cdb\$root, execute alter database local undo on, and then change the CDB to read/write mode.
- E. Open the CDB instance in restricted mod
- F. In cdb\$root, execute alter database local undo o
- G. create an undo tablespace in each PDB, and then restart the CDB instance
- H. Open the CDB instance in restricted mod
- I. In cdb\$root, drop the undo tablespac
- J. Execute alter database local undo on in each PDB, and then restart the CDB instance.
- K. Open the CDB instance in upgrade mod
- L. In each PDB, execute alter database local undo on, create an undo tablespace, and then restart the CDB instance.

**Answer: D**

#### NEW QUESTION 12

Which two are true about flashback features in Oracle Database 19c and later releases? (Choose two.)

- A. Flashback logs are automatically purged when DB\_FLASHBACK\_RETENTION\_TARGET is set lower than the time they have already been retained.
- B. Flashback logs are monitored and proactively deleted when beyond the retention period defined in DB\_FLASHBACK\_RETENTION\_TARGET only after there is space pressure.
- C. Flashback logs are monitored and proactively deleted when beyond the retention period defined in DB\_FLASHBACK\_RETENTION\_TARGET before there is space pressure.
- D. Flashback logs are monitored for being older than the retention period defined in DB\_FLASHBACK\_RETENTION\_TARGET and can be deleted by an administrator written event trigger.
- E. Flashback logs are automatically purged whenever the value of DB\_FLASHBACK\_RETENTION\_TARGET is changed.

**Answer: BE**

#### NEW QUESTION 15

Which two are true about Oracle Flashback features? (Choose two.)

- A. FLASHBACK QUERY can retrieve REDO records from ONLINE and ARCHIVED REDO LOG files.
- B. FLASHBACKVERSION QUERY can retrieve REDO records from ONLINE and ARCHIVED REDOLOG files.
- C. FLASHBACK TABLE can undrop a column.
- D. FLASHBACK DROP can undrop an index when undropping a table.
- E. After a database is restored from flashback logs using the FLASHBACKDATABASE command, it is sometimes rolled forward using redo logs.

**Answer: DE**

#### NEW QUESTION 18

Which two are true about creating pluggable databases (PDBs) using snapshots in Oracle 19c and later releases? (Choose two.)

- A. A PDB snapshot is always a full copy of the source PDB.
- B. A PDB snapshot is always a sparse copy of the source PDB.
- C. A snapshot copy PDB depends on a storage snapshot which can only be stored on specific file systems.
- D. A PDB snapshot depends on a storage snapshot which can be stored on any file system.
- E. A PDB snapshot depends on a storage snapshot which can only be stored on specific file systems.
- F. A snapshot copy PDB depends on a storage snapshot which can be stored on any file system.
- G. A snapshot copy PDB can be created from a stand-alone clone PDB.

**Answer: AE**

#### NEW QUESTION 22

Examine this command:

\$ rhpctl move database –sourcehome Oracle\_home\_path –destinationhome Oracle\_home\_path For which two purposes can you use this command? (Choose two.)

- A. to switch an existing Oracle Database home to a newer release of Oracle software on the same server
- B. to switch to a read-only Oracle home
- C. to switch back to the previous Oracle home as part of a rollback operation
- D. to switch the Oracle Database home when using a centralized Rapid Home Provisioning server
- E. to switch to a patched Oracle Database home

**Answer: CE**

#### Explanation:

You can use rhpctl move gihome command with the same syntax to switch from the current Oracle Grid Infrastructure home to a patched home. The rhpctl command enables you to switch from your current Oracle Grid Infrastructure or Oracle Database home to patched Oracle home so that you can provision the new Oracle home as gold image. You can also use the rhpctl command to switch back to the old Oracle home, if you want to roll back the operation.

#### NEW QUESTION 24

Which two are true about RMAN duplexed backup sets? (Choose two.)

- A. A duplexed backup set uses the same number of SBT channels as a non-duplexed backup set for the same number of files.
- B. A non-duplexed backup set written to disk can be duplexed to disk by backing up the backup set that is already on disk.
- C. A non-duplexed backup set written to SBT can be duplexed to tape by backing up the backup set that is already on tape.
- D. A non-duplexed backup set written to disk can be duplexed to tape by backing up the backup set that is already on disk.
- E. A non-duplexed backup set written to SBT can be duplexed to disk by backing up the backup set that is already on tape.

F. A duplexed backup set always uses twice as many SBT channels as a non-duplexed backup set for the same number of files.

**Answer:** DF

#### NEW QUESTION 26

Which two are true about common objects? (Choose two.)

- A. They can be created only in CDB\$ROOT.
- B. They can be only metadata-linked in an application container.
- C. They can exist in user-defined schemas only in application containers.
- D. They can exist in CDB\$ROOT and an application root.
- E. They can be extended data-linked in CDB\$ROOT.
- F. They can be created only in an application root.

**Answer:** CF

#### NEW QUESTION 29

Which three are true about Automatic Workload Repository (AWR), Automatic Database Diagnostic Monitor (ADDM), and the Manageability Monitor (MMON) background process? (Choose three.)

- A. ADDM can recommend shrinking the buffer cache.
- B. ADDM can recommend extending the buffer cache.
- C. By default, MMON creates an AWR snapshot every 30 minutes.
- D. ADDM performs its analysis only when a DBA requests it.
- E. By default, AWR snapshots are automatically purged after eight days.
- F. AWR snapshots must be deleted when no longer required by ADDM.

**Answer:** AEF

#### NEW QUESTION 34

Which four are true about performing Tablespace Point -In-Time Recovery (TSPITR) using Recovery Manager (RMAN)?

- A. It can be performed using an auxiliary instance managed by a DBA.
- B. It can be used to recover a truncated table.
- C. RMAN automatically adds any required tablespaces to the recovery set to make it self-contained.
- D. RMAN always includes tablespaces containing undo segments in the recovery set.
- E. It can be performed repeatedly until the correct time is found without using an RMAN catalog.
- F. flashback database must be enabled for it to work.
- G. It can be used to recover a dropped tablespace.
- H. It can be performed using an auxiliary instance managed by RMAN.

**Answer:** AEFH

#### NEW QUESTION 38

Which three are true about requirements for various FLASHBACK operations? (Choose three.)

- A. FLASHBACK transaction query requires undo to retrieve all versions of a row that existed between two points in time.
- B. FLASHBACK drop requires that the RECYCLEBIN parameter be set to ON.
- C. FLASHBACK version query requires that the RECYCLEBIN parameter be set to ON.
- D. FLASHBACK DATA ARCHIVE requires undo to store all versions of all rows of a table being tracked.
- E. FLASHBACK drop requires undo to retrieve all versions of a row that existed between two points in time.
- F. FLASHBACK version query requires undo to retrieve all versions of a row that existed between two points in time.

**Answer:** ABF

#### NEW QUESTION 43

Which two are true about OS groups and users for OracleGrid Infrastructure and the Oracle Relational Database Management System (RDBMS)? (Choose two.)

- A. By default, members of the OSASM group can access Automatic Storage Management and RDBMS instances.
- B. The primary group for the Oracle Grid Infrastructure and Oracle Database owners must be the Oracle Inventory group.
- C. The Oracle Grid Infrastructure installation must be owned by the grid user.
- D. The Oracle Grid Infrastructure owner owns Oracle Restart and Oracle Automatic Storage Management binaries.
- E. The Oracle Grid Infrastructure owner must have OSOPER, OSBACKUPDBA, and OSKMDBA as secondary groups.
- F. The same OSDBA group must be used for Automatic Storage Management and the Oracle Database.

**Answer:** EF

#### NEW QUESTION 45

Which three are true about Automatic Workload Repository (AWR)? (Choose three.)

- A. By default, AWR snapshots are taken every 60 minutes.
- B. Its collection level is determined by the value of the STATISTICS\_LEVEL database parameter.
- C. By default, AWR snapshots are retained for 7 days.
- D. The taking of AWR snapshots can be disabled.
- E. AWR data is stored in the SYSTEM tablespace.

**Answer:** ABD



#### NEW QUESTION 48

You must transport the UNIVERSITY tablespace from one database to another. The UNIVERSITY tablespace is currently open read/write. The source and destination platforms have different endian formats. Examine this list of actions:

- \* 1. Make the UNIVERSITY tablespace read-only on the source system.
- \* 2. Export the UNIVERSITY tablespace metadata using EXPDP.
- \* 3. Convert the UNIVERSITY tablespace data files to the destination platform format using RMAN on the source system.
- \* 4. Copy the UNIVERSITY tablespace data files to the destination system.
- \* 5. Copy the Data Pump dump set to the destination system.
- \* 6. Convert the UNIVERSITY tablespace data files to the destination platform format using RMAN on the destination system.
- \* 7. Import the UNIVERSITY tablespace metadata using IMPDP.
- \* 8. Make the UNIVERSITY tablespace read/write on the destination system.

Which is the minimum number of actions required, in the correct order, to transport the UNIVERSITY tablespace?

- A. 1, 2, 4, 5, 7, 8
- B. 1, 2, 4, 6, 7, 8
- C. 1, 2, 3, 4, 5, 7, 8
- D. 1, 2, 3, 4, 5, 6, 7, 8
- E. 2, 4, 5, 6, 7

**Answer: B**

#### NEW QUESTION 52

Which two are true about the Oracle database methodology? (Choose two.)

- A. The Oracle Database time model should be used to find the database and instance areas most in need of tuning.
- B. Tuning activities should stop once the user is satisfied with performance.
- C. Tuning activities should stop once agreed service levels for performance have been met.
- D. The database instance memory should always be tuned before tuning any file systems.
- E. SQL statements should always be tuned before tuning any file systems.
- F. The alert log should be used to find the database and instance areas most in need of tuning.

**Answer: CF**

#### NEW QUESTION 56

Which three are true? (Choose three.)

- A. Virtual Private Database (VPD) policies on objects in an application root are automatically synchronized with all application PDBs contained in the application container.
- B. Application-common TSDP policies are always container specific.
- C. Application-common Transparent Security Data Protection (TSDP) policies can be created only within an application install/patch BEGIN-END block.
- D. Application-common Oracle Label Security (OLS) policies cannot be created in an application root outside an install/patch BEGIN-END block.
- E. Fine-grained auditing (FGA) policies in an application root are automatically synchronized to all application PDBs contained in the application container.
- F. Application-common OLS policies can be created in an application root inside an install/patch BEGIN-END block.
- G. Unified auditing can be automatically synchronized to all application PDBs in an application container.

**Answer: ADG**

#### NEW QUESTION 61

The USERS tablespace consists of data files 3 and 4 and must always be online in read/write mode.

Which two are true about using RMAN to perform an open database backup of this tablespace? (Choose two.)

- A. Backups must be done incrementally.
- B. Backups must be contained in backup sets.
- C. Backups can be taken only if the database is in ARCHIVELOG mode.
- D. Backups can be done incrementally.
- E. The database must be registered in an RMAN catalog.
- F. Only consistent backups can be created.

**Answer: CE**

#### NEW QUESTION 66

Which two are true about Recovery Manager (RMAN) diagnostic message output? (Choose two.)

- A. Media Management messages for SBT devices are always written to sbtio.log.
- B. RMAN error stacks should be read from the bottom up as that is the order in which errors are generated.
- C. RMAN error stacks should be read from the top down as that is the order in which errors are generated.
- D. The RMAN LOG command line clause causes output issued during RMAN command compilation to be written to a log file and to standard output.
- E. The RMAN LOG command line clause causes output issued during RMAN command compilation to be written to a log file only.
- F. Media Management messages for SBT devices are written to an Oracle trace file.

**Answer: EF**

#### NEW QUESTION 69

Which two are true about unplugging an application container from a container database and plugging it into a different container database?

- A. It requires local undo mode in both container databases.
- B. It requires only local undo mode in the database where the application container will be unplugged.

- C. Plugging the application root into a different CDB plugs In all its application PDBs.
- D. Application PDBs In the application container must beunplugged before the application root Is unplugged.
- E. Unplugging the application root from a CDB unplugs all its application PDBs.
- F. The application root of an application container should be plugged Into the other CDB before Its application PDBs are plugged in.

**Answer:** DE

#### NEW QUESTION 71

Which three are true about transporting databases across platforms using Recovery Manager (RMAN) image copies? (Choose three.)

- A. By default, the transported database will use Oracle Managed Files (OMF)
- B. Data files can be converted on the destination system.
- C. Data files can be converted on the source system.
- D. A new DBID is automatically created for the transported database.
- E. Databases can be transported between systems with different endian formats.
- F. The password file is automatically converted by RMAN.

**Answer:** BCE

#### Explanation:

Password file is automatically converted by RMAN.

#### NEW QUESTION 74

Which two are true about Oracle instance recovery? (Choose three.)

- A. Recovery begins from the beginning of the CURRENT redo log group.
- B. Recovery begins from the last checkpoint position that was calculated by the Database Writer before instance failure.
- C. Recovery begins from the start of any ACTIVE redo log group or the start of the CURRENT log group if no other group is ACTIVE.
- D. Recovery reads redo until the end of the redo thread.
- E. SMON rolls back any dead transactions, and then the database is opened.
- F. Recovery begins from the last checkpoint position that was recorded in the control file by the checkpoint process (CKPT).
- G. Recovery reads redo until the end of the redo thread, and then opens the database.
- H. SMON then rolls back any dead transactions.

**Answer:** BDF

#### NEW QUESTION 77

Which four are true about a Recovery Manager (RMAN) duplication without a TARGET connection? (Choose four.)

- A. The NOREDO clause must be used if the backups of the database being duplicated were taken when the database was in NOARCHIVELOG mode.
- B. The UNDO TABLESPACE clause is always required when no connection exists to the TARGET instance.
- C. RMAN “pushes” the backups of the database to be duplicated over the network to the auxiliary instance.
- D. The NOREDO clause can be used if the backups of the database being duplicated were taken when the database was in ARCHIVELOG mode.
- E. RMAN SBT-based backups of the database to be duplicated can be used by the auxiliary instance.
- F. The UNDO TABLESPACE clause is always required when no connection exists to the recovery catalog and the TARGET database is closed.
- G. The UNDO TABLESPACE clause is always required when no connection exists to the recovery catalog and the TARGET database is opened.
- H. RMAN disk-based backups of the database to be duplicated can be used by the auxiliary instance.

**Answer:** ABGH

#### NEW QUESTION 80

Which three are true about upgrading Oracle Grid Infrastructure? (Choose three.)

- A. A direct upgrade can be performed only from the immediately preceding Oracle Grid Infrastructure version.
- B. The newer version is installed in a separate Oracle Grid Infrastructure home on the same server as the existing version.
- C. An existing Oracle base can be used.
- D. The upgrade process will automatically install all mandatory patches for the current version of Oracle Grid Infrastructure.
- E. Existing Oracle Database instances must be shut down before starting the upgrade.
- F. Only the grid user can perform the upgrade.

**Answer:** DEF

#### NEW QUESTION 82

You issued this command:

RMAN> BACKUP RECOVERY FILES;

Which two are true? (Choose two.)

- A. All Oracle recovery files not in the current FRA that have not been backed up already, are backed up.
- B. All non-Oracle files in the current FRA that have not been backed up already, are backed up.
- C. All Oracle recovery files in the current FRA that have not been backed up already, are backed up.
- D. All Oracle recovery files in the current fast recovery area (FRA) are backed up.
- E. These backups can be written to disk or SBT.

**Answer:** DE

#### Explanation:

[https://blog.toadworld.com/rman\\_-\\_using\\_the\\_flash\\_recovery\\_area](https://blog.toadworld.com/rman_-_using_the_flash_recovery_area)

**NEW QUESTION 85**

Which three are located by using environment variables? (Choose three.)

- A. the Optimal Flexible Architecture (OFA) compliant path to store Oracle software and configuration files.
- B. the location of Oracle Net Services configuration files
- C. the list of a disk group names to be mounted by an Oracle Automatic Storage Management (ASM) instance at startup
- D. default directories for temporary files used by temporary tablespaces
- E. the temporary disk space used by Oracle Installer during installation
- F. the maximum number of database files that can be opened by a database instance

**Answer:** ABE

**NEW QUESTION 86**

Which two are true about automatic block repair? (Choose two.)

- A. Automatic block repair can repair blocks with no standby database if DB\_BLOCK\_CHECKING = TRUE.
- B. Real-Time Query must be enabled on a physical standby database for automatic block repair to be done on that physical standby database.
- C. Real-Time Query must be enabled on a primary database for automatic block repair to be done on any of its physical standby databases.
- D. It is not possible for media corrupt blocks.
- E. Real-Time Query must be enabled on a physical standby database for automatic block repair to be done on its primary database.

**Answer:** BC

**NEW QUESTION 89**

You have configured RMAN SBT channels to write backups to media. You then take an RMAN backup by using this command:

```
RMAN> BACKUP AS COMPRESSED BACKUPSET
      DATABASE
      KEEP UNTIL TIME 'SYSDATE + 730'
      RESTORE POINT 'OLD_CONFIGURATION';
```

Which three are true? (Choose three.)

- A. The restore point is a label for the system change number (SCN) that will be saved two years after the archival backup was taken.
- B. The data file backups in the self-contained archive backup are not considered obsolete for two years regardless of the retention policy.
- C. All archive logs created after this backup are kept for two years.
- D. The SPFILE is included in the self-contained archival backup.
- E. The control file is included in the self-contained archival backup.
- F. The restore point is a label for the system change number (SCN) before the archival backup was taken.

**Answer:** CDE

**NEW QUESTION 91**

Which two are true about the execution of operating system scripts starting from Oracle Database 19c? (Choose two.)

- A. oraInstRoot.sh can be executed automatically by the Database installer by using sudo or root credentials.
- B. root.sh can be executed automatically by the Database Installer only if it is provided with root credentials.
- C. The sudo password can be specified in a response file.
- D. root.sh can be executed automatically by the Database installer only by using sudo credentials.
- E. The sudo password must be specified in a response file.
- F. The root password cannot be specified in a response file.

**Answer:** AF

**NEW QUESTION 93**

You are managing this configuration:

- CDB1 is a container database.
- PDB1 and PDB2 are two pluggable databases in CDB1.
- USER1.EMP is a table in PDB1 and USER2.DEPT is a table in PDB2.

CDB1 user SYS executes these commands after connecting successfully to PDB2:

```
SQL> ALTER SESSION SET CONTAINER=pdb1;
Session altered.
```

```
SQL> INSERT INTO user1.emp VALUES(100, 'Alan', 1);
1 row created.
```

```
SQL> INSERT INTO user1.emp VALUES(101, 'Ben', 1);
1 row created.
```

```
SQL> ALTER SESSION SET CONTAINER=pdb2;
Session altered.
```

```
SQL> INSERT INTO user2.dept VALUES(1, 'IT');
```

Which two are true? (Choose two.)



- A. The inserts on USER1.EMP remain uncommitted when the session connected to PDB2.
- B. The inserts on USER1.EMP were committed when the session inserted a row into USER2.DEPT.
- C. The insert on USER2.DEPT fails because of the active transaction in the parent container.
- D. The insert on USER2.DEPT is a recursive autonomous transaction by the child session and is committed.
- E. The inserts on USER1.EMP were rolled back when the session connected to PDB2.
- F. The insert on USER2.DEPT is uncommitted.
- G. The inserts on USER1.EMP were committed when the session connected to PDB2.

**Answer:** FG

#### NEW QUESTION 98

You plan to install Oracle Grid Infrastructure for a Standalone Server and Oracle Database for the first time on a server. Examine this command and its outcome:

```
# id oracle
uid=54321 (oracle) gid=54321(oinstall) groups=54321(oinstall), 54322 (dba)
```

Which two are true? (Choose two.)

- A. oracle will be an owner of the Oracle Inventory.
- B. oracle must be the owner of every Oracle Database installation.
- C. oracle can own an OracleDatabase installation but not an Oracle Grid Infrastructure installation.
- D. oracle will be granted the SYSASM privilege when installing the Oracle Database software.
- E. The user account, oracle, and group, oinstall, can be used for all Oracle software installations.

**Answer:** CD

#### NEW QUESTION 101

Which two are true about Oracle Optimizer Statistics, their use, and their collection? (Choose two.)

- A. The number of table rows is considered when evaluating the cost of accessing a table using an index.
- B. Index balanced B\*Tree height is considered when evaluating the cost of using an index.
- C. The Statistics Advisor can help recommend the best way to gather statistics.
- D. Statistics collected using DBMS\_STATS always yield the best optimizer result.
- E. The Statistics Advisor generates actions for all recommendations.

**Answer:** CD

#### NEW QUESTION 102

While backing up to the Oracle Fast Recovery Area (FRA), you determined the backup is taking too long and suspect a performance bottleneck. Which three are true about diagnosing and tuning these problems? (Choose three.)

- A. If an RMAN BACKUP VALIDATE command takes roughly the same time as an actual backup, then both read and write I/O are likely bottlenecks.
- B. Setting DBWR\_IO\_SLAVES to a non zero value can improve backup performance when using synchronous I/O.
- C. If an RMAN BACKUP VALIDATE command takes noticeably less than an actual backup, then write I/O is a likely bottleneck.
- D. If an RMAN BACKUP VALIDATE command takes roughly the same time as an actual backup, then read I/O is a likely bottleneck.
- E. Data files with a high value in V\$BACKUP\_SYNC\_IO.DISCRETE\_BYTES\_PER\_SECOND are a potential performance bottleneck when synchronous I/O is used.
- F. Setting DBWR\_IO\_SLAVES to a non zero value can improve backup performance when using asynchronous I/O.
- G. Data files with a high value in V\$BACKUP\_ASYNC\_IO.SHORT\_WAITS are a potential performance bottleneck when asynchronous I/O is used.

**Answer:** BCE

#### NEW QUESTION 105

Which two are true about changing the LOCAL\_UNDO\_ENABLED property to false in a CDB? (Choose two.)

- A. After the change, only a common user with the required privilege can create an undo tablespace in CDB\$ROOT.
- B. Any new PDB and existing PDBs are automatically configured to use the default undo tablespace in CDB\$ROOT.
- C. After the change, only one undo tablespace can exist in CDB\$ROOT.
- D. After the change, any user with the required privilege can create an undo tablespace in the PDBs.
- E. Undo tablespaces existing in PDBs must be dropped before the change.
- F. After the change, each existing PDB has to be reopened for the new undo mode to take effect.

**Answer:** BC

#### Explanation:

You can set a CDB in local UNDO mode either at CDB creation or by altering the CDB property. When the database property LOCAL\_UNDO\_ENABLE is FALSE, which is the default, there is only one UNDO tablespace that is created in the CDB root, and that is shared by all containers. When LOCAL\_UNDO\_ENABLE is TRUE, every container in the CDB uses local undo and each PDB must have its own local UNDO tablespace. To maintain ease of management and provisioning, UNDO tablespace creation happens automatically and does not require any action from the user. When a PDB is opened and an UNDO tablespace is not available, its automatically created.

#### NEW QUESTION 108

Which three methods can be used for heap table data migration after upgrading a database? (Choose three.)

- A. using Database Replay
- B. using SQL Developer
- C. using Oracle Data Pump

- D. using operating system file copy utilities
- E. using Database Upgrade Assistant
- F. using the CREATE TABLE AS SELECT SQLstatement

**Answer:** DEF

#### **NEW QUESTION 109**

.....

## Thank You for Trying Our Product

### We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

### 1z0-083 Practice Exam Features:

- \* 1z0-083 Questions and Answers Updated Frequently
- \* 1z0-083 Practice Questions Verified by Expert Senior Certified Staff
- \* 1z0-083 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- \* 1z0-083 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

**100% Actual & Verified — Instant Download, Please Click**  
**[Order The 1z0-083 Practice Test Here](#)**