

Cisco

Exam Questions 300-810

Implementing Cisco Collaboration Applications (CLICA)



NEW QUESTION 1

An engineer is configuring a Jabber client installation switch for a phone system using Cisco UCM as the registration server, with a softphone control address of 10.0.1.200. and configuration files received from 10.11.20.201 after all previous configurations are cleared. Drag and drop the snippets from the bottom of the image onto the blanks in the image to complete this configuration. Not all options are used.

msiexec.exe /i CiscoJabberSetup.msi /quiet CLEAR= PRODUCT_MODE=

AUTHENTICATOR= TFTP= CTI=

10.11.20.201

Registration

Phone_Mode

1

Jabber

10.0.1.200

Clear

Softphone

2

CUCM

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

msiexec.exe /i CiscoJabberSetup.msi /quiet CLEAR= PRODUCT_MODE=

AUTHENTICATOR= TFTP= CTI=

10.11.20.201

Registration

Phone_Mode

1

Jabber

10.0.1.200

Clear

Softphone

2

CUCM

NEW QUESTION 2

Which SAML component specifies the mapping of SAML assertion protocol message exchanges with standard messaging formats or communication protocols such as SOAP exchanges?

- A. SAML binding
- B. SAML assertion
- C. SAML profiles
- D. SAML protocol

Answer: A

NEW QUESTION 3

Refer to the exhibit.



When troubleshooting an internal Jabber login problem, there is a pop-up about a certificate error, and then the login fails The FQDN of Cisco UCM is cucm.ex.com. and the FODN of the IM and Presence Server is imp.ex.com. Which two actions should be taken to fix this issue? (Choose two.)

- A. Sign the Cisco Untried IM and Presence server certificate with trusted a trusted
- B. Import the certificate of cucm.ex.com into the Trusted Certificate Authorities on the PC running Jabber.
- C. Import the Cisco UCM CallManager certificate into the Trusted Certificate Authorities on the PC running Jabber
- D. Sign the Cisco UCM CallManager certificate with a trusted certificate authority.
- E. Sign the Cisco UCM tomcat certificate with a trusted certificate authority.

Answer: BD

NEW QUESTION 4

In the integration of Cisco Unity Connection using SIP, which SIP trunk security profile option is required for MWI to work correctly?

- A. Accept out-of-dialog refer
- B. Accept replaces header
- C. Accept unsolicited notification
- D. Accept presence subscription

Answer: C

NEW QUESTION 5

An engineer is checking the Cisco Unified Communications Manager and Cisco Unity Connection integration and presses the Message button on a phone to check the voicemail. Which action does Cisco Unified CM take?

- A. Cisco Unified CM looks up the voicemail pilot configured to dial.
- B. Cisco Unified CM routes the configured hunt pilot to Unity Connection.
- C. Cisco Unified CM looks up the hunt pilot configured to dial.
- D. Cisco Unified CM sends an AXL query to Unity Connection.

Answer: A

NEW QUESTION 6

Refer to the exhibit.

```
<iq from='example.com' type='error' id='sess_1'>
  <session xmlns='urn:ietf:params:xml:ns:xmpp-session'/>
    <error type='wait'>
      <internal-server-error
        xmlns='urn:ietf:params:xml:ns:xmpp-stanzas'/>
    </error>
</iq>
```

User A tries to log in to the Cisco Jabber client, the login works fine, but the user cannot see their self-presence or other users' presence in their contact list. The administrator checks the Cisco IM and Presence Server logs and sees an issue. What is the issue, and how does it get resolved?

- A. The user credentials are incorrect; ask the user to change the credentials.
- B. The user is duplicated in another Cisco IM and Presence cluster; unassign the user from the duplicate IM and Presence cluster.
- C. Presence has stopped working for the user; unassign and reassign the end-user to Cisco IM and Presence.
- D. The Cisco IM and Presence Server has CPU/memory issues; restart the IM and Presence Server.

Answer: B

NEW QUESTION 7

A collaboration engineer is installing Jabber for Windows via the CLI. Which two authentication command line arguments ensure that the client authenticates to a Cisco UCM server? (Choose two.)

- A. CCMCIP=10.10.10.99
- B. CUP_ADDRESS=10.10.10.98
- C. CTI=10.10.10.97
- D. REGISTRATION_SERVER=CUCM
- E. EXCLUDED_SERVICES=Webex

Answer: BD

NEW QUESTION 8

Which statement about SIP federation between Cisco Unified Communications IM and Presence and Microsoft Skype for Business is true?

- A. Add the federated user as a contact in Jabber to view its presence status.
- B. The role of SIP Proxy service is to process the XMPP packet from Jabber and convert it to SIP.
- C. TLS is optional.
- D. Use of directory URI as an IM addressing scheme is not supported.

Answer: A

NEW QUESTION 9

The persistent chat feature is configured in a Cisco Jabber deployment that is running Cisco Unified IM and Presence 11.5 SU6. Desktop clients are working but mobile clients are not displaying persistent chats. Which configuration is necessary to enable the Jabber persistent chat feature on mobile devices?

- A. while logged into IM and Presence server Administration, go to 'Messaging', then Settings", and check the checkbox for the 'Enable persistent chat for mobile' field
- B. add the <Persistent_Chat_Mobile_Enabled>>false</Persistent_Chat_Mobile_Enabled> line to the Jabber configuration file that is used by all Jabber devices
- C. add the <Persistent_Chat_Enable>>true</Persistent_Chat_Enable> line to the Jabber configuration rule that is used by mobile devices
- D. add "Enable_Persistent_Chat" in the "Cisco Support Field" on the Jabber for mobile device configuration page on Cisco UCM

Answer: B

NEW QUESTION 10

Which two SSO features are true? (Choose two.)

- A. allows Jabber to use LDAP directory services for contact imports
- B. allows LDAP user import on Cisco Unified Communications Manager
- C. improves productivity by reducing time spent re-entering credentials for the same identity
- D. transfers the authentication from the system that hosts the applications to a third-party system
- E. reduces costs by decreasing the number of help calls that are made for voicemail PIN resets

Answer: CD

NEW QUESTION 10

Which component of SAML SSO defines the transport mechanism that is used to deliver the SAML messages between entities?

- A. profiles
- B. metadata
- C. assertions
- D. bindings

Answer: D

NEW QUESTION 13

AN administrator must configure a federation between company A and company B using the SIP/simple protocol. What are the configuration items that are available?

- A. Port 5061; TLS encryption; Instant Messaging, Presence, and VoIP support
- B. no encryption; Instant Messaging, Presence, and VoIP support
- C. port 5222; TLS encryption; Instant Messaging, Presence, and VoIP support
- D. no encryption; Instant Messaging support

Answer: A

NEW QUESTION 15

Fraudulent calls are being made from Cisco Unity Connection. Which action prevents the calls from reaching the PSTN using SCCP integration?

- A. Change the configuration of the routing rule.
- B. Change the CSS of the voicemail port.
- C. Change the Rerouting CSS on the trunk to Cisco Unity Connection.
- D. Remove values from restriction table.

Answer: B

NEW QUESTION 18

An organization has two Cisco IM and Presence clusters: one in the Americas and one in EMEAR. Both clusters connect via an intercluster peer. Each Cisco IM and Presence cluster has four nodes logically divided into two subclusters with high availability enabled with its local peers. When the Cisco IM and Presence publisher node in the Americas fails, to where are the users failed over?

- A. Cisco IM and Presence publisher in EMEA
- B. in the different logical group
- C. Cisco IM and Presence subscriber in the Americas, in the different logical group
- D. Cisco IM and Presence subscriber in EMEA
- E. in the same logical group with IM and Presence publisher
- F. Cisco IM and Presence subscriber in the Americas, in the same logical group with IM and Presence publisher

Answer: D

NEW QUESTION 21

Refer to the exhibit.

Users with Duplicate User IDs

```
User ID: user3
Node Name
cucm-imp-1
cucm-imp-2
```


A collaboration engineer is troubleshooting an alarm that indicates that there are duplicate user IDs. Which two actions resolve this issue? (Choose two.)

- A. Rename the user ID value for one user if different users on different clusters have the same user ID assigned
- B. Delete the user ID for the duplicate user ID
- C. Rename the directory URI value for one of the users to ensure that there is no duplication.
- D. Assign the duplicate user to the secondary Cisco IM and Presence node
- E. Unassign a user from one of the dusters when the same user is assigned to two different dusters

Answer: AC

NEW QUESTION 26

Refer to the exhibit.



Users report that they cannot see the Chat Rooms icon on their Cisco Jabber clients. This feature works without issue in the lab. An engineer reviews the Cisco IM&P and Jabber configuration and finds that the jabber-config.xml file is configured properly to support this feature. Which activity should be performed on the IM&P server to resolve this issue?

- A. Activate Cisco XCP Connection Manager in Cisco Unified Serviceability > Tools > Service Activation.
- B. Restart Cisco XCP Message Archiver in Cisco Unified Serviceability > Tools > Control Center – Feature Services.
- C. Restart XCP Text Conference Manager in Cisco Unified Serviceability > Tools > Control Center – Network Services.
- D. Activate XCP Text Conference Manager in Cisco Unified Serviceability > Tools > Service Activation.

Answer: D

NEW QUESTION 27

An administrator must Implement toll-fraud prevention on Cisco Unity Connection by using restricted tables. Which action accomplishes this task?

- A. Block all numbers that start with 999*.
- B. Allow calls to international operators and conference rooms only.
- C. Permit calls only to specific domestic long-distance area codes.
- D. Allow calls to the international operator only.

Answer: C

NEW QUESTION 30

Which two command line arguments can you specify when installing Cisco Jabber for windows? (Choose two.)

- A. CISCO_UDS_DOMAIN
- B. TFTP_ADDRESS
- C. VOICEMAIL_SERVER_ADDRESS
- D. SERVICES_DOMAIN
- E. TFTP

Answer: DE

NEW QUESTION 32

An administrator is configuring digital networking between Cisco Unity Connection clusters. What are two requirements for the configuration? {Choose two.)
 end-user credentials

- A. IP address/FODN of LDAP server
- B. IP address/FQDN of Cisco UCM servers
- C. system administrator credentials
- D. IP address/FODN of the Cisco Unity Connection servers

Answer: CD

NEW QUESTION 36

A collaboration engineer is installing the Cisco Jabber client from the Windows CLI The engineer wants to complete a silent installation of the client clear any existing bootstrap file, and use a Service Domain of cisco com Which install command achieves these goals?


- ☐ msisexec /i CiscoJabberSetup.msi CLEAR=1 SERVICES_DOMAIN=cisco.com
- ☐ msisexec /i CiscoJabberSetup.msi CLEAR=0 SERVICES_DOMAIN=cisco.com
- ☒ msisexec /i CiscoJabberSetup.msi /quiet CLEAR=1 SERVICES_DOMAIN=cisco.com
- ☐ msisexec.exe /i CiscoJabberSetup.msi /quiet CLEAR=1 SSO_ORG_DOMAIN=cisco.com

- A. Option A
- B. Option B
- C. Option C
- D. Option D

Answer: C

NEW QUESTION 41

Refer to the exhibit.



A Jabber user is unable to access voicemail. During troubleshooting, an administrator captures this screenshot. What are the two ways to resolve this issue? (Choose two.)

- A. Ask the user to click on the "Connect to a device" button and use the correct username and password.
- B. Ensure the user is not locally created on Cisco Unity Connection with a password expiring separately from the password that is used for Jabber.
- C. Make sure the Jabber service profile created in Cisco UCM contains Unity Connection UC service with a voicemail server configured.
- D. Ask an administrator to create an account for this user in Cisco Unity Connection but remove the Unity Connection UC service from the Cisco UCM Jabber service profile. Check if "OAuth with Refresh Login Flow" is enabled on Cisco Unity Connection but disabled in Cisco UCM.

Answer: AB

NEW QUESTION 43

A collaboration engineer wants to stop fraudulent calls to the PSTN that are being made through Cisco Unity Connection. Cisco Unity Connection is integrated with Cisco UCM via the SCCP protocol. Which action accomplishes this goal?

- A. Change the Rerouting CSS on the trunk to Cisco Unity Connection
- B. Change the CSS of the voicemail port
- C. Change the configuration of the routing rule
- D. Remove values from the restriction table

Answer: B

NEW QUESTION 45

Cisco Unity connection ports on Cisco UCM are not registering. An engineer receives a packet capture of the link between the two servers to troubleshoot. In which port will this problem be resolved?

- A. TCP 1720
- B. TCP 2000
- C. TCP 5060
- D. TCP 2427

Answer: B

NEW QUESTION 50

When Cisco IM and Presence is configured to use automatic fallback, how long does the Server Recovery Manager service wait for a failed service/server to remain active before an automatic fallback is initiated?

- A. 10 minutes
- B. 20 minutes
- C. 30 minutes
- D. 1 hour

Answer: C

NEW QUESTION 55

Refer to the exhibit.

High Availability				
Monitored Node	Assigned Users	Active Users	Node State	Node Reason
10.48.53.57	1	3	Running in Backup Mode	Critical Service Down
10.48.53.58	2	0	Failed Over with Critical Services not Running	Critical Service Down

An organization is moving from on-premise Exchange to Microsoft Office 365 for email and calendaring. The administrator would like to maintain meeting presence functionality in Jabber clients connected to Cisco IM and Presence after this move. Office 365 certificates must be installed to accomplish this. Which two trust stores should these certificates be uploaded to on Cisco IM and Presence? (Choose two.)

- A. cup-xmpp- trust
- B. xmpp-fed-trust
- C. cup-trust
- D. tomcat-trust
- E. xmpp-trust

Answer: AD

NEW QUESTION 56

Refer to the exhibit.

Voice Mail Port Information

Voice Mail Pilot Number

4000

4000

Calling Search Space

< None >

< None >

Description

Default

Default

☒ Make this the default Voice Mail Pilot for the system

Hunt Pilot Configuration

Save

Status

Status: Ready

Pattern Definition

Hunt Pilot*

4000

Route Partition

INTERNAL_PT

Description

Hunt pilot for CUC

Call Forward and Call Pickup Settings

Voice Mail

Destination

Calling Search Space

Calling Search Space Activation Policy

Use System Default

Forward All

☒ or

4000

< None >

Cisco Unity Connection and Cisco Unified Communications Manager are integrated by using SCCP. The Voice Mail Ports are registered. Users report that calls fail when forwarded to voicemail. Which is a cause of the issue?

- A. The call forward and call pickup settings do not have a CSS on Forward All.
- B. The Voice Mail Port partition on the CSS of the phone is missing.
- C. The Voice Mail Pilot is not configured with a CSS that contains the INTERNAL_PT.
- D. The CSS on the Voice Mail Pilot is missing partitions for user phones.

Answer: C

NEW QUESTION 59

Which Cisco Unified Connections Manager service is required for users to control their desk phones using Cisco Jabber?

- A. Cisco CTIManager
- B. Cisco CTL Provider
- C. Cisco Presence Engine
- D. Cisco Serviceability Reporter

Answer: A

NEW QUESTION 60

Refer to the exhibit.

Direct Routing Rules in Descending Order of Precedence

Delete Selected

Add New

Change Order

<input type="checkbox"/>	Display Name	Status	Dialed Number	Calling Number	Phone System
<input type="checkbox"/>	NewYork_AA	Active	11112222		
<input type="checkbox"/>	Attempt Sign In	Active			
<input type="checkbox"/>	Chicago_AA	Active	22221111		
<input type="checkbox"/>	Opening Greeting	Active			

Delete Selected

Add New

Change Order

Forwarded Routing Rules in Descending Order of Precedence

Delete Selected

Add New

Change Order

<input type="checkbox"/>	Display Name	Status	Dialed Number	Calling Number	Forwarding Station
<input type="checkbox"/>	Attempt Forward	Active			
<input type="checkbox"/>	Dallas AA	Active	2222		
<input type="checkbox"/>	Arizona AA	Active	11112222		
<input type="checkbox"/>	Opening Greeting	Active			

Delete Selected

Add New

Change Order

Calls that are not answered by the user are for the location. If the user at extension 11112222 does not have a voice mailbox, which rule is utilized when Cisco Unity Communication receives the forwarded call?

- A. NewYork_AA
- B. Attempt Sign In
- C. Arizona_AA
- D. Opening_Greeting

Answer: C

Explanation:

"When Unity Connection receives a call, it first determines if it is a direct or forwarded call based on the call information that is sent by the phone system, and then applies the applicable call routing table. If the call information matches all of the conditions for the first rule, the call is routed as specified in the rule. If any of the conditions specified in the first rule are not met, the call information is then compared to the conditions of the second rule, and so on, until a rule is found that matches all the characteristics of the call." https://www.cisco.com/c/en/us/td/docs/voice_ip_comm/connection/10x/administration/guide/10xcucsagx/10xcu

NEW QUESTION 64

Which operating system is supported for smart card-based authentication on Jabber and Cisco UCM platforms?

- A. Mac OS
- B. Linux
- C. Chrome OS
- D. Windows

Answer: D

NEW QUESTION 69

An administrator is troubleshooting an Issue with Cisco Unity Connection. When outside callers interact with the Auto-Attendant, the callers cannot reach the operator when they press '0'. However, the callers can leave messages for users when they get a user's mailbox. Internal callers to the Auto-Attendant are experiencing the same issue. Which two areas should the administrator verify that Cisco Unity Connection is receiving the callers' keypresses? (Choose two.)

- A. Cisco Unity Connection Media (Wave) Traces
- B. Cisco Unity Connection Remote Port Status Monitor
- C. Cisco Unity Connection Packet Capture
- D. Cisco UCM CallManager Traces
- E. Cisco UCM CDR Records

Answer: CD

NEW QUESTION 71

Refer to the exhibit.

```
2014-11-07 09:39:53, 855 ERROR [0X00000298] [ice\TelephonyAdapterPhoneDevice.cpp(178)] [TelephonyAdppter]
[TelephonyAdapter::selectDeviceImpl] - switchMode to device [SEP84802D7698D6] failed with error
[eDeviceRegCouldNotOpenDevice]
```


Which end-user option can resolve this issue?

- A. Standard CTI Reception of SRTP Key Material
- B. Standard CTI Allow Calling Number Modification
- C. Standard CTI Allow Control of Phones Supporting Rollover Mode
- D. Standard CTI Allow Call Monitoring


Answer: C

Explanation:

<https://community.cisco.com/t5/collaboration-applications/jabber-for-windows-cannot-control-8841-desk-phone>

NEW QUESTION 72

Refer to the exhibit.



Which two steps resolve the “Users with Duplicate User IDs” message? (Choose two.)

- A. Rename the directory URI value for one of the users to ensure that there is no duplication.
- B. Rename the User ID value for one user if different users on different clusters have the same User ID assigned.
- C. Unassign a user from one of the clusters when the same user is assigned to two different clusters.
- D. Assign the duplicate user to the secondary Cisco IM and Presence node.
- E. Delete the user ID for the duplicate user ID.

Answer: BC

NEW QUESTION 75

Refer to the exhibit.



An engineer assists a user who reports that the voicemail notifications show correctly on the desk phone are not available in the jabber client. Which action resolves this issue?

- A. Reset the Jabber client and have the user sign in again
- B. Set the voicemail profile on the user's line on the CSF device.
- C. Configure the voicemail profile on the user's service profile
- D. Ensure that the voicemail server is listed in the user's CTI profile

Answer: C

NEW QUESTION 80

An end user opened a ticket, stating that though he can log in to Jabber for Windows, and presence and chat works, he cannot place phone calls using the desktop client. You investigate the user and find that no phone device is associated with the user account in Cisco Unified Communications Manager. Which device type must you create for this user to enable calling services from the Jabber for Windows desktop client?

- A. Cisco Unified Personal Communicator
- B. Cisco Jabber for Tablet
- C. Cisco Unified Client Services Framework
- D. third-party SIP device (advanced)

Answer: C

Explanation:

https://www.cisco.com/c/en/us/td/docs/voice_ip_comm/jabber/11_5/CJAB_BK_D00D8CBD_00_deployment-in

NEW QUESTION 81

The calendaring integration on the Cisco IM and Presence server has not been functioning, which results in the “in a meeting” status not working in Cisco Jabber. Which service log should the engineer use to troubleshoot this issue?

- A. Cisco XCP Connection Manager
- B. Cisco Jabber Problem Report
- C. Cisco Presence Engine
- D. Cisco SIP Proxy

Answer: B

NEW QUESTION 83

Which Cisco Unified Communications Manager menu path is used to configure Cisco IM and Presence Server High Availability?

- A. System > LDAP > LDAP Directory
- B. System > Geolocation Configuration
- C. System > Presence Redundancy Groups
- D. System > Server

Answer: C

NEW QUESTION 87

A jabber user reports that they receive pop-up windows warning about untrusted certificates when they attempt to log in to jabber without receiving the certificate warnings. Which two actions resolve this issue? (Choose two.)

- A. Add the certificates to the client machine’s local certificate store or keychain
- B. Reinstall the Jabber client using the /quiet option
- C. Configure Jabber with the INVALID_CERTIFICATE_BEHAVIOR option set to “RejectAndNotify.”
- D. Replace self-signed certificates with certificates signed by a CA
- E. Move the user to a different Presence Redundancy Group

Answer: AD

NEW QUESTION 91

Users report issues while logging in to their voicemail using the Voicemail tab in their Cisco Jabber clients. The issue occurs after users provide valid Cisco Unified Communications credentials, but they receive a failure message. What is the cause of this issue?

- A. A proper service profile is not configured on Cisco Unified Communications Manager.
- B. The voicemail users are not configured in the Cisco Unity Connection server.
- C. The web application voicemail password is set “User Must Change at Next Sign-in”.
- D. The voicemail password is not set for all users.

Answer: C

Explanation:

<https://www.cisco.com/c/en/us/support/docs/unified-communications/jabber-windows/116517-problem-jabber-0>

NEW QUESTION 93

Which statement describes a role of AXL communications in the BLF Plug-in Service of the Cisco Unified Attendant Console?

- A. The AXL communications allow registered attendants to log in to Cisco Unified Communications Manager and receive calls.
- B. The AXL communications enable Device Resolution Manager to resolve the device statuses of operator and system devices.
- C. The AXL communications is required after installation to verify that the specified CTI manager or managers and Cisco Unified Attendant Console versions match.
- D. The AXL communications is required after installation to verify that the specified CTI manager or managers and Cisco Unified CM versions.

Answer: B


Explanation:

"Part of the Cisco Unified Attendant Console Advanced BLF Plug-in service known as Device Resolution Manager (DRM) uses AXL to communicate with Cisco Unified Communications Manager. The AXL communications enable DRM to resolve the BLFs of operator and system devices, and to synchronize system devices within the Cisco Unified Communications Manager database."

https://www.cisco.com/c/dam/en/us/td/docs/voice_ip_comm/cucmac/cuaca/12_0_4/admin_guide/CUACA_AG_

NEW QUESTION 95

Drag and drop the steps from the left into the correct order on the right that describes the flow of presence updates when a user manually sets the presence status in Cisco Jabber. Not all options are used.



- A. Mastered
 B. Not Mastered

Answer: A

Explanation:

Step 1 – A
 Step 2 – B Step 3 - D
<https://www.ciscolive.com/c/dam/r/ciscolive/emea/docs/2019/pdf/BRKUCC-3347.pdf>

NEW QUESTION 97


What is a step in the SAML SSO process?

- A. The IdP redirects the SAML response to the browser.
 B. The LDAP server extracts the assertion.
 C. The service provider issues an authentication challenge to the browser.
 D. The browser issues an HTTPS POST request to the IdP.

Answer: A

NEW QUESTION 101

Refer to the exhibit



A collaboration engineer is troubleshooting an issue with Cisco Jabber for Windows deployed in phone-only mode. The users are reporting that they cannot access voicemail services via the Cisco Jabber for Windows client on the corporate LAN. Which steps resolve this issue?

- A. Add a secondary voicemail service to Cisco UCM to allow Cisco Jabber users to receive voice messages
 B. Apply the voicemail service to a service profile so that the client can retrieve the settings
 C. Update the jabber-config.xml file with the correct voicemail parameters and restart the appropriate services
 D. Add a primary voicemail service to Cisco UCM to allow Cisco Jabber users to receive voice messages

Answer: D

NEW QUESTION 106

An engineer is assisting a user who is reporting Jabber Presence Issues. Whenever the user is on an active call, Cisco Jabber does not show the user as active when on a call. However, the user can set the presence status manually, and that status shows correctly. Which action resolves the issue?


- A. Assign the user to a different Presence Redundancy Group.
 B. Restart the XCP Router service.
 C. Set the Owner ID on the user's desk phone.
 D. Associate the user to the line on the Directory Number Configuration page.

Answer: D

NEW QUESTION 111

Refer to the exhibit.

Figure 17 Business Hours Step Output Branches



An administrator is configuring the auto-attendant script for a Cisco Unity Express Integration to Cisco UCME and wants to play the “busOpenprompt” wave file when it is not a holiday. How should the script be configured to accomplish this goal?

- A. Check the Business Hours only if the "Is Holiday" prompt returns a "Yes".
- B. Swap me Open and Closed branches in the script.
- C. Check the Business Hours only if the "Is Holiday" prompt returns a "No".
- D. Swap the “busOpenPrompt” with “busclosedPrompt”.

Answer: C

NEW QUESTION 112

An engineer needs to configure calendar integration between Microsoft Exchange and a Cisco IM and Presence server. The engineer created the resource mailboxes and now needs to add impersonation. Which command accomplishes this task using the Exchange Management Shell from Microsoft Exchange?

- ☒ Add-ADPermission -Identity (Get-OrganizationConfig).DistinguishedName -Policy (Get-User -Identity User | select-object).identity -ExtendedRights Receive-As
- ☐ Add-ADPermission -Identity (Get-OrganizationConfig).DistinguishedName -Group (Get-User -Identity User | select-object).identity -ExtendedRights Receive-As
- ☐ Add-ADPermission -Identity (Get-OrganizationConfig).DistinguishedName -Group (Get-User -Identity User | select-Group).identity -ExtendedRights Receive-As
- ☐ Add-ADPermission -Identity (Get-OrganizationConfig).DistinguishedName -User (Get-User -Identity User | select-object).identity -ExtendedRights Receive-As

- A. Option A
- B. Option B
- C. Option C
- D. Option D

Answer: D

NEW QUESTION 116

The external database used for the persistent chat feature has been running out of space, and users are having issues with persistent chat rooms and messages. Which external database tool must be used in the Cisco IM and Presence server to fix this issue?

- A. Cleanup Utility
- B. High Availability Utility
- C. Merge Utility
- D. FreeSpace Utility

Answer: A

NEW QUESTION 117

Secure XMPP communication is required for XMPP federation with external domains and the Cisco IM and Presence. Which certificate is used for XMPP interdomain federation when connecting to an externally federated domain?

- A. cup
- B. cup-xmpp
- C. cup-xmpp-s2s
- D. Tomcat

Answer: C

Explanation:

CUP-XMPP-S2S (Cisco Unified Presence - Extensible Messaging and Presence Protocol - Server to Server) Certificate • Used to validate secure connection for XMPP interdomain federation with externally federated XMPP system.

NEW QUESTION 119

A user encounters a problem while checking voicemail, set up in a Cisco UCME and Cisco Unity Express integration. The user reports that when calling the office number from a mobile phone, the call goes to voicemail, but it is then routed to the main menu rather than the voicemail box. The user can check voicemail from an office phone without any issues. How is this issue fixed?

- A. Assign the user to the correct user group.
- B. Add the user to Cisco Unity Express.
- C. Configure a primary E.164 number for the user.
- D. Set "Login without PIN" to 'No' for the user.

Answer: B

NEW QUESTION 123

Refer to the exhibit

```
[0325fb70] info| deliver.c:1184 DELIVER: type:8, host:pecm.imp-pub-cll-collab-internal,
pool:0x8e9d1c0, packet:<route from='jwhite@jsm-1.imp-pub-cll-collab-internal/F6C18128'
to='pecm.imp-pub-cll-collab-internal/AgAAAO0Le1w'><message from='jdoe@cll-collab.internal/
jabber_27369' id='4d0beb90:aaaa:42e9:90d3:b8b7fc0bb6c5' to='jwhite@cll-collab.internal'
type='chat' xml:lang='en'><body> Hi JaXXXXXXXXXXXXXXXXXX</body><thread>
connect21611</thread><html xmlns='http://jabber.org/protocol/xhtml-im'><body
xmlns='http://www.w3.org/1999/xhtml'>XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
XXXXXXXXXXXX</body></html><active xmlns='http://jabber.org/protocol/
chatstates' /></message></route>
```

A collaboration engineer is troubleshooting an issue where a user is reporting that instant messages are not reaching the intended recipient The engineer is unable to see the full instant message in the trace file In which trace in the transaction must the engineer resolve this issue?

- A. XCP Router
- B. Client Profile Agent
- C. Presence Engine
- D. XCP Connection Manager

Answer: A

NEW QUESTION 124

An end user opened a ticket, stating that before logging in to Jabber for Windows, a warning is displayed that a server certificate has expired. Which two certificates must be verified on the Cisco Unified Communications Manager and IM&P deployment? (Choose two.)

- A. capf on Cisco Unified CM
- B. cup-xmpp on IM&P
- C. callmanager on Cisco Unified CM
- D. tomcat on Cisco Unified CM
- E. cup on IM&P

Answer: BD

Explanation:

<https://www.cisco.com/c/en/us/support/docs/unified-communications/unified-presence/116917-technote-certific>

NEW QUESTION 125


A collaboration engineer is troubleshooting Apple push notification Issues and calls Cisco TAC for assistance. The Cisco TAC Engineer indicates that diagnostic information has not been received for the cluster. Which action resolves this issue?

- A. Temporarily enable manual downloads of log files from the Cisco Cloud Onboarding page on Cisco UCM.
- B. Temporarily disable push notifications so that Cisco UCM can generate the diagnostics log files.
- C. Enable "Send encrypted PII to the Cisco Cloud for troubleshooting" on the Cisco Cloud Onboarding Configuration page.
- D. Enable "Send Troubleshooting Information to the Cisco Cloud" on the Cisco Cloud Onboarding Configuration page.

Answer: D

NEW QUESTION 130

Refer to the exhibit.



Which action allows a remote Cisco Jabber user utilizing Mobile and Remote Access to automatically log in to a Cisco Unity Connection voicemail box via OAuth?

- A. Add CUCM under System Settings > Authz Servers in Cisco Expressway-E.
- B. Add CUCM under System Settings > Authz Servers in Cisco Expressway-C.
- C. Add CUCM under System Settings > Authz Servers in Cisco Unity.
- D. Add CUCM under System Settings > Authz Servers in Cisco Unity Connection.

Answer: D

NEW QUESTION 131

An engineer deploys Centralized Deployment for Cisco IM and Presence, where central IM and Presence runs version 12.0, and remote Cisco UCM clusters run version 10.5. The engineer checks under System > Centralized Deployment and notes that Status remains UnSynchronized. What are two reasons for this status? (Choose two.)

- A. The Cisco UCM and IM and Presence cluster must be running at least version 11.5 to allow for Centralized Deployment.
- B. The remote Cisco UCM cluster does not support OAuth Refresh Token flow.
- C. This connection must be synchronized from the remote Cisco UCM Administration menu.
- D. The username ana/or password of the application user that was provided for adding remote dusters to the central IM and Presence is incorrect.
- E. The application user that is configured on remote Cisco UCM clusters does not have 'Standard AXL API Access- added.

Answer: BC

NEW QUESTION 134

An engineer is configuring XMPP federation on the Cisco IM and Presence server and has changed the security settings to TLS Optional on one node in the cluster. What is the next step in the configuration process?

- A. Start the Cisco DB Replicator
- B. Start the Cisco Replication Watcher.
- C. Restart the Cisco XCP Router.
- D. Restart the Cisco Presence Engine

Answer: C

NEW QUESTION 139

What is the primary mechanism in Cisco Unity Connection that is used for toll fraud prevention?

- A. restriction tables
- B. fraud tables
- C. transfer rules
- D. calling search spaces

Answer: A

NEW QUESTION 142

Which service must be activated on Cisco Unity Connection to utilize LDAP synchronization?

- A. Cisco Tomcat
- B. Cisco Sync Agent
- C. Cisco DirSync
- D. Cisco RIS Data Collector

Answer: C

NEW QUESTION 143

An administrator is configuring call handlers in Cisco Unity Connection. The administrator must ensure that internal extensions are restricted so that callers must go through the company operator to reach employees, and so that callers hear an error message if they attempt to dial extensions directly. Which setting is configured to accomplish this task?

- A. Transfer Rules
- B. Caller Input
- C. Greetings
- D. Message Settings

Answer: B

NEW QUESTION 146

Which CLI command is used to collect traces from the Cisco Presence engine for seven days?

- A. file build log cisco_presence_engine 7
- B. file build log cisco_presence 168
- C. file build log presence_engine 7
- D. file build log presence_engine 168

Answer: A

NEW QUESTION 151

Refer to the exhibit

```
Mar 11 10:09:13.767 EST: //-1/xxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:
Sent:
SIP/2.0 488 Not Acceptable Media
Via: SIP/2.0/UDP 172.18.106.88:5060
From: "Cisco SIP Channel1" <sip:outbound-0@172.18.106.66>;tag=75b5194d-133
To: <sip:1109811043@172.18.106.66;user=phone>;tag=23F1578C-252
Date: Fri, 11 Mar 2005 15:09:13 GMT
Call-ID: e34bafcc-131@172.18.106.88:5060
Server: Cisco-SIPGateway/IOS-12.x
CSeq: 51 INVITE
Allow-Events: telephone-event
Content-Length: 0
```

Users complain that the message waiting light on the IP phone does not light up when receiving a new voicemail With which codec must the engineer configure a dial peer on Cisco UCME for MW1 traffic to resolve this issue?

- A. G.729r8
- B. G.729ar8
- C. G.711ulaw
- D. G.711alaw

Answer: C

NEW QUESTION 152

Refer to the exhibit.

```
---Log snippet---

2018-12-27 11:02:05, 430 INFO [0x0000015c]
[re\dnsutils\win32\win32DnsUtils.cpp(343)] [csf.dns]
[csf::dns::DnsUtils::executeSRVRecordQuery] - About to make DNS SRV record query
'_cisco-uds._tcp.example.com.'
2018-12-27 11:02:05, 430 WARN [0x0000015c]
[src\dnsutils\win32\win32DnsUtils.cpp(52)] [csf.dns]
[csf::dns::mapFromWindowsDNSResult] - *-----* DNS query _cisco-
uds._tcp.example.com. has failed: DNS name does not exist.
(9003).
2018-12-27 11:02:05, 430 INFO [0x0000015c]
[rc\dnsutils\win32\win32DnsUtils.cpp(343)] [csf.dns]
[csf::dns::DnsUtils::executeSRVRecordQuery] - About to make DNS SRV record query
'_cuplogin._tcp.example.com.'
2018-12-27 11:02:05, 435 WARN [0x0000015c]
[src\dnsutils\win32\win32DnsUtils.cpp(52)] [csf.dns]
[csf::dns::mapFromWindowsDNSResult] - *-----* DNS query
_cuplogin._tcp.example.com. has failed: DNS name does not exist.
(9003).
```

Troubleshooting an internal Jabber login issue and you see this logging snippet from the Jabber PRT file. You already checked that the Jabber client has a connection to the correct DNS server. Which DNS record is missing for service discovery of Cisco Unified Communications Manager for the login process to proceed further?

- A. A record for the Cisco Unified Communications Manager
- B. SRV record _cisco-uds._tcp.example.com
- C. A record _cuplogin._tcp.example.com
- D. SRV record _cuplogin._tcp.example.com

Answer: B

NEW QUESTION 155

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

300-810 Practice Exam Features:

- * 300-810 Questions and Answers Updated Frequently
- * 300-810 Practice Questions Verified by Expert Senior Certified Staff
- * 300-810 Most Realistic Questions that Guarantee you a Pass on Your First Try
- * 300-810 Practice Test Questions in Multiple Choice Formats and Updates for 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The 300-810 Practice Test Here](#)