

Oracle

Exam Questions 1z0-082

Oracle Database Administration I



NEW QUESTION 1

Examine this description of the TRANSACTIONS table:

Name	Null?	Type
-----	-----	-----
TRANSACTION_ID	NOT NULL	VARCHAR2 (6)
TRANSACTION_DATE		DATE
AMOUNT		NUMBER (10, 2)
CUSTOMER_ID		VARCHAR2 (6)

Which two SQL statements execute successfully? (Choose two.)

- A. SELECT customer_id AS "CUSTOMER-ID", transaction_date AS DATE, amount + 100 "DUES" FROM transactions;
- B. SELECT customer_id AS "CUSTOMER-ID", transaction_date AS "DATE", amount + 100 DUES FROM transactions;
- C. SELECT customer_id AS CUSTOMER-ID, transaction_date AS TRANS_DATE, amount + 100 "DUES AMOUNT" FROM transactions;
- D. SELECT customer_id CUSTID, transaction_date TRANS_DATE, amount + 100 DUES FROM transactions;
- E. SELECT customer_id AS 'CUSTOMER-ID', transaction_date AS DATE, amount + 100 'DUES AMOUNT' FROM transactions;

Answer: BD

NEW QUESTION 2

Which three statements are true about the tools used to configure Oracle Net Services? (Choose three.)

- A. The Oracle Net Configuration Assistant is only used when running the Oracle installer
- B. Oracle Net Manager can be used to centrally configure listeners on any database server target
- C. The lsnrctl utility requires a listener.ora file to exist before it is started
- D. Oracle Net Manager can be used to locally configure naming methods on a database server
- E. Enterprise Manager Cloud Control can be used to centrally configure listeners on any managed database server
- F. Enterprise Manager Cloud Control can be used to centrally configure net service names for any databaseserver target

Answer: BDE

NEW QUESTION 3

Examine this command:

```
CREATE UNDO TABLESPACE undotbs01  
DATAFILE 'undotbs_01.dbf' SIZE 100M  
AUTOEXTEND ON;
```

Which two actions must you take to ensure UNDOTBS01 is used as the default UNDO tablespace? (Choose two.)

- A. Add the SEGMENT SPACE MANAGEMENT AUTO clause
- B. Set UNDO_TABLESPACE to UNDOTBS01
- C. Add the NOLOGGING clause
- D. Make certain that the database operates in automatic undo management mode
- E. Add the ONLINE clause

Answer: BD

NEW QUESTION 4

You have been tasked to create a table for a banking application. One of the columns must meet three requirements:

- Be stored in a format supporting date arithmetic without using conversion functions
- Store a loan period of up to 10 years
- Be used for calculating interest for the number of days the loan remains unpaid Which data type should you use?

- A. INTERVAL YEAR TO MONTH
- B. INTERVAL DAY TO SECOND
- C. TIMESTAMP WITH LOCAL TIMEZONE
- D. TIMESTAMP
- E. TIMESTAMP WITH TIMEZONE

Answer: B

NEW QUESTION 5

Which three statements are true about dropping and unused columns in an Oracle database? (Choose three.)

- A. A primary key column referenced by another column as a foreign key can be dropped if using the CASCADE option.
- B. An UNUSED column's space is reclaimed automatically when the block containing that column is next queried.
- C. An UNUSED column's space is reclaimed automatically when the row containing that column is next queried.
- D. Partition key columns cannot be dropped.
- E. A DROP COLUMN command can be rolled back
- F. A column that is set to UNUSED still counts towards the limit of 1000 columns per table

Answer: ABF

NEW QUESTION 6

Which two statements are true regarding Oracle database space management within blocks managed by Automatic Segment Space Management (ASSM)? (Choose two.)

- A. PCTFREE defaults to 10% for all blocks in all segments for all compression methods
- B. ASSM assigns blocks to one of four fullness categories based on what percentage of the block is allocated for rows
- C. Update operations always attempt to find blocks with free space appropriate to the length of the row being updated
- D. Insert operations always attempt to find blocks with free space appropriate to the length of the row being inserted
- E. A block will always be eligible for inserts if the row is short enough to fit into the block

Answer: CE

NEW QUESTION 7

Examine this command and some partial output:

Name	Null?	Type
TRANSACTION_ID	NOT NULL	VARCHAR2(6)
TRANSACTION_DATE		DATE
AMOUNT		NUMBER(10,2)
CUSTOMER_ID		VARCHAR2(6)

Why does the DB01.abc.com service show unknown status?

- A. The service DB01.abc.com is dynamically registered
- B. The LOCAL_LISTENER database parameter is not set to a service name that refers to LISTENER_1
- C. The service DB01.abc.com is statically registered
- D. The listener is not listening on the default port 1521
- E. The SID_LIST_LISTENER section is not contained in the LISTENER.ORA file

Answer: B

NEW QUESTION 8

Your database instance was shut down normally and then started in NOMOUNT state. You then execute this command:

ALTER DATABASE MOUNT;

Which two actions are performed? (Choose two.)

- A. The online redo logs are opened
- B. The online data files are opened
- C. The alert log records the execution details
- D. The Oracle background processes are started
- E. The initialization parameter file is read
- F. The control file is read

Answer: DF

NEW QUESTION 9

Examine these commands:

```
[oracle@host01 ~]$ sqlplus u1/oracle
SQL> SELECT * FROM emp;
ENO          ENAME          DN
-----
1            Alan            2
2            Ben             2

SQL> exit
[oracle@host01 ~]$ cat emp.dat

3,Curl,4
4,Bob,4
[oracle@host01 ~]$ sqlldr u1/oracle TABLE=emp
```

Which two statements are true about the sqlldr execution? (Choose two.)

- A. It overwrites data in EMP with data in EMP.DAT
- B. It uses the database buffer cache to load data
- C. It generates a log that contains control file entries, which can be used with normal SQL*Loader operations
- D. It generates a sql script that it uses to load data from EMP.DAT to EMP
- E. It appends data from EMP.DAT to EMP

Answer: BD

NEW QUESTION 10

You need to calculate the number of days from 1st January 2019 until today. Dates are stored in the default format of DD-MON-RR. Which two queries give the required output? (Choose two.)

- A. SELECT TO_CHAR(SYSDATE, 'DD-MON-YYYY') - '01-JAN-2019' FROM DUAL;
- B. SELECT ROUND(SYSDATE - '01-JAN-2019') FROM DUAL;
- C. SELECT ROUND(SYSDATE - TO_DATE('01/JANUARY/2019')) FROM DUAL;
- D. SELECT TO_DATE(SYSDATE, 'DD/MONTH/YYYY') - '01/JANUARY/2019' FROM DUAL;
- E. SELECT SYSDATE - TO_DATE('01-JANUARY-2019') FROM DUAL;

Answer: AB

NEW QUESTION 10

Examine the description of the PROMOTIONS table:

Name	Null?	Type

PROMO_ID	NOT NULL	NUMBER (6)
PROMO_NAME	NOT NULL	VARCHAR2 (30)
PROMO_CATEGORY	NOT NULL	VARCHAR2 (30)
PROMO_COST	NOT NULL	NUMBER (10, 2)

You want to display the unique promotion costs in each promotion category. Which two queries can be used? (Choose two.)

- A. SELECT promo_cost, promo_category FROM promotions ORDER BY 1;
- B. SELECT DISTINCT promo_cost || ' in ' || DISTINCT promo_category FROM promotions ORDER BY 1;
- C. SELECT DISTINCT promo_category || ' has ' || promo_cost AS COSTS FROM promotions ORDER BY 1;
- D. SELECT promo_category, DISTINCT promo_cost FROM promotions ORDER BY 2;
- E. SELECT DISTINCT promo_category, promo_cost FROM promotions ORDER BY 1;

Answer: DE

NEW QUESTION 12

What is true about non-equijoin statement performance? (Choose two.)

- A. Table aliases can improve performance
- B. The BETWEEN condition always performs better than using the >= and <= conditions
- C. The join syntax used makes no difference to performance
- D. The BETWEEN condition always performs less well than using the >= and <= conditions
- E. The Oracle join syntax performs better than the SQL:1999 compliant ANSI join syntax

Answer: AE

NEW QUESTION 16

View the Exhibit and examine the structure of the PRODUCTS table. Which two tasks require subqueries? (Choose two.)

Table PRODUCTS		
Name	Null?	Type
PROD_ID	NOT NULL	NUMBER(6)
PROD_NAME	NOT NULL	VARCHAR2(50)
PROD_DESC	NOT NULL	VARCHAR2(4000)
PROD_CATEGORY	NOT NULL	VARCHAR2(50)
PROD_CATEGORY_ID	NOT NULL	NUMBER
PROD_UNIT_OF_MEASURE		VARCHAR2(20)
SUPPLIER_ID	NOT NULL	NUMBER(6)
PROD_STATUS	NOT NULL	VARCHAR2(20)
PROD_LIST_PRICE	NOT NULL	NUMBER(8,2)
PROD_MIN_PRICE	NOT NULL	NUMBER(8,2)

- A. Display the number of products whose PROD_LIST_PRICE is more than the average PROD_LIST_PRICE
- B. Display suppliers whose PROD_LIST_PRICE is less than 1000
- C. Display products whose PROD_MIN_PRICE is more than the average PROD_LIST_PRICE of all products, and whose status is orderable
- D. Display the total number of products supplied by supplier 102 which have a product status of obsolete
- E. Display the minimum PROD_LIST_PRICE for each product status

Answer: AC

NEW QUESTION 18

Which three statements are true about external tables in Oracle 18c and later releases? (Choose three.)

- A. External table files can be used for other external tables in a different database
- B. The ORACLE_LOADER access driver can be used to unload data from a database into an external table
- C. The ORACLE_DATAPUMP access driver can be used to unload data from a database into an external table
- D. They cannot be partitioned
- E. The ORACLE_DATAPUMP access driver can be used to load data into a database from an external table
- F. They support UPDATEs but not INSERTs and DELETEs

Answer: ABF

NEW QUESTION 19

Evaluate these commands which execute successfully:

```

Name                               Null?    Type
-----
TRANSACTION_ID                     NOT NULL VARCHAR2(6)
TRANSACTION_TYPE                   VARCHAR2(3)
BORROWED_DATE                      DATE
BOOK_ID                            VARCHAR2(6)
MEMBER_ID                          VARCHAR2(6)

```

Which two statements are true about the ORD_ITEMS table and the ORD_SEQ sequence? (Choose two.)

- A. If sequence ORD_SEQ is dropped then the default value for column ORD_NO will be NULL for rows inserted into ORD_ITEMS
- B. Any user inserting rows into table ORD_ITEMS must have been granted access to sequence ORD_SEQ
- C. Column ORD_NO gets the next number from sequence ORD_SEQ whenever a row is inserted into ORD_ITEMS and no explicit value is given for ORD_NO
- D. Sequence ORD_SEQ cycles back to 1 after every 5000 numbers and can cycle 20 times
- E. Sequence ORD_SEQ is guaranteed not to generate duplicate numbers

Answer: BE

NEW QUESTION 20

Which three Oracle database space management features will work with both Dictionary and Locally managed tablespaces? (Choose three.)

- A. Oracle Managed Files (OMF)
- B. Online table segment shrink
- C. Online index segment shrink
- D. Automatic data file extension (AUTOEXTEND)
- E. Capacity planning growth reports based on historical data in the Automatic Workload Repository (AWR)

Answer: ADE

NEW QUESTION 21

In the spfile of a single instance database, LOCAL_LISTENER is set to LISTENER_1.

The TNSNAMES.ORA file in \$ORACLE_HOME/network/admin in the database home contains:

```

LISTENER_1 =
  (ADDRESS =
    (PROTOCOL = TCP)
    (HOST = host1.abc.com)
    (PORT = 1521)
  )

```

Which statement is true?

- A. Dynamic service registration cannot be used for this database instance
- B. The LREG process registers services dynamically with the LISTENER_1 listener
- C. LISTENER_1 must also be defined in the LISTENER.ORA file to enable dynamic service registration
- D. There are two listeners named LISTENER and LISTENER_1 running simultaneously using port 1521 on the same host as the database instances
- E. The definition for LISTENER_1 requires a CONNECT_DATA section to enable dynamic service registration

Answer: C

NEW QUESTION 24

In one of your databases, user KING is:

- \1. Not a DBA user
 - \2. An operating system (OS) user
- Examine this command and its output:

```

SHOW PARAMETER OS_AUTHENT_PREFIX

NAME                               TYPE        VALUE
-----
os_authent_prefix                  string

```


What must you do so that KING is authenticated by the OS when connecting to the database instance?

- A. Set OS_AUTHEN_PREFIX to OPS\$
- B. Have the OS administrator add KING to the OSDBA group
- C. Grant DBA to KING
- D. Unset REMOTE_LOGIN_PASSWORDFILE
- E. Alter user KING to be IDENTIFIED EXTERNALLY

Answer: D

NEW QUESTION 27

You want to use table compression suitable for OLTP that will:

- Compress rows for all DML statements on that table
- Minimize the overheads associated with compression

Which compression option is best suited for this?

- A. COLUMN STORE COMPRESS FOR QUERY LOW
- B. ROW STORE COMPRESS BASIC
- C. COLUMN STORE COMPRESS FOR ARCHIVE LOW
- D. COLUMN STORE COMPRESS FOR ARCHIVE HIGH
- E. ROW STORE COMPRESS ADVANCED

Answer: E

NEW QUESTION 31

Which four account management capabilities can be configured using Oracle profiles? (Choose four.)

- A. the number of hours for which an account is locked after the configured number of login attempts has been reached
- B. the number of days for which an account may be inactive before it is locked
- C. the maximum amount of CPU time allowed for a user's sessions before their account is locked
- D. the ability to prevent a password from ever being reused
- E. the number of password changes required within a period of time before a password can be reused
- F. the number of days for which an account is locked after the configured number of login attempts has been reached
- G. the maximum number of sessions permitted for a user before the account is locked

Answer: DEFG

NEW QUESTION 33

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

1z0-082 Practice Exam Features:

- * 1z0-082 Questions and Answers Updated Frequently
- * 1z0-082 Practice Questions Verified by Expert Senior Certified Staff
- * 1z0-082 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * 1z0-082 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The 1z0-082 Practice Test Here](#)