

# Salesforce

## Exam Questions JavaScript-Developer-I

Salesforce Certified JavaScript Developer I



**NEW QUESTION 1**

Refer to the code below: Let str = 'javascript'; Str[0] = 'J';  
Str[4] = 'S';

After changing the string index values, the value of str is 'javascript'. What is the reason for this value:

- A. Non-primitive values are mutable.
- B. Non-primitive values are immutable.
- C. Primitive values are mutable.
- D. Primitive values are immutable.

**Answer: D**

**NEW QUESTION 2**

A developer at Universal Containers creates a new landing page based on HTML, CSS, and JavaScript TO ensure that visitors have a good experience, a script named personaliseContext needs to be executed when the webpage is fully loaded (HTML content and all related files ), in order to do some custom initialization. Which statement should be used to call personalizeWebsiteContent based on the above business requirement?

- A. document.addEventListener("onDOMContextLoaded", personalizeWebsiteContext);
- B. window.addEventListener('load',personalizeWebsiteContext);
- C. window.addEventListener('onload', personalizeWebsiteContext);
- D. Document.addEventListener("DOMContextLoaded", personalizeWebsiteContext);

**Answer: B**

**NEW QUESTION 3**

A developer wants to use a try...catch statement to catch any error that countSheep () may throw and pass it to a handleError () function. What is the correct implementation of the try...catch?

A)

```
try {  
    setTimeout(function() {  
        countSheep();  
    }, 1000);  
} catch (e) {  
    handleError(e);  
}
```

B)

```
try {  
    countSheep();  
} finally {  
    handleError(e);  
}
```

C)

```
setTimeout(function() {  
    try {  
        countSheep();  
    } catch (e) {  
        handleError(e);  
    }  
}, 1000);
```

D)

```
try {  
    countSheep();  
} handleError (e){  
    catch(e):
```

- A. Option
- B. Option
- C. Option
- D. Option

**Answer: A**

**NEW QUESTION 4**

Refer to code below:

```
Function muFunction(reassign){  
Let x = 1;  
var y = 1;  
if( reassign ) {  
Let x= 2;
```

```
Var y = 2;
console.log(x);
console.log(y);}
console.log(x);
console.log(y);}
What is displayed when myFunction(true) is called?
```

- A. 2 2 1 1
- B. 2 2 undefined undefined
- C. 2 2 1 2
- D. 2 2 2 2

**Answer: C**

#### NEW QUESTION 5

Which three browser specific APIs are available for developers to persist data between page loads ? Choose 3 answers

- A. IIFEs
- B. indexedDB
- C. Global variables
- D. Cookies
- E. localStorage.

**Answer: ABE**

#### NEW QUESTION 6

Refer to the code:

```
01 function Vehicle(name, price) {
02   this.name = name;
03   this.price = price;
04 }
05 Vehicle.prototype.priceInfo = function () {
06   return 'Cost of the ${this.name} is ${this.price}$';
07 }
08 var ford = new Vehicle('Ford Fiesta', '20,000');
```

Given the requirement to refactor the code above to JavaScript class format, which class definition is correct?

A)

```
01 class Vehicle {
02   constructor(name, price) {
03     this.name = name;
04     this.price = price;
05   }
06   priceInfo() {
07     return 'Cost of the ${this.name} is ${this.price}$';
08   }
09 }
```

B)

```
01 class Vehicle {
02   vehicle(name, price) {
03     this.name = name;
04     this.price = price;
05   }
06   priceInfo() {
07     return 'Cost of the ${this.name} is ${this.price}$';
08   }
09 }
```

C)

```
01 class Vehicle {
02   constructor(name, price) {
03     name = name;
04     price = price;
05   }
06   priceInfo() {
07     return 'Cost of the ${this.name} is ${this.price}$';
08   }
09 }
```

D)

```
01 class Vehicle {
02   constructor() {
03     this.name = name;
04     this.price = price;
05   }
06   priceInfo() {
07     return 'Cost of the ${this.name} is ${this.price}$';
08   }
09 }
```

A.

**Answer: B**

#### NEW QUESTION 7

developer is trying to convince management that their team will benefit from using Node.js for a backend server that they are going to create. The server will be a web server that handles API requests from a website that the team has already built using HTML, CSS, and JavaScript.

Which three benefits of Node.js can the developer use to persuade their manager? Choose 3 answers:

- A. It installs with its own package manager to install and manage third-party libraries.
- B. Ensures stability with one major release every few years.
- C. Performs a static analysis on code before execution to look for runtime errors.
- D. Executes server-side JavaScript code to avoid learning a new language.
- E. User non blocking functionality for performant request handling .

**Answer: ACE**

#### NEW QUESTION 8

A Developer wrote the following code to test a sum3 function that takes in an array of numbers and returns the sum of the first three number in the array, The test passes:

```
01 let res = sum3([1, 2, 3]);
02 console.assert(res === 6);
03
04 res=sum3([1, 2, 3, 4]);
05 console.assert(res === 6);
```

A different developer made changes to the behavior of sum3 to instead sum all of the numbers present in the array. The test passes:

Which two results occur when running the test on the updated sum3 function ? Choose 2 answers

- A. The line 02 assertion passes.
- B. The line 02 assertion fails
- C. The line 05 assertion passes.
- D. The line 05 assertion fails.

**Answer: AD**

#### NEW QUESTION 9

Refer to the code below:

```
const event = new CustomEvent(
//Missing Code
);
```

```
obj.dispatchEvent(event);
```

A developer needs to dispatch a custom event called update to send information about recordId.

Which two options could a developer insert at the placeholder in line 02 to achieve this? Choose 2 answers

- A. 'Update' , ( recordId : '123abc' (
- B. 'Update' , '123abc'
- C. { type : 'update', recordId : '123abc' }
- D. 'Update' , { Details : { recordId : '123abc'}}

**Answer: AD**

#### NEW QUESTION 10

Refer to the code below:

```
Let car1 = new Promise((_ , reject) => setTimeout(reject, 2000, "car 1 crashed in" =>
```

```
Let car2 =new Promise(resolve=> setTimeout(resolve, 1500, "car 2 completed") Let car3 =new Promise(resolve => setTimeout(resolve, 3000, "car 3 completed")
```

```
Promise.race(( car1, car2, car3))
```

```
.then (value => (
```

```
Let result = `${value} the race.`;))
```

```
.catch(arr => {
```

```
console.log("Race is cancelled.", err);
```

```
});
```

What is the value of result when Promise.race executes?

- A. Car 3 completes the race
- B. Car 2 completed the race.
- C. Car 1 crashed in the race.
- D. Race is cancelled.

**Answer:** B

#### NEW QUESTION 10

Which javascript methods can be used to serialize an object into a string and deserialize a JSON string into an object, respectively?

- A. JSON.stringify and JSON.parse
- B. JSON.serialize and JSON.deserialize
- C. JSON.encode and JSON.decode
- D. JSON.parse and JSON.deserialize

**Answer:** A

#### NEW QUESTION 12

Refer to the HTML below:

```
<div id="main">
<ul>
<li>Leo</li>
<li>Tony</li>
<li>Tiger</li>
</ul>
</div>
```

Which JavaScript statement results in changing " Tony" to "Mr. T."?

- A. document.querySelectorAll('\$main \$TONY').innerHTML = ' M
- B. ';
- C. document.querySelector('\$main li:second-child').innerHTML = ' M
- D. ';
- E. document.querySelector('\$main li.Tony').innerHTML = ' M
- F. ';
- G. document.querySelector('\$main li:nth-child(2)'),innerHTML = ' M
- H. ';

**Answer:** D

#### NEW QUESTION 17

Which three actions can be using the JavaScript browser console? Choose 3 answers:

- A. View and change DOM the page.
- B. Display a report showing the performance of a page.
- C. Run code that is not related to page.
- D. view , change, and debug the JavaScript code of the page.
- E. View and change security cookies.

**Answer:** ACD

#### NEW QUESTION 22

Refer to code below:

```
Const objBook = { Title: 'Javascript',
};
```

```
Object.preventExtensions(objBook); ConstnewObjBook = objBook; newObjectBook.author = 'Robert';
```

What are the values of objBook and newObjBook respectively ?

- A. [title: "javaScript"] [title: "javaScript"]
- B. {author: "Robert", title: "javaScript} Undefined
- C. {author: "Robert", title: "javaScript}{author: "Robert", title: "javaScript}
- D. {author: "Robert"}{author: "Robert", title: "javaScript}

**Answer:** A

#### NEW QUESTION 26

Refer to HTML below:

```
<div id ="main">
<div id = " card-00">This card is smaller.</div>
<div id = "card-01">The width and height of this card is determined by its contents.</div>
</div>
```

Which expression outputs the screen width of the element with the ID card-01?

- A. document.getElementById(' card-01 ').getBoundingClientRect().width
- B. document.getElementById(' card-01 ').style.width
- C. document.getElementById(' card-01 ').width



D. document.getElementById('card-01').innerHTML.length \* e

**Answer:** A

#### NEW QUESTION 31

A developer wrote the following code:

```
01 let X = object.value;
```

```
02
```

```
03 try {
```

```
04   handleObjectValue(X);
```

```
05 } catch (error) {
```

```
06   handleError(error);
```

```
07 }
```

The developer has a getNextValue function to execute after handleObjectValue(), but does not want to execute getNextValue() if an error occurs.

How can the developer change the code to ensure this behavior?

A. 

```
03 try{04 handleObjectValue(x);05 } catch(error){06 handleError(error); 07 } then {08 getNextValue();09 }
```

B. 

```
03 try{04 handleObjectValue(x);05 } catch(error){06 handleError(error); 07 } finally {08 getNextValue();10 }
```

C. 

```
03 try{04handleObjectValue(x); 05 } catch(error){06 handleError(error);7 }8 getNextValue();
```

D. 

```
03 try {04 handleObjectValue(x)05 .....}
```

**Answer:** D

#### NEW QUESTION 36

Given the code below:

```
const copy = JSON.stringify([ new String(' false '), new Boolean( false ), undefined ]);
```

What is the value of copy?

A. -- [ \"false\", { } ]-

B. -- [ false, { } ]-

C. -- [ \"false\", false, undefined ]-

D. -- [ \"false\",false, null ]-

**Answer:** D

#### NEW QUESTION 39

A test has a dependency on database.query. During the test, the dependency is replaced with an object called database with the method,

Calculator.query, that returns an array. The developer does not need to verify how many times the method has been called.

Which two test approaches describe the requirement? Choose 2 answers

A. White box

B. Stubbing

C. Black box

D. Substitution

**Answer:** AD

#### NEW QUESTION 44

Refer to code below:

```
01 function Person() {
02   this.firstName = 'John';
03 }
04
05 Person.prototype = {
06   job: x => 'Developer'
07 };
08
09 const myFather = new Person();
10 const result = myFather.firstName + ' ' + myFather.job();
```

What is the value of the result after line 10 executes?

A. Error: myFather.job is not a function

B. Undefined Developer

C. John undefined

D. John Developer

**Answer:** D

#### NEW QUESTION 47

At Universal Containers, every team has its own way of copying JavaScript objects. The code

Snippet shows an implementation from one team:

```
01 function Person() {
02   this.firstName = "John";
03   this.lastName = "Doe";
04   this.name = () => {
05     console.log('Hello ${this.firstName} ${this.lastName}');
06   }
07 }
08
09 const john = new Person();
10 const dan = JSON.parse(JSON.stringify(john));
11 dan.firstName = 'Dan';
12 dan.name();
```

What is the Output of the code execution?

- A. Hello Dan Doe
- B. Hello John DOe
- C. TypeError: dan.name is not a function
- D. TypeError: Assignment to constant variable.

**Answer: C**

#### NEW QUESTION 48

A developer wants to use a module named universalContainersLib and then call functions from it.  
How should a developer import every function from the module and then call the functions foo and bar?

- A. import \* from '/path/universalContainersLib.js'; universalContainersLi
- B. foo ()7 universalContainersLib.bar ();
- C. import {foo,bar} from '/path/universalCcontainersLib.js'; foo():bar()?
- D. import all from '/path/universalContainersLib.js'; universalContainersLib.foo(); universalContainersLib.bar ();
- E. import \* as lib from '/path/universalContainersLib.js'; lib.foo();li
- F. bar ();

**Answer: D**

#### NEW QUESTION 49

Refer to the code below: `FunctionPerson(firstName, lastName, eyecolor) { this.firstName =firstName; this.lastName = lastName; this.eyeColor = eyeColor; }`  
`Person.job = 'Developer';`  
`const myFather = new Person('John', 'Doe'); console.log(myFather.job);`  
What is the output after the codeexecutes?

- A. ReferenceError: eyeColor is not defined
- B. ReferenceError: assignment to undeclared variable "Person"
- C. Developer
- D. Undefined

**Answer: D**

#### NEW QUESTION 52

Refer to the code below:

```
01 const exec = (item, delay) =>
02   new Promise(resolve => setTimeout(() => resolve(item), delay));
03
04 async function runParallel() {
05   const [result1, result2, result3] = await Promise.all(
06     [exec('x', '100'), exec('y', '500'), exec('z', '100')]
07   );
08   return 'parallel is done: ${result1}${result2}${result3}';
09 }
```

Which two statements correctly execute the runParallel () function? Choose 2 answers

- A. Async runParallel () .then(data);
- B. runParallel ( ). done(function(data){ return data;});
- C. runParallel () .then(data);
- D. runParallel () .then(function(data) return data

**Answer: BD**

**NEW QUESTION 54**

Refer to the code below? LetsearchString = ' look for this ';

Which two options remove the whitespace from the beginning of searchString? Choose 2 answers

- A. searchString.trimEnd();
- B. searchString.trimStart();
- C. trimStart(searchString);
- D. searchString.replace(/\*\s\*/, '');

**Answer:** BD

**NEW QUESTION 55**

Given the following code:

```
document.body.addEventListener(' click ', (event) => { if (/* CODE REPLACEMENT HERE */) {  
console.log('button clicked!');  
}  
});
```

Which replacement for the conditional statement on line 02 allows a developer to correctly determine that a button on page is clicked?

- A. Event.clicked
- B. e.nodeTarget ==this
- C. event.target.nodeName == 'BUTTON'
- D. button.addEventListener('click')

**Answer:** C

**NEW QUESTION 57**

Refer to the code below:

```
01 const myFunction = arr => {  
02   return arr.reduce((result, current) => {  
03     return result + current;  
04   }, 10);  
05 }
```

What is the output of this function when called with an empty array?

- A. Returns 0
- B. Throws an error
- C. Returns 10
- D. Returns NaN

**Answer:** C

**NEW QUESTION 60**

developer creates a new web server that uses Node.js. It imports aserver library that uses events and callbacks for handling server functionality.

The server library is imported with require and is made available to the code by a

variable named server. The developer wants to log any issues that the server has while booting up.

Given the code and the information the developer has, which code logs an error at boost with an event?

- A. Server.catch ((server) => { console.log('ERROR', error);});
- B. Server.error ((server) => { console.log('ERROR', error);});
- C. Server.on ('error', (error) => { console.log('ERROR', error);});
- D. Try{server.start();} catch(error) { console.log('ERROR', error);}

**Answer:** C

**NEW QUESTION 63**

Refer to following code: class Vehicle { constructor(plate) { This.plate =plate;

}

}

Class Truck extends Vehicle { constructor(plate, weight) {

//Missing code This.weight = weight;

}

displayWeight() {

console.log('Thetruck \${this.plate} has a weight of \${this.weight} lb.')}} Let myTruck = new Truck('123AB', 5000);

myTruck.displayWeight();

Which statement should be added to line 09 for the code to display 'The truck 123AB has a weight of 5000lb.'?

- A. Super.plate =plate;
- B. super(plate);
- C. This.plate =plate;
- D. Vehicle.plate = plate;

**Answer:** B



**NEW QUESTION 65**

Considering type coercion, what does the following expression evaluate to? True + '13' + NaN

- A. '113NaN'
- B. 14
- C. 'true13'
- D. 'true13NaN'

**Answer:** D

**NEW QUESTION 68**

Refer to the code:

```
01 function Animal(size, type) {
02   this.size = size || 'small';
03   this.type = type || 'Animal';
04   this.canTalk = false;
05 }
06
07 let Pet = function(size, type, name, owner) {
08   Animal.call(this, size, type);
09   this.name = name;
10   this.owner = owner;
11 }
12
13 Pet.prototype = Object.create(Animal.prototype);
14 let pet1 = new Pet();
```

Given the code above, which three properties are set pet1? Choose 3 answers:

- A. Name
- B. canTalk
- C. Type
- D. Owner
- E. Size

**Answer:** BCE

**NEW QUESTION 73**

Refer to the following code:

```
<html lang="en">
<body>
<div onclick = "console.log('Outer message');">
<button id ="myButton">Click me<button>
</div>
</body>
<script>
function displayMessage(ev) { ev.stopPropagation(); console.log('Inner message.')}
}
const elem =document.getElementById('myButton'); elem.addEventListener('click' , displayMessage);
</script>
</html>
```

What will the console show when the button is clicked?

- A. Outer message
- B. Outer message Inner message
- C. Inner message Outer message
- D. Inner message

**Answer:** D

**NEW QUESTION 75**

Refer to the expression below: Let x = ('1' + 2) == (6 \* 2);

How should this expression be modified to ensure that evaluates to false?

- A. Let x = ('1' + '2') == (6 \* 2);
- B. Let x = ('1' + 2) == (6 \* 2);
- C. Let x = (1 + 2) == ('6' / 2);
- D. Let x = (1 + 2) == (6 / 2);

**Answer:** B

**NEW QUESTION 80**

A developer wants to setup a secure web server with Node.js. The developer creates a directory locally called app-server, and the first file is app-server/index.js Without using any third-party libraries, what should the developer add to index.js to create the secure web server?

- A. const https =require('https');
- B. const server =require('secure-server');
- C. const tls = require('tls');
- D. const http =require('http');

**Answer:** A

### NEW QUESTION 83

is below:

```
<input type="file" onchange="previewFile()">
<img src="" height="200" alt="Image Preview..." /> The JavaScript portion is:
1 function previewFile(){
2 const preview = document.querySelector('img');
3 const file = document.querySelector('input[type=file]').files[0]; 04 //line 4 code
05 reader.addEventListener("load", () =>{ 06 preview.src = reader.result;
7 },false);
8 //line 8 code
9 }
```

In lines 04 and 08, which code allows the user to select an image from their local computer , and to display the image in the browser?

- A. 04 const reader = new File();08 if (file) URL.createObjectURL(file);
- B. 04 const reader = new FileReader();08 if (file) URL.createObjectURL(file);
- C. 04 const reader = new File();08 if (file) reader.readAsDataURL(file);
- D. 04 const reader = new FileReader();08 if (file) reader.readAsDataURL(file);

**Answer:** D

### NEW QUESTION 88

A developer wrote a fizzbuzz function that when passed in a number, returns the following:

'Fizz' if the number is divisible by 3. 'Buzz' if the number is divisible by 5.

'Fizzbuzz' if the number is divisible by both 3 and 5. Emptystring if the number is divisible by neither 3 or 5.

Which two test cases will properly test scenarios for the fizzbuzz function? Choose 2 answers

- A. let res = fizzbuzz(5); console.assert ( res === ' ' );
- B. let res = fizzbuzz(15);console.assert ( res === ' fizzbuzz ' )
- C. let res = fizzbuzz(Infinity); console.assert ( res === ' ' )
- D. let res = fizzbuzz(3); console.assert ( res === ' buzz ' )

**Answer:** BCD

### NEW QUESTION 93

Why would a developer specify a package.json as a developed forge instead of a dependency ?

- A. It is required by the application in production.
- B. It is only needed for local development and testing.
- C. Other requiredpackages depend on it for development.
- D. It should be bundled when the package is published.

**Answer:** B

### NEW QUESTION 95

Which three options show valid methods for creating a fat arrowfunction? Choose 3 answers

- A. x => ( console.log(' executed ' ) ; )
- B. [ ] => ( console.log(' executed ' ) ; )
- C. ( ) => ( console.log(' executed ' ) ; )
- D. X,y,z => ( console.log(' executed ' ) ; )
- E. (x,y,z) => ( console.log(' executed ' ) ; )

**Answer:** AE

### NEW QUESTION 96

Which statement parses successfully?

- A. JSO
- B. parse ("foo");
- C. JSON.parse ("foo");
- D. JSON.parse ("foo");
- E. JSON.parse ("foo");

**Answer:** A

### NEW QUESTION 99

Which statement accurately describes the behaviour of the async/ await keywords ?

- A. The associated class contains some asynchronous functions.
- B. The associated function will always return apromise

- C. The associated function can only be called via asynchronous methods
- D. The associated sometimes returns a promise.

**Answer:** B

#### NEW QUESTION 100

Refer to the following code that performs a basic mathematical operation on a provided input:

```
function calculate(num) { Return (num +10) / 3;
}
```

How should line 02 be written to ensure thatx evaluates to 6 in the line below? Let x = calculate (8);

- A. Return Number((num +10) /3 );
- B. Return (Number (num +10 ) / 3;
- C. Return Integer(num +10) /3;
- D. Return Number(num + 10) / 3;

**Answer:** B

#### NEW QUESTION 103

What are two unique features of functions defined with a fat arrow as compared to normal function definition?

Choose 2 answers

- A. The function generated its own this making ituseful for separating the function's scope from its enclosing scope.
- B. The function receives an argument that is always in scope, called parentThis, which is the enclosing lexical scop
- C. If the function has a single expression in the function body, the expression will be evaluated and implicit returned.
- D. The function uses the this from the enclosing scope.

**Answer:** AC

#### NEW QUESTION 106

Glven a value, which three options can a developer use to detect if the value is NaN? Choose 3 answers !

- A. value == NaN
- B. Object.is(value, NaN)
- C. value === Number.NaN
- D. value ! == value
- E. Number.isNaN(value)

**Answer:** AE

#### NEW QUESTION 107

Refer to the following array: Let arr = [ 1,2, 3, 4, 5];

Which three options result in x evaluating as [3, 4, 5] ? Choose 3 answers.

- A. Let x= arr.filter (( a) => (a<2));
- B. Let x=arr.splice(2,3);
- C. Let x= arr.slice(2);
- D. Let x= arr.filter((a) => ( return a>2 ));
- E. Let x = arr.slice(2,3);

**Answer:** BCD

#### NEW QUESTION 108

A developer has code that calculates a restaurant bill, but generates incorrectanswers while testing the code:

```
function calculateBill ( items ) { let total = 0;
total += findSubTotal(items); total += addTax(total);
total += addTip(total); return total;
}
```

Which option allows the developer to step into each function execution within calculateBill?

- A. Using the debugger command on line 05.
- B. Using the debugger command on line 03
- C. Calling the console.trace (total) method on line 03.
- D. Wrapping findSubtotal in a console.log() method.

**Answer:** A

#### NEW QUESTION 110

A developer is debugging a web server that uses Node.js The server hits a runtimeerror every third request to an important endpoint on the web server.

The developer added a break point to the start script, that is at index.js at he root of the server's source code. The developer wants to make use of chrome DevTools to debug. Which command can be run to access DevTools and make sure the breakdown is hit ?

- A. node -i index.js
- B. Node --inspect-brk index.js
- C. Node inspect index.js
- D. Node --inspect index.js

**Answer:** D

#### NEW QUESTION 113

Which statement phrases successfully?

- A. JSON.parse ( ' foo ' );
- B. JSON.parse ( " foo " );
- C. JSON.parse( " ' foo ' " );
- D. JSON.parse( ' " foo " ' );

**Answer:** D

#### NEW QUESTION 118

In which situation should a developer include a try .. catch block around their function call ?

- A. The function has an error that shouldnot be silenced.
- B. The function results in an out of memory issue.
- C. The function might raise a runtime error that needs to be handled.
- D. The function contains scheduled code.

**Answer:** C

#### NEW QUESTION 123

A developer has two ways to write a function: Option A:

```
function Monster() { This.growl = () => { Console.log ("Grr!");  
}  
}
```

Option B:

```
function Monster() {}; Monster.prototype.growl =() => { console.log("Grr!");  
}
```

After deciding on an option, the developer creates 1000 monster objects. How many growl methods are created with Option AOption B?

- A. 1 growl method is created for Option
- B. 1000 growl methods are created for Option B.
- C. 1000 growl method is created for Option
- D. 1 growl methods are created for Option B.
- E. 1000 growl methods are created regardless of which option is used.
- F. 1 growl method is created regardless of which option is used.

**Answer:** B

#### NEW QUESTION 126

A developer is required to write a function that calculates the sum of elements in an array but is getting undefinedevery time the code is executed. The developer needs to find what is missing in the code below.

```
Const sumFunction = arr => {  
Return arr.reduce((result, current) => {  
//  
Result += current;  
//  
}), 10);  
};
```

Which option makes the code work as expected?

- A. Replace line 02 with return arr.map(( result, current) => (
- B. Replace line 04 with result = result +current;
- C. Replace line 03 with if(arr.length == 0 ) ( return 0; )
- D. Replace line 05 with return result;

**Answer:** D

#### NEW QUESTION 130

Given the following code: Counter = 0;

```
const logCounter = () => { console.log(counter);  
};
```

```
logCounter(); setTimeout(logCOunter, 1100); setInterval(() => {  
Counter++ logCounter();  
}, 1000);
```

What is logged by the first four log statements?

- A. 0 0 1 2
- B. 0 1 2 3
- C. 0 1 1 2
- D. 0 1 2 2

**Answer:** C

#### NEW QUESTION 132

Given code below: `setTimeout (() => ( console.log(1);  
) . 0);  
console.log(2);  
New Promise ((resolve, reject )) = > ( setTimeout(() => ( reject(console.log(3));  
) . 1000);  
)).catch(() => ( console.log(4);  
));  
console.log(5);`  
What is logged to the console?

- A. 2 1 4 3 5
- B. 2 5 13 4
- C. 1 2 4 3 5
- D. 1 2 5 3 4

**Answer:** B

#### NEW QUESTION 135

Refer to the following code that imports a module named utils:

```
01 import {foo,bar} from '/path/Utils.js';  
02 foo();  
03 bar();
```

Which two implementations of Utils.js export foo and bar such that the code above runs without error?  
Choose 2 answers

- A. 

```
//FooUtils.js and BarUtils.js exist  
import {foo} from '/path/FooUtils.js';  
import {bar} from '/path/BarUtils.js';  
export {foo, bar}
```
- B. 

```
const foo = () => { return 'foo'; }  
const bar = () => { return 'bar'; }  
export {foo, bar}
```
- C. 

```
export default class {  
  foo() { return 'foo'; }  
  bar() { return 'bar'; }  
}
```
- D. 

```
const foo = () => { return 'foo'; }  
const bar = () => { return 'bar'; }  
export default foo, bar;
```

**Answer:** BC

#### NEW QUESTION 138

A developer implements a function that adds a few values.

```
01 function sum(num) {  
02   if (num === undefined) {  
03     num = 0;  
04   }  
05   return function(num2, num3) {  
06     if (num3 === undefined) {  
07       num3 = 0;  
08     }  
09     return num + num2 + num3;  
10   }  
11 }
```

Which three options can the developer invoke for this function to get a return value of 10 ? Choose 3 answers

- A. Sum () (20)
- B. Sum (5, 5) ()
- C. sum() (5, 5)
- D. sum(5)(5)
- E. sum(10) ()

**Answer:** CD

#### NEW QUESTION 140



What is the result of the code block?

```
flag();
anotherFlag();

function flag() {
  console.log('flag');
}

const anotherFlag = () => {
  console.log('another flag');
}
```

- A. The console logs only 'flag'.
- B. The console logs 'flag' and another flag.
- C. An error is thrown.
- D. The console logs 'flag' and then an error is thrown.

**Answer:** D

#### NEW QUESTION 144

.....

## Thank You for Trying Our Product

### We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

### JavaScript-Developer-I Practice Exam Features:

- \* JavaScript-Developer-I Questions and Answers Updated Frequently
- \* JavaScript-Developer-I Practice Questions Verified by Expert Senior Certified Staff
- \* JavaScript-Developer-I Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- \* JavaScript-Developer-I Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

**100% Actual & Verified — Instant Download, Please Click**  
**[Order The JavaScript-Developer-I Practice Test Here](#)**