

Salesforce

Exam Questions OmniStudio-Developer

Salesforce Certified OmniStudio Developer (SU21)



NEW QUESTION 1

A developer needs to display read-only contact information in an OmniScript. The developer will format the information as a table, using merge codes to dynamically include first name, last name, street address, state, postal code, and country from the data JSON. Which OmniScript element should the developer use to meet this requirement?

- A. Rich text Area
- B. Text area
- C. Text Block
- D. Edit Block

Answer: C

NEW QUESTION 2


An OmniScript updates data from one Salesforce record, but when it completes, only some of the data is updated in Salesforce. A DataRaptor Load saves the data. What error could cause this behavior? Choose 2 answers

- A. The fields that are not updated are read only in Salesforce.
- B. In the DataRaptor Load, in the Preview tab, the Record is from the wrong record type.
- C. The input JSON paths in the DataRaptor Load do not match the JSON from the OmniScript.
- D. ContextId is misspelled in the merge code that passes the RecordId to the DataRaptor

Answer: AC

NEW QUESTION 3

What is the reason for this? Refer to the exhibit below.



- A. The WLC PubSub Message flag in the Set Values action of the parent OmniScript has not been set.
- B. The flag passData.JSON in the parent OmniScript is not configured correctly.
- C. A developer failed to include a Navigate Action Element to pass data from the parent OmniScript.
- D. Both parent and embedded OmniScripts have the same element name for the Set Values element.

Answer: C

NEW QUESTION 4

A developer needs to build a multi-step intake form. Each step must allow the user to cancel the intake at any time. The developer is using an LWC OmniScript to

build the form.

How should the developer implement the cancel functionality for all steps using the LWC OmniScript Designer?

- A. Check the Enable Cancel checkbox in the Setup tab under Cancel Options.
- B. Add a navigation Action inside each step and set the Component name to "Cancel",
- C. Add a navigation Action outside each step and set the Element Name to "Cancel",
- D. Add a navigation Action inside each step and set the ElementName to "Cancel",

Answer: A

NEW QUESTION 5

A developer needs to change some field labels on a FlexCard. The FlexCard is currently deployed to production. The developer that the best course of action is to version the FlexCard rather than cloning it.


Which factor would lead the developer to this decision?

- A. The new version of the FlexCard will be used in a new Console, and the current version of the FlexCard should remain unchanged.
- B. Another team member is developing new action, fields and styling for the current version of the FlexCard.
- C. The new and current versions will be displayed together on the same target.
- D. All instance of the FlexCard must be updated with the changes.

Answer: B

NEW QUESTION 6

Refer to the exhibit below. In this integration production structure, what Send JSON Path would be used to send the Output of the Action1 element to a Remote Action?




- A. Action1. Block
- B. Block A
- C. Action1: Block
- D. Block A
- E. BlockA: Block
- F. Action 1
- G. BlockB: Block
- H. Action1

Answer: B

NEW QUESTION 7

..... configure Additional input to send exactly the same data?
 Assume that the develop checked Send Only Additional input.



A)

Key	Value
SecondaryAccount	{DRExtractAction:Account}

B)

Key	Value
{DRExtractAction:Account}	SecondaryAccount

C)

Key	Value
{DRExtractAction:Account}	SecondaryAccount

D)

Key	Value
SecondaryAccount	{DRExtractAction:Account}

- A. Option A
- B. Option B
- C. Option C
- D. Option D

Answer: D

NEW QUESTION 8

A developer needs to build a DataRaptor Transform to send current weather to both an OmniScript Card Layout. Which of these samples would be valid for the Expected Output JSON?

A)

```
{
  "Current:TempF": 53.1,
  "Current:CityState": "Baltimore, MD",
  "Current:TempF": 14.6
}
```

B)

```
{
  "current": {
    "TempF": 53.1,
    "CityState": "Baltimore, MD",
    "TempC": 15.3
  }
}
```

C)

```
<root>
  <Current>
    <TempF>53.1</TempF>
    <CityState>Baltimore, MD</CityState>
    <TempC>14.6</TempC>
  </Current>
</root>
```

D)

```
{
  "current": {
    "TempF": 53.1,
    "CityState": "Baltimore, MD",
    "TempC": 14.6
  }
}
```

- A. Option A
- B. Option B
- C. Option C
- D. Option D

Answer: D

NEW QUESTION 9

A developer needs to configure a calculation procedure to calculate the sum of the entire Baseprice. What is the most efficient way for the developer to meet this requirement?

- A. Create a Postprocessor apex class to calculate the sum.
- B. Add an Aggregation Step as SUM (BasePrice)
- C. Add A Calculation Step as SUM (BasePrice).
- D. Create a Preprocessor class to calculate the sum

Answer: B

NEW QUESTION 10

A developer needs to limit the of a DataRaptor Extract to a maximum of one result. How should the developer configure this?

- A. Define a formula with the Filter function
- B. Use a Custom Output Type when creating the DataRaptor
- C. Use the LIMIT filter on the Extract definition
- D. Set the Limit Property on the Action that calls the DataRaptor Extract.

Answer: C

NEW QUESTION 10

Users receive an APEX CPU limit Exceeded error when running an OmniScript in a Salesforce Community. The OmniScript includes an Integration Procedure that contains two DataRaptors.

Which two Location should the developer check to troubleshoot the issue? Choose 2 answers

- A. Script configuration
- B. Community logs
- C. DataRaptor configuration
- D. Action Debugger

Answer: CD

NEW QUESTION 12

A developer is configuring an integration Procedure Action in an OmniScript. The Omniscript needs a JSON response from the Integration Procedure but does not need to wait for the response for the user to proceed.

Which feature should the developer enable?

- A. Toast Completion
- B. Use Future
- C. Invoke Mode Fire and Forget
- D. Invoke Mode Non-Blocking

Answer: D

NEW QUESTION 15

A developer needs to display the following information together on one FlexCard:

* Account name, address, phone number, website

* Primary contact first name, contact name, address, phone number, email

The account information must always be visible, and the contact information should only be visible as needed by the user.

What approach should the developer use to display the contact information on the card?

- A. Use a Datatable element
- B. Set the class "collapsible" on the block element
- C. Set the collapsible property on the block element
- D. Use a conditional FlexCard State

Answer: C

NEW QUESTION 17

A developer needs to configure a DataRaptor to retrieve data from a single object. The structure of the output data does not need to be changed. Following best practices, which type of DataRaptor should the developer use?

- A. DataRaptor Transform
- B. DataRaptor Extract
- C. DataRaptor Load
- D. DataRaptor Turbo Extract

Answer: D

NEW QUESTION 18

An integration procedure contains a Remote Action element that calls a method of an APEX class. The method requires two fields are input: AccountId and ProductId. The integration Procedure data JSON contains the following nodes:

How should the Remote Action element be configured to pass the data correctly to the method?

- A. Check the Send Only Additional Input checkbox, and the following/ value pairs to Additional input:

B. Set Return Only AdditionalOutput to true, and add the following Key/Value pairs to additional input.

```
AccountId: %AccountId%
ProductId: %Details:ProductId%
```

```
AccountId: %AccountId%
ProductId: %Details:ProductId%
```

C. Check the DataRaptor Transform checkbox, and add the following Key/Value pairs to Output JSON Path:

```
AccountId: %AccountId%
ProductId: %Details:ProductId%
```

D. Add the following to Send JSON Path: accountId: %Accountd% ProductId%Details Products%

Answer: B

NEW QUESTION 21

A developer creates a Flexcard that displays a contact's mailing address and passes the contact's postal code to a child FlexCard. When configuration textelements in the child FlexCard, what syntax should a developer use to refer to the contact's postal code?

- A. {Postalcode}
- B. {Parent.postalcode}
- C. {Records.postalcode}
- D. {Params.postalcode}

Answer: D

NEW QUESTION 24

A company wants to allow agents to send customers a quote for signature. The quote is a document created using a DocuSign template that has been prefilled with all of the quote details. The document will be emailed to one or more recipients for signature. How should a developer configure this functionality in an OmniScript?

- A. DocuSign Envelope Action
- B. PDF Acwm
- C. DocuSign Signature Action
- D. Email Action

Answer: C

NEW QUESTION 26

A developer need to configure a calculation procedure to calculation a subtotal using twodifferent depending on whether the input Boolean variable is Customer is set to true or false.

How should a developer configure the calculation procedure to conditionally execute the correct formula?

- A. Use two separate Calculation Steps with the Conditional Step property selected: use the ISTRUE(isCustomer) and NOT (ISTRUE) (isCustomer) functions in the Condition syntax.
- B. Use two separate Calculation Steps with the Conditional Step property selected: reference just thisCustomer variable in the Conditional syntax (no comparison necessary)
- C. Use two separate Calculation Steps with the Conditional Step property selected: compare the isCustomer variable directly to the literal true and false values in the Condition syntax.
- D. Use a single Calculation Stepswith IF statement directly in the formula definition to reference the isCustome variable and conditionally perform the appropriate calculation.

Answer: B

NEW QUESTION 30

Refer to the exhibit.

SEND/RESPONSE TRANSFORMATIONS

Send JSON Path ⓘ	Send JSON Node ⓘ
<input type="text" value="DRExtractAction:Account"/>	<input type="text" value="SecondaryAccount"/>
Response JSON Path ⓘ	Response JSON Node ⓘ
<input type="text"/>	<input type="text"/>

A developer has configured an integration Procedure element with SEND/RESPONSE TRANSFORMATIONS as shown.

Alternatively, how could the developer configure Additional input to send exactly the samedata? Assume that the developer checked Send Only Additional input.

- A)

Key	Value
SecondaryAccount	%DRExtractAction Account%

B)

Key	Value
DRExtractAction.Account	SecondaryAccount

C)

Key	Value
%DRExtractAction.Account%	SecondaryAccount

- A. Option A
- B. Option B
- C. Option C

Answer: C

NEW QUESTION 32

What two advantages does a DataRaptor Turbo Extract have over a standard DataRaptor Extract? Choose 2 answers

- A. It populates data in PDF and DocuSign format
- B. It is easier to configure
- C. It has better performance at runtime
- D. It supports complex field mappings

Answer: BC

NEW QUESTION 33

A developer is configuring the API URL in an HTTP Action element within an Integration procedure. What is the merge code syntax for passing a Date node from an element named SetValues in the URL?

- A. x%SetValues.Date%
- B. (' Setvalues') ['Date']
- C. %SetValues Date
- D. {(SetValue
- E. Date)}

Answer: C

NEW QUESTION 35

A developer has an existing DataRaptor Load that insert Contact records with inputs as LastName and firstName. The DataRaptor works as expected when previewed. The developer creates an integration Procedure to test the DataRaptor and is using a SetValues element in the Integration Procedure to set the first name and last name for the contact record. The DataRaptor and Integration Procedure are set up as shown in the exhibit below.



When the developer executes the Integration procedure in preview, the following error message displays: Required fields are missing: [last Name]". How should the developer address this issue?

- A. SetValuesContactDetails should have been added to Additional input of DataRaptor Post Action in Integration Procedure
- B. The Set values Action Keys should include the DataRaptor Post Action element name path, e.g LoadContactDetails, lastname
- C. The DataRaptor Post Action in the integration procedure should have been executed before the Set Values Action
- D. The valid field names should be added in the Domain object field in the DataRaptor

Answer: A

NEW QUESTION 39

A developer configure a Flexcard with a DataRaptor data source that uses the params.id as an. When the developer clicks Views Data on the FlexCard, valid data displays. However, when the developer previews the layout, the FlexCard does not display. What could cause this error? Choose 2 answers

- A. The Data Node field for the FlexCard is empty.

- B. The RecordId in the Test Data Source settings ins for the wrong record type.
- C. The attribute haven't been configured to pass the data to the fields.
- D. There is not Salesforce record for the FlexCard based on the RecordId in the layout's Test Data Source Settings.

Answer: BC

NEW QUESTION 40

Refer to the exhibit.

Input Data	Output Data
ProductCode (Text) <input type="text" value="v"/>	BasePrice (#)
Search column	Search column
ACC154	10.23
CAA876B	20.36
HRA320	12.99
HRA320B	13.99

All inputs to the Calculation Matrix are set correctly.
 The Calculation Matrix has the following input:

```
{
  "input": {
    "ProductCode": "HRA320"
  }
}
```


What is the output?

- A. Null
- B. 13.99
- C. 12.99,13.99
- D. 12.99

Answer: D

NEW QUESTION 44

Refer to the exhibit below.



What is the merge code needed for this integration procedure structure to pass a CaseNumber node from the DRReadCase DataRaptor Extract Action to the HTTP Action's HTTP URL?

- A. %DRReadCase: CaseNumber%
- B. ((DRRCase,CaseNumber))
- C. MTTOPDetCaseDetail: CaseNumber%
- D. ((CaseNumber))

Answer: A

NEW QUESTION 45

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

OmniStudio-Developer Practice Exam Features:

- * OmniStudio-Developer Questions and Answers Updated Frequently
- * OmniStudio-Developer Practice Questions Verified by Expert Senior Certified Staff
- * OmniStudio-Developer Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * OmniStudio-Developer Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The OmniStudio-Developer Practice Test Here](#)